



Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2326.000	49.98	-8.03	41.95	74.00	-32.05	peak
2	3382.000	43.28	-3.21	40.07	74.00	-33.93	peak
3	4228.000	42.68	-0.58	42.10	74.00	-31.90	peak
4	5386.000	42.80	4.06	46.86	74.00	-27.14	peak
5	5944.000	40.53	6.34	46.87	74.00	-27.13	peak
6	6832.000	37.93	7.45	45.38	74.00	-28.62	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2014.000	46.71	-10.04	36.67	74.00	-37.33	peak
2	3202.000	44.24	-5.07	39.17	74.00	-34.83	peak
3	3664.000	43.95	-3.13	40.82	74.00	-33.18	peak
4	5116.000	42.62	1.94	44.56	74.00	-29.44	peak
5	5812.000	41.74	4.58	46.32	74.00	-27.68	peak
6	6862.000	38.14	6.56	44.70	74.00	-29.30	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2332.000	50.49	-8.01	42.48	74.00	-31.52	peak
2	2530.000	47.97	-7.24	40.73	74.00	-33.27	peak
3	3808.000	43.01	-1.73	41.28	74.00	-32.72	peak
4	4834.000	42.22	2.12	44.34	74.00	-29.66	peak
5	5950.000	40.65	6.37	47.02	74.00	-26.98	peak
6	6862.000	38.41	7.43	45.84	74.00	-28.16	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2764.000	45.44	-7.07	38.37	74.00	-35.63	peak
2	3832.000	43.23	-2.74	40.49	74.00	-33.51	peak
3	4786.000	42.94	0.82	43.76	74.00	-30.24	peak
4	5410.000	42.70	2.95	45.65	74.00	-28.35	peak
5	6034.000	39.90	5.76	45.66	74.00	-28.34	peak
6	6838.000	38.43	6.58	45.01	74.00	-28.99	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2326.000	50.89	-8.03	42.86	74.00	-31.14	peak
2	2866.000	46.01	-5.45	40.56	74.00	-33.44	peak
3	4108.000	43.13	-0.96	42.17	74.00	-31.83	peak
4	4762.000	42.95	1.78	44.73	74.00	-29.27	peak
5	6016.000	40.13	6.69	46.82	74.00	-27.18	peak
6	6844.000	39.10	7.45	46.55	74.00	-27.45	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2320.000	46.77	-8.89	37.88	74.00	-36.12	peak
2	3196.000	45.34	-5.09	40.25	74.00	-33.75	peak
3	4084.000	43.51	-2.10	41.41	74.00	-32.59	peak
4	4732.000	42.53	0.60	43.13	74.00	-30.87	peak
5	5578.000	43.12	3.53	46.65	74.00	-27.35	peak
6	6688.000	38.13	6.31	44.44	74.00	-29.56	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2326.000	50.89	-8.03	42.86	74.00	-31.14	peak
2	3640.000	43.42	-2.17	41.25	74.00	-32.75	peak
3	4102.000	43.56	-0.98	42.58	74.00	-31.42	peak
4	4786.000	42.85	1.89	44.74	74.00	-29.26	peak
5	5938.000	40.86	6.31	47.17	74.00	-26.83	peak
6	6862.000	37.83	7.43	45.26	74.00	-28.74	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2320.000	46.15	-8.89	37.26	74.00	-36.74	peak
2	3742.000	44.13	-2.95	41.18	74.00	-32.82	peak
3	4630.000	42.56	0.20	42.76	74.00	-31.24	peak
4	5008.000	42.25	1.81	44.06	74.00	-29.94	peak
5	5704.000	47.26	4.08	51.34	74.00	-22.66	peak
6	6868.000	38.24	6.56	44.80	74.00	-29.20	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2326.000	51.81	-8.87	42.94	74.00	-31.06	peak
2	3040.000	46.07	-5.82	40.25	74.00	-33.75	peak
3	4108.000	44.33	-2.01	42.32	74.00	-31.68	peak
4	4822.000	43.67	0.98	44.65	74.00	-29.35	peak
5	5944.000	41.79	5.32	47.11	74.00	-26.89	peak
6	6874.000	39.19	6.55	45.74	74.00	-28.26	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2320.000	46.24	-8.89	37.35	74.00	-36.65	peak
2	2758.000	44.47	-7.10	37.37	74.00	-36.63	peak
3	4072.000	44.19	-2.14	42.05	74.00	-31.95	peak
4	4924.000	42.29	1.45	43.74	74.00	-30.26	peak
5	5854.000	42.92	4.82	47.74	74.00	-26.26	peak
6	6874.000	38.36	6.55	44.91	74.00	-29.09	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2332.000	50.89	-8.01	42.88	74.00	-31.12	peak
2	2530.000	48.48	-7.24	41.24	74.00	-32.76	peak
3	3820.000	43.40	-1.70	41.70	74.00	-32.30	peak
4	4666.000	43.62	1.35	44.97	74.00	-29.03	peak
5	5752.000	41.61	5.39	47.00	74.00	-27.00	peak
6	6874.000	38.72	7.42	46.14	74.00	-27.86	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2320.000	47.14	-8.89	38.25	74.00	-35.75	peak
2	3412.000	44.53	-4.15	40.38	74.00	-33.62	peak
3	3928.000	43.68	-2.55	41.13	74.00	-32.87	peak
4	5506.000	42.74	3.27	46.01	74.00	-27.99	peak
5	5746.000	53.11	4.26	57.37	74.00	-16.63	peak
6	6664.000	38.49	6.25	44.74	74.00	-29.26	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2326.000	51.63	-8.03	43.60	74.00	-30.40	peak
2	3370.000	43.22	-3.25	39.97	74.00	-34.03	peak
3	4090.000	44.02	-1.01	43.01	74.00	-30.99	peak
4	4810.000	42.38	2.00	44.38	74.00	-29.62	peak
5	5746.000	52.55	5.37	57.92	74.00	-16.08	peak
6	6670.000	38.22	7.10	45.32	74.00	-28.68	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1942.000	46.81	-10.06	36.75	74.00	-37.25	peak
2	2572.000	46.58	-7.89	38.69	74.00	-35.31	peak
3	3796.000	44.03	-2.82	41.21	74.00	-32.79	peak
4	5002.000	41.65	1.80	43.45	74.00	-30.55	peak
5	5788.000	57.00	4.46	61.46	74.00	-12.54	peak
6	6880.000	37.92	6.55	44.47	74.00	-29.53	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2332.000	50.54	-8.01	42.53	74.00	-31.47	peak
2	2530.000	47.25	-7.24	40.01	74.00	-33.99	peak
3	3808.000	43.02	-1.73	41.29	74.00	-32.71	peak
4	4858.000	42.11	2.26	44.37	74.00	-29.63	peak
5	5782.000	53.85	5.52	59.37	74.00	-14.63	peak
6	6862.000	37.86	7.43	45.29	74.00	-28.71	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2320.000	48.79	-8.89	39.90	74.00	-34.10	peak
2	2980.000	44.96	-6.10	38.86	74.00	-35.14	peak
3	3574.000	44.33	-3.41	40.92	74.00	-33.08	peak
4	4798.000	42.82	0.87	43.69	74.00	-30.31	peak
5	5830.000	56.07	4.68	60.75	74.00	-13.25	peak
6	6676.000	38.27	6.28	44.55	74.00	-29.45	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2332.000	51.23	-8.01	43.22	74.00	-30.78	peak
2	3148.000	43.89	-4.11	39.78	74.00	-34.22	peak
3	3664.000	43.98	-2.10	41.88	74.00	-32.12	peak
4	4978.000	41.54	2.88	44.42	74.00	-29.58	peak
5	5818.000	46.29	5.68	51.97	74.00	-22.03	peak
6	6874.000	38.03	7.42	45.45	74.00	-28.55	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	38.11	7.69	45.80	74.00	-28.20	peak
2	9552.000	37.51	13.17	50.68	74.00	-23.32	peak
3	11103.000	34.83	15.63	50.46	74.00	-23.54	peak
4	12324.000	30.78	18.88	49.66	74.00	-24.34	peak
5	14040.000	27.16	23.44	50.60	74.00	-23.40	peak
6	17923.000	21.88	28.78	50.66	74.00	-23.34	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7396.000	40.94	8.32	49.26	74.00	-24.74	peak
2	9552.000	37.55	13.10	50.65	74.00	-23.35	peak
3	12676.000	30.57	18.47	49.04	74.00	-24.96	peak
4	14260.000	29.03	21.50	50.53	74.00	-23.47	peak
5	16339.000	25.09	23.77	48.86	74.00	-25.14	peak
6	17890.000	22.01	26.72	48.73	74.00	-25.27	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	37.50	7.84	45.34	74.00	-28.66	peak
2	9959.000	36.69	13.44	50.13	74.00	-23.87	peak
3	11411.000	33.18	17.41	50.59	74.00	-23.41	peak
4	13534.000	28.76	22.10	50.86	74.00	-23.14	peak
5	15613.000	32.85	19.30	52.15	74.00	-21.85	peak
6	15613.000	28.60	19.30	47.90	54.00	-6.10	AVG
7	17912.000	21.52	28.68	50.20	74.00	-23.80	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	38.89	8.29	47.18	74.00	-26.82	peak
2	10102.000	38.15	12.66	50.81	74.00	-23.19	peak
3	12709.000	30.92	18.58	49.50	74.00	-24.50	peak
4	13864.000	29.45	21.43	50.88	74.00	-23.12	peak
5	15613.000	37.08	20.93	58.01	74.00	-15.99	peak
6	15613.000	29.67	20.93	50.60	54.00	-3.40	AVG
7	17945.000	23.18	27.07	50.25	74.00	-23.75	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7000.000	37.91	7.12	45.03	74.00	-28.97	peak
2	8177.000	38.78	8.31	47.09	74.00	-26.91	peak
3	10146.000	36.90	13.22	50.12	74.00	-23.88	peak
4	12698.000	28.17	19.56	47.73	74.00	-26.27	peak
5	13754.000	26.77	22.66	49.43	74.00	-24.57	peak
6	17802.000	22.67	27.51	50.18	74.00	-23.82	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7253.000	41.71	8.28	49.99	74.00	-24.01	peak
2	9244.000	38.56	11.92	50.48	74.00	-23.52	peak
3	11323.000	34.33	15.64	49.97	74.00	-24.03	peak
4	13952.000	28.85	21.81	50.66	74.00	-23.34	peak
5	15723.000	36.31	21.35	57.66	74.00	-16.34	peak
6	15723.000	29.06	21.35	50.41	54.00	-3.59	AVG
7	17637.000	25.35	25.31	50.66	74.00	-23.34	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7781.000	38.54	7.99	46.53	74.00	-27.47	peak
2	9563.000	37.00	13.23	50.23	74.00	-23.77	peak
3	11400.000	32.47	17.36	49.83	74.00	-24.17	peak
4	14029.000	27.06	23.49	50.55	74.00	-23.45	peak
5	15778.000	30.50	19.60	50.10	74.00	-23.90	peak
6	18000.000	20.42	29.61	50.03	74.00	-23.97	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.21	8.30	45.51	74.00	-28.49	peak
2	9706.000	36.96	13.36	50.32	74.00	-23.68	peak
3	11389.000	33.77	15.95	49.72	74.00	-24.28	peak
4	14029.000	28.48	21.96	50.44	74.00	-23.56	peak
5	15789.000	34.05	21.61	55.66	74.00	-18.34	peak
6	15789.000	29.02	21.61	50.63	54.00	-3.37	AVG
7	17802.000	23.23	26.18	49.41	74.00	-24.59	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7319.000	37.79	7.66	45.45	74.00	-28.55	peak
2	9574.000	35.48	13.31	48.79	74.00	-25.21	peak
3	11059.000	34.01	15.39	49.40	74.00	-24.60	peak
4	12731.000	27.93	19.70	47.63	74.00	-26.37	peak
5	13501.000	27.92	22.04	49.96	74.00	-24.04	peak
6	17868.000	21.63	28.21	49.84	74.00	-24.16	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	37.30	8.31	45.61	74.00	-28.39	peak
2	9640.000	37.12	13.33	50.45	74.00	-23.55	peak
3	11433.000	34.19	16.11	50.30	74.00	-23.70	peak
4	14139.000	28.58	21.81	50.39	74.00	-23.61	peak
5	15844.000	33.28	21.92	55.20	74.00	-18.80	peak
6	15844.000	28.42	21.92	50.34	54.00	-3.66	AVG
7	17868.000	23.41	26.59	50.00	74.00	-24.00	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	38.15	7.69	45.84	74.00	-28.16	peak
2	9277.000	38.41	11.81	50.22	74.00	-23.78	peak
3	10531.000	36.45	13.63	50.08	74.00	-23.92	peak
4	12676.000	29.45	19.48	48.93	74.00	-25.07	peak
5	13600.000	28.12	22.22	50.34	74.00	-23.66	peak
6	15965.000	29.39	20.33	49.72	74.00	-24.28	peak
7	17978.000	20.46	29.38	49.84	74.00	-24.16	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7286.000	38.32	8.29	46.61	74.00	-27.39	peak
2	9332.000	37.99	12.13	50.12	74.00	-23.88	peak
3	11136.000	34.11	14.82	48.93	74.00	-25.07	peak
4	13963.000	28.38	21.85	50.23	74.00	-23.77	peak
5	15965.000	34.08	22.66	56.74	74.00	-17.26	peak
6	15965.000	27.50	22.66	50.16	54.00	-3.84	AVG
7	16878.000	26.51	24.19	50.70	74.00	-23.30	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.31	7.68	44.99	74.00	-29.01	peak
2	9959.000	37.30	13.44	50.74	74.00	-23.26	peak
3	11279.000	31.90	16.63	48.53	74.00	-25.47	peak
4	12346.000	28.44	18.91	47.35	74.00	-26.65	peak
5	14018.000	26.47	23.54	50.01	74.00	-23.99	peak
6	17890.000	21.69	28.43	50.12	74.00	-23.88	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7770.000	39.34	8.49	47.83	74.00	-26.17	peak
2	9673.000	36.71	13.34	50.05	74.00	-23.95	peak
3	11664.000	33.46	16.68	50.14	74.00	-23.86	peak
4	14029.000	28.41	21.96	50.37	74.00	-23.63	peak
5	16504.000	26.21	23.57	49.78	74.00	-24.22	peak
6	17978.000	23.09	27.28	50.37	74.00	-23.63	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7011.000	38.35	7.15	45.50	74.00	-28.50	peak
2	9618.000	36.53	13.49	50.02	74.00	-23.98	peak
3	11246.000	31.65	16.44	48.09	74.00	-25.91	peak
4	12698.000	28.33	19.56	47.89	74.00	-26.11	peak
5	14315.000	28.54	22.08	50.62	74.00	-23.38	peak
6	17912.000	21.22	28.68	49.90	74.00	-24.10	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	40.99	8.52	49.51	74.00	-24.49	peak
2	9882.000	37.36	13.08	50.44	74.00	-23.56	peak
3	11257.000	32.96	15.35	48.31	74.00	-25.69	peak
4	12709.000	31.08	18.58	49.66	74.00	-24.34	peak
5	13941.000	28.60	21.76	50.36	74.00	-23.64	peak
6	17945.000	23.50	27.07	50.57	74.00	-23.43	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	37.82	7.66	45.48	74.00	-28.52	peak
2	10201.000	37.18	13.18	50.36	74.00	-23.64	peak
3	11356.000	31.96	17.10	49.06	74.00	-24.94	peak
4	12709.000	28.21	19.60	47.81	74.00	-26.19	peak
5	13622.000	27.93	22.28	50.21	74.00	-23.79	peak
6	17846.000	21.65	27.97	49.62	74.00	-24.38	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	37.56	8.29	45.85	74.00	-28.15	peak
2	9618.000	36.87	13.32	50.19	74.00	-23.81	peak
3	11400.000	32.80	16.00	48.80	74.00	-25.20	peak
4	12720.000	29.95	18.62	48.57	74.00	-25.43	peak
5	14205.000	28.26	21.69	49.95	74.00	-24.05	peak
6	17230.000	24.85	24.93	49.78	74.00	-24.22	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	37.29	7.84	45.13	74.00	-28.87	peak
2	9530.000	37.68	13.04	50.72	74.00	-23.28	peak
3	11070.000	33.86	15.44	49.30	74.00	-24.70	peak
4	12742.000	27.86	19.75	47.61	74.00	-26.39	peak
5	14007.000	26.47	23.59	50.06	74.00	-23.94	peak
6	17967.000	20.04	29.26	49.30	74.00	-24.70	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	38.13	8.34	46.47	74.00	-27.53	peak
2	9761.000	37.08	13.37	50.45	74.00	-23.55	peak
3	10883.000	35.72	14.02	49.74	74.00	-24.26	peak
4	12698.000	30.30	18.54	48.84	74.00	-25.16	peak
5	13886.000	28.58	21.53	50.11	74.00	-23.89	peak
6	17934.000	23.11	27.00	50.11	74.00	-23.89	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	37.19	7.66	44.85	74.00	-29.15	peak
2	9420.000	38.53	12.34	50.87	74.00	-23.13	peak
3	11411.000	31.92	17.41	49.33	74.00	-24.67	peak
4	12687.000	28.59	19.52	48.11	74.00	-25.89	peak
5	13600.000	27.72	22.22	49.94	74.00	-24.06	peak
6	17956.000	20.18	29.14	49.32	74.00	-24.68	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7011.000	37.26	8.04	45.30	74.00	-28.70	peak
2	9343.000	37.73	12.15	49.88	74.00	-24.12	peak
3	11037.000	36.30	14.42	50.72	74.00	-23.28	peak
4	14007.000	28.65	22.01	50.66	74.00	-23.34	peak
5	16460.000	26.79	23.58	50.37	74.00	-23.63	peak
6	17967.000	23.68	27.20	50.88	74.00	-23.12	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7319.000	37.94	7.66	45.60	74.00	-28.40	peak
2	9728.000	36.51	13.68	50.19	74.00	-23.81	peak
3	11125.000	34.04	15.75	49.79	74.00	-24.21	peak
4	12676.000	28.57	19.48	48.05	74.00	-25.95	peak
5	13523.000	27.98	22.08	50.06	74.00	-23.94	peak
6	17967.000	20.07	29.26	49.33	74.00	-24.67	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	37.23	8.34	45.57	74.00	-28.43	peak
2	9552.000	37.44	13.10	50.54	74.00	-23.46	peak
3	11037.000	34.97	14.42	49.39	74.00	-24.61	peak
4	12687.000	31.71	18.51	50.22	74.00	-23.78	peak
5	13545.000	30.39	20.43	50.82	74.00	-23.18	peak
6	17967.000	23.31	27.20	50.51	74.00	-23.49	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	37.30	7.69	44.99	74.00	-29.01	peak
2	9497.000	36.75	12.85	49.60	74.00	-24.40	peak
3	11532.000	30.96	17.92	48.88	74.00	-25.12	peak
4	12632.000	28.66	19.29	47.95	74.00	-26.05	peak
5	14029.000	26.44	23.49	49.93	74.00	-24.07	peak
6	17956.000	20.32	29.14	49.46	74.00	-24.54	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	37.56	8.34	45.90	74.00	-28.10	peak
2	9211.000	37.98	11.82	49.80	74.00	-24.20	peak
3	11510.000	32.29	16.37	48.66	74.00	-25.34	peak
4	12709.000	30.98	18.58	49.56	74.00	-24.44	peak
5	14128.000	28.45	21.82	50.27	74.00	-23.73	peak
6	17802.000	24.34	26.18	50.52	74.00	-23.48	peak

8.5. SPURIOUS EMISSIONS(7 GHZ~18 GHZ) FOR 802.11AX PARTIAL RU MODE


Note: For the 3 data of Frequency means: Frequency, RU Size, RU index

Test Mode:	802.11ax HE20	Frequency(MHz):	5180 26 0
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9717.000	37.17	13.66	50.83	74.00	-23.17	peak
2	11048.000	34.69	15.33	50.02	74.00	-23.98	peak
3	12687.000	29.12	19.52	48.64	74.00	-25.36	peak
4	13996.000	26.83	23.59	50.42	74.00	-23.58	peak
5	15514.000	32.91	19.24	52.15	74.00	-21.85	peak
6	15514.000	22.23	19.24	41.47	54.00	-12.53	AVG
7	17956.000	20.84	29.14	49.98	74.00	-24.02	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180 26 0
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7319.000	38.02	8.30	46.32	74.00	-27.68	peak
2	9288.000	38.82	12.01	50.83	74.00	-23.17	peak
3	11411.000	34.60	16.04	50.64	74.00	-23.36	peak
4	13578.000	29.83	20.50	50.33	74.00	-23.67	peak
5	15514.000	32.11	20.67	52.78	74.00	-21.22	peak
6	15514.000	23.06	20.67	43.73	54.00	-10.27	AVG
7	17923.000	22.49	26.92	49.41	74.00	-24.59	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200 26 4
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	37.19	7.84	45.03	74.00	-28.97	peak
2	9519.000	37.44	12.97	50.41	74.00	-23.59	peak
3	12709.000	28.75	19.60	48.35	74.00	-25.65	peak
4	14029.000	27.06	23.49	50.55	74.00	-23.45	peak
5	15602.000	32.76	19.27	52.03	74.00	-21.97	peak
6	15602.000	23.95	19.27	43.22	54.00	-10.78	AVG
7	18000.000	21.29	29.61	50.90	74.00	-23.10	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200 26 4
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7286.000	37.67	8.29	45.96	74.00	-28.04	peak
2	9618.000	36.93	13.32	50.25	74.00	-23.75	peak
3	12720.000	30.39	18.62	49.01	74.00	-24.99	peak
4	13963.000	28.30	21.85	50.15	74.00	-23.85	peak
5	15602.000	40.43	20.87	61.30	74.00	-12.70	peak
6	15602.000	29.75	20.87	50.62	54.00	-3.38	AVG
7	16889.000	26.18	24.21	50.39	74.00	-23.61	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240 26 8
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8078.000	38.84	8.18	47.02	74.00	-26.98	peak
2	9904.000	36.83	13.56	50.39	74.00	-23.61	peak
3	11422.000	31.08	17.46	48.54	74.00	-25.46	peak
4	14007.000	26.94	23.59	50.53	74.00	-23.47	peak
5	15745.000	34.40	19.54	53.94	74.00	-20.06	peak
6	15745.000	23.81	19.54	43.35	54.00	-10.65	AVG
7	17857.000	21.93	28.08	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240 26 8
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	37.26	8.29	45.55	74.00	-28.45	peak
2	9563.000	37.57	13.14	50.71	74.00	-23.29	peak
3	11521.000	33.59	16.40	49.99	74.00	-24.01	peak
4	13963.000	29.06	21.85	50.91	74.00	-23.09	peak
5	15745.000	39.43	21.43	60.86	74.00	-13.14	peak
6	15745.000	29.02	21.43	50.45	54.00	-3.55	AVG
7	17912.000	23.85	26.87	50.72	74.00	-23.28	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260 26 0
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7770.000	39.14	7.99	47.13	74.00	-26.87	peak
2	10124.000	37.46	13.23	50.69	74.00	-23.31	peak
3	12709.000	29.51	19.60	49.11	74.00	-24.89	peak
4	14029.000	27.52	23.49	51.01	74.00	-22.99	peak
5	15756.000	30.42	19.57	49.99	74.00	-24.01	peak
6	17967.000	20.80	29.26	50.06	74.00	-23.94	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260 26 0
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.93	11.96	50.89	74.00	-23.11	peak
2	10850.000	34.91	13.97	48.88	74.00	-25.12	peak
3	12687.000	30.92	18.51	49.43	74.00	-24.57	peak
4	14051.000	27.87	21.93	49.80	74.00	-24.20	peak
5	15756.000	40.12	21.48	61.60	74.00	-12.40	peak
6	15756.000	29.00	21.48	50.48	54.00	-3.52	AVG
7	17780.000	23.93	26.06	49.99	74.00	-24.01	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280 26 4
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	37.14	7.66	44.80	74.00	-29.20	peak
2	9673.000	36.68	13.58	50.26	74.00	-23.74	peak
3	11389.000	30.42	17.30	47.72	74.00	-26.28	peak
4	12709.000	28.71	19.60	48.31	74.00	-25.69	peak
5	13545.000	28.43	22.12	50.55	74.00	-23.45	peak
6	17923.000	21.98	28.78	50.76	74.00	-23.24	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280 26 4
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	38.57	8.30	46.87	74.00	-27.13	peak
2	9266.000	38.10	11.96	50.06	74.00	-23.94	peak
3	11070.000	35.31	14.55	49.86	74.00	-24.14	peak
4	14007.000	28.86	22.01	50.87	74.00	-23.13	peak
5	15844.000	36.22	21.92	58.14	74.00	-15.86	peak
6	15844.000	28.41	21.92	50.33	54.00	-3.67	AVG
7	17252.000	25.72	24.94	50.66	74.00	-23.34	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320 26 8
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	37.70	7.64	45.34	74.00	-28.66	peak
2	9739.000	36.91	13.70	50.61	74.00	-23.39	peak
3	12577.000	28.80	19.13	47.93	74.00	-26.07	peak
4	13809.000	27.58	22.83	50.41	74.00	-23.59	peak
5	15987.000	28.74	20.41	49.15	74.00	-24.85	peak
6	17989.000	21.18	29.49	50.67	74.00	-23.33	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320 26 8
Vertical	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	38.00	8.30	46.30	74.00	-27.70	peak
2	9541.000	37.88	13.04	50.92	74.00	-23.08	peak
3	11059.000	36.05	14.51	50.56	74.00	-23.44	peak
4	13589.000	30.16	20.52	50.68	74.00	-23.32	peak
5	15987.000	40.33	22.78	63.11	74.00	-10.89	peak
6	15987.000	26.71	22.78	49.49	54.00	-4.51	AVG
7	17879.000	24.08	26.65	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500 26 0
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	36.46	7.64	44.10	74.00	-29.90	peak
2	9585.000	36.85	13.38	50.23	74.00	-23.77	peak
3	11279.000	32.65	16.63	49.28	74.00	-24.72	peak
4	12753.000	27.84	19.78	47.62	74.00	-26.38	peak
5	14018.000	26.52	23.54	50.06	74.00	-23.94	peak
6	17868.000	21.57	28.21	49.78	74.00	-24.22	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500 26 0
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	37.20	8.31	45.51	74.00	-28.49	peak
2	9596.000	37.70	13.30	51.00	74.00	-23.00	peak
3	11070.000	36.10	14.55	50.65	74.00	-23.35	peak
4	14018.000	28.99	21.99	50.98	74.00	-23.02	peak
5	16482.000	30.70	23.57	54.27	74.00	-19.73	peak
6	16482.000	22.49	23.57	46.06	54.00	-7.94	AVG
7	17769.000	24.72	26.00	50.72	74.00	-23.28	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580 26 4
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	38.41	11.88	50.29	74.00	-23.71	peak
2	10190.000	37.14	13.19	50.33	74.00	-23.67	peak
3	11037.000	34.64	15.27	49.91	74.00	-24.09	peak
4	12698.000	29.13	19.56	48.69	74.00	-25.31	peak
5	13974.000	26.65	23.50	50.15	74.00	-23.85	peak
6	17912.000	21.84	28.68	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580 26 4
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9530.000	37.39	13.00	50.39	74.00	-23.61	peak
2	11411.000	34.73	16.04	50.77	74.00	-23.23	peak
3	12709.000	29.72	18.58	48.30	74.00	-25.70	peak
4	13941.000	28.30	21.76	50.06	74.00	-23.94	peak
5	16746.000	28.44	23.91	52.35	74.00	-21.65	peak
6	16746.000	23.03	23.91	46.94	54.00	-7.06	AVG
7	17461.000	25.54	25.00	50.54	74.00	-23.46	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700 26 8
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	36.84	7.64	44.48	74.00	-29.52	peak
2	9695.000	36.69	13.62	50.31	74.00	-23.69	peak
3	11059.000	34.38	15.39	49.77	74.00	-24.23	peak
4	12742.000	27.80	19.75	47.55	74.00	-26.45	peak
5	14238.000	26.99	22.56	49.55	74.00	-24.45	peak
6	17989.000	20.27	29.49	49.76	74.00	-24.24	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700 26 8
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	39.80	8.55	48.35	74.00	-25.65	peak
2	9585.000	37.07	13.26	50.33	74.00	-23.67	peak
3	10553.000	36.34	13.43	49.77	74.00	-24.23	peak
4	12687.000	30.07	18.51	48.58	74.00	-25.42	peak
5	13974.000	28.13	21.89	50.02	74.00	-23.98	peak
6	17978.000	22.38	27.28	49.66	74.00	-24.34	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745 26 0
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.69	8.30	44.99	74.00	-29.01	peak
2	9211.000	38.12	11.82	49.94	74.00	-24.06	peak
3	10553.000	35.70	13.43	49.13	74.00	-24.87	peak
4	12665.000	29.71	18.42	48.13	74.00	-25.87	peak
5	14062.000	28.91	21.91	50.82	74.00	-23.18	peak
6	17967.000	22.42	27.20	49.62	74.00	-24.38	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785 26 4
Polarity:	Horizontal	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	36.84	8.30	45.14	74.00	-28.86	peak
2	9596.000	37.12	13.30	50.42	74.00	-23.58	peak
3	10729.000	36.24	13.73	49.97	74.00	-24.03	peak
4	12335.000	29.85	17.93	47.78	74.00	-26.22	peak
5	14007.000	27.79	22.01	49.80	74.00	-24.20	peak
6	18000.000	21.49	27.41	48.90	74.00	-25.10	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5825 26 4
Polarity:	Horizontal	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7858.000	39.06	8.52	47.58	74.00	-26.42	peak
2	9332.000	38.09	12.13	50.22	74.00	-23.78	peak
3	10377.000	37.17	13.01	50.18	74.00	-23.82	peak
4	11323.000	34.51	15.64	50.15	74.00	-23.85	peak
5	13809.000	28.42	21.19	49.61	74.00	-24.39	peak
6	17989.000	22.01	27.33	49.34	74.00	-24.66	peak


8.6. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0097	76.93	-101.38	-24.45	47.82	-75.95	-3.68	-72.27	peak
2	0.0164	73.11	-101.37	-28.26	43.30	-79.76	-8.2	-71.56	peak
3	0.0194	71.39	-101.35	-29.96	41.84	-81.46	-9.66	-71.80	peak
4	0.0286	67.96	-101.38	-33.42	38.47	-84.92	-13.03	-71.89	peak
5	0.0466	64.67	-101.46	-36.79	34.23	-88.29	-17.27	-71.02	peak
6	0.0796	62.03	-101.63	-39.60	29.58	-91.1	-21.92	-69.18	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1612	74.87	-101.65	-26.78	23.46	-78.28	-28.04	-50.24	peak
2	0.1985	69.78	-101.72	-31.94	21.65	-83.44	-29.85	-53.59	peak
3	0.2431	65.77	-101.79	-36.02	19.89	-87.52	-31.61	-55.91	peak
4	0.2754	64.22	-101.83	-37.61	18.80	-89.11	-32.7	-56.41	peak
5	0.3497	61.79	-101.91	-40.12	16.73	-91.62	-34.77	-56.85	peak
6	0.4435	58.30	-102.01	-43.71	14.66	-95.21	-36.84	-58.37	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.6671	62.25	-62.10	0.15	31.12	-51.35	-20.38	-30.97	peak
2	1.2214	58.12	-62.16	-4.04	25.87	-55.54	-25.63	-29.91	peak
3	2.3017	56.41	-61.75	-5.34	29.54	-56.84	-21.96	-34.88	peak
4	4.3916	54.61	-61.40	-6.79	29.54	-58.29	-21.96	-36.33	peak
5	9.3429	53.07	-60.89	-7.82	29.54	-59.32	-21.96	-37.36	peak
6	23.4783	52.74	-60.56	-7.82	29.54	-59.32	-21.96	-37.36	peak


8.7. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18224.000	49.27	-5.53	43.74	74.00	-30.26	peak
2	19464.000	48.64	-5.55	43.09	74.00	-30.91	peak
3	20888.000	48.61	-4.98	43.63	74.00	-30.37	peak
4	22232.000	48.39	-4.23	44.16	74.00	-29.84	peak
5	23480.000	48.04	-3.16	44.88	74.00	-29.12	peak
6	25968.000	45.63	-1.00	44.63	74.00	-29.37	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18960.000	49.51	-5.25	44.26	74.00	-29.74	peak
2	19784.000	49.07	-5.28	43.79	74.00	-30.21	peak
3	21480.000	48.49	-4.70	43.79	74.00	-30.21	peak
4	23088.000	48.52	-3.41	45.11	74.00	-28.89	peak
5	24096.000	46.11	-2.78	43.33	74.00	-30.67	peak
6	25352.000	45.41	-1.72	43.69	74.00	-30.31	peak


8.8. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26476.000	50.67	-4.78	45.89	74.00	-28.11	peak
2	29556.000	46.19	-0.91	45.28	74.00	-28.72	peak
3	31670.000	47.36	-1.21	46.15	74.00	-27.85	peak
4	35366.000	45.90	2.59	48.49	74.00	-25.51	peak
5	38068.000	44.56	3.42	47.98	74.00	-26.02	peak
6	39958.000	43.58	5.12	48.70	74.00	-25.30	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	27610.000	49.62	-3.47	46.15	74.00	-27.85	peak
2	29276.000	48.51	-1.01	47.50	74.00	-26.50	peak
3	32426.000	49.00	-1.41	47.59	74.00	-26.41	peak
4	34554.000	47.15	1.07	48.22	74.00	-25.78	peak
5	37200.000	45.11	3.16	48.27	74.00	-25.73	peak
6	39972.000	43.95	5.13	49.08	74.00	-24.92	peak


8.9. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	141.5500	33.91	-13.90	20.01	43.50	-23.49	QP
2	191.0200	37.14	-11.97	25.17	43.50	-18.33	QP
3	256.9800	39.05	-14.16	24.89	46.00	-21.11	QP
4	295.7800	41.13	-11.76	29.37	46.00	-16.63	QP
5	332.6400	40.55	-10.22	30.33	46.00	-15.67	QP
6	832.1900	31.83	-1.82	30.01	46.00	-15.99	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	46.4900	35.90	-14.93	20.97	40.00	-19.03	QP
2	149.3100	35.08	-13.51	21.57	43.50	-21.93	QP
3	251.1600	33.22	-14.50	18.72	46.00	-27.28	QP
4	507.2400	31.48	-7.58	23.90	46.00	-22.10	QP
5	832.1900	36.02	-1.82	34.20	46.00	-11.80	QP
6	999.0300	35.72	-0.15	35.57	54.00	-18.43	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISSED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	23.2°C	Relative Humidity	52.7%
Atmosphere Pressure	101kPa	Test Voltage	DC 5V

TEST DATE / ENGINEER

Test Date	February 07, 2025	Test By	Daniel Zhang
-----------	-------------------	---------	--------------

TEST RESULTS

Test Mode:	802.11a 20	Frequency(MHz):	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1504	35.69	9.64	45.33	65.98	-20.65	QP
2	0.1504	23.91	9.64	33.55	55.98	-22.43	AVG
3	0.6050	30.37	9.64	40.01	56.00	-15.99	QP
4	0.6050	24.35	9.64	33.99	46.00	-12.01	AVG
5	1.0110	28.18	9.63	37.81	56.00	-18.19	QP
6	1.0110	23.71	9.63	33.34	46.00	-12.66	AVG
7	2.3747	27.28	9.64	36.92	56.00	-19.08	QP
8	2.3747	18.19	9.64	27.83	46.00	-18.17	AVG
9	6.3670	24.80	9.71	34.51	60.00	-25.49	QP
10	6.3670	17.96	9.71	27.67	50.00	-22.33	AVG
11	16.6188	30.11	9.74	39.85	60.00	-20.15	QP
12	16.6188	22.31	9.74	32.05	50.00	-17.95	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a	Frequency(MHz):	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1512	37.74	9.64	47.38	65.93	-18.55	QP
2	0.1512	27.18	9.64	36.82	55.93	-19.11	AVG
3	0.5707	33.77	9.64	43.41	56.00	-12.59	QP
4	0.5707	28.80	9.64	38.44	46.00	-7.56	AVG
5	0.6558	28.41	9.63	38.04	56.00	-17.96	QP
6	0.6558	18.28	9.63	27.91	46.00	-18.09	AVG
7	1.0688	27.51	9.63	37.14	56.00	-18.86	QP
8	1.0688	21.12	9.63	30.75	46.00	-15.25	AVG
9	6.4755	25.30	9.71	35.01	60.00	-24.99	QP
10	6.4755	19.46	9.71	29.17	50.00	-20.83	AVG
11	16.4916	28.90	9.74	38.64	60.00	-21.36	QP
12	16.4916	21.74	9.74	31.48	50.00	-18.52	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA

11.1. APPENDIX A: EMISSION BANDWIDTH

11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A-CDD	Ant1	5180	25.20	5167.84	5193.04	PASS
	Ant2	5180	25.28	5167.88	5193.16	PASS
	Ant1	5200	24.60	5187.68	5212.28	PASS
	Ant2	5200	27.24	5187.16	5214.40	PASS
	Ant1	5240	19.76	5230.24	5250.00	PASS
	Ant2	5240	19.56	5230.32	5249.88	PASS
	Ant1	5260	24.80	5247.80	5272.60	PASS
	Ant2	5260	22.92	5248.76	5271.68	PASS
	Ant1	5280	25.20	5267.84	5293.04	PASS
	Ant2	5280	23.04	5268.36	5291.40	PASS
	Ant1	5320	24.84	5307.44	5332.28	PASS
	Ant2	5320	23.76	5308.36	5332.12	PASS
	Ant1	5500	24.88	5488.12	5513.00	PASS
	Ant2	5500	23.16	5488.08	5511.24	PASS
	Ant1	5580	24.24	5568.00	5592.24	PASS
	Ant2	5580	22.20	5568.68	5590.88	PASS
	Ant1	5700	24.36	5688.04	5712.40	PASS
	Ant2	5700	22.76	5688.48	5711.24	PASS
	Ant1	5720	24.76	5706.84	5731.60	PASS
	Ant2	5720	24.60	5707.44	5732.04	PASS
	Ant1	5720 UNII-2C	18.16	5706.84	5725	PASS
	Ant2	5720 UNII-2C	17.56	5707.44	5725	PASS
	Ant1	5720 UNII-3	6.6	5725	5731.60	PASS
	Ant2	5720 UNII-3	7.04	5725	5732.04	PASS
	Ant1	5745	23.48	5733.04	5756.52	PASS
	Ant2	5745	25.16	5732.40	5757.56	PASS
	Ant1	5785	24.88	5772.68	5797.56	PASS
	Ant2	5785	23.80	5773.12	5796.92	PASS
	Ant1	5825	25.92	5812.04	5837.96	PASS
	Ant2	5825	27.88	5812.08	5839.96	PASS
11N20MIMO	Ant1	5180	25.76	5167.36	5193.12	PASS
	Ant2	5180	26.76	5167.24	5194.00	PASS
	Ant1	5200	25.44	5187.68	5213.12	PASS
	Ant2	5200	25.16	5187.80	5212.96	PASS
	Ant1	5240	20.04	5230.04	5250.08	PASS
	Ant2	5240	19.92	5230.04	5249.96	PASS
	Ant1	5260	25.16	5247.92	5273.08	PASS
	Ant2	5260	26.68	5247.36	5274.04	PASS
	Ant1	5280	26.28	5266.88	5293.16	PASS
	Ant2	5280	26.68	5266.08	5292.76	PASS
	Ant1	5320	25.32	5306.88	5332.20	PASS
	Ant2	5320	23.96	5307.56	5331.52	PASS
	Ant1	5500	25.12	5487.92	5513.04	PASS
	Ant2	5500	26.56	5487.48	5514.04	PASS
	Ant1	5580	26.16	5566.88	5593.04	PASS
	Ant2	5580	22.96	5568.24	5591.20	PASS
	Ant1	5700	25.16	5687.04	5712.20	PASS
	Ant2	5700	24.76	5686.88	5711.64	PASS
	Ant1	5720	25.36	5707.72	5733.08	PASS
	Ant2	5720	23.92	5707.72	5731.64	PASS
	Ant1	5720 UNII-2C	17.28	5707.72	5725	PASS
	Ant2	5720 UNII-2C	17.28	5707.72	5725	PASS


	Ant1	5720 UNII-3	8.08	5725	5733.08	PASS
	Ant2	5720 UNII-3	6.64	5725	5731.64	PASS
	Ant1	5745	27.80	5731.92	5759.72	PASS
	Ant2	5745	38.36	5726.64	5765.00	PASS
	Ant1	5785	30.64	5769.00	5799.64	PASS
	Ant2	5785	38.48	5765.84	5804.32	PASS
	Ant1	5825	29.32	5809.96	5839.28	PASS
	Ant2	5825	38.68	5805.88	5844.56	PASS
11N40MIMO	Ant1	5190	40.96	5169.52	5210.48	PASS
	Ant2	5190	40.88	5169.60	5210.48	PASS
	Ant1	5230	40.96	5209.68	5250.64	PASS
	Ant2	5230	40.56	5209.84	5250.40	PASS
	Ant1	5270	41.04	5249.52	5290.56	PASS
	Ant2	5270	40.16	5250.00	5290.16	PASS
	Ant1	5310	41.12	5289.44	5330.56	PASS
	Ant2	5310	40.16	5289.84	5330.00	PASS
	Ant1	5510	41.04	5489.52	5530.56	PASS
	Ant2	5510	40.56	5489.92	5530.48	PASS
	Ant1	5550	40.64	5529.76	5570.40	PASS
	Ant2	5550	40.48	5529.68	5570.16	PASS
	Ant1	5670	40.80	5649.68	5690.48	PASS
	Ant2	5670	40.40	5649.92	5690.32	PASS
	Ant1	5710	40.80	5689.68	5730.48	PASS
	Ant2	5710	40.80	5689.60	5730.40	PASS
	Ant1	5710 UNII-2C	35.32	5689.68	5725	PASS
	Ant2	5710 UNII-2C	35.4	5689.60	5725	PASS
	Ant1	5710 UNII-3	5.48	5725	5730.48	PASS
	Ant2	5710 UNII-3	5.4	5725	5730.40	PASS
	Ant1	5755	62.00	5725.88	5787.88	PASS
	Ant2	5755	71.84	5719.64	5791.48	PASS
	Ant1	5795	66.72	5762.60	5829.32	PASS
	Ant2	5795	72.08	5759.88	5831.96	PASS
11AC80MIMO	Ant1	5210	80.48	5169.84	5250.32	PASS
	Ant2	5210	80.32	5169.84	5250.16	PASS
	Ant1	5290	80.32	5249.84	5330.16	PASS
	Ant2	5290	80.16	5250.16	5330.32	PASS
	Ant1	5530	80.32	5489.84	5570.16	PASS
	Ant2	5530	80.32	5489.84	5570.16	PASS
	Ant1	5610	80.48	5569.84	5650.32	PASS
	Ant2	5610	80.48	5569.84	5650.32	PASS
	Ant1	5690	80.48	5649.84	5730.32	PASS
	Ant2	5690	80.48	5649.84	5730.32	PASS
	Ant1	5690 UNII-2C	75.16	5649.84	5725	PASS
	Ant2	5690 UNII-2C	75.16	5649.84	5725	PASS
	Ant1	5690 UNII-3	5.32	5725	5730.32	PASS
	Ant2	5690 UNII-3	5.32	5725	5730.32	PASS
	Ant1	5775	80.48	5734.84	5815.32	PASS
	Ant2	5775	80.80	5734.68	5815.48	PASS
11AX20MIMO	Ant1	5180	21.52	5169.16	5190.68	PASS
	Ant2	5180	21.60	5168.96	5190.56	PASS
	Ant1	5200	21.48	5189.36	5210.84	PASS
	Ant2	5200	21.56	5189.28	5210.84	PASS
	Ant1	5240	20.04	5229.96	5250.00	PASS
	Ant2	5240	20.00	5229.96	5249.96	PASS
	Ant1	5260	22.00	5249.08	5271.08	PASS
	Ant2	5260	22.96	5248.48	5271.44	PASS
	Ant1	5280	22.08	5268.64	5290.72	PASS
	Ant2	5280	21.76	5269.44	5291.20	PASS
	Ant1	5320	21.80	5308.96	5330.76	PASS
	Ant2	5320	21.28	5309.20	5330.48	PASS

	Ant1	5500	22.04	5488.72	5510.76	PASS
	Ant2	5500	23.48	5487.44	5510.92	PASS
	Ant1	5580	21.32	5569.36	5590.68	PASS
	Ant2	5580	23.20	5567.52	5590.72	PASS
	Ant1	5700	21.12	5689.16	5710.28	PASS
	Ant2	5700	21.84	5689.20	5711.04	PASS
	Ant1	5720	22.48	5708.96	5731.44	PASS
	Ant2	5720	21.36	5709.36	5730.72	PASS
	Ant1	5720 UNII-2C	16.04	5708.96	5725	PASS
	Ant2	5720 UNII-2C	15.64	5709.36	5725	PASS
	Ant1	5720 UNII-3	6.44	5725	5731.44	PASS
	Ant2	5720 UNII-3	5.72	5725	5730.72	PASS
	Ant1	5745	22.88	5732.76	5755.64	PASS
	Ant2	5745	22.20	5734.44	5756.64	PASS
	Ant1	5785	22.00	5773.80	5795.80	PASS
	Ant2	5785	22.32	5773.52	5795.84	PASS
	Ant1	5825	24.44	5813.72	5838.16	PASS
	Ant2	5825	37.76	5805.44	5843.20	PASS
11AX40MIMO	Ant1	5190	39.92	5170.08	5210.00	PASS
	Ant2	5190	39.92	5170.00	5209.92	PASS
	Ant1	5230	39.84	5210.16	5250.00	PASS
	Ant2	5230	40.00	5210.00	5250.00	PASS
	Ant1	5270	39.84	5250.16	5290.00	PASS
	Ant2	5270	39.76	5250.24	5290.00	PASS
	Ant1	5310	39.76	5290.16	5329.92	PASS
	Ant2	5310	40.00	5290.00	5330.00	PASS
	Ant1	5510	40.00	5490.00	5530.00	PASS
	Ant2	5510	39.84	5490.08	5529.92	PASS
	Ant1	5550	39.84	5530.08	5569.92	PASS
	Ant2	5550	39.84	5530.08	5569.92	PASS
	Ant1	5670	39.76	5650.16	5689.92	PASS
	Ant2	5670	39.92	5650.08	5690.00	PASS
	Ant1	5710	39.84	5690.08	5729.92	PASS
	Ant2	5710	39.92	5690.08	5730.00	PASS
	Ant1	5710 UNII-2C	34.92	5690.08	5725	PASS
	Ant2	5710 UNII-2C	34.92	5690.08	5725	PASS
	Ant1	5710 UNII-3	4.92	5725	5729.92	PASS
	Ant2	5710 UNII-3	5	5725	5730.00	PASS
11AX80MIMO	Ant1	5755	40.00	5735.08	5775.08	PASS
	Ant2	5755	39.92	5735.08	5775.00	PASS
	Ant1	5795	39.92	5775.08	5815.00	PASS
	Ant2	5795	39.92	5775.08	5815.00	PASS
	Ant1	5210	80.80	5169.68	5250.48	PASS
	Ant2	5210	80.80	5169.68	5250.48	PASS
	Ant1	5290	80.64	5249.68	5330.32	PASS
	Ant2	5290	80.64	5249.84	5330.48	PASS
	Ant1	5530	80.64	5489.84	5570.48	PASS
	Ant2	5530	80.64	5489.68	5570.32	PASS
	Ant1	5610	80.96	5569.68	5650.64	PASS
	Ant2	5610	81.12	5569.52	5650.64	PASS
	Ant1	5690	80.80	5649.68	5730.48	PASS
	Ant2	5690	80.80	5649.68	5730.48	PASS
	Ant1	5690 UNII-2C	75.32	5649.68	5725	PASS
	Ant2	5690 UNII-2C	75.32	5649.68	5725	PASS
	Ant1	5690 UNII-3	5.48	5725	5730.48	PASS
	Ant2	5690 UNII-3	5.48	5725	5730.48	PASS
	Ant1	5775	80.80	5734.68	5815.48	PASS
	Ant2	5775	80.80	5734.68	5815.48	PASS


Test Mode	Antenna	Channel	Ru Size	Ru Index	26db BW [MHz]	FL [MHz]	FH [MHz]	Verdict
11AX20MIMO	Ant1	5180	26Tone	RU0	20.64	5168.28	5188.92	PASS
			52Tone	RU37	20.80	5168.28	5189.08	PASS
			106Tone	RU53	20.20	5168.84	5189.04	PASS
	Ant2	5180	26Tone	RU0	19.76	5169.20	5188.96	PASS
			52Tone	RU37	20.24	5168.76	5189.00	PASS
			106Tone	RU53	20.48	5168.52	5189.00	PASS
	Ant1	5200	26Tone	RU4	18.12	5190.80	5208.92	PASS
			52Tone	RU38	18.52	5190.64	5209.16	PASS
			106Tone	RU53	20.52	5188.56	5209.08	PASS
	Ant2	5200	26Tone	RU4	18.08	5190.88	5208.96	PASS
			52Tone	RU38	18.24	5190.72	5208.96	PASS
			106Tone	RU53	20.76	5188.28	5209.04	PASS
	Ant1	5240	26Tone	RU8	19.12	5230.84	5249.96	PASS
			52Tone	RU40	19.32	5230.64	5249.96	PASS
			106Tone	RU54	19.36	5230.64	5250.00	PASS
	Ant2	5240	26Tone	RU8	19.08	5230.92	5250.00	PASS
			52Tone	RU40	19.24	5230.72	5249.96	PASS
			106Tone	RU54	19.36	5230.60	5249.96	PASS
	Ant1	5260	26Tone	RU0	20.24	5248.68	5268.92	PASS
			52Tone	RU37	20.28	5248.80	5269.08	PASS
			106Tone	RU53	20.12	5248.88	5269.00	PASS
	Ant2	5260	26Tone	RU0	20.36	5248.60	5268.96	PASS
			52Tone	RU37	21.64	5247.32	5268.96	PASS
			106Tone	RU53	20.68	5248.32	5269.00	PASS
	Ant1	5280	26Tone	RU4	18.16	5270.80	5288.96	PASS
			52Tone	RU38	18.20	5270.84	5289.04	PASS
			106Tone	RU53	20.40	5268.72	5289.12	PASS
	Ant2	5280	26Tone	RU4	18.04	5270.88	5288.92	PASS
			52Tone	RU38	18.16	5270.80	5288.96	PASS
			106Tone	RU53	20.36	5268.64	5289.00	PASS
	Ant1	5320	26Tone	RU8	20.24	5310.88	5331.12	PASS
			52Tone	RU40	20.76	5310.76	5331.52	PASS
			106Tone	RU54	20.64	5310.52	5331.16	PASS
	Ant2	5320	26Tone	RU8	20.20	5310.88	5331.08	PASS
			52Tone	RU40	20.12	5310.84	5330.96	PASS
			106Tone	RU54	20.40	5310.68	5331.08	PASS
	Ant1	5500	26Tone	RU0	20.48	5488.48	5508.96	PASS
			52Tone	RU37	20.32	5488.64	5508.96	PASS
			106Tone	RU53	20.64	5488.52	5509.16	PASS
	Ant2	5500	26Tone	RU0	19.80	5489.16	5508.96	PASS
			52Tone	RU37	20.36	5488.64	5509.00	PASS
			106Tone	RU53	19.96	5489.08	5509.04	PASS
	Ant1	5580	26Tone	RU4	18.08	5570.88	5588.96	PASS
			52Tone	RU38	18.36	5570.68	5589.04	PASS
			106Tone	RU53	20.68	5568.40	5589.08	PASS
	Ant2	5580	26Tone	RU4	18.12	5570.84	5588.96	PASS
			52Tone	RU38	18.28	5570.72	5589.00	PASS
			106Tone	RU53	20.88	5568.20	5589.08	PASS
	Ant1	5700	26Tone	RU8	20.40	5690.80	5711.20	PASS
			52Tone	RU40	20.36	5690.88	5711.24	PASS
			106Tone	RU54	20.28	5690.64	5710.92	PASS
	Ant2	5700	26Tone	RU8	20.16	5690.84	5711.00	PASS
			52Tone	RU40	20.52	5690.76	5711.28	PASS
			106Tone	RU54	20.32	5690.68	5711.00	PASS
	Ant1	5745	26Tone	RU0	20.08	5733.84	5753.92	PASS
			52Tone	RU37	20.32	5733.68	5754.00	PASS
			106Tone	RU53	20.64	5733.48	5754.12	PASS
	Ant2	5745	26Tone	RU0	20.32	5733.64	5753.96	PASS

			52Tone	RU37	20.68	5733.28	5753.96	PASS
			106Tone	RU53	22.28	5731.76	5754.04	PASS
	Ant1	5785	26Tone	RU4	18.00	5775.92	5793.92	PASS
			52Tone	RU38	18.32	5775.68	5794.00	PASS
			106Tone	RU53	20.16	5774.00	5794.16	PASS
			26Tone	RU4	18.04	5775.92	5793.96	PASS
	Ant2	5785	52Tone	RU38	18.24	5775.72	5793.96	PASS
			106Tone	RU53	23.44	5770.56	5794.00	PASS
			26Tone	RU8	19.96	5815.88	5835.84	PASS
			52Tone	RU40	20.44	5815.72	5836.16	PASS
	Ant1	5825	106Tone	RU54	21.16	5815.32	5836.48	PASS
			26Tone	RU8	20.32	5815.84	5836.16	PASS
			52Tone	RU40	21.24	5815.68	5836.92	PASS
			106Tone	RU54	23.12	5815.76	5838.88	PASS


11.1.2. Test Graphs




11A-CDD Ant1 5180




11A-CDD Ant2 5180




11A-CDD Ant1 5200




11A-CDD_Ant2_5200




11A-CDD_Ant1_5240




11A-CDD_Ant2_5240




11A-CDD_Ant1_5260




11A-CDD_Ant2_5260




11A-CDD_Ant1_5280




11A-CDD_Ant2_5280




11A-CDD_Ant1_5320




11A-CDD_Ant2_5320




11A-CDD_Ant1_5500




11A-CDD_Ant2_5500




11A-CDD_Ant1_5580




11A-CDD_Ant2_5580




11A-CDD_Ant1_5700




11A-CDD_Ant2_5700




11A-CDD_Ant1_5720




11A-CDD_Ant2_5720




11A-CDD_Ant1_5745




11A-CDD_Ant2_5745




11A-CDD_Ant1_5785




11A-CDD_Ant2_5785




11A-CDD_Ant1_5825




11A-CDD_Ant2_5825




11N20MIMO_Ant1_5180




11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200




11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5260




11N20MIMO_Ant2_5260




11N20MIMO_Ant1_5280




11N20MIMO_Ant2_5280




11N20MIMO_Ant1_5320




11N20MIMO_Ant2_5320




11N20MIMO_Ant1_5500




11N20MIMO_Ant2_5500




11N20MIMO_Ant1_5580




11N20MIMO_Ant2_5580




11N20MIMO_Ant1_5700




11N20MIMO_Ant2_5700




11N20MIMO_Ant1_5720




11N20MIMO_Ant2_5720




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745



11N20MIMO_Ant1_5785



11N20MIMO_Ant2_5785



11N20MIMO_Ant1_5825