



11.3. APPENDIX C: MIN EMISSION BANDWIDTH


11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant0	5720	15.88	5711.88	5727.76	---	---
	Ant1	5720	15.08	5712.44	5727.52	---	---
	Ant0	5720_UNII-2C	13.12	5711.88	5725	---	---
	Ant1	5720_UNII-2C	12.56	5712.44	5725	---	---
	Ant0	5720_UNII-3	2.76	5725	5727.76	≥ 0.5	PASS
	Ant1	5720_UNII-3	2.52	5725	5727.52	≥ 0.5	PASS
	Ant0	5745	15.60	5737.20	5752.80	≥ 0.5	PASS
	Ant1	5745	15.08	5737.44	5752.52	≥ 0.5	PASS
	Ant0	5785	14.08	5778.48	5792.56	≥ 0.5	PASS
	Ant1	5785	14.88	5777.68	5792.56	≥ 0.5	PASS
	Ant0	5825	16.32	5816.84	5833.16	≥ 0.5	PASS
	Ant1	5825	15.48	5817.08	5832.56	≥ 0.5	PASS
11N20MIMO	Ant0	5720	16.52	5711.60	5728.12	---	---
	Ant1	5720	16.28	5712.08	5728.36	---	---
	Ant0	5720_UNII-2C	13.4	5711.60	5725	---	---
	Ant1	5720_UNII-2C	12.92	5712.08	5725	---	---
	Ant0	5720_UNII-3	3.12	5725	5728.12	≥ 0.5	PASS
	Ant1	5720_UNII-3	3.36	5725	5728.36	≥ 0.5	PASS
	Ant0	5745	17.56	5736.20	5753.76	≥ 0.5	PASS
	Ant1	5745	17.56	5736.20	5753.76	≥ 0.5	PASS
	Ant0	5785	15.08	5777.48	5792.56	≥ 0.5	PASS
	Ant1	5785	16.28	5776.84	5793.12	≥ 0.5	PASS
	Ant0	5825	17.60	5816.16	5833.76	≥ 0.5	PASS
	Ant1	5825	17.60	5816.16	5833.76	≥ 0.5	PASS
11N40MIMO	Ant0	5710	35.12	5692.48	5727.60	---	---
	Ant1	5710	35.20	5692.40	5727.60	---	---
	Ant0	5710_UNII-2C	32.52	5692.48	5725	---	---
	Ant1	5710_UNII-2C	32.6	5692.40	5725	---	---
	Ant0	5710_UNII-3	2.6	5725	5727.60	≥ 0.5	PASS
	Ant1	5710_UNII-3	2.6	5725	5727.60	≥ 0.5	PASS
	Ant0	5755	35.04	5737.48	5772.52	≥ 0.5	PASS
	Ant1	5755	35.04	5737.48	5772.52	≥ 0.5	PASS
	Ant0	5795	35.12	5777.48	5812.60	≥ 0.5	PASS
	Ant1	5795	35.12	5777.48	5812.60	≥ 0.5	PASS
	Ant0	5690	75.20	5652.40	5727.60	---	---
	Ant1	5690	75.20	5652.40	5727.60	---	---
11AC80MIMO	Ant0	5690_UNII-2C	72.6	5652.40	5725	---	---
	Ant1	5690_UNII-2C	72.6	5652.40	5725	---	---
	Ant0	5690_UNII-3	2.6	5725	5727.60	≥ 0.5	PASS
	Ant1	5690_UNII-3	2.6	5725	5727.60	≥ 0.5	PASS
	Ant0	5775	75.20	5737.40	5812.60	≥ 0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥ 0.5	PASS


11.3.2. Test Graphs























11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant0	5180	14.84	≤23.98	---	15.51	≤22.33	PASS
	Ant1	5180	14.75	≤23.98	---	15.96	≤22.34	PASS
	Ant0	5200	14.58	≤23.98	---	15.25	≤22.37	PASS
	Ant1	5200	14.37	≤23.98	---	15.58	≤22.36	PASS
	Ant0	5240	14.36	≤23.98	---	15.03	≤22.35	PASS
	Ant1	5240	14.12	≤23.98	---	15.33	≤22.35	PASS
	Ant0	5260	15.36	≤23.98	≤23.38	16.03	≤29.38	PASS
	Ant1	5260	15.21	≤23.98	≤23.36	16.42	≤29.36	PASS
	Ant0	5280	15.72	≤23.98	≤23.39	16.39	≤29.39	PASS
	Ant1	5280	15.25	≤23.98	≤23.36	16.46	≤29.36	PASS
	Ant0	5320	15.78	≤23.98	≤23.34	16.45	≤29.34	PASS
	Ant1	5320	15.51	≤23.98	≤23.35	16.72	≤29.35	PASS
	Ant0	5500	15.78	≤23.98	≤23.33	16.45	≤29.33	PASS
	Ant1	5500	15.48	≤23.98	≤23.35	16.69	≤29.35	PASS
	Ant0	5580	15.97	≤23.94	≤23.36	16.64	≤29.36	PASS
	Ant1	5580	15.60	≤23.98	≤23.35	16.81	≤29.35	PASS
	Ant0	5700	15.85	≤23.98	≤23.35	16.52	≤29.35	PASS
	Ant1	5700	15.73	≤23.98	≤23.35	16.94	≤29.35	PASS
	Ant0	5720_UNII-2C	15.37	≤22.76	≤22.32	16.04	≤28.32	PASS
	Ant1	5720_UNII-2C	15.17	≤22.82	≤22.33	16.38	≤28.33	PASS
	Ant0	5720_UNII-3	7.72	≤30.00	≤30.00	8.39	---	PASS
	Ant1	5720_UNII-3	7.44	≤30.00	≤30.00	8.65	---	PASS
	Ant0	5745	16.38	≤30.00	≤30.00	17.05	---	PASS
	Ant1	5745	16.26	≤30.00	≤30.00	17.47	---	PASS
	Ant0	5785	16.26	≤30.00	≤30.00	16.93	---	PASS
	Ant1	5785	16.08	≤30.00	≤30.00	17.29	---	PASS
	Ant0	5825	16.32	≤30.00	≤30.00	16.99	---	PASS
	Ant1	5825	15.96	≤30.00	≤30.00	17.17	---	PASS
11N20MIMO	Ant0	5180	12.10	≤23.98	---	12.77	≤22.56	PASS
	Ant1	5180	11.69	≤23.98	---	12.90	≤22.50	PASS
	total	5180	14.91	≤23.98	---	16.12	≤22.57	PASS
	Ant0	5200	11.85	≤23.98	---	12.52	≤22.51	PASS
	Ant1	5200	11.71	≤23.98	---	12.92	≤22.57	PASS
	total	5200	14.79	≤23.98	---	16.00	≤22.51	PASS
	Ant0	5240	12.25	≤23.98	---	12.92	≤22.47	PASS
	Ant1	5240	11.88	≤23.98	---	13.09	≤22.47	PASS
	total	5240	15.08	≤23.98	---	16.29	≤22.45	PASS
	Ant0	5260	15.10	≤23.98	≤23.59	15.77	≤29.59	PASS
	Ant1	5260	14.72	≤23.98	≤23.53	15.93	≤29.53	PASS
	total	5260	17.92	≤23.98	≤23.53	19.13	≤29.53	PASS
	Ant0	5280	15.42	≤23.98	≤23.60	16.09	≤29.60	PASS
	Ant1	5280	15.06	≤23.98	≤23.52	16.27	≤29.52	PASS
	total	5280	18.25	≤23.98	≤23.52	19.46	≤29.52	PASS
	Ant0	5320	15.57	≤23.98	≤23.55	16.24	≤29.55	PASS
	Ant1	5320	15.16	≤23.98	≤23.51	16.37	≤29.51	PASS
	total	5320	18.38	≤23.98	≤23.51	19.59	≤29.51	PASS
	Ant0	5500	15.73	≤23.98	≤23.55	16.40	≤29.55	PASS
	Ant1	5500	15.28	≤23.98	≤23.50	16.49	≤29.50	PASS
	total	5500	18.52	≤23.98	≤23.50	19.73	≤29.50	PASS
	Ant0	5580	15.65	≤23.98	≤23.57	16.32	≤29.57	PASS
	Ant1	5580	15.32	≤23.98	≤23.51	16.53	≤29.51	PASS
	total	5580	18.50	≤23.98	≤23.51	19.71	≤29.51	PASS
	Ant0	5700	15.77	≤23.98	≤23.57	16.44	≤29.57	PASS
	Ant1	5700	15.40	≤23.98	≤23.51	16.61	≤29.51	PASS


	total	5700	18.60	≤23.98	≤23.51	19.81	≤29.51	PASS
	Ant0	5720_UNII-2C	15.09	≤22.77	≤22.46	15.76	≤28.46	PASS
	Ant1	5720_UNII-2C	14.76	≤22.78	≤22.43	15.97	≤28.43	PASS
	total	5720_UNII-2C	17.94	≤23.98	≤22.43	19.15	≤28.43	PASS
	Ant0	5720_UNII-3	7.93	≤30.00	≤30.00	8.60	---	PASS
	Ant1	5720_UNII-3	7.59	≤30.00	≤30.00	8.80	---	PASS
	total	5720_UNII-3	10.77	≤30.00	≤30.00	11.98	---	PASS
	Ant0	5745	15.71	≤30.00	≤30.00	16.38	---	PASS
	Ant1	5745	15.40	≤30.00	≤30.00	16.61	---	PASS
	total	5745	18.57	≤30.00	≤30.00	19.78	---	PASS
	Ant0	5785	15.52	≤30.00	≤30.00	16.19	---	PASS
	Ant1	5785	15.21	≤30.00	≤30.00	16.42	---	PASS
	total	5785	18.38	≤30.00	≤30.00	19.59	---	PASS
	Ant0	5825	15.48	≤30.00	≤30.00	16.15	---	PASS
	Ant1	5825	15.04	≤30.00	≤30.00	16.25	---	PASS
	total	5825	18.28	≤30.00	≤30.00	19.49	---	PASS
	Ant0	5190	15.02	≤23.98	---	15.69	≤23.00	PASS
	Ant1	5190	14.73	≤23.98	---	15.94	≤23.00	PASS
	total	5190	17.89	≤23.98	---	19.10	≤23.00	PASS
	Ant0	5230	14.83	≤23.98	---	15.50	≤23.00	PASS
	Ant1	5230	14.53	≤23.98	---	15.74	≤23.00	PASS
	total	5230	17.69	≤23.98	---	18.90	≤23.00	PASS
	Ant0	5270	14.86	≤23.98	≤23.98	15.53	≤30.00	PASS
	Ant1	5270	14.51	≤23.98	≤23.98	15.72	≤30.00	PASS
	total	5270	17.70	≤23.98	≤23.98	18.91	≤30.00	PASS
	Ant0	5310	15.19	≤23.98	≤23.98	15.86	≤30.00	PASS
	Ant1	5310	14.72	≤23.98	≤23.98	15.93	≤30.00	PASS
	total	5310	17.97	≤23.98	≤23.98	19.18	≤30.00	PASS
	Ant0	5510	15.27	≤23.98	≤23.98	15.94	≤30.00	PASS
	Ant1	5510	14.89	≤23.98	≤23.98	16.10	≤30.00	PASS
	total	5510	18.09	≤23.98	≤23.98	19.30	≤30.00	PASS
	Ant0	5550	15.49	≤23.98	≤23.98	16.16	≤30.00	PASS
	Ant1	5550	15.00	≤23.98	≤23.98	16.21	≤30.00	PASS
	total	5550	18.26	≤23.98	≤23.98	19.47	≤30.00	PASS
	Ant0	5670	15.41	≤23.98	≤23.98	16.08	≤30.00	PASS
	Ant1	5670	15.12	≤23.98	≤23.98	16.33	≤30.00	PASS
	total	5670	18.28	≤23.98	≤23.98	19.49	≤30.00	PASS
	Ant0	5710_UNII-2C	15.15	≤23.98	≤23.98	15.82	≤30.00	PASS
	Ant1	5710_UNII-2C	14.72	≤23.98	≤23.98	15.93	≤30.00	PASS
	total	5710_UNII-2C	17.95	≤23.98	≤23.98	19.16	≤30.00	PASS
	Ant0	5710_UNII-3	2.79	≤30.00	≤30.00	3.46	---	PASS
	Ant1	5710_UNII-3	2.39	≤30.00	≤30.00	3.60	---	PASS
	total	5710_UNII-3	5.60	≤30.00	≤30.00	6.81	---	PASS
	Ant0	5755	15.35	≤30.00	≤30.00	16.02	---	PASS
	Ant1	5755	15.11	≤30.00	≤30.00	16.32	---	PASS
	total	5755	18.24	≤30.00	≤30.00	19.45	---	PASS
	Ant0	5795	15.06	≤30.00	≤30.00	15.73	---	PASS
	Ant1	5795	14.75	≤30.00	≤30.00	15.96	---	PASS
	total	5795	17.92	≤30.00	≤30.00	19.13	---	PASS
	Ant0	5210	14.50	≤23.98	---	15.17	≤23.00	PASS
	Ant1	5210	14.05	≤23.98	---	15.26	≤23.00	PASS
	total	5210	17.29	≤23.98	---	18.50	≤23.00	PASS
	Ant0	5290	14.47	≤23.98	≤23.98	15.14	≤30.00	PASS
	Ant1	5290	14.11	≤23.98	≤23.98	15.32	≤30.00	PASS
	total	5290	17.30	≤23.98	≤23.98	18.51	≤30.00	PASS
	Ant0	5530	13.71	≤23.98	≤23.98	14.38	≤30.00	PASS
	Ant1	5530	13.31	≤23.98	≤23.98	14.52	≤30.00	PASS
	total	5530	16.52	≤23.98	≤23.98	17.73	≤30.00	PASS
	Ant0	5610	13.04	≤23.98	≤23.98	13.71	≤30.00	PASS
	Ant1	5610	12.60	≤23.98	≤23.98	13.81	≤30.00	PASS


	total	5610	15.84	≤23.98	≤23.98	17.05	≤30.00	PASS
	Ant0	5690_UNII-2C	13.00	≤23.98	≤23.98	13.67	≤30.00	PASS
	Ant1	5690_UNII-2C	12.54	≤23.98	≤23.98	13.75	≤30.00	PASS
	total	5690_UNII-2C	15.79	≤23.98	≤23.98	17.00	≤30.00	PASS
	Ant0	5690_UNII-3	-2.98	≤30.00	≤30.00	-2.31	---	PASS
	Ant1	5690_UNII-3	-3.16	≤30.00	≤30.00	-1.95	---	PASS
	total	5690_UNII-3	-0.06	≤30.00	≤30.00	1.15	---	PASS
	Ant0	5775	14.61	≤30.00	≤30.00	15.28	---	PASS
	Ant1	5775	14.28	≤30.00	≤30.00	15.49	---	PASS
	total	5775	17.46	≤30.00	≤30.00	18.67	---	PASS


Note: 1. Conducted Power=Meas. Level+ Correction Factor


2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.


11.4.2. Test Graphs














11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant0	5180	4.44	≤11.00	5.11	≤10.00	PASS
	Ant1	5180	4.17	≤11.00	5.38	≤10.00	PASS
	Ant0	5200	4.31	≤11.00	4.98	≤10.00	PASS
	Ant1	5200	4.02	≤11.00	5.23	≤10.00	PASS
	Ant0	5240	4.06	≤11.00	4.73	≤10.00	PASS
	Ant1	5240	3.85	≤11.00	5.06	≤10.00	PASS
	Ant0	5260	5.11	≤11.00	5.78	---	PASS
	Ant1	5260	4.92	≤11.00	6.13	---	PASS
	Ant0	5280	5.51	≤11.00	6.18	---	PASS
	Ant1	5280	4.88	≤11.00	6.09	---	PASS
	Ant0	5320	5.51	≤11.00	6.18	---	PASS
	Ant1	5320	5.40	≤11.00	6.61	---	PASS
	Ant0	5500	5.42	≤11.00	6.09	---	PASS
	Ant1	5500	5.18	≤11.00	6.39	---	PASS
	Ant0	5580	5.62	≤11.00	6.29	---	PASS
	Ant1	5580	5.35	≤11.00	6.56	---	PASS
	Ant0	5700	5.54	≤11.00	6.21	---	PASS
	Ant1	5700	5.46	≤11.00	6.67	---	PASS
	Ant0	5720_UNII-2C	5.67	≤11.00	6.34	---	PASS
	Ant1	5720_UNII-2C	5.56	≤11.00	6.77	---	PASS
	Ant0	5720_UNII-3	1.07	≤30.00	1.74	---	PASS
	Ant1	5720_UNII-3	0.69	≤30.00	1.90	---	PASS
	Ant0	5745	3.46	≤30.00	4.13	---	PASS
	Ant1	5745	3.06	≤30.00	4.27	---	PASS
	Ant0	5785	3.09	≤30.00	3.76	---	PASS
	Ant1	5785	3.10	≤30.00	4.31	---	PASS
	Ant0	5825	3.49	≤30.00	4.16	---	PASS
	Ant1	5825	2.86	≤30.00	4.07	---	PASS
11N20MIMO	Ant0	5180	1.44	≤11.00	2.11	≤10.00	PASS
	Ant1	5180	1.30	≤11.00	2.51	≤10.00	PASS
	total	5180	4.38	≤11.00	8.60	≤10.00	PASS
	Ant0	5200	1.39	≤11.00	2.06	≤10.00	PASS
	Ant1	5200	1.14	≤11.00	2.35	≤10.00	PASS
	total	5200	4.28	≤11.00	8.50	≤10.00	PASS
	Ant0	5240	1.69	≤11.00	2.36	≤10.00	PASS
	Ant1	5240	1.32	≤11.00	2.53	≤10.00	PASS
	total	5240	4.52	≤11.00	8.74	≤10.00	PASS
	Ant0	5260	4.67	≤11.00	5.34	---	PASS
	Ant1	5260	4.21	≤11.00	5.42	---	PASS
	total	5260	7.46	≤11.00	11.68	---	PASS
	Ant0	5280	4.76	≤11.00	5.43	---	PASS
	Ant1	5280	4.70	≤11.00	5.91	---	PASS
	total	5280	7.74	≤11.00	11.96	---	PASS
	Ant0	5320	5.08	≤11.00	5.75	---	PASS
	Ant1	5320	4.64	≤11.00	5.85	---	PASS
	total	5320	7.88	≤11.00	12.10	---	PASS
	Ant0	5500	5.12	≤11.00	5.79	---	PASS
	Ant1	5500	4.80	≤11.00	6.01	---	PASS
	total	5500	7.97	≤11.00	12.19	---	PASS
	Ant0	5580	5.34	≤11.00	6.01	---	PASS
	Ant1	5580	4.65	≤11.00	5.86	---	PASS
	total	5580	8.02	≤11.00	12.24	---	PASS
	Ant0	5700	5.26	≤11.00	5.93	---	PASS
	Ant1	5700	4.83	≤11.00	6.04	---	PASS
	total	5700	8.06	≤11.00	12.28	---	PASS

	Ant0	5720_UNII-2C	5.38	≤11.00	6.05	---	PASS
	Ant1	5720_UNII-2C	5.04	≤11.00	6.25	---	PASS
	total	5720_UNII-2C	8.22	≤11.00	12.44	---	PASS
	Ant0	5720_UNII-3	1.09	≤30.00	1.76	---	PASS
	Ant1	5720_UNII-3	0.24	≤30.00	1.45	---	PASS
	total	5720_UNII-3	3.70	≤30.00	7.92	---	PASS
	Ant0	5745	2.41	≤30.00	3.08	---	PASS
	Ant1	5745	2.07	≤30.00	3.28	---	PASS
	total	5745	5.25	≤30.00	9.47	---	PASS
	Ant0	5785	2.26	≤30.00	2.93	---	PASS
	Ant1	5785	1.80	≤30.00	3.01	---	PASS
	total	5785	5.05	≤30.00	9.27	---	PASS
	Ant0	5825	2.09	≤30.00	2.76	---	PASS
	Ant1	5825	1.68	≤30.00	2.89	---	PASS
	total	5825	4.90	≤30.00	9.12	---	PASS
	Ant0	5190	1.46	≤11.00	2.13	≤10.00	PASS
	Ant1	5190	1.23	≤11.00	2.44	≤10.00	PASS
	total	5190	4.36	≤11.00	8.58	≤10.00	PASS
	Ant0	5230	1.47	≤11.00	2.14	≤10.00	PASS
	Ant1	5230	1.13	≤11.00	2.34	≤10.00	PASS
	total	5230	4.31	≤11.00	8.53	≤10.00	PASS
	Ant0	5270	1.66	≤11.00	2.33	---	PASS
	Ant1	5270	1.06	≤11.00	2.27	---	PASS
	total	5270	4.38	≤11.00	8.60	---	PASS
	Ant0	5310	1.62	≤11.00	2.29	---	PASS
	Ant1	5310	1.25	≤11.00	2.46	---	PASS
	total	5310	4.45	≤11.00	8.67	---	PASS
	Ant0	5510	1.94	≤11.00	2.61	---	PASS
	Ant1	5510	1.38	≤11.00	2.59	---	PASS
	total	5510	4.68	≤11.00	8.90	---	PASS
	Ant0	5550	2.15	≤11.00	2.82	---	PASS
	Ant1	5550	1.49	≤11.00	2.70	---	PASS
	total	5550	4.84	≤11.00	9.06	---	PASS
	Ant0	5670	1.91	≤11.00	2.58	---	PASS
	Ant1	5670	1.59	≤11.00	2.80	---	PASS
	total	5670	4.76	≤11.00	8.98	---	PASS
	Ant0	5710_UNII-2C	1.78	≤11.00	2.45	---	PASS
	Ant1	5710_UNII-2C	1.51	≤11.00	2.72	---	PASS
	total	5710_UNII-2C	4.66	≤11.00	8.88	---	PASS
	Ant0	5710_UNII-3	-4.28	≤30.00	-3.61	---	PASS
	Ant1	5710_UNII-3	-4.88	≤30.00	-3.67	---	PASS
	total	5710_UNII-3	-1.56	≤30.00	2.66	---	PASS
	Ant0	5755	-1.10	≤30.00	-0.43	---	PASS
	Ant1	5755	-1.28	≤30.00	-0.07	---	PASS
	total	5755	1.82	≤30.00	6.04	---	PASS
	Ant0	5795	-1.32	≤30.00	-0.65	---	PASS
	Ant1	5795	-1.66	≤30.00	-0.45	---	PASS
	total	5795	1.52	≤30.00	5.74	---	PASS
11AC80MIMO	Ant0	5210	-1.94	≤11.00	-1.27	≤10.00	PASS
	Ant1	5210	-2.28	≤11.00	-1.07	≤10.00	PASS
	total	5210	0.90	≤11.00	5.12	≤10.00	PASS
	Ant0	5290	-1.98	≤11.00	-1.31	---	PASS
	Ant1	5290	-2.11	≤11.00	-0.90	---	PASS
	total	5290	0.97	≤11.00	5.19	---	PASS
	Ant0	5530	-2.43	≤11.00	-1.76	---	PASS
	Ant1	5530	-3.06	≤11.00	-1.85	---	PASS
	total	5530	0.28	≤11.00	4.50	---	PASS
	Ant0	5610	-3.38	≤11.00	-2.71	---	PASS
	Ant1	5610	-3.91	≤11.00	-2.70	---	PASS
	total	5610	-0.63	≤11.00	3.59	---	PASS

	Ant0	5690_UNII-2C	-3.61	≤11.00	-2.94	---	PASS
	Ant1	5690_UNII-2C	-3.70	≤11.00	-2.49	---	PASS
	total	5690_UNII-2C	-0.64	≤11.00	3.58	---	PASS
	Ant0	5690_UNII-3	-9.77	≤30.00	-9.10	---	PASS
	Ant1	5690_UNII-3	-9.82	≤30.00	-8.61	---	PASS
	total	5690_UNII-3	-6.78	≤30.00	-2.56	---	PASS
	Ant0	5775	-4.62	≤30.00	-3.95	---	PASS
	Ant1	5775	-4.98	≤30.00	-3.77	---	PASS
	total	5775	-1.79	≤30.00	2.43	---	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs

