


**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)**


No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	50.02	-13.03	36.99	74.00	-37.01	peak
2	3154.000	43.69	-5.33	38.36	74.00	-35.64	peak
3	4306.000	41.85	-1.77	40.08	74.00	-33.92	peak
4	4846.000	40.89	0.66	41.55	74.00	-32.45	peak
5	5680.000	40.24	2.48	42.72	74.00	-31.28	peak
6	6658.000	36.95	5.51	42.46	74.00	-31.54	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2C BAND – PCB ANTENNA

SISO MODE TEST RESULTS (WORST CASE)


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	54.19	-13.03	41.16	74.00	-32.84	peak
2	1918.000	50.77	-10.13	40.64	74.00	-33.36	peak
3	4348.000	42.40	-1.81	40.59	74.00	-33.41	peak
4	5416.000	43.34	1.92	45.26	74.00	-28.74	peak
5	5956.000	38.86	3.13	41.99	74.00	-32.01	peak
6	6622.000	36.23	5.51	41.74	74.00	-32.26	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1780.000	48.36	-10.20	38.16	74.00	-35.84	peak
2	3118.000	44.13	-5.40	38.73	74.00	-35.27	peak
3	5338.000	41.47	1.94	43.41	74.00	-30.59	peak
4	5500.000	47.02	2.17	49.19	74.00	-24.81	peak
5	5974.000	38.63	3.20	41.83	74.00	-32.17	peak
6	6622.000	36.79	5.51	42.30	74.00	-31.70	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	54.55	-13.03	41.52	74.00	-32.48	peak
2	1918.000	51.51	-10.13	41.38	74.00	-32.62	peak
3	4180.000	42.05	-1.87	40.18	74.00	-33.82	peak
4	5422.000	43.11	1.94	45.05	74.00	-28.95	peak
5	5974.000	38.90	3.20	42.10	74.00	-31.90	peak
6	6592.000	36.63	5.45	42.08	74.00	-31.92	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	50.48	-13.03	37.45	74.00	-36.55	peak
2	2572.000	44.64	-7.96	36.68	74.00	-37.32	peak
3	4858.000	40.66	0.68	41.34	74.00	-32.66	peak
4	5584.000	45.90	2.41	48.31	74.00	-25.69	peak
5	5956.000	38.56	3.13	41.69	74.00	-32.31	peak
6	6658.000	36.71	5.51	42.22	74.00	-31.78	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	55.07	-13.03	42.04	74.00	-31.96	peak
2	1918.000	51.57	-10.13	41.44	74.00	-32.56	peak
3	3694.000	43.84	-3.75	40.09	74.00	-33.91	peak
4	4780.000	40.95	0.48	41.43	74.00	-32.57	peak
5	5866.000	43.29	2.77	46.06	74.00	-27.94	peak
6	6664.000	36.23	5.53	41.76	74.00	-32.24	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	51.44	-13.03	38.41	74.00	-35.59	peak
2	4756.000	41.07	0.33	41.40	74.00	-32.60	peak
3	5700.000	46.99	2.48	49.47	74.00	-24.53	peak
4	5866.000	43.36	2.77	46.13	74.00	-27.87	peak
5	6376.000	35.86	4.24	40.10	74.00	-33.90	peak
6	6622.000	36.96	5.51	42.47	74.00	-31.53	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.


5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – PCB ANTENNA

SISO MODE TEST RESULTS (WORST CASE)


HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	54.68	-13.03	41.65	74.00	-32.35	peak
2	1780.000	49.01	-10.20	38.81	74.00	-35.19	peak
3	1918.000	51.16	-10.13	41.03	74.00	-32.97	peak
4	4924.000	40.80	0.78	41.58	74.00	-32.42	peak
5	5720.000	46.59	2.48	49.07	74.00	-24.93	peak
6	6634.000	36.28	5.51	41.79	74.00	-32.21	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	50.69	-13.03	37.66	74.00	-36.34	peak
2	1918.000	46.59	-10.13	36.46	74.00	-37.54	peak
3	4678.000	41.74	-0.12	41.62	74.00	-32.38	peak
4	5248.000	39.19	2.05	41.24	74.00	-32.76	peak
5	5720.000	46.24	2.48	48.72	74.00	-25.28	peak
6	6640.000	37.86	5.51	43.37	74.00	-30.63	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.


5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-3 BAND – PCB ANTENNA

SISO MODE TEST RESULTS (WORST CASE)


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	54.22	-13.03	41.19	74.00	-32.81	peak
2	1918.000	51.21	-10.13	41.08	74.00	-32.92	peak
3	5668.000	46.59	2.47	49.06	74.00	-24.94	peak
4	5745.000	50.15	2.49	52.64	74.00	-21.36	peak
5	5884.000	42.52	2.84	45.36	74.00	-28.64	peak
6	6784.000	36.44	5.56	42.00	74.00	-32.00	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4816.000	41.02	0.62	41.64	74.00	-32.36	peak
2	5686.000	44.53	2.47	47.00	74.00	-27.00	peak
3	5745.000	49.31	2.49	51.80	74.00	-22.20	peak
4	5920.000	41.78	2.98	44.76	74.00	-29.24	peak
5	6658.000	36.87	5.51	42.38	74.00	-31.62	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	54.71	-13.03	41.68	74.00	-32.32	peak
2	1918.000	51.69	-10.13	41.56	74.00	-32.44	peak
3	5662.000	44.67	2.47	47.14	74.00	-26.86	peak
4	5785.000	48.48	2.50	50.98	74.00	-23.02	peak
5	5878.000	43.83	2.81	46.64	74.00	-27.36	peak
6	6586.000	36.72	5.41	42.13	74.00	-31.87	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	50.86	-13.03	37.83	74.00	-36.17	peak
2	4828.000	41.12	0.63	41.75	74.00	-32.25	peak
3	5698.000	42.30	2.49	44.79	74.00	-29.21	peak
4	5785.000	49.54	2.50	52.04	74.00	-21.96	peak
5	5950.000	43.11	3.10	46.21	74.00	-27.79	peak
6	6784.000	36.41	5.56	41.97	74.00	-32.03	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	54.66	-13.03	41.63	74.00	-32.37	peak
2	1768.000	54.60	-10.29	44.31	74.00	-29.69	peak
3	5674.000	44.22	2.48	46.70	74.00	-27.30	peak
4	5825.000	48.72	2.61	51.33	74.00	-22.67	peak
5	5890.000	44.55	2.87	47.42	74.00	-26.58	peak
6	6784.000	36.92	5.56	42.48	74.00	-31.52	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	50.56	-13.03	37.53	74.00	-36.47	peak
2	3838.000	42.90	-3.32	39.58	74.00	-34.42	peak
3	4762.000	41.06	0.38	41.44	74.00	-32.56	peak
4	5668.000	42.35	2.47	44.82	74.00	-29.18	peak
5	5825.000	46.56	2.61	49.17	74.00	-24.83	peak
6	6622.000	36.58	5.51	42.09	74.00	-31.91	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.


5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

Note: All the modes, bands and antennas had been tested, but only the worst data was recorded in the report.


UNII-1 BAND – FPC ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	50.04	-13.60	36.44	74.00	-37.56	peak
2	1918.000	52.74	-10.81	41.93	74.00	-32.07	peak
3	4150.000	42.43	-3.28	39.15	74.00	-34.85	peak
4	5116.000	46.94	-0.36	46.58	74.00	-27.42	peak
5	5662.000	40.38	0.68	41.06	74.00	-32.94	peak
6	6664.000	36.53	3.71	40.24	74.00	-33.76	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1222.000	48.95	-13.64	35.31	74.00	-38.69	peak
2	1918.000	52.90	-10.81	42.09	74.00	-31.91	peak
3	4666.000	41.61	-1.71	39.90	74.00	-34.10	peak
4	5116.000	44.39	-0.36	44.03	74.00	-29.97	peak
5	5686.000	39.78	0.68	40.46	74.00	-33.54	peak
6	6658.000	36.69	3.69	40.38	74.00	-33.62	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	50.74	-13.60	37.14	74.00	-36.86	peak
2	1918.000	53.01	-10.81	42.20	74.00	-31.80	peak
3	3838.000	42.81	-4.39	38.42	74.00	-35.58	peak
4	5116.000	45.19	-0.36	44.83	74.00	-29.17	peak
5	5662.000	39.89	0.68	40.57	74.00	-33.43	peak
6	6754.000	37.17	3.74	40.91	74.00	-33.09	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	48.28	-13.60	34.68	74.00	-39.32	peak
2	1918.000	52.24	-10.81	41.43	74.00	-32.57	peak
3	4534.000	41.54	-2.35	39.19	74.00	-34.81	peak
4	5200.000	43.39	0.20	43.59	74.00	-30.41	peak
5	5668.000	39.97	0.68	40.65	74.00	-33.35	peak
6	6634.000	37.67	3.69	41.36	74.00	-32.64	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1222.000	50.63	-13.64	36.99	74.00	-37.01	peak
2	1918.000	52.82	-10.81	42.01	74.00	-31.99	peak
3	4816.000	42.10	-1.14	40.96	74.00	-33.04	peak
4	5110.000	43.76	-0.40	43.36	74.00	-30.64	peak
5	5662.000	40.18	0.68	40.86	74.00	-33.14	peak
6	6634.000	37.84	3.69	41.53	74.00	-32.47	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1228.000	48.41	-13.61	34.80	74.00	-39.20	peak
2	1918.000	54.02	-10.81	43.21	74.00	-30.79	peak
3	3838.000	42.58	-4.39	38.19	74.00	-35.81	peak
4	5242.000	44.49	0.17	44.66	74.00	-29.34	peak
5	5686.000	40.15	0.68	40.83	74.00	-33.17	peak
6	6628.000	36.72	3.69	40.41	74.00	-33.59	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**UNII-2A BAND – FPC ANTENNA****HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1228.000	50.56	-13.61	36.95	74.00	-37.05	peak
2	1918.000	53.16	-10.81	42.35	74.00	-31.65	peak
3	4210.000	42.99	-2.83	40.16	74.00	-33.84	peak
4	5116.000	42.17	-0.36	41.81	74.00	-32.19	peak
5	5494.000	40.28	0.42	40.70	74.00	-33.30	peak
6	6652.000	36.71	3.70	40.41	74.00	-33.59	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.86	-10.81	43.05	74.00	-30.95	peak
2	4828.000	41.55	-1.14	40.41	74.00	-33.59	peak
3	5260.000	43.63	0.17	43.80	74.00	-30.20	peak
4	5662.000	40.28	0.68	40.96	74.00	-33.04	peak
5	5998.000	39.96	1.37	41.33	74.00	-32.67	peak
6	6658.000	36.90	3.69	40.59	74.00	-33.41	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.


8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1222.000	50.44	-13.64	36.80	74.00	-37.20	peak
2	1918.000	52.97	-10.81	42.16	74.00	-31.84	peak
3	5122.000	42.63	-0.32	42.31	74.00	-31.69	peak
4	5380.000	40.33	0.10	40.43	74.00	-33.57	peak
5	5656.000	40.45	0.69	41.14	74.00	-32.86	peak
6	6652.000	36.95	3.70	40.65	74.00	-33.35	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	52.64	-10.81	41.83	74.00	-32.17	peak
2	3520.000	44.24	-5.70	38.54	74.00	-35.46	peak
3	4264.000	42.74	-2.92	39.82	74.00	-34.18	peak
4	4864.000	41.69	-1.14	40.55	74.00	-33.45	peak
5	5278.000	41.36	0.16	41.52	74.00	-32.48	peak
6	6586.000	36.85	3.59	40.44	74.00	-33.56	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1198.000	48.53	-13.73	34.80	74.00	-39.20	peak
2	1918.000	53.36	-10.81	42.55	74.00	-31.45	peak
3	4396.000	43.11	-3.10	40.01	74.00	-33.99	peak
4	4762.000	41.56	-1.30	40.26	74.00	-33.74	peak
5	5488.000	42.22	0.40	42.62	74.00	-31.38	peak
6	6658.000	36.49	3.69	40.18	74.00	-33.82	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.32	-10.81	42.51	74.00	-31.49	peak
2	3568.000	42.76	-5.44	37.32	74.00	-36.68	peak
3	4672.000	41.96	-1.69	40.27	74.00	-33.73	peak
4	5320.000	41.92	0.13	42.05	74.00	-31.95	peak
5	5950.000	38.65	1.19	39.84	74.00	-34.16	peak
6	6658.000	36.76	3.69	40.45	74.00	-33.55	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2C BAND – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	54.05	-10.81	43.24	74.00	-30.76	peak
2	3838.000	43.65	-4.39	39.26	74.00	-34.74	peak
3	4858.000	41.26	-1.14	40.12	74.00	-33.88	peak
4	5338.000	45.99	0.12	46.11	74.00	-27.89	peak
5	5662.000	39.99	0.68	40.67	74.00	-33.33	peak
6	6658.000	37.37	3.69	41.06	74.00	-32.94	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.36	-10.81	42.55	74.00	-31.45	peak
2	4756.000	41.50	-1.33	40.17	74.00	-33.83	peak
3	5338.000	41.53	0.12	41.65	74.00	-32.35	peak
4	5656.000	39.90	0.69	40.59	74.00	-33.41	peak
5	5950.000	38.38	1.19	39.57	74.00	-34.43	peak
6	6574.000	37.54	3.52	41.06	74.00	-32.94	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.95	-10.81	43.14	74.00	-30.86	peak
2	3838.000	45.20	-4.39	40.81	74.00	-33.19	peak
3	4846.000	41.55	-1.14	40.41	74.00	-33.59	peak
4	5368.000	40.41	0.11	40.52	74.00	-33.48	peak
5	5812.000	40.13	0.70	40.83	74.00	-33.17	peak
6	6628.000	37.59	3.69	41.28	74.00	-32.72	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1246.000	48.09	-13.56	34.53	74.00	-39.47	peak
2	1918.000	54.49	-10.81	43.68	74.00	-30.32	peak
3	3838.000	43.30	-4.39	38.91	74.00	-35.09	peak
4	4762.000	41.40	-1.30	40.10	74.00	-33.90	peak
5	5662.000	40.45	0.68	41.13	74.00	-32.87	peak
6	6658.000	37.14	3.69	40.83	74.00	-33.17	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	54.30	-10.81	43.49	74.00	-30.51	peak
2	3838.000	43.77	-4.39	39.38	74.00	-34.62	peak
3	4732.000	41.30	-1.44	39.86	74.00	-34.14	peak
4	5860.000	44.84	0.88	45.72	74.00	-28.28	peak
5	6622.000	37.89	3.69	41.58	74.00	-32.42	peak
6	6778.000	36.29	3.75	40.04	74.00	-33.96	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	50.44	-13.77	36.67	74.00	-37.33	peak
2	1918.000	54.04	-10.81	43.23	74.00	-30.77	peak
3	4222.000	42.71	-2.85	39.86	74.00	-34.14	peak
4	4792.000	41.26	-1.18	40.08	74.00	-33.92	peak
5	5860.000	39.76	0.88	40.64	74.00	-33.36	peak
6	6784.000	36.82	3.75	40.57	74.00	-33.43	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1192.000	49.60	-13.77	35.83	74.00	-38.17	peak
2	1918.000	54.66	-10.81	43.85	74.00	-30.15	peak
3	2158.000	55.21	-9.97	45.24	74.00	-28.76	peak
4	3838.000	44.34	-4.39	39.95	74.00	-34.05	peak
5	4672.000	42.34	-1.69	40.65	74.00	-33.35	peak
6	5752.000	45.90	0.67	46.57	74.00	-27.43	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1186.000	48.49	-13.81	34.68	74.00	-39.32	peak
2	1918.000	54.67	-10.81	43.86	74.00	-30.14	peak
3	3694.000	43.42	-4.83	38.59	74.00	-35.41	peak
4	4792.000	41.34	-1.18	40.16	74.00	-33.84	peak
5	5662.000	40.25	0.68	40.93	74.00	-33.07	peak
6	6622.000	36.91	3.69	40.60	74.00	-33.40	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-3 BAND – FPC ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	51.28	-13.70	37.58	74.00	-36.42	peak
2	1918.000	53.79	-10.81	42.98	74.00	-31.02	peak
3	3841.000	45.37	-4.40	40.97	74.00	-33.03	peak
4	5745.000	50.31	0.67	50.98	74.00	-23.02	peak
5	5899.000	43.68	1.01	44.69	74.00	-29.31	peak
6	6655.000	37.22	3.70	40.92	74.00	-33.08	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	51.31	-10.81	40.50	74.00	-33.50	peak
2	4666.000	42.00	-1.71	40.29	74.00	-33.71	peak
3	5656.000	49.12	0.69	49.81	74.00	-24.19	peak
4	5745.000	51.36	0.67	52.03	74.00	-21.97	peak
5	5878.000	43.32	0.94	44.26	74.00	-29.74	peak
6	6622.000	37.12	3.69	40.81	74.00	-33.19	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.10	-10.81	42.29	74.00	-31.71	peak
2	3841.000	45.69	-4.40	41.29	74.00	-32.71	peak
3	5683.000	46.33	0.68	47.01	74.00	-26.99	peak
4	5785.000	50.39	0.66	51.05	74.00	-22.95	peak
5	5890.000	45.37	0.98	46.35	74.00	-27.65	peak
6	6658.000	37.53	3.69	41.22	74.00	-32.78	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.


6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.31	-10.81	39.50	74.00	-34.50	peak
2	4756.000	41.84	-1.33	40.51	74.00	-33.49	peak
3	5689.000	45.88	0.68	46.56	74.00	-27.44	peak
4	5785.000	51.51	0.66	52.17	74.00	-21.83	peak
5	5893.000	44.64	0.99	45.63	74.00	-28.37	peak
6	6658.000	37.44	3.69	41.13	74.00	-32.87	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.67	-10.81	42.86	74.00	-31.14	peak
2	3841.000	45.14	-4.40	40.74	74.00	-33.26	peak
3	5662.000	43.76	0.68	44.44	74.00	-29.56	peak
4	5825.000	50.76	0.75	51.51	74.00	-22.49	peak
5	5890.000	45.57	0.98	46.55	74.00	-27.45	peak
6	6592.000	36.76	3.64	40.40	74.00	-33.60	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.29	-10.81	39.48	74.00	-34.52	peak
2	3841.000	43.83	-4.40	39.43	74.00	-34.57	peak
3	4309.000	42.61	-2.97	39.64	74.00	-34.36	peak
4	5665.000	45.96	0.69	46.65	74.00	-27.35	peak
5	5825.000	51.51	0.75	52.26	74.00	-21.74	peak
6	5926.000	45.73	1.11	46.84	74.00	-27.16	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-1 BAND – PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1228.000	50.15	-13.61	36.54	74.00	-37.46	peak
2	1918.000	52.05	-10.81	41.24	74.00	-32.76	peak
3	5116.000	45.08	-0.36	44.72	74.00	-29.28	peak
4	5182.000	44.80	0.08	44.88	74.00	-29.12	peak
5	5860.000	39.92	0.88	40.80	74.00	-33.20	peak
6	6790.000	36.72	3.75	40.47	74.00	-33.53	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1198.000	51.17	-13.73	37.44	74.00	-36.56	peak
2	1918.000	49.11	-10.81	38.30	74.00	-35.70	peak
3	4186.000	42.12	-2.95	39.17	74.00	-34.83	peak
4	5116.000	45.31	-0.36	44.95	74.00	-29.05	peak
5	5662.000	40.17	0.68	40.85	74.00	-33.15	peak
6	6784.000	36.55	3.75	40.30	74.00	-33.70	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.


8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1240.000	50.87	-13.58	37.29	74.00	-36.71	peak
2	1918.000	51.64	-10.81	40.83	74.00	-33.17	peak
3	5110.000	43.22	-0.40	42.82	74.00	-31.18	peak
4	5200.000	45.08	0.20	45.28	74.00	-28.72	peak
5	5662.000	39.87	0.68	40.55	74.00	-33.45	peak
6	6592.000	37.31	3.64	40.95	74.00	-33.05	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	48.96	-13.70	35.26	74.00	-38.74	peak
2	1918.000	49.47	-10.81	38.66	74.00	-35.34	peak
3	3838.000	43.81	-4.39	39.42	74.00	-34.58	peak
4	5110.000	43.91	-0.40	43.51	74.00	-30.49	peak
5	5668.000	39.81	0.68	40.49	74.00	-33.51	peak
6	6784.000	37.13	3.75	40.88	74.00	-33.12	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1240.000	51.91	-13.58	38.33	74.00	-35.67	peak
2	1918.000	51.94	-10.81	41.13	74.00	-32.87	peak
3	3838.000	43.49	-4.39	39.10	74.00	-34.90	peak
4	5110.000	43.00	-0.40	42.60	74.00	-31.40	peak
5	5242.000	44.41	0.17	44.58	74.00	-29.42	peak
6	5398.000	41.60	0.10	41.70	74.00	-32.30	peak

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
 5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
 6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1198.000	50.59	-13.73	36.86	74.00	-37.14	peak
2	1918.000	49.65	-10.81	38.84	74.00	-35.16	peak
3	4246.000	42.33	-2.89	39.44	74.00	-34.56	peak
4	5122.000	43.82	-0.32	43.50	74.00	-30.50	peak
5	5242.000	47.75	0.17	47.92	74.00	-26.08	peak
6	5662.000	40.07	0.68	40.75	74.00	-33.25	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2A BAND – PIFA ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	51.15	-13.60	37.55	74.00	-36.45	peak
2	1918.000	51.68	-10.81	40.87	74.00	-33.13	peak
3	3838.000	44.37	-4.39	39.98	74.00	-34.02	peak
4	5098.000	42.98	-0.47	42.51	74.00	-31.49	peak
5	5656.000	40.10	0.69	40.79	74.00	-33.21	peak
6	6778.000	36.64	3.75	40.39	74.00	-33.61	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1198.000	49.20	-13.73	35.47	74.00	-38.53	peak
2	1918.000	49.63	-10.81	38.82	74.00	-35.18	peak
3	4864.000	42.27	-1.14	41.13	74.00	-32.87	peak
4	5260.000	46.05	0.17	46.22	74.00	-27.78	peak
5	5662.000	40.85	0.68	41.53	74.00	-32.47	peak
6	6622.000	36.77	3.69	40.46	74.00	-33.54	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	51.60	-13.60	38.00	74.00	-36.00	peak
2	1918.000	51.86	-10.81	41.05	74.00	-32.95	peak
3	3838.000	43.94	-4.39	39.55	74.00	-34.45	peak
4	5278.000	41.89	0.16	42.05	74.00	-31.95	peak
5	5404.000	43.31	0.11	43.42	74.00	-30.58	peak
6	5674.000	39.73	0.68	40.41	74.00	-33.59	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1198.000	50.12	-13.73	36.39	74.00	-37.61	peak
2	1918.000	48.91	-10.81	38.10	74.00	-35.90	peak
3	5122.000	42.33	-0.32	42.01	74.00	-31.99	peak
4	5278.000	42.51	0.16	42.67	74.00	-31.33	peak
5	5920.000	39.35	1.08	40.43	74.00	-33.57	peak
6	6664.000	36.70	3.71	40.41	74.00	-33.59	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1240.000	51.86	-13.58	38.28	74.00	-35.72	peak
2	1918.000	51.87	-10.81	41.06	74.00	-32.94	peak
3	3838.000	43.65	-4.39	39.26	74.00	-34.74	peak
4	4660.000	42.03	-1.75	40.28	74.00	-33.72	peak
5	5404.000	44.68	0.11	44.79	74.00	-29.21	peak
6	6628.000	37.75	3.69	41.44	74.00	-32.56	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.


8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1198.000	49.53	-13.73	35.80	74.00	-38.20	peak
2	1918.000	49.29	-10.81	38.48	74.00	-35.52	peak
3	4408.000	42.31	-3.05	39.26	74.00	-34.74	peak
4	5320.000	44.90	0.13	45.03	74.00	-28.97	peak
5	5404.000	41.75	0.11	41.86	74.00	-32.14	peak
6	6628.000	36.58	3.69	40.27	74.00	-33.73	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**UNII-2C BAND- PIFA ANTENNA****HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1198.000	52.28	-13.73	38.55	74.00	-35.45	peak
2	1918.000	54.23	-10.81	43.42	74.00	-30.58	peak
3	3838.000	45.34	-4.39	40.95	74.00	-33.05	peak
4	5410.000	44.98	0.12	45.10	74.00	-28.90	peak
5	5494.000	44.35	0.42	44.77	74.00	-29.23	peak
6	6592.000	37.36	3.64	41.00	74.00	-33.00	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/T_{on}$, where: T_{on} is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	51.48	-10.81	40.67	74.00	-33.33	peak
2	2164.000	50.16	-9.94	40.22	74.00	-33.78	peak
3	4912.000	41.22	-1.12	40.10	74.00	-33.90	peak
4	5422.000	44.97	0.16	45.13	74.00	-28.87	peak
5	5662.000	39.88	0.68	40.56	74.00	-33.44	peak
6	6622.000	37.19	3.69	40.88	74.00	-33.12	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1198.000	49.68	-13.73	35.95	74.00	-38.05	peak
2	1918.000	53.76	-10.81	42.95	74.00	-31.05	peak
3	3838.000	44.70	-4.39	40.31	74.00	-33.69	peak
4	5434.000	41.52	0.21	41.73	74.00	-32.27	peak
5	5584.000	41.29	0.65	41.94	74.00	-32.06	peak
6	6652.000	37.20	3.70	40.90	74.00	-33.10	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.64	-10.81	39.83	74.00	-34.17	peak
2	4786.000	40.98	-1.20	39.78	74.00	-34.22	peak
3	5116.000	40.99	-0.36	40.63	74.00	-33.37	peak
4	5434.000	43.12	0.21	43.33	74.00	-30.67	peak
5	5866.000	39.57	0.90	40.47	74.00	-33.53	peak
6	6658.000	36.87	3.69	40.56	74.00	-33.44	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	50.41	-13.70	36.71	74.00	-37.29	peak
2	1918.000	53.69	-10.81	42.88	74.00	-31.12	peak
3	2152.000	47.53	-10.00	37.53	74.00	-36.47	peak
4	3838.000	44.50	-4.39	40.11	74.00	-33.89	peak
5	4858.000	41.76	-1.14	40.62	74.00	-33.38	peak
6	5866.000	43.52	0.90	44.42	74.00	-29.58	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	51.12	-10.81	40.31	74.00	-33.69	peak
2	2158.000	46.69	-9.97	36.72	74.00	-37.28	peak
3	4612.000	41.97	-1.94	40.03	74.00	-33.97	peak
4	4870.000	41.36	-1.13	40.23	74.00	-33.77	peak
5	5866.000	42.69	0.90	43.59	74.00	-30.41	peak
6	6784.000	37.23	3.75	40.98	74.00	-33.02	peak

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
 5. For the transmitting duration, please refer to clause 7.1.
 6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
 7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
 8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	49.53	-13.70	35.83	74.00	-38.17	peak
2	1918.000	53.14	-10.81	42.33	74.00	-31.67	peak
3	2158.000	47.83	-9.97	37.86	74.00	-36.14	peak
4	3838.000	44.93	-4.39	40.54	74.00	-33.46	peak
5	4228.000	42.96	-2.86	40.10	74.00	-33.90	peak
6	5722.000	43.65	0.67	44.32	74.00	-29.68	peak

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
 5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
 6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1612.000	45.79	-11.77	34.02	74.00	-39.98	peak
2	1918.000	50.36	-10.81	39.55	74.00	-34.45	peak
3	2158.000	47.60	-9.97	37.63	74.00	-36.37	peak
4	4864.000	41.69	-1.14	40.55	74.00	-33.45	peak
5	5806.000	43.25	0.68	43.93	74.00	-30.07	peak
6	6754.000	36.53	3.74	40.27	74.00	-33.73	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


UNII-3 BAND – PIFA ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	51.40	-13.70	37.70	74.00	-36.30	peak
2	1918.000	53.93	-10.81	43.12	74.00	-30.88	peak
3	2158.000	47.90	-9.97	37.93	74.00	-36.07	peak
4	3838.000	45.07	-4.39	40.68	74.00	-33.32	peak
5	5662.000	47.53	0.68	48.21	74.00	-25.79	peak
6	5746.000	50.97	0.67	51.64	74.00	-22.36	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.45	-10.81	39.64	74.00	-34.36	peak
2	4756.000	41.27	-1.33	39.94	74.00	-34.06	peak
3	5674.000	48.49	0.68	49.17	74.00	-24.83	peak
4	5745.000	51.69	0.67	52.36	74.00	-21.64	peak
5	5902.000	43.16	1.02	44.18	74.00	-29.82	peak
6	6652.000	37.24	3.70	40.94	74.00	-33.06	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	51.16	-13.70	37.46	74.00	-36.54	peak
2	1918.000	53.93	-10.81	43.12	74.00	-30.88	peak
3	2158.000	53.29	-9.97	43.32	74.00	-30.68	peak
4	2842.000	43.56	-7.55	36.01	74.00	-37.99	peak
5	3838.000	46.58	-4.39	42.19	74.00	-31.81	peak
6	5788.000	51.81	0.66	52.47	74.00	-21.53	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.08	-10.81	39.27	74.00	-34.73	peak
2	4630.000	42.03	-1.87	40.16	74.00	-33.84	peak
3	5680.000	46.03	0.68	46.71	74.00	-27.29	peak
4	5785.000	50.85	0.66	51.51	74.00	-22.49	peak
5	5884.000	44.97	0.96	45.93	74.00	-28.07	peak
6	6658.000	36.94	3.69	40.63	74.00	-33.37	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	50.71	-13.70	37.01	74.00	-36.99	peak
2	1918.000	53.41	-10.81	42.60	74.00	-31.40	peak
3	2158.000	47.89	-9.97	37.92	74.00	-36.08	peak
4	3838.000	44.95	-4.39	40.56	74.00	-33.44	peak
5	5680.000	43.86	0.68	44.54	74.00	-29.46	peak
6	5830.000	52.15	0.76	52.91	74.00	-21.09	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.44	-10.81	39.63	74.00	-34.37	peak
2	4174.000	42.45	-3.06	39.39	74.00	-34.61	peak
3	4864.000	41.22	-1.14	40.08	74.00	-33.92	peak
4	5656.000	46.42	0.69	47.11	74.00	-26.89	peak
5	5825.000	51.88	0.75	52.63	74.00	-21.37	peak
6	6658.000	36.96	3.69	40.65	74.00	-33.35	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.

8.3. SPURIOUS EMISSIONS (7 GHz ~ 18 GHz)

8.3.1. 802.11a SISO MODE

UNII-1 BAND – PCB ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.69	8.11	46.80	74.00	-27.20	peak
2	9414.500	37.25	10.33	47.58	74.00	-26.42	peak
3	10366.000	52.78	11.33	64.11	74.00	-9.89	peak
4	10366.000	38.99	11.33	50.32	54.00	-3.68	AVG
5	11862.000	35.75	15.52	51.27	74.00	-22.73	peak
6	15541.500	38.34	16.56	54.90	74.00	-19.10	peak
7	15541.500	26.76	16.56	43.32	54.00	-10.68	AVG
8	16691.000	32.03	19.62	51.65	74.00	-22.35	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9326.500	38.02	9.94	47.96	74.00	-26.04	peak
2	10360.500	50.24	11.31	61.55	74.00	-12.45	peak
3	10360.500	38.45	11.31	49.76	54.00	-4.24	AVG
4	11801.500	35.15	15.61	50.76	74.00	-23.24	peak
5	14001.500	33.06	16.85	49.91	74.00	-24.09	peak
6	15547.000	36.48	16.58	53.06	74.00	-20.94	peak
7	17857.000	29.64	22.70	52.34	74.00	-21.66	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.25	10.17	47.42	74.00	-26.58	peak
2	10399.000	53.32	11.45	64.77	74.00	-9.23	peak
3	10399.000	39.87	11.45	51.32	54.00	-2.68	AVG
4	11834.500	36.12	15.55	51.67	74.00	-22.33	peak
5	14865.000	34.08	16.83	50.91	74.00	-23.09	peak
6	15602.000	39.98	16.70	56.68	74.00	-17.32	peak
7	15602.000	26.62	16.70	43.32	54.00	-10.68	AVG
8	17582.000	32.39	21.11	53.50	74.00	-20.50	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8963.500	38.29	10.24	48.53	74.00	-25.47	peak
2	10404.500	52.14	11.47	63.61	74.00	-10.39	peak
3	10404.500	40.29	11.47	51.76	54.00	-2.24	AVG
4	11796.000	35.45	15.59	51.04	74.00	-22.96	peak
5	13974.000	33.36	16.86	50.22	74.00	-23.78	peak
6	15607.500	35.72	16.70	52.42	74.00	-21.58	peak
7	17367.500	31.10	20.78	51.88	74.00	-22.12	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10487.000	41.89	11.89	53.78	74.00	-20.22	peak
2	11708.000	36.33	15.11	51.44	74.00	-22.56	peak
3	13913.500	33.94	16.90	50.84	74.00	-23.16	peak
4	15074.000	34.44	16.64	51.08	74.00	-22.92	peak
5	17136.500	31.37	20.78	52.15	74.00	-21.85	peak
6	17730.500	30.61	22.18	52.79	74.00	-21.21	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8941.500	38.07	10.01	48.08	74.00	-25.92	peak
2	10481.500	52.93	11.87	64.80	74.00	-9.20	peak
3	10481.500	39.58	11.87	51.45	54.00	-2.55	AVG
4	11812.500	35.58	15.59	51.17	74.00	-22.83	peak
5	14848.500	34.16	16.82	50.98	74.00	-23.02	peak
6	15728.500	34.41	16.78	51.19	74.00	-22.81	peak
7	17714.000	29.84	22.04	51.88	74.00	-22.12	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2A BAND – PCB ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8985.500	37.16	10.48	47.64	74.00	-26.36	peak
2	10520.000	52.13	12.04	64.17	74.00	-9.83	peak
3	10520.000	39.90	12.04	51.94	54.00	-2.06	AVG
4	11796.000	36.07	15.59	51.66	74.00	-22.34	peak
5	14430.500	33.73	16.80	50.53	74.00	-23.47	peak
6	15778.000	35.96	16.82	52.78	74.00	-21.22	peak
7	17763.500	30.25	22.44	52.69	74.00	-21.31	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8474.000	39.06	8.55	47.61	74.00	-26.39	peak
2	10520.000	54.79	12.04	66.83	74.00	-7.17	peak
3	10520.000	38.99	12.04	51.03	54.00	-2.97	AVG
4	11746.500	35.73	15.32	51.05	74.00	-22.95	peak
5	12648.500	35.00	15.38	50.38	74.00	-23.62	peak
6	15772.500	35.36	16.81	52.17	74.00	-21.83	peak
7	17752.500	30.76	22.36	53.12	74.00	-20.88	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9348.500	37.57	10.05	47.62	74.00	-26.38	peak
2	10564.000	51.13	12.21	63.34	74.00	-10.66	peak
3	10564.000	36.31	12.21	48.52	54.00	-5.48	AVG
4	11812.500	35.67	15.59	51.26	74.00	-22.74	peak
5	13957.500	33.82	16.87	50.69	74.00	-23.31	peak
6	15844.000	37.34	16.92	54.26	74.00	-19.74	peak
7	15844.000	25.46	16.92	42.38	54.00	-11.62	AVG
8	17945.000	30.21	22.68	52.89	74.00	-21.11	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	39.13	7.92	47.05	74.00	-26.95	peak
2	8969.000	37.53	10.31	47.84	74.00	-26.16	peak
3	10558.500	51.45	12.20	63.65	74.00	-10.35	peak
4	10558.500	38.76	12.20	50.96	54.00	-3.04	AVG
5	11834.500	35.45	15.55	51.00	74.00	-23.00	peak
6	15838.500	35.73	16.90	52.63	74.00	-21.37	peak
7	17939.500	29.49	22.69	52.18	74.00	-21.82	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9084.500	37.41	10.06	47.47	74.00	-26.53	peak
2	10641.000	53.72	12.42	66.14	74.00	-7.86	peak
3	10641.000	37.99	12.42	50.41	54.00	-3.59	AVG
4	11829.000	34.93	15.57	50.50	74.00	-23.50	peak
5	14815.500	33.22	16.80	50.02	74.00	-23.98	peak
6	15959.500	38.65	17.15	55.80	74.00	-18.20	peak
7	15959.500	25.33	17.15	42.48	54.00	-11.52	AVG
8	17928.500	30.04	22.69	52.73	74.00	-21.27	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/T_{on}$, where: T_{on} is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9326.500	37.92	9.94	47.86	74.00	-26.14	peak
2	10641.000	53.69	12.42	66.11	74.00	-7.89	peak
3	10641.000	39.03	12.42	51.45	54.00	-2.55	AVG
4	11823.500	35.73	15.58	51.31	74.00	-22.69	peak
5	14667.000	33.90	16.57	50.47	74.00	-23.53	peak
6	15959.500	38.76	17.15	55.91	74.00	-18.09	peak
7	15959.500	27.24	17.15	44.39	54.00	-9.61	AVG
8	17741.500	30.80	22.26	53.06	74.00	-20.94	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2C BAND – PCB ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9337.500	37.83	9.99	47.82	74.00	-26.18	peak
2	11004.000	42.80	13.26	56.06	74.00	-17.94	peak
3	11004.000	28.95	13.26	42.21	54.00	-11.79	AVG
4	11807.000	35.60	15.61	51.21	74.00	-22.79	peak
5	14810.000	33.47	16.80	50.27	74.00	-23.73	peak
6	16498.500	37.37	19.12	56.49	74.00	-17.51	peak
7	16498.500	25.27	19.12	44.39	54.00	-9.61	AVG
8	17422.500	31.82	20.75	52.57	74.00	-21.43	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.49	8.11	47.60	74.00	-26.40	peak
2	8991.000	37.18	10.53	47.71	74.00	-26.29	peak
3	11004.000	39.34	13.26	52.60	74.00	-21.40	peak
4	13930.000	33.81	16.89	50.70	74.00	-23.30	peak
5	16498.500	36.16	19.12	55.28	74.00	-18.72	peak
6	16498.500	24.47	19.12	43.59	54.00	-10.41	AVG
7	17158.500	31.58	20.88	52.46	74.00	-21.54	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8237.500	37.84	9.21	47.05	74.00	-26.95	peak
2	8936.000	38.15	9.96	48.11	74.00	-25.89	peak
3	11708.000	35.49	15.11	50.60	74.00	-23.40	peak
4	14672.500	33.60	16.59	50.19	74.00	-23.81	peak
5	16746.000	36.69	19.68	56.37	74.00	-17.63	peak
6	16746.000	23.89	19.68	43.57	54.00	-10.43	AVG
7	17939.500	30.49	22.69	53.18	74.00	-20.82	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8215.500	37.53	9.30	46.83	74.00	-27.17	peak
2	8925.000	39.36	9.84	49.20	74.00	-24.80	peak
3	11158.000	37.21	13.56	50.77	74.00	-23.23	peak
4	11834.500	35.83	15.55	51.38	74.00	-22.62	peak
5	14815.500	33.80	16.80	50.60	74.00	-23.40	peak
6	16740.500	39.16	19.67	58.83	74.00	-15.17	peak
7	16740.500	31.38	19.67	51.05	54.00	-2.95	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: $VBW=1/T_{on}$, where: T_{on} is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.93	8.09	47.02	74.00	-26.98	peak
2	9117.500	37.85	9.83	47.68	74.00	-26.32	peak
3	11829.000	35.36	15.57	50.93	74.00	-23.07	peak
4	14452.500	34.03	16.76	50.79	74.00	-23.21	peak
5	17109.000	38.93	20.67	59.60	74.00	-14.40	peak
6	17109.000	22.89	20.67	43.56	54.00	-10.44	AVG
7	17873.500	30.30	22.71	53.01	74.00	-20.99	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8259.500	38.35	9.13	47.48	74.00	-26.52	peak
2	9117.500	38.40	9.83	48.23	74.00	-25.77	peak
3	11405.500	37.99	14.22	52.21	74.00	-21.79	peak
4	11812.500	35.30	15.59	50.89	74.00	-23.11	peak
5	13908.000	33.41	16.90	50.31	74.00	-23.69	peak
6	17114.500	37.02	20.69	57.71	74.00	-16.29	peak
7	17114.500	23.98	20.69	44.67	54.00	-9.33	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – PCB ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.68	9.23	46.91	74.00	-27.09	peak
2	9150.500	38.14	9.61	47.75	74.00	-26.25	peak
3	11801.500	35.44	15.61	51.05	74.00	-22.95	peak
4	13517.500	33.80	16.41	50.21	74.00	-23.79	peak
5	14793.500	34.08	16.79	50.87	74.00	-23.13	peak
6	17164.000	38.34	20.89	59.23	74.00	-14.77	peak
7	17164.000	27.76	20.89	48.65	54.00	-5.35	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9150.500	39.77	9.61	49.38	74.00	-24.62	peak
2	11444.000	39.50	14.28	53.78	74.00	-20.22	peak
3	12599.000	35.28	15.29	50.57	74.00	-23.43	peak
4	14815.500	33.78	16.80	50.58	74.00	-23.42	peak
5	17164.000	40.03	20.89	60.92	74.00	-13.08	peak
6	17164.000	25.70	20.89	46.59	54.00	-7.41	AVG
7	17928.500	30.01	22.69	52.70	74.00	-21.30	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


UNII-3 BAND – PCB ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	38.79	7.98	46.77	74.00	-27.23	peak
2	9189.000	38.97	9.36	48.33	74.00	-25.67	peak
3	11488.000	37.96	14.34	52.30	74.00	-21.70	peak
4	11818.000	36.26	15.58	51.84	74.00	-22.16	peak
5	17241.000	41.80	20.97	62.77	74.00	-11.23	peak
6	17241.000	30.19	20.97	51.16	54.00	-2.84	AVG
7	17725.000	30.81	22.13	52.94	74.00	-21.06	peak

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
 5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
 6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	40.00	9.36	49.36	74.00	-24.64	peak
2	11477.000	40.71	14.33	55.04	74.00	-18.96	peak
3	11477.000	27.93	14.33	42.26	54.00	-11.74	AVG
4	11829.000	36.47	15.57	52.04	74.00	-21.96	peak
5	13809.000	33.63	16.95	50.58	74.00	-23.42	peak
6	17241.000	42.61	20.97	63.58	74.00	-10.42	peak
7	17241.000	30.29	20.97	51.26	54.00	-2.74	AVG
8	17945.000	30.16	22.68	52.84	74.00	-21.16	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	39.77	9.56	49.33	74.00	-24.67	peak
2	11576.000	39.15	14.48	53.63	74.00	-20.37	peak
3	13908.000	34.65	16.90	51.55	74.00	-22.45	peak
4	16878.000	31.60	19.93	51.53	74.00	-22.47	peak
5	17356.500	40.20	20.80	61.00	74.00	-13.00	peak
6	17356.500	26.32	20.80	47.12	54.00	-6.88	AVG
7	17983.500	30.10	22.68	52.78	74.00	-21.22	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	39.94	9.56	49.50	74.00	-24.50	peak
2	11565.000	39.74	14.45	54.19	74.00	-19.81	peak
3	11565.000	27.00	14.45	41.45	54.00	-12.55	AVG
4	13627.500	34.05	16.50	50.55	74.00	-23.45	peak
5	14854.000	33.74	16.83	50.57	74.00	-23.43	peak
6	17367.500	39.86	20.78	60.64	74.00	-13.36	peak
7	17367.500	28.37	20.78	49.15	54.00	-4.85	AVG
8	17901.000	30.27	22.69	52.96	74.00	-21.04	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8265.000	38.34	9.11	47.45	74.00	-26.55	peak
2	9321.000	38.32	9.91	48.23	74.00	-25.77	peak
3	11647.500	39.61	14.77	54.38	74.00	-19.62	peak
4	11647.500	26.75	14.77	41.52	54.00	-12.48	AVG
5	13556.000	33.74	16.42	50.16	74.00	-23.84	peak
6	17483.000	38.52	20.82	59.34	74.00	-14.66	peak
7	17483.000	26.56	20.82	47.38	54.00	-6.62	AVG
8	17714.000	31.26	22.04	53.30	74.00	-20.70	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	38.61	9.23	47.84	74.00	-26.16	peak
2	9321.000	39.40	9.91	49.31	74.00	-24.69	peak
3	11647.500	38.88	14.77	53.65	74.00	-20.35	peak
4	14458.000	33.24	16.76	50.00	74.00	-24.00	peak
5	17477.500	38.22	20.81	59.03	74.00	-14.97	peak
6	17477.500	24.87	20.81	45.68	54.00	-8.32	AVG
7	17714.000	30.23	22.04	52.27	74.00	-21.73	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-1 BAND – FPC ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	41.45	9.02	50.47	74.00	-23.53	peak
2	10366.000	50.65	11.33	61.98	74.00	-12.02	peak
3	10366.000	36.99	11.33	48.32	54.00	-5.68	AVG
4	11873.000	36.16	15.50	51.66	74.00	-22.34	peak
5	14870.500	34.60	16.84	51.44	74.00	-22.56	peak
6	15541.500	43.11	16.56	59.67	74.00	-14.33	peak
7	15541.500	29.40	16.56	45.96	54.00	-8.04	AVG
8	16988.000	32.03	20.20	52.23	74.00	-21.77	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	40.42	8.37	48.79	74.00	-25.21	peak
2	10360.500	53.81	11.83	65.64	74.00	-8.36	peak
3	10360.500	40.20	11.83	52.03	54.00	-1.97	AVG
4	11834.500	35.37	17.29	52.66	74.00	-21.34	peak
5	13946.500	33.72	18.61	52.33	74.00	-21.67	peak
6	15541.500	46.61	14.59	61.20	74.00	-12.80	peak
7	15541.500	32.64	14.59	47.23	54.00	-6.77	AVG
8	17609.500	31.08	20.85	51.93	74.00	-22.07	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.64	10.26	47.90	74.00	-26.10	peak
2	10399.000	53.38	11.45	64.83	74.00	-9.17	peak
3	10399.000	39.58	11.45	51.03	54.00	-2.97	AVG
4	11823.500	36.06	15.58	51.64	74.00	-22.36	peak
5	14821.000	35.13	16.81	51.94	74.00	-22.06	peak
6	15602.000	45.17	16.70	61.87	74.00	-12.13	peak
7	15602.000	30.13	16.70	46.83	54.00	-7.17	AVG
8	17092.500	31.50	20.60	52.10	74.00	-21.90	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	39.38	7.98	47.36	74.00	-26.64	peak
2	8985.500	37.15	10.48	47.63	74.00	-26.37	peak
3	10404.500	52.93	11.47	64.40	74.00	-9.60	peak
4	10404.500	41.29	11.47	52.76	54.00	-1.24	AVG
5	11862.000	35.87	15.52	51.39	74.00	-22.61	peak
6	15596.500	42.81	16.70	59.51	74.00	-14.49	peak
7	15596.500	27.36	16.70	44.06	54.00	-9.94	AVG
8	16927.500	31.80	20.06	51.86	74.00	-22.14	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/T_{on}$, where: T_{on} is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8380.500	42.07	8.66	50.73	74.00	-23.27	peak
2	10481.500	50.67	11.87	62.54	74.00	-11.46	peak
3	10481.500	36.48	11.87	48.35	54.00	-5.65	AVG
4	11790.500	35.60	15.56	51.16	74.00	-22.84	peak
5	14859.500	34.57	16.83	51.40	74.00	-22.60	peak
6	15723.000	34.99	16.77	51.76	74.00	-22.24	peak
7	17692.000	30.51	21.87	52.38	74.00	-21.62	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8380.500	40.09	8.66	48.75	74.00	-25.25	peak
2	8996.500	37.33	10.60	47.93	74.00	-26.07	peak
3	10476.000	53.52	11.83	65.35	74.00	-8.65	peak
4	10476.000	40.60	11.83	52.43	54.00	-1.57	AVG
5	11829.000	36.25	15.57	51.82	74.00	-22.18	peak
6	14430.500	33.84	16.80	50.64	74.00	-23.36	peak
7	15723.000	38.13	16.77	54.90	74.00	-19.10	peak
8	15723.000	25.36	16.77	42.13	54.00	-11.87	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2A BAND – FPC ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8413.500	41.59	8.58	50.17	74.00	-23.83	peak
2	10520.000	51.46	12.04	63.50	74.00	-10.50	peak
3	10520.000	35.64	12.04	47.68	54.00	-6.32	AVG
4	11829.000	35.87	15.57	51.44	74.00	-22.56	peak
5	14430.500	34.08	16.80	50.88	74.00	-23.12	peak
6	15783.500	34.65	16.82	51.47	74.00	-22.53	peak
7	17323.500	32.10	20.85	52.95	74.00	-21.05	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8413.500	39.86	8.58	48.44	74.00	-25.56	peak
2	10514.500	40.99	12.01	53.00	54.00	-1.00	AVG
3	10514.500	52.60	12.01	64.61	74.00	-9.39	peak
4	11823.500	35.30	15.58	50.88	74.00	-23.12	peak
5	14062.000	34.08	16.80	50.88	74.00	-23.12	peak
6	15778.000	36.68	16.82	53.50	74.00	-20.50	peak
7	17241.000	31.22	20.97	52.19	74.00	-21.81	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8446.500	40.67	8.56	49.23	74.00	-24.77	peak
2	10564.000	50.35	12.21	62.56	74.00	-11.44	peak
3	10564.000	34.55	12.21	46.76	54.00	-7.24	AVG
4	11801.500	35.27	15.61	50.88	74.00	-23.12	peak
5	13776.000	33.20	16.90	50.10	74.00	-23.90	peak
6	15195.000	34.97	16.19	51.16	74.00	-22.84	peak
7	17802.000	30.00	22.72	52.72	74.00	-21.28	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8446.500	40.40	8.56	48.96	74.00	-25.04	peak
2	10558.500	51.37	12.20	63.57	74.00	-10.43	peak
3	10558.500	35.76	12.20	47.96	54.00	-6.04	AVG
4	11834.500	35.78	15.55	51.33	74.00	-22.67	peak
5	12643.000	35.81	15.36	51.17	74.00	-22.83	peak
6	15844.000	35.49	16.92	52.41	74.00	-21.59	peak
7	17884.500	29.73	22.70	52.43	74.00	-21.57	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10635.500	49.42	12.42	61.84	74.00	-12.16	peak
2	10635.500	36.93	12.42	49.35	54.00	-4.65	AVG
3	11812.500	35.90	15.59	51.49	74.00	-22.51	peak
4	12698.000	35.59	15.47	51.06	74.00	-22.94	peak
5	14403.000	33.57	16.85	50.42	74.00	-23.58	peak
6	15965.000	33.53	17.16	50.69	74.00	-23.31	peak
7	17103.500	31.92	20.65	52.57	74.00	-21.43	peak


Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8512.500	39.86	8.53	48.39	74.00	-25.61	peak
2	10646.500	50.33	12.44	62.77	74.00	-11.23	peak
3	10646.500	36.88	12.44	49.32	54.00	-4.68	AVG
4	11614.500	36.99	14.59	51.58	74.00	-22.42	peak
5	12720.000	35.40	15.51	50.91	74.00	-23.09	peak
6	15970.500	37.86	17.17	55.03	74.00	-18.97	peak
7	15970.500	37.86	17.17	55.03	74.00	-18.97	peak
8	17752.500	30.03	22.36	52.39	74.00	-21.61	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**UNII-2C BAND – FPC ANTENNA****HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8798.500	41.09	8.52	49.61	74.00	-24.39	peak
2	11004.000	41.73	13.26	54.99	74.00	-19.01	peak
3	11004.000	26.87	13.26	40.13	54.00	-13.87	AVG
4	11708.000	36.69	15.11	51.80	74.00	-22.20	peak
5	14447.000	34.02	16.77	50.79	74.00	-23.21	peak
6	16504.000	37.44	19.14	56.58	74.00	-17.42	peak
7	16504.000	24.09	19.14	43.23	54.00	-10.77	AVG
8	18000.000	29.78	22.67	52.45	74.00	-21.55	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7764.500	38.93	8.11	47.04	74.00	-26.96	peak
2	8798.500	40.54	8.52	49.06	74.00	-24.94	peak
3	10998.500	44.11	13.26	57.37	74.00	-16.63	peak
4	10998.500	27.06	13.26	40.32	54.00	-13.68	AVG
5	11823.500	35.64	15.58	51.22	74.00	-22.78	peak
6	14414.000	33.66	16.82	50.48	74.00	-23.52	peak
7	16504.000	37.05	19.14	56.19	74.00	-17.81	peak
8	16504.000	24.22	19.14	43.36	54.00	-10.64	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	38.71	9.84	48.55	74.00	-25.45	peak
2	11152.500	39.56	13.55	53.11	74.00	-20.89	peak
3	11752.000	36.38	15.35	51.73	74.00	-22.27	peak
4	12692.500	35.24	15.45	50.69	74.00	-23.31	peak
5	16740.500	35.85	19.67	55.52	74.00	-18.48	peak
6	16740.500	23.98	19.67	43.65	54.00	-10.35	AVG
7	17345.500	31.46	20.82	52.28	74.00	-21.72	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.89	9.23	47.12	74.00	-26.88	peak
2	9376.000	37.67	10.19	47.86	74.00	-26.14	peak
3	11163.500	37.49	13.56	51.05	74.00	-22.95	peak
4	11834.500	35.54	15.55	51.09	74.00	-22.91	peak
5	14865.000	34.74	16.83	51.57	74.00	-22.43	peak
6	16746.000	34.60	19.68	54.28	74.00	-19.72	peak
7	16746.000	22.78	19.68	42.46	54.00	-11.54	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8248.500	38.07	9.17	47.24	74.00	-26.76	peak
2	9117.500	39.37	9.83	49.20	74.00	-24.80	peak
3	11400.000	38.97	14.22	53.19	74.00	-20.81	peak
4	11812.500	36.35	15.59	51.94	74.00	-22.06	peak
5	13627.500	33.95	16.50	50.45	74.00	-23.55	peak
6	17098.000	34.43	20.63	55.06	74.00	-18.94	peak
7	17098.000	20.82	20.63	41.45	54.00	-12.55	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	39.06	7.98	47.04	74.00	-26.96	peak
2	9062.500	37.48	10.21	47.69	74.00	-26.31	peak
3	11405.500	37.77	14.22	51.99	74.00	-22.01	peak
4	11790.500	36.66	15.56	52.22	74.00	-21.78	peak
5	14887.000	33.67	16.84	50.51	74.00	-23.49	peak
6	17103.500	32.97	20.65	53.62	74.00	-20.38	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8336.500	38.33	8.83	47.16	74.00	-26.84	peak
2	9150.500	41.16	9.61	50.77	74.00	-23.23	peak
3	11438.500	40.10	14.27	54.37	74.00	-19.63	peak
4	11438.500	26.09	14.27	40.36	54.00	-13.64	AVG
5	11823.500	35.74	15.58	51.32	74.00	-22.68	peak
6	14788.000	33.89	16.78	50.67	74.00	-23.33	peak
7	17164.000	37.90	20.89	58.79	74.00	-15.21	peak
8	17164.000	24.73	20.89	45.62	54.00	-8.38	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7808.500	38.97	8.22	47.19	74.00	-26.81	peak
2	9150.500	38.60	9.61	48.21	74.00	-25.79	peak
3	11444.000	38.74	14.28	53.02	74.00	-20.98	peak
4	12692.500	35.97	15.45	51.42	74.00	-22.58	peak
5	14441.500	35.12	16.78	51.90	74.00	-22.10	peak
6	17158.500	34.93	20.88	55.81	74.00	-18.19	peak
7	17158.500	22.35	20.88	43.23	54.00	-10.77	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-3 BAND – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	37.98	9.02	47.00	74.00	-27.00	peak
2	9189.000	40.50	9.36	49.86	74.00	-24.14	peak
3	11482.500	38.85	14.34	53.19	74.00	-20.81	peak
4	11818.000	35.51	15.58	51.09	74.00	-22.91	peak
5	14447.000	34.15	16.77	50.92	74.00	-23.08	peak
6	17230.000	32.08	20.99	53.07	74.00	-20.93	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.74	9.23	46.97	74.00	-27.03	peak
2	9062.500	37.92	10.21	48.13	74.00	-25.87	peak
3	11493.500	37.19	14.35	51.54	74.00	-22.46	peak
4	11823.500	35.70	15.58	51.28	74.00	-22.72	peak
5	14854.000	34.25	16.83	51.08	74.00	-22.92	peak
6	17241.000	33.02	20.97	53.99	74.00	-20.01	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8210.000	38.07	9.32	47.39	74.00	-26.61	peak
2	9255.000	40.27	9.56	49.83	74.00	-24.17	peak
3	11570.500	38.05	14.47	52.52	74.00	-21.48	peak
4	12665.000	35.42	15.41	50.83	74.00	-23.17	peak
5	14815.500	34.05	16.80	50.85	74.00	-23.15	peak
6	17763.500	30.25	22.44	52.69	74.00	-21.31	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8204.500	37.87	9.34	47.21	74.00	-26.79	peak
2	8969.000	37.40	10.31	47.71	74.00	-26.29	peak
3	11576.000	37.49	14.48	51.97	74.00	-22.03	peak
4	13831.000	34.23	16.95	51.18	74.00	-22.82	peak
5	16784.500	32.25	19.72	51.97	74.00	-22.03	peak
6	17758.000	30.22	22.40	52.62	74.00	-21.38	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.


8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.82	8.09	46.91	74.00	-27.09	peak
2	8221.000	38.02	9.28	47.30	74.00	-26.70	peak
3	9321.000	39.26	9.91	49.17	74.00	-24.83	peak
4	11834.500	35.56	15.55	51.11	74.00	-22.89	peak
5	13864.000	34.00	16.92	50.92	74.00	-23.08	peak
6	17763.500	29.66	22.44	52.10	74.00	-21.90	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	39.19	8.09	47.28	74.00	-26.72	peak
2	9244.000	38.35	9.51	47.86	74.00	-26.14	peak
3	11790.500	35.92	15.56	51.48	74.00	-22.52	peak
4	12654.000	35.43	15.38	50.81	74.00	-23.19	peak
5	14419.500	34.01	16.82	50.83	74.00	-23.17	peak
6	17956.000	29.44	22.68	52.12	74.00	-21.88	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-1 BAND – PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	39.77	7.63	47.40	74.00	-26.60	peak
2	10360.500	46.42	10.81	57.23	74.00	-16.77	peak
3	10360.500	33.45	10.81	44.26	54.00	-9.74	AVG
4	11845.500	35.77	15.47	51.24	74.00	-22.76	peak
5	13908.000	34.03	18.82	52.85	74.00	-21.15	peak
6	15536.000	40.24	17.32	57.56	74.00	-16.44	peak
7	15536.000	27.33	17.32	44.65	54.00	-9.35	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	41.90	7.63	49.53	74.00	-24.47	peak
2	10355.000	50.73	10.80	61.53	74.00	-12.47	peak
3	10355.000	36.52	10.80	47.32	54.00	-6.68	AVG
4	11834.500	35.75	15.46	51.21	74.00	-22.79	peak
5	13891.500	34.47	18.80	53.27	74.00	-20.73	peak
6	15541.500	40.11	17.33	57.44	74.00	-16.56	peak
7	15541.500	29.29	17.33	46.62	54.00	-7.38	AVG
8	16850.500	32.06	20.35	52.41	74.00	-21.59	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9084.500	37.37	9.49	46.86	74.00	-27.14	peak
2	10399.000	42.29	10.92	53.21	74.00	-20.79	peak
3	11834.500	35.94	15.46	51.40	74.00	-22.60	peak
4	13666.000	34.59	18.08	52.67	74.00	-21.33	peak
5	15596.500	40.86	17.48	58.34	74.00	-15.66	peak
6	15596.500	28.17	17.48	45.65	54.00	-8.35	AVG
7	17488.500	31.02	21.19	52.21	74.00	-21.79	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	38.22	9.12	47.34	74.00	-26.66	peak
2	10393.500	45.20	10.90	56.10	74.00	-17.90	peak
3	10393.500	36.97	10.90	47.87	54.00	-6.13	AVG
4	11741.000	35.66	15.09	50.75	74.00	-23.25	peak
5	13858.500	34.27	18.75	53.02	74.00	-20.98	peak
6	15602.000	40.37	17.48	57.85	74.00	-16.15	peak
7	15602.000	26.84	17.48	44.32	54.00	-9.68	AVG
8	17714.000	30.78	22.39	53.17	74.00	-20.83	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8380.500	43.51	7.37	50.88	74.00	-23.12	peak
2	10481.500	45.15	11.27	56.42	74.00	-17.58	peak
3	10481.500	35.05	11.27	46.32	54.00	-7.68	AVG
4	11818.000	36.52	15.47	51.99	74.00	-22.01	peak
5	14419.500	34.33	18.31	52.64	74.00	-21.36	peak
6	15728.500	42.85	17.59	60.44	74.00	-13.56	peak
7	15728.500	34.54	17.59	52.13	54.00	-1.87	AVG
8	17257.500	30.92	21.35	52.27	74.00	-21.73	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8380.500	44.26	7.37	51.63	74.00	-22.37	peak
2	10487.000	49.70	11.30	61.00	74.00	-13.00	peak
3	10487.000	38.91	11.30	50.21	54.00	-3.79	AVG
4	11950.000	35.60	15.42	51.02	74.00	-22.98	peak
5	13913.500	33.07	18.83	51.90	74.00	-22.10	peak
6	15712.000	42.66	17.57	60.23	74.00	-13.77	peak
7	15712.000	31.78	17.57	49.35	54.00	-4.65	AVG
8	17224.500	30.49	21.41	51.90	74.00	-22.10	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/T_{on}$, where: T_{on} is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2A BAND – PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8413.500	42.89	7.32	50.21	74.00	-23.79	peak
2	10514.500	47.77	11.39	59.16	74.00	-14.84	peak
3	10514.500	36.96	11.39	48.35	54.00	-5.65	AVG
4	11790.500	35.88	15.41	51.29	74.00	-22.71	peak
5	14342.500	33.86	18.41	52.27	74.00	-21.73	peak
6	15778.000	42.13	17.63	59.76	74.00	-14.24	peak
7	15778.000	28.69	17.63	46.32	54.00	-7.68	AVG
8	17719.500	29.69	22.44	52.13	74.00	-21.87	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8413.500	43.35	7.32	50.67	74.00	-23.33	peak
2	10520.000	52.51	11.42	63.93	74.00	-10.07	peak
3	10520.000	40.81	11.42	52.23	54.00	-1.77	AVG
4	11873.000	35.49	15.44	50.93	74.00	-23.07	peak
5	13979.500	33.46	18.92	52.38	74.00	-21.62	peak
6	15783.500	43.20	17.63	60.83	74.00	-13.17	peak
7	15783.500	30.13	17.63	47.76	54.00	-6.24	AVG
8	17824.000	29.66	23.05	52.71	74.00	-21.29	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8446.500	43.72	7.34	51.06	74.00	-22.94	peak
2	10558.500	47.75	11.55	59.30	74.00	-14.70	peak
3	10558.500	35.07	11.55	46.62	54.00	-7.38	AVG
4	11829.000	35.55	15.47	51.02	74.00	-22.98	peak
5	13974.000	33.12	18.91	52.03	74.00	-21.97	peak
6	15838.500	38.87	17.72	56.59	74.00	-17.41	peak
7	15838.500	33.85	17.72	51.57	54.00	-2.43	AVG
8	17752.500	29.57	22.69	52.26	74.00	-21.74	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	44.04	7.34	51.38	74.00	-22.62	peak
2	10553.000	48.72	11.53	60.25	74.00	-13.75	peak
3	10553.000	34.70	11.53	46.23	54.00	-7.77	AVG
4	11785.000	36.01	15.37	51.38	74.00	-22.62	peak
5	13919.000	33.86	18.83	52.69	74.00	-21.31	peak
6	15833.000	40.77	17.72	58.49	74.00	-15.51	peak
7	15833.000	35.05	17.72	52.77	54.00	-1.23	AVG
8	17329.000	31.25	21.23	52.48	74.00	-21.52	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8512.500	42.43	7.39	49.82	74.00	-24.18	peak
2	10641.000	49.61	11.71	61.32	74.00	-12.68	peak
3	10641.000	37.61	11.71	49.32	54.00	-4.68	AVG
4	11829.000	35.66	15.47	51.13	74.00	-22.87	peak
5	13913.500	33.34	18.83	52.17	74.00	-21.83	peak
6	15959.500	37.86	17.99	55.85	74.00	-18.15	peak
7	15959.500	24.24	17.99	42.23	54.00	-11.77	AVG
8	17263.000	30.87	21.34	52.21	74.00	-21.79	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8512.500	40.94	7.39	48.33	74.00	-25.67	peak
2	10641.000	47.76	11.71	59.47	74.00	-14.53	peak
3	10641.000	34.82	11.71	46.53	54.00	-7.47	AVG
4	11735.500	36.32	15.06	51.38	74.00	-22.62	peak
5	13864.000	33.56	18.76	52.32	74.00	-21.68	peak
6	15965.000	39.37	18.00	57.37	74.00	-16.63	peak
7	15965.000	25.65	18.00	43.65	54.00	-10.35	AVG
8	17010.000	32.30	20.70	53.00	74.00	-21.00	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2C BAND- PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7874.500	38.76	6.43	45.19	74.00	-28.81	peak
2	8798.500	41.27	7.70	48.97	74.00	-25.03	peak
3	9376.000	37.58	9.73	47.31	74.00	-26.69	peak
4	11834.500	35.50	15.46	50.96	74.00	-23.04	peak
5	14441.500	33.82	18.24	52.06	74.00	-21.94	peak
6	16856.000	31.95	20.36	52.31	74.00	-21.69	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7825.000	38.95	6.63	45.58	74.00	-28.42	peak
2	9431.000	37.45	9.91	47.36	74.00	-26.64	peak
3	11790.500	35.82	15.41	51.23	74.00	-22.77	peak
4	13913.500	33.30	18.83	52.13	74.00	-21.87	peak
5	16504.000	35.26	19.78	55.04	74.00	-18.96	peak
6	16504.000	24.54	19.78	44.32	54.00	-9.68	AVG
7	17857.000	30.16	23.02	53.18	74.00	-20.82	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.87	6.41	45.28	74.00	-28.72	peak
2	8925.000	40.48	9.16	49.64	74.00	-24.36	peak
3	11944.500	35.44	15.42	50.86	74.00	-23.14	peak
4	12698.000	35.33	15.67	51.00	74.00	-23.00	peak
5	14056.500	33.68	18.82	52.50	74.00	-21.50	peak
6	16746.000	35.22	20.22	55.44	74.00	-18.56	peak
7	16746.000	24.13	20.22	44.35	54.00	-9.65	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8171.500	38.06	7.60	45.66	74.00	-28.34	peak
2	8925.000	38.22	9.16	47.38	74.00	-26.62	peak
3	11834.500	36.39	15.46	51.85	74.00	-22.15	peak
4	13985.000	34.06	18.92	52.98	74.00	-21.02	peak
5	16740.500	37.12	20.21	57.33	74.00	-16.67	peak
6	16740.500	25.42	20.21	45.63	54.00	-8.37	AVG
7	17934.000	30.36	23.01	53.37	74.00	-20.63	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	38.68	6.37	45.05	74.00	-28.95	peak
2	8963.500	37.21	9.60	46.81	74.00	-27.19	peak
3	11812.500	35.71	15.47	51.18	74.00	-22.82	peak
4	13968.500	33.95	18.89	52.84	74.00	-21.16	peak
5	14469.000	33.52	18.15	51.67	74.00	-22.33	peak
6	17103.500	35.18	21.07	56.25	74.00	-17.75	peak
7	17103.500	20.06	21.07	41.13	54.00	-12.87	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7753.500	38.66	6.57	45.23	74.00	-28.77	peak
2	8969.000	38.17	9.68	47.85	74.00	-26.15	peak
3	11823.500	35.39	15.47	50.86	74.00	-23.14	peak
4	14441.500	33.14	18.24	51.38	74.00	-22.62	peak
5	17103.500	36.34	21.07	57.41	74.00	-16.59	peak
6	17103.500	24.06	21.07	45.13	54.00	-8.87	AVG
7	17851.500	29.18	23.02	52.20	74.00	-21.80	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.