







11AX40MIMO Ant2 2437 0~Reference




11AX40MIMO Ant2 2437 30~1000




11AX40MIMO Ant2 2437 1000~26500




11AX40MIMO Ant1 2452 0~Reference




11AX40MIMO Ant1 2452 30~1000




11AX40MIMO Ant1 2452 1000~26500



11AX40MIMO Ant2 2452 0~Reference



11AX40MIMO Ant2 2452 30~1000



11AX40MIMO Ant2 2452 1000~26500

**11.7. Appendix G: Duty Cycle****11.7.1. Test Result**

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B	8.36	8.74	0.9565	95.65	0.19	0.12	0.5
11G	1.39	1.76	0.7898	78.98	1.02	0.72	1
11N20MIMO	1.29	1.68	0.7679	76.79	1.15	0.78	1
11N40MIMO	0.64	1.04	0.6154	61.54	2.11	1.56	2
11AX20MIMO	0.21	0.55	0.3818	38.18	4.18	4.76	5
11AX40MIMO	0.20	0.58	0.3448	34.48	4.62	5.00	5

Note:


Duty Cycle Correction Factor= $10\log(1/x)$.

Where: x is Duty Cycle (Linear)


Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.


11.7.2. Test Graphs




11B_Ant2_2437




11G_Ant2_2437




11N20MIMO_Ant2_2437



11N40MIMO Ant2 2437



11AX20MIMO Ant2 2437



11AX40MIMO Ant2 2437

END OF REPORT