



Test Mode:	802.11ax HE80	Frequency(MHz):	6545
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9198.000	39.12	11.68	50.80	74.00	-23.20	peak
2	11259.000	34.72	15.56	50.28	74.00	-23.72	peak
3	11862.000	33.46	17.41	50.87	74.00	-23.13	peak
4	12510.000	32.61	17.90	50.51	74.00	-23.49	peak
5	14805.000	29.10	20.24	49.34	74.00	-24.66	peak
6	16902.000	25.83	24.54	50.37	74.00	-23.63	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6705
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9414.000	37.66	12.28	49.94	74.00	-24.06	peak
2	10350.000	36.52	13.82	50.34	74.00	-23.66	peak
3	11637.000	32.14	18.55	50.69	74.00	-23.31	peak
4	12771.000	30.72	19.34	50.06	74.00	-23.94	peak
5	13509.000	27.79	22.25	50.04	74.00	-23.96	peak
6	17892.000	22.26	28.17	50.43	74.00	-23.57	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6705
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10188.000	36.45	13.13	49.58	74.00	-24.42	peak
2	11799.000	32.60	17.28	49.88	74.00	-24.12	peak
3	13293.000	30.81	19.83	50.64	74.00	-23.36	peak
4	14409.000	29.35	21.12	50.47	74.00	-23.53	peak
5	16893.000	25.97	24.52	50.49	74.00	-23.51	peak
6	17811.000	24.54	26.04	50.58	74.00	-23.42	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6785
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9738.000	36.02	13.73	49.75	74.00	-24.25	peak
2	11349.000	32.72	17.20	49.92	74.00	-24.08	peak
3	11988.000	31.29	18.79	50.08	74.00	-23.92	peak
4	12699.000	30.68	19.15	49.83	74.00	-24.17	peak
5	13392.000	28.10	21.80	49.90	74.00	-24.10	peak
6	18000.000	21.43	29.20	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6785
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11133.000	34.81	15.10	49.91	74.00	-24.09	peak
2	12429.000	32.11	17.94	50.05	74.00	-23.95	peak
3	13410.000	30.24	20.26	50.50	74.00	-23.50	peak
4	14427.000	29.24	21.09	50.33	74.00	-23.67	peak
5	16461.000	26.23	24.40	50.63	74.00	-23.37	peak
6	17802.000	24.85	25.99	50.84	74.00	-23.16	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6865
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9963.000	36.54	13.78	50.32	74.00	-23.68	peak
2	11322.000	33.12	17.06	50.18	74.00	-23.82	peak
3	11844.000	31.73	18.59	50.32	74.00	-23.68	peak
4	12708.000	31.65	19.17	50.82	74.00	-23.18	peak
5	14013.000	26.66	23.20	49.86	74.00	-24.14	peak
6	17793.000	22.78	27.24	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6865
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9540.000	37.76	12.98	50.74	74.00	-23.26	peak
2	11304.000	34.90	15.73	50.63	74.00	-23.37	peak
3	12294.000	32.57	17.82	50.39	74.00	-23.61	peak
4	13923.000	28.56	21.43	49.99	74.00	-24.01	peak
5	16488.000	26.15	24.36	50.51	74.00	-23.49	peak
6	17919.000	24.15	26.58	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6945
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9486.000	37.36	12.73	50.09	74.00	-23.91	peak
2	10224.000	36.66	13.66	50.32	74.00	-23.68	peak
3	11637.000	31.55	18.55	50.10	74.00	-23.90	peak
4	12744.000	30.41	19.27	49.68	74.00	-24.32	peak
5	13365.000	27.77	21.67	49.44	74.00	-24.56	peak
6	17964.000	21.09	28.86	49.95	74.00	-24.05	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6945
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9666.000	36.94	13.32	50.26	74.00	-23.74	peak
2	11286.000	34.31	15.67	49.98	74.00	-24.02	peak
3	12591.000	32.05	17.92	49.97	74.00	-24.03	peak
4	13590.000	29.09	20.72	49.81	74.00	-24.19	peak
5	16182.000	25.10	24.56	49.66	74.00	-24.34	peak
6	17775.000	24.27	25.88	50.15	74.00	-23.85	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	7025
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9450.000	37.43	12.51	49.94	74.00	-24.06	peak
2	9981.000	36.85	13.78	50.63	74.00	-23.37	peak
3	10998.000	34.98	15.45	50.43	74.00	-23.57	peak
4	11862.000	31.62	18.62	50.24	74.00	-23.76	peak
5	12915.000	30.74	19.67	50.41	74.00	-23.59	peak
6	17973.000	21.74	28.94	50.68	74.00	-23.32	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	7025
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9261.000	37.93	11.86	49.79	74.00	-24.21	peak
2	10431.000	36.29	13.69	49.98	74.00	-24.02	peak
3	12150.000	32.41	17.71	50.12	74.00	-23.88	peak
4	13536.000	28.98	20.61	49.59	74.00	-24.41	peak
5	16452.000	25.60	24.41	50.01	74.00	-23.99	peak
6	17073.000	25.08	24.80	49.88	74.00	-24.12	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6025
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10296.000	35.96	13.76	49.72	74.00	-24.28	peak
2	11664.000	31.35	18.53	49.88	74.00	-24.12	peak
3	12618.000	31.37	18.93	50.30	74.00	-23.70	peak
4	13158.000	29.42	20.67	50.09	74.00	-23.91	peak
5	13914.000	27.74	23.02	50.76	74.00	-23.24	peak
6	17946.000	22.25	28.69	50.94	74.00	-23.06	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6025
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9576.000	36.82	13.14	49.96	74.00	-24.04	peak
2	11097.000	34.57	14.99	49.56	74.00	-24.44	peak
3	12411.000	32.37	17.93	50.30	74.00	-23.70	peak
4	14031.000	27.84	21.61	49.45	74.00	-24.55	peak
5	16848.000	25.49	24.42	49.91	74.00	-24.09	peak
6	17865.000	23.74	26.31	50.05	74.00	-23.95	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6185
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9414.000	37.74	12.28	50.02	74.00	-23.98	peak
2	10188.000	36.85	13.64	50.49	74.00	-23.51	peak
3	11673.000	31.53	18.53	50.06	74.00	-23.94	peak
4	12690.000	31.25	19.13	50.38	74.00	-23.62	peak
5	13590.000	27.87	22.40	50.27	74.00	-23.73	peak
6	17811.000	22.75	27.40	50.15	74.00	-23.85	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6185
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11043.000	35.69	14.79	50.48	74.00	-23.52	peak
2	11538.000	33.65	16.80	50.45	74.00	-23.55	peak
3	13500.000	29.93	20.54	50.47	74.00	-23.53	peak
4	14175.000	28.62	21.48	50.10	74.00	-23.90	peak
5	16353.000	25.37	24.54	49.91	74.00	-24.09	peak
6	17343.000	25.31	24.83	50.14	74.00	-23.86	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6345
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9603.000	37.10	13.38	50.48	74.00	-23.52	peak
2	11079.000	34.59	15.83	50.42	74.00	-23.58	peak
3	11655.000	32.18	18.54	50.72	74.00	-23.28	peak
4	12663.000	31.78	19.05	50.83	74.00	-23.17	peak
5	13527.000	28.12	22.29	50.41	74.00	-23.59	peak
6	17937.000	21.60	28.60	50.20	74.00	-23.80	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6345
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10215.000	37.45	13.17	50.62	74.00	-23.38	peak
2	11052.000	35.56	14.82	50.38	74.00	-23.62	peak
3	13527.000	29.74	20.60	50.34	74.00	-23.66	peak
4	14355.000	28.36	21.22	49.58	74.00	-24.42	peak
5	16353.000	25.24	24.54	49.78	74.00	-24.22	peak
6	17046.000	25.21	24.80	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6505
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10251.000	36.50	13.71	50.21	74.00	-23.79	peak
2	11295.000	33.19	16.92	50.11	74.00	-23.89	peak
3	11871.000	31.75	18.63	50.38	74.00	-23.62	peak
4	12699.000	31.29	19.15	50.44	74.00	-23.56	peak
5	13176.000	29.30	20.76	50.06	74.00	-23.94	peak
6	18000.000	21.58	29.20	50.78	74.00	-23.22	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6505
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9630.000	36.52	13.28	49.80	74.00	-24.20	peak
2	11610.000	32.69	17.13	49.82	74.00	-24.18	peak
3	12672.000	31.76	18.07	49.83	74.00	-24.17	peak
4	14292.000	28.62	21.31	49.93	74.00	-24.07	peak
5	16254.000	25.20	24.66	49.86	74.00	-24.14	peak
6	17802.000	24.64	25.99	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6665
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10260.000	36.07	13.72	49.79	74.00	-24.21	peak
2	11934.000	32.00	18.71	50.71	74.00	-23.29	peak
3	12375.000	31.98	18.86	50.84	74.00	-23.16	peak
4	12699.000	31.21	19.15	50.36	74.00	-23.64	peak
5	13158.000	29.55	20.67	50.22	74.00	-23.78	peak
6	17973.000	21.34	28.94	50.28	74.00	-23.72	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6665
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9513.000	37.37	12.87	50.24	74.00	-23.76	peak
2	11772.000	32.96	17.25	50.21	74.00	-23.79	peak
3	13500.000	30.24	20.54	50.78	74.00	-23.22	peak
4	13779.000	29.45	21.07	50.52	74.00	-23.48	peak
5	16830.000	25.84	24.37	50.21	74.00	-23.79	peak
6	17658.000	24.79	25.43	50.22	74.00	-23.78	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6825
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	36.72	13.20	49.92	74.00	-24.08	peak
2	10116.000	36.61	13.69	50.30	74.00	-23.70	peak
3	11232.000	33.44	16.58	50.02	74.00	-23.98	peak
4	12573.000	31.29	18.85	50.14	74.00	-23.86	peak
5	13545.000	27.90	22.32	50.22	74.00	-23.78	peak
6	18000.000	21.22	29.20	50.42	74.00	-23.58	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6825
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.92	11.66	49.58	74.00	-24.42	peak
2	10908.000	34.64	14.54	49.18	74.00	-24.82	peak
3	12708.000	31.76	18.15	49.91	74.00	-24.09	peak
4	13572.000	29.54	20.68	50.22	74.00	-23.78	peak
5	14679.000	29.09	20.56	49.65	74.00	-24.35	peak
6	16902.000	25.38	24.54	49.92	74.00	-24.08	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6985
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9261.000	38.46	11.67	50.13	74.00	-23.87	peak
2	10260.000	36.30	13.72	50.02	74.00	-23.98	peak
3	11817.000	32.44	18.56	51.00	74.00	-23.00	peak
4	13302.000	29.52	21.36	50.88	74.00	-23.12	peak
5	14184.000	27.21	22.59	49.80	74.00	-24.20	peak
6	17964.000	21.85	28.86	50.71	74.00	-23.29	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6985
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	36.58	13.10	49.68	74.00	-24.32	peak
2	11511.000	33.31	16.66	49.97	74.00	-24.03	peak
3	12510.000	32.13	17.90	50.03	74.00	-23.97	peak
4	13590.000	29.15	20.72	49.87	74.00	-24.13	peak
5	16488.000	25.66	24.36	50.02	74.00	-23.98	peak
6	16875.000	25.69	24.47	50.16	74.00	-23.84	peak

8.7. SPURIOUS EMISSIONS(9 GHZ~18 GHZ) - CONDITION 1 PCB ANTENNA PARTIAL RU


Note: For the 3 data of Frequency means: Frequency, RU Size, RU index

Test Mode:	802.11ax HE20	Frequency(MHz):	5955 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10251.000	36.48	13.71	50.19	74.00	-23.81	peak
2	11061.000	34.27	15.74	50.01	74.00	-23.99	peak
3	11826.000	31.58	18.58	50.16	74.00	-23.84	peak
4	12717.000	31.29	19.19	50.48	74.00	-23.52	peak
5	13815.000	27.54	22.78	50.32	74.00	-23.68	peak
6	18000.000	21.75	29.20	50.95	74.00	-23.05	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5955 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10278.000	37.02	13.31	50.33	74.00	-23.67	peak
2	11844.000	33.15	17.36	50.51	74.00	-23.49	peak
3	12663.000	32.73	18.05	50.78	74.00	-23.22	peak
4	13869.000	29.18	21.28	50.46	74.00	-23.54	peak
5	16425.000	26.07	24.44	50.51	74.00	-23.49	peak
6	17793.000	24.75	25.95	50.70	74.00	-23.30	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6175 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9693.000	37.04	13.61	50.65	74.00	-23.35	peak
2	10719.000	35.51	14.78	50.29	74.00	-23.71	peak
3	11925.000	31.88	18.71	50.59	74.00	-23.41	peak
4	12618.000	31.76	18.93	50.69	74.00	-23.31	peak
5	13257.000	29.17	21.16	50.33	74.00	-23.67	peak
6	17820.000	23.15	27.48	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6175 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11034.000	35.69	14.76	50.45	74.00	-23.55	peak
2	12591.000	33.05	17.92	50.97	74.00	-23.03	peak
3	13410.000	30.58	20.26	50.84	74.00	-23.16	peak
4	14202.000	29.21	21.46	50.67	74.00	-23.33	peak
5	16497.000	26.27	24.35	50.62	74.00	-23.38	peak
6	17289.000	25.77	24.82	50.59	74.00	-23.41	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6415 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9801.000	35.92	13.89	49.81	74.00	-24.19	peak
2	10260.000	36.60	13.72	50.32	74.00	-23.68	peak
3	11520.000	32.42	18.19	50.61	74.00	-23.39	peak
4	12555.000	31.64	18.85	50.49	74.00	-23.51	peak
5	13806.000	28.10	22.75	50.85	74.00	-23.15	peak
6	17838.000	23.06	27.66	50.72	74.00	-23.28	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6415 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10305.000	36.69	13.37	50.06	74.00	-23.94	peak
2	11403.000	34.29	16.12	50.41	74.00	-23.59	peak
3	13203.000	30.25	19.49	49.74	74.00	-24.26	peak
4	13986.000	27.40	21.61	49.01	74.00	-24.99	peak
5	16821.000	25.58	24.34	49.92	74.00	-24.08	peak
6	17919.000	24.05	26.58	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6435 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9702.000	36.46	13.64	50.10	74.00	-23.90	peak
2	10188.000	36.40	13.64	50.04	74.00	-23.96	peak
3	11538.000	32.17	18.27	50.44	74.00	-23.56	peak
4	12672.000	31.39	19.07	50.46	74.00	-23.54	peak
5	13518.000	28.45	22.27	50.72	74.00	-23.28	peak
6	17937.000	21.57	28.60	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6435 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9243.000	38.88	11.81	50.69	74.00	-23.31	peak
2	10278.000	37.00	13.31	50.31	74.00	-23.69	peak
3	12222.000	32.43	17.73	50.16	74.00	-23.84	peak
4	13590.000	29.64	20.72	50.36	74.00	-23.64	peak
5	16191.000	25.27	24.65	49.92	74.00	-24.08	peak
6	17037.000	25.86	24.80	50.66	74.00	-23.34	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6475 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10242.000	36.56	13.69	50.25	74.00	-23.75	peak
2	10917.000	34.46	15.26	49.72	74.00	-24.28	peak
3	12231.000	31.49	18.75	50.24	74.00	-23.76	peak
4	12735.000	31.22	19.25	50.47	74.00	-23.53	peak
5	13428.000	28.46	21.95	50.41	74.00	-23.59	peak
6	18000.000	21.76	29.20	50.96	74.00	-23.04	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6475 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10251.000	36.74	13.26	50.00	74.00	-24.00	peak
2	11799.000	32.01	17.28	49.29	74.00	-24.71	peak
3	13311.000	30.45	19.90	50.35	74.00	-23.65	peak
4	14454.000	29.66	21.05	50.71	74.00	-23.29	peak
5	16020.000	27.08	22.96	50.04	74.00	-23.96	peak
6	17766.000	24.73	25.85	50.58	74.00	-23.42	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6515 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9612.000	36.90	13.41	50.31	74.00	-23.69	peak
2	10287.000	37.17	13.74	50.91	74.00	-23.09	peak
3	11511.000	32.32	18.15	50.47	74.00	-23.53	peak
4	12699.000	31.07	19.15	50.22	74.00	-23.78	peak
5	13464.000	27.54	22.10	49.64	74.00	-24.36	peak
6	17982.000	21.77	29.03	50.80	74.00	-23.20	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6515 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9576.000	36.88	13.14	50.02	74.00	-23.98	peak
2	10908.000	35.13	14.54	49.67	74.00	-24.33	peak
3	12609.000	32.91	17.94	50.85	74.00	-23.15	peak
4	14481.000	29.33	21.00	50.33	74.00	-23.67	peak
5	16461.000	25.81	24.40	50.21	74.00	-23.79	peak
6	17739.000	24.54	25.74	50.28	74.00	-23.72	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6535 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9117.000	39.13	11.17	50.30	74.00	-23.70	peak
2	10314.000	36.00	13.78	49.78	74.00	-24.22	peak
3	11619.000	31.63	18.54	50.17	74.00	-23.83	peak
4	12600.000	31.00	18.88	49.88	74.00	-24.12	peak
5	13617.000	28.01	22.44	50.45	74.00	-23.55	peak
6	18000.000	20.71	29.20	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6535 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9297.000	38.08	11.97	50.05	74.00	-23.95	peak
2	10179.000	36.59	13.14	49.73	74.00	-24.27	peak
3	12159.000	31.37	17.70	49.07	74.00	-24.93	peak
4	13482.000	29.45	20.48	49.93	74.00	-24.07	peak
5	16479.000	25.14	24.38	49.52	74.00	-24.48	peak
6	17253.000	25.24	24.82	50.06	74.00	-23.94	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6715 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9594.000	37.14	13.34	50.48	74.00	-23.52	peak
2	10242.000	36.51	13.69	50.20	74.00	-23.80	peak
3	11727.000	31.89	18.55	50.44	74.00	-23.56	peak
4	12843.000	30.46	19.52	49.98	74.00	-24.02	peak
5	13500.000	27.03	22.24	49.27	74.00	-24.73	peak
6	17991.000	21.25	29.11	50.36	74.00	-23.64	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6715 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	36.84	13.10	49.94	74.00	-24.06	peak
2	11529.000	32.96	16.76	49.72	74.00	-24.28	peak
3	12564.000	32.08	17.91	49.99	74.00	-24.01	peak
4	14031.000	28.20	21.61	49.81	74.00	-24.19	peak
5	17217.000	25.43	24.81	50.24	74.00	-23.76	peak
6	17946.000	23.71	26.73	50.44	74.00	-23.56	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6855 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9468.000	38.04	12.62	50.66	74.00	-23.34	peak
2	11403.000	33.03	17.49	50.52	74.00	-23.48	peak
3	12609.000	31.62	18.90	50.52	74.00	-23.48	peak
4	13122.000	29.92	20.48	50.40	74.00	-23.60	peak
5	14013.000	26.70	23.20	49.90	74.00	-24.10	peak
6	17928.000	22.49	28.51	51.00	74.00	-23.00	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6855 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10260.000	36.23	13.28	49.51	74.00	-24.49	peak
2	11898.000	32.42	17.49	49.91	74.00	-24.09	peak
3	13419.000	29.91	20.30	50.21	74.00	-23.79	peak
4	14283.000	28.28	21.32	49.60	74.00	-24.40	peak
5	16254.000	25.07	24.66	49.73	74.00	-24.27	peak
6	17037.000	25.56	24.80	50.36	74.00	-23.64	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6875 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10017.000	36.66	13.75	50.41	74.00	-23.59	peak
2	10872.000	34.99	15.15	50.14	74.00	-23.86	peak
3	11457.000	32.51	17.84	50.35	74.00	-23.65	peak
4	12960.000	30.50	19.77	50.27	74.00	-23.73	peak
5	14004.000	25.74	23.23	48.97	74.00	-25.03	peak
6	17982.000	21.74	29.03	50.77	74.00	-23.23	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6875 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9576.000	36.99	13.14	50.13	74.00	-23.87	peak
2	11511.000	33.79	16.66	50.45	74.00	-23.55	peak
3	12690.000	32.11	18.11	50.22	74.00	-23.78	peak
4	13320.000	29.78	19.93	49.71	74.00	-24.29	peak
5	16353.000	25.96	24.54	50.50	74.00	-23.50	peak
6	17424.000	25.38	24.84	50.22	74.00	-23.78	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7015 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.36	13.20	50.56	74.00	-23.44	peak
2	10125.000	36.50	13.69	50.19	74.00	-23.81	peak
3	11844.000	31.40	18.59	49.99	74.00	-24.01	peak
4	12789.000	30.41	19.39	49.80	74.00	-24.20	peak
5	13563.000	27.18	22.36	49.54	74.00	-24.46	peak
6	17847.000	22.25	27.75	50.00	74.00	-24.00	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7015 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9612.000	36.94	13.26	50.20	74.00	-23.80	peak
2	11997.000	31.92	17.70	49.62	74.00	-24.38	peak
3	12708.000	32.09	18.15	50.24	74.00	-23.76	peak
4	13581.000	29.27	20.70	49.97	74.00	-24.03	peak
5	16371.000	25.62	24.51	50.13	74.00	-23.87	peak
6	17739.000	25.17	25.74	50.91	74.00	-23.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7115 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9630.000	37.17	13.46	50.63	74.00	-23.37	peak
2	10800.000	35.39	14.98	50.37	74.00	-23.63	peak
3	11988.000	30.91	18.79	49.70	74.00	-24.30	peak
4	12717.000	30.57	19.19	49.76	74.00	-24.24	peak
5	13950.000	26.88	23.11	49.99	74.00	-24.01	peak
6	17955.000	21.24	28.77	50.01	74.00	-23.99	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	7115 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10053.000	36.86	13.08	49.94	74.00	-24.06	peak
2	12366.000	32.30	17.89	50.19	74.00	-23.81	peak
3	13518.000	29.64	20.57	50.21	74.00	-23.79	peak
4	14292.000	28.65	21.31	49.96	74.00	-24.04	peak
5	16857.000	25.51	24.43	49.94	74.00	-24.06	peak
6	17937.000	24.06	26.68	50.74	74.00	-23.26	peak


8.8. SPURIOUS EMISSIONS(9 GHZ~18 GHZ) - CONDITION 2 FPC ANTENNA

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9954.000	35.63	13.79	49.42	74.00	-24.58	peak
2	11538.000	31.43	18.27	49.70	74.00	-24.30	peak
3	12375.000	31.33	18.86	50.19	74.00	-23.81	peak
4	13365.000	26.94	21.67	48.61	74.00	-25.39	peak
5	14481.000	26.43	21.35	47.78	74.00	-26.22	peak
6	17991.000	21.84	29.11	50.95	74.00	-23.05	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	36.28	13.18	49.46	74.00	-24.54	peak
2	10611.000	35.22	14.20	49.42	74.00	-24.58	peak
3	11655.000	32.49	17.17	49.66	74.00	-24.34	peak
4	13032.000	30.48	18.79	49.27	74.00	-24.73	peak
5	16416.000	24.51	24.46	48.97	74.00	-25.03	peak
6	17955.000	22.64	26.77	49.41	74.00	-24.59	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6175
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9801.000	36.24	13.89	50.13	74.00	-23.87	peak
2	10899.000	34.91	15.21	50.12	74.00	-23.88	peak
3	11277.000	32.57	16.82	49.39	74.00	-24.61	peak
4	13059.000	28.94	20.16	49.10	74.00	-24.90	peak
5	13572.000	26.93	22.37	49.30	74.00	-24.70	peak
6	17793.000	22.52	27.24	49.76	74.00	-24.24	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6175
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9414.000	37.58	12.35	49.93	74.00	-24.07	peak
2	11637.000	32.06	17.16	49.22	74.00	-24.78	peak
3	12348.000	31.87	17.88	49.75	74.00	-24.25	peak
4	14211.000	27.51	21.44	48.95	74.00	-25.05	peak
5	16668.000	24.39	24.22	48.61	74.00	-25.39	peak
6	17370.000	24.49	24.83	49.32	74.00	-24.68	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6415
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9594.000	36.60	13.34	49.94	74.00	-24.06	peak
2	11502.000	31.59	18.11	49.70	74.00	-24.30	peak
3	12339.000	30.79	18.83	49.62	74.00	-24.38	peak
4	13302.000	28.64	21.36	50.00	74.00	-24.00	peak
5	13905.000	26.77	23.00	49.77	74.00	-24.23	peak
6	17964.000	22.04	28.86	50.90	74.00	-23.10	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6415
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9216.000	38.12	11.72	49.84	74.00	-24.16	peak
2	11025.000	34.90	14.74	49.64	74.00	-24.36	peak
3	12240.000	32.15	17.76	49.91	74.00	-24.09	peak
4	14436.000	28.94	21.08	50.02	74.00	-23.98	peak
5	16272.000	24.93	24.65	49.58	74.00	-24.42	peak
6	17865.000	23.24	26.31	49.55	74.00	-24.45	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6435
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9666.000	36.27	13.56	49.83	74.00	-24.17	peak
2	11061.000	33.88	15.74	49.62	74.00	-24.38	peak
3	12699.000	30.87	19.15	50.02	74.00	-23.98	peak
4	13941.000	26.58	23.09	49.67	74.00	-24.33	peak
5	16425.000	27.12	22.64	49.76	74.00	-24.24	peak
6	17766.000	22.80	27.02	49.82	74.00	-24.18	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6435
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.38	13.10	50.48	74.00	-23.52	peak
2	10242.000	36.58	13.23	49.81	74.00	-24.19	peak
3	12339.000	32.82	17.87	50.69	74.00	-23.31	peak
4	14436.000	29.56	21.08	50.64	74.00	-23.36	peak
5	16416.000	25.56	24.46	50.02	74.00	-23.98	peak
6	17775.000	24.54	25.88	50.42	74.00	-23.58	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6475
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9864.000	37.12	13.84	50.96	74.00	-23.04	peak
2	10629.000	36.23	14.56	50.79	74.00	-23.21	peak
3	11511.000	32.79	18.15	50.94	74.00	-23.06	peak
4	12582.000	31.16	18.86	50.02	74.00	-23.98	peak
5	13419.000	27.64	21.92	49.56	74.00	-24.44	peak
6	17685.000	23.70	26.34	50.04	74.00	-23.96	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6475
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9621.000	36.58	13.27	49.85	74.00	-24.15	peak
2	11988.000	31.70	17.68	49.38	74.00	-24.62	peak
3	12600.000	32.38	17.92	50.30	74.00	-23.70	peak
4	13158.000	30.54	19.31	49.85	74.00	-24.15	peak
5	16245.000	25.32	24.69	50.01	74.00	-23.99	peak
6	17694.000	24.97	25.56	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6515
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9801.000	36.12	13.89	50.01	74.00	-23.99	peak
2	10611.000	35.41	14.53	49.94	74.00	-24.06	peak
3	11898.000	30.82	18.67	49.49	74.00	-24.51	peak
4	12699.000	30.33	19.15	49.48	74.00	-24.52	peak
5	13869.000	26.27	22.91	49.18	74.00	-24.82	peak
6	17955.000	21.08	28.77	49.85	74.00	-24.15	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6515
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9630.000	36.37	13.28	49.65	74.00	-24.35	peak
2	11421.000	33.57	16.22	49.79	74.00	-24.21	peak
3	12645.000	32.13	18.02	50.15	74.00	-23.85	peak
4	13437.000	29.92	20.34	50.26	74.00	-23.74	peak
5	16353.000	25.57	24.54	50.11	74.00	-23.89	peak
6	16848.000	26.35	24.42	50.77	74.00	-23.23	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6535
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9594.000	36.71	13.34	50.05	74.00	-23.95	peak
2	10197.000	36.46	13.65	50.11	74.00	-23.89	peak
3	11736.000	31.29	18.55	49.84	74.00	-24.16	peak
4	12771.000	30.60	19.34	49.94	74.00	-24.06	peak
5	13419.000	27.67	21.92	49.59	74.00	-24.41	peak
6	17973.000	21.92	28.94	50.86	74.00	-23.14	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6535
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9738.000	37.05	13.39	50.44	74.00	-23.56	peak
2	10890.000	34.64	14.52	49.16	74.00	-24.84	peak
3	12375.000	32.42	17.92	50.34	74.00	-23.66	peak
4	13401.000	29.94	20.24	50.18	74.00	-23.82	peak
5	16839.000	25.32	24.39	49.71	74.00	-24.29	peak
6	17955.000	23.93	26.77	50.70	74.00	-23.30	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6715
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9765.000	36.16	13.80	49.96	74.00	-24.04	peak
2	10530.000	35.74	14.24	49.98	74.00	-24.02	peak
3	11646.000	30.36	18.54	48.90	74.00	-25.10	peak
4	12690.000	30.63	19.13	49.76	74.00	-24.24	peak
5	13221.000	28.42	20.98	49.40	74.00	-24.60	peak
6	17982.000	21.39	29.03	50.42	74.00	-23.58	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6715
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9297.000	37.44	11.97	49.41	74.00	-24.59	peak
2	9972.000	36.50	13.11	49.61	74.00	-24.39	peak
3	12627.000	31.86	17.98	49.84	74.00	-24.16	peak
4	13860.000	28.62	21.26	49.88	74.00	-24.12	peak
5	17001.000	25.64	24.79	50.43	74.00	-23.57	peak
6	17370.000	25.90	24.83	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6855
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9630.000	36.65	13.46	50.11	74.00	-23.89	peak
2	10278.000	36.56	13.74	50.30	74.00	-23.70	peak
3	11106.000	34.72	15.96	50.68	74.00	-23.32	peak
4	12258.000	31.52	18.77	50.29	74.00	-23.71	peak
5	13869.000	27.38	22.91	50.29	74.00	-23.71	peak
6	17901.000	21.59	28.26	49.85	74.00	-24.15	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6855
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10278.000	36.74	13.31	50.05	74.00	-23.95	peak
2	11043.000	35.51	14.79	50.30	74.00	-23.70	peak
3	12366.000	32.21	17.89	50.10	74.00	-23.90	peak
4	13608.000	28.85	20.75	49.60	74.00	-24.40	peak
5	14445.000	27.63	21.05	48.68	74.00	-25.32	peak
6	17820.000	24.08	26.07	50.15	74.00	-23.85	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6875
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9486.000	38.08	12.73	50.81	74.00	-23.19	peak
2	10404.000	36.58	13.89	50.47	74.00	-23.53	peak
3	10971.000	34.65	15.39	50.04	74.00	-23.96	peak
4	12285.000	31.67	18.79	50.46	74.00	-23.54	peak
5	13995.000	26.82	23.23	50.05	74.00	-23.95	peak
6	17982.000	21.81	29.03	50.84	74.00	-23.16	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6875
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	38.59	11.66	50.25	74.00	-23.75	peak
2	11061.000	35.09	14.86	49.95	74.00	-24.05	peak
3	12726.000	32.41	18.19	50.60	74.00	-23.40	peak
4	13959.000	28.71	21.53	50.24	74.00	-23.76	peak
5	16092.000	26.70	23.67	50.37	74.00	-23.63	peak
6	17442.000	25.34	24.86	50.20	74.00	-23.80	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7015
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9954.000	36.28	13.79	50.07	74.00	-23.93	peak
2	10674.000	35.62	14.68	50.30	74.00	-23.70	peak
3	11511.000	31.70	18.15	49.85	74.00	-24.15	peak
4	12654.000	31.16	19.03	50.19	74.00	-23.81	peak
5	13401.000	28.13	21.84	49.97	74.00	-24.03	peak
6	17928.000	22.12	28.51	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7015
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9450.000	36.29	12.55	48.84	74.00	-25.16	peak
2	11880.000	31.74	17.45	49.19	74.00	-24.81	peak
3	12879.000	30.52	18.47	48.99	74.00	-25.01	peak
4	14427.000	27.82	21.09	48.91	74.00	-25.09	peak
5	16443.000	25.69	24.42	50.11	74.00	-23.89	peak
6	17964.000	23.92	26.81	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7115
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9972.000	36.47	13.77	50.24	74.00	-23.76	peak
2	11070.000	34.52	15.78	50.30	74.00	-23.70	peak
3	12447.000	30.77	18.84	49.61	74.00	-24.39	peak
4	13563.000	27.74	22.36	50.10	74.00	-23.90	peak
5	13995.000	25.88	23.23	49.11	74.00	-24.89	peak
6	18000.000	21.57	29.20	50.77	74.00	-23.23	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7115
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9522.000	37.35	12.91	50.26	74.00	-23.74	peak
2	11421.000	33.47	16.22	49.69	74.00	-24.31	peak
3	12726.000	32.01	18.19	50.20	74.00	-23.80	peak
4	13959.000	28.93	21.53	50.46	74.00	-23.54	peak
5	16092.000	26.40	23.67	50.07	74.00	-23.93	peak
6	17046.000	25.46	24.80	50.26	74.00	-23.74	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5965
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9819.000	36.27	13.87	50.14	74.00	-23.86	peak
2	11133.000	34.14	16.08	50.22	74.00	-23.78	peak
3	11304.000	33.19	16.96	50.15	74.00	-23.85	peak
4	12663.000	30.41	19.05	49.46	74.00	-24.54	peak
5	13572.000	27.34	22.37	49.71	74.00	-24.29	peak
6	17721.000	23.38	26.64	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5965
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	36.32	13.18	49.50	74.00	-24.50	peak
2	10935.000	34.85	14.58	49.43	74.00	-24.57	peak
3	12681.000	32.61	18.09	50.70	74.00	-23.30	peak
4	13167.000	30.16	19.35	49.51	74.00	-24.49	peak
5	16362.000	25.04	24.52	49.56	74.00	-24.44	peak
6	17550.000	25.12	25.05	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6165
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9819.000	36.52	13.87	50.39	74.00	-23.61	peak
2	10431.000	36.53	13.96	50.49	74.00	-23.51	peak
3	10917.000	35.12	15.26	50.38	74.00	-23.62	peak
4	12339.000	31.13	18.83	49.96	74.00	-24.04	peak
5	13122.000	29.03	20.48	49.51	74.00	-24.49	peak
6	17964.000	21.81	28.86	50.67	74.00	-23.33	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6165
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9207.000	38.11	11.71	49.82	74.00	-24.18	peak
2	11061.000	35.00	14.86	49.86	74.00	-24.14	peak
3	12681.000	32.33	18.09	50.42	74.00	-23.58	peak
4	14022.000	28.20	21.63	49.83	74.00	-24.17	peak
5	16227.000	24.83	24.71	49.54	74.00	-24.46	peak
6	17235.000	25.37	24.82	50.19	74.00	-23.81	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6405
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10233.000	37.05	13.68	50.73	74.00	-23.27	peak
2	11664.000	30.91	18.53	49.44	74.00	-24.56	peak
3	12618.000	29.86	18.93	48.79	74.00	-25.21	peak
4	13437.000	27.28	21.98	49.26	74.00	-24.74	peak
5	13788.000	25.98	22.72	48.70	74.00	-25.30	peak
6	17973.000	21.19	28.94	50.13	74.00	-23.87	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6405
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9549.000	37.72	13.02	50.74	74.00	-23.26	peak
2	11529.000	32.79	16.76	49.55	74.00	-24.45	peak
3	12735.000	32.13	18.21	50.34	74.00	-23.66	peak
4	14040.000	28.58	21.60	50.18	74.00	-23.82	peak
5	16470.000	26.56	24.38	50.94	74.00	-23.06	peak
6	16920.000	26.00	24.59	50.59	74.00	-23.41	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6445
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9684.000	36.65	13.59	50.24	74.00	-23.76	peak
2	11052.000	33.88	15.69	49.57	74.00	-24.43	peak
3	11781.000	31.12	18.54	49.66	74.00	-24.34	peak
4	12276.000	30.69	18.79	49.48	74.00	-24.52	peak
5	14022.000	25.63	23.17	48.80	74.00	-25.20	peak
6	17955.000	21.44	28.77	50.21	74.00	-23.79	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6445
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9207.000	38.78	11.71	50.49	74.00	-23.51	peak
2	10251.000	36.63	13.26	49.89	74.00	-24.11	peak
3	12303.000	32.84	17.83	50.67	74.00	-23.33	peak
4	13662.000	28.80	20.84	49.64	74.00	-24.36	peak
5	16425.000	25.06	24.44	49.50	74.00	-24.50	peak
6	17757.000	24.11	25.81	49.92	74.00	-24.08	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6485
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9180.000	38.78	11.37	50.15	74.00	-23.85	peak
2	10269.000	36.62	13.72	50.34	74.00	-23.66	peak
3	11385.000	32.27	17.40	49.67	74.00	-24.33	peak
4	12384.000	30.62	18.87	49.49	74.00	-24.51	peak
5	13491.000	27.69	22.21	49.90	74.00	-24.10	peak
6	17865.000	22.51	27.91	50.42	74.00	-23.58	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6485
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9576.000	37.22	13.14	50.36	74.00	-23.64	peak
2	11529.000	33.69	16.76	50.45	74.00	-23.55	peak
3	12393.000	32.08	17.93	50.01	74.00	-23.99	peak
4	13689.000	29.23	20.90	50.13	74.00	-23.87	peak
5	14382.000	28.29	21.16	49.45	74.00	-24.55	peak
6	17982.000	23.32	26.91	50.23	74.00	-23.77	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6525
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9720.000	36.92	13.69	50.61	74.00	-23.39	peak
2	11034.000	34.75	15.60	50.35	74.00	-23.65	peak
3	12411.000	31.12	18.87	49.99	74.00	-24.01	peak
4	12915.000	29.76	19.67	49.43	74.00	-24.57	peak
5	13428.000	27.29	21.95	49.24	74.00	-24.76	peak
6	17919.000	21.23	28.42	49.65	74.00	-24.35	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6525
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9423.000	37.85	12.40	50.25	74.00	-23.75	peak
2	11052.000	35.17	14.82	49.99	74.00	-24.01	peak
3	12654.000	31.70	18.03	49.73	74.00	-24.27	peak
4	14373.000	28.06	21.19	49.25	74.00	-24.75	peak
5	16146.000	25.49	24.21	49.70	74.00	-24.30	peak
6	16911.000	25.47	24.57	50.04	74.00	-23.96	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6565
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9603.000	37.26	13.38	50.64	74.00	-23.36	peak
2	11079.000	34.84	15.83	50.67	74.00	-23.33	peak
3	11421.000	32.64	17.61	50.25	74.00	-23.75	peak
4	12627.000	31.50	18.96	50.46	74.00	-23.54	peak
5	13959.000	26.96	23.14	50.10	74.00	-23.90	peak
6	17937.000	22.36	28.60	50.96	74.00	-23.04	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6565
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	36.98	13.10	50.08	74.00	-23.92	peak
2	10539.000	35.78	14.02	49.80	74.00	-24.20	peak
3	12339.000	32.65	17.87	50.52	74.00	-23.48	peak
4	13500.000	30.02	20.54	50.56	74.00	-23.44	peak
5	14634.000	29.40	20.68	50.08	74.00	-23.92	peak
6	17289.000	25.32	24.82	50.14	74.00	-23.86	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6725
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10071.000	36.42	13.72	50.14	74.00	-23.86	peak
2	11349.000	32.82	17.20	50.02	74.00	-23.98	peak
3	12411.000	31.57	18.87	50.44	74.00	-23.56	peak
4	12717.000	30.85	19.19	50.04	74.00	-23.96	peak
5	13581.000	27.57	22.38	49.95	74.00	-24.05	peak
6	17928.000	22.17	28.51	50.68	74.00	-23.32	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6725
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10404.000	35.82	13.60	49.42	74.00	-24.58	peak
2	11385.000	33.43	16.06	49.49	74.00	-24.51	peak
3	12699.000	31.89	18.13	50.02	74.00	-23.98	peak
4	13419.000	29.65	20.30	49.95	74.00	-24.05	peak
5	16488.000	25.42	24.36	49.78	74.00	-24.22	peak
6	17874.000	23.88	26.36	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6845
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9495.000	37.16	12.78	49.94	74.00	-24.06	peak
2	10818.000	34.60	15.02	49.62	74.00	-24.38	peak
3	11628.000	30.94	18.55	49.49	74.00	-24.51	peak
4	13266.000	28.61	21.20	49.81	74.00	-24.19	peak
5	14022.000	25.57	23.17	48.74	74.00	-25.26	peak
6	17955.000	21.44	28.77	50.21	74.00	-23.79	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6845
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.42	13.10	50.52	74.00	-23.48	peak
2	11313.000	34.40	15.77	50.17	74.00	-23.83	peak
3	12744.000	31.97	18.23	50.20	74.00	-23.80	peak
4	13401.000	29.99	20.24	50.23	74.00	-23.77	peak
5	14877.000	28.37	20.10	48.47	74.00	-25.53	peak
6	17865.000	23.98	26.31	50.29	74.00	-23.71	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6885
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10143.000	37.29	13.68	50.97	74.00	-23.03	peak
2	11052.000	34.41	15.69	50.10	74.00	-23.90	peak
3	11520.000	31.97	18.19	50.16	74.00	-23.84	peak
4	12384.000	30.94	18.87	49.81	74.00	-24.19	peak
5	13932.000	26.59	23.07	49.66	74.00	-24.34	peak
6	17991.000	21.05	29.11	50.16	74.00	-23.84	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	6885
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10647.000	35.49	14.23	49.72	74.00	-24.28	peak
2	12681.000	31.67	18.09	49.76	74.00	-24.24	peak
3	13581.000	28.33	20.70	49.03	74.00	-24.97	peak
4	14436.000	28.40	21.08	49.48	74.00	-24.52	peak
5	16416.000	25.12	24.46	49.58	74.00	-24.42	peak
6	17991.000	23.52	26.95	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	7005
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9711.000	36.41	13.66	50.07	74.00	-23.93	peak
2	10836.000	34.54	15.06	49.60	74.00	-24.40	peak
3	12231.000	31.04	18.75	49.79	74.00	-24.21	peak
4	13410.000	27.63	21.87	49.50	74.00	-24.50	peak
5	14202.000	25.84	22.53	48.37	74.00	-25.63	peak
6	18000.000	20.81	29.20	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	7005
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9369.000	38.06	12.18	50.24	74.00	-23.76	peak
2	10242.000	36.86	13.23	50.09	74.00	-23.91	peak
3	12708.000	32.16	18.15	50.31	74.00	-23.69	peak
4	13338.000	29.98	20.00	49.98	74.00	-24.02	peak
5	16470.000	25.86	24.38	50.24	74.00	-23.76	peak
6	17748.000	24.94	25.78	50.72	74.00	-23.28	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	7085
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9549.000	36.51	13.09	49.60	74.00	-24.40	peak
2	10539.000	35.36	14.27	49.63	74.00	-24.37	peak
3	11304.000	32.75	16.96	49.71	74.00	-24.29	peak
4	12708.000	30.55	19.17	49.72	74.00	-24.28	peak
5	13905.000	25.16	23.00	48.16	74.00	-25.84	peak
6	17919.000	22.06	28.42	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	7085
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9648.000	36.74	13.29	50.03	74.00	-23.97	peak
2	11934.000	32.61	17.55	50.16	74.00	-23.84	peak
3	12330.000	32.44	17.87	50.31	74.00	-23.69	peak
4	13860.000	28.79	21.26	50.05	74.00	-23.95	peak
5	14229.000	27.40	21.41	48.81	74.00	-25.19	peak
6	17838.000	23.36	26.17	49.53	74.00	-24.47	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5985
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9639.000	36.51	13.48	49.99	74.00	-24.01	peak
2	10242.000	36.11	13.69	49.80	74.00	-24.20	peak
3	11493.000	31.99	18.05	50.04	74.00	-23.96	peak
4	12609.000	31.07	18.90	49.97	74.00	-24.03	peak
5	13860.000	27.16	22.89	50.05	74.00	-23.95	peak
6	17892.000	22.59	28.17	50.76	74.00	-23.24	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5985
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9279.000	38.06	11.91	49.97	74.00	-24.03	peak
2	10899.000	35.08	14.53	49.61	74.00	-24.39	peak
3	12465.000	31.29	17.91	49.20	74.00	-24.80	peak
4	14427.000	27.87	21.09	48.96	74.00	-25.04	peak
5	17334.000	25.06	24.83	49.89	74.00	-24.11	peak
6	17919.000	23.51	26.58	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6145
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9117.000	39.11	11.17	50.28	74.00	-23.72	peak
2	10530.000	35.95	14.24	50.19	74.00	-23.81	peak
3	11862.000	31.33	18.62	49.95	74.00	-24.05	peak
4	12600.000	31.14	18.88	50.02	74.00	-23.98	peak
5	13392.000	28.19	21.80	49.99	74.00	-24.01	peak
6	17811.000	22.80	27.40	50.20	74.00	-23.80	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6145
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11052.000	35.62	14.82	50.44	74.00	-23.56	peak
2	11637.000	33.16	17.16	50.32	74.00	-23.68	peak
3	12690.000	31.37	18.11	49.48	74.00	-24.52	peak
4	16263.000	24.87	24.65	49.52	74.00	-24.48	peak
5	16911.000	25.11	24.57	49.68	74.00	-24.32	peak
6	17703.000	24.82	25.60	50.42	74.00	-23.58	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6385
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10539.000	36.20	14.27	50.47	74.00	-23.53	peak
2	11889.000	31.73	18.66	50.39	74.00	-23.61	peak
3	12708.000	30.74	19.17	49.91	74.00	-24.09	peak
4	13617.000	27.57	22.44	50.01	74.00	-23.99	peak
5	17334.000	25.27	24.26	49.53	74.00	-24.47	peak
6	17793.000	22.19	27.24	49.43	74.00	-24.57	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6385
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9576.000	36.81	13.14	49.95	74.00	-24.05	peak
2	10539.000	35.16	14.02	49.18	74.00	-24.82	peak
3	12348.000	31.99	17.88	49.87	74.00	-24.13	peak
4	13113.000	29.39	19.13	48.52	74.00	-25.48	peak
5	16011.000	26.67	22.87	49.54	74.00	-24.46	peak
6	17370.000	24.81	24.83	49.64	74.00	-24.36	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6465
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10251.000	36.97	13.71	50.68	74.00	-23.32	peak
2	11052.000	34.22	15.69	49.91	74.00	-24.09	peak
3	11835.000	31.57	18.59	50.16	74.00	-23.84	peak
4	13149.000	29.19	20.62	49.81	74.00	-24.19	peak
5	14868.000	27.37	19.69	47.06	74.00	-26.94	peak
6	18000.000	21.14	29.20	50.34	74.00	-23.66	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6465
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9531.000	37.19	12.95	50.14	74.00	-23.86	peak
2	11583.000	32.67	17.03	49.70	74.00	-24.30	peak
3	12708.000	32.20	18.15	50.35	74.00	-23.65	peak
4	13725.000	29.39	20.97	50.36	74.00	-23.64	peak
5	16929.000	25.42	24.62	50.04	74.00	-23.96	peak
6	17856.000	23.56	26.26	49.82	74.00	-24.18	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6545
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9612.000	36.46	13.41	49.87	74.00	-24.13	peak
2	10233.000	36.76	13.68	50.44	74.00	-23.56	peak
3	11520.000	31.75	18.19	49.94	74.00	-24.06	peak
4	12609.000	30.64	18.90	49.54	74.00	-24.46	peak
5	13428.000	27.21	21.95	49.16	74.00	-24.84	peak
6	17982.000	21.90	29.03	50.93	74.00	-23.07	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6545
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9657.000	37.05	13.30	50.35	74.00	-23.65	peak
2	10620.000	35.75	14.20	49.95	74.00	-24.05	peak
3	12564.000	31.99	17.91	49.90	74.00	-24.10	peak
4	14058.000	27.30	21.59	48.89	74.00	-25.11	peak
5	16434.000	25.48	24.44	49.92	74.00	-24.08	peak
6	17028.000	25.84	24.79	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6705
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9729.000	36.89	13.71	50.60	74.00	-23.40	peak
2	11052.000	34.48	15.69	50.17	74.00	-23.83	peak
3	12366.000	31.36	18.85	50.21	74.00	-23.79	peak
4	13167.000	29.33	20.72	50.05	74.00	-23.95	peak
5	13869.000	26.84	22.91	49.75	74.00	-24.25	peak
6	17982.000	21.43	29.03	50.46	74.00	-23.54	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6705
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	36.91	13.10	50.01	74.00	-23.99	peak
2	11394.000	33.76	16.09	49.85	74.00	-24.15	peak
3	11889.000	32.19	17.47	49.66	74.00	-24.34	peak
4	13617.000	27.76	20.76	48.52	74.00	-25.48	peak
5	16893.000	26.09	24.52	50.61	74.00	-23.39	peak
6	17280.000	25.57	24.82	50.39	74.00	-23.61	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6785
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10251.000	36.54	13.71	50.25	74.00	-23.75	peak
2	11268.000	32.93	16.77	49.70	74.00	-24.30	peak
3	12699.000	30.84	19.15	49.99	74.00	-24.01	peak
4	13473.000	28.01	22.13	50.14	74.00	-23.86	peak
5	14031.000	26.14	23.13	49.27	74.00	-24.73	peak
6	17784.000	23.06	27.16	50.22	74.00	-23.78	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6785
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10233.000	36.43	13.21	49.64	74.00	-24.36	peak
2	12348.000	31.89	17.88	49.77	74.00	-24.23	peak
3	12690.000	31.69	18.11	49.80	74.00	-24.20	peak
4	13815.000	28.74	21.14	49.88	74.00	-24.12	peak
5	16362.000	26.08	24.52	50.60	74.00	-23.40	peak
6	17793.000	24.81	25.95	50.76	74.00	-23.24	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6865
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9612.000	36.69	13.41	50.10	74.00	-23.90	peak
2	10188.000	36.67	13.64	50.31	74.00	-23.69	peak
3	12357.000	31.09	18.85	49.94	74.00	-24.06	peak
4	12780.000	30.54	19.37	49.91	74.00	-24.09	peak
5	13977.000	26.17	23.18	49.35	74.00	-24.65	peak
6	17847.000	22.54	27.75	50.29	74.00	-23.71	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6865
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10233.000	36.61	13.21	49.82	74.00	-24.18	peak
2	11016.000	34.43	14.71	49.14	74.00	-24.86	peak
3	12699.000	31.96	18.13	50.09	74.00	-23.91	peak
4	13536.000	28.59	20.61	49.20	74.00	-24.80	peak
5	16506.000	25.39	24.33	49.72	74.00	-24.28	peak
6	17955.000	23.10	26.77	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6945
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.19	13.20	50.39	74.00	-23.61	peak
2	10233.000	36.93	13.68	50.61	74.00	-23.39	peak
3	11043.000	34.97	15.65	50.62	74.00	-23.38	peak
4	12231.000	31.22	18.75	49.97	74.00	-24.03	peak
5	13158.000	29.68	20.67	50.35	74.00	-23.65	peak
6	17928.000	22.22	28.51	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	6945
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9576.000	36.49	13.14	49.63	74.00	-24.37	peak
2	11034.000	34.91	14.76	49.67	74.00	-24.33	peak
3	12609.000	31.77	17.94	49.71	74.00	-24.29	peak
4	14022.000	26.27	21.63	47.90	74.00	-26.10	peak
5	16479.000	25.42	24.38	49.80	74.00	-24.20	peak
6	17874.000	24.07	26.36	50.43	74.00	-23.57	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	7025
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9810.000	35.56	13.88	49.44	74.00	-24.56	peak
2	10251.000	36.09	13.71	49.80	74.00	-24.20	peak
3	11304.000	32.36	16.96	49.32	74.00	-24.68	peak
4	12690.000	29.63	19.13	48.76	74.00	-25.24	peak
5	13869.000	25.29	22.91	48.20	74.00	-25.80	peak
6	18000.000	20.62	29.20	49.82	74.00	-24.18	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	7025
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9225.000	38.04	11.75	49.79	74.00	-24.21	peak
2	10341.000	36.55	13.45	50.00	74.00	-24.00	peak
3	12690.000	31.80	18.11	49.91	74.00	-24.09	peak
4	13167.000	30.12	19.35	49.47	74.00	-24.53	peak
5	16362.000	25.34	24.52	49.86	74.00	-24.14	peak
6	16983.000	25.62	24.75	50.37	74.00	-23.63	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6025
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9702.000	36.94	13.64	50.58	74.00	-23.42	peak
2	10143.000	37.01	13.68	50.69	74.00	-23.31	peak
3	11529.000	32.04	18.24	50.28	74.00	-23.72	peak
4	12339.000	30.84	18.83	49.67	74.00	-24.33	peak
5	13491.000	26.77	22.21	48.98	74.00	-25.02	peak
6	17856.000	22.26	27.83	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6025
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9639.000	36.13	13.28	49.41	74.00	-24.59	peak
2	11475.000	32.86	16.49	49.35	74.00	-24.65	peak
3	12600.000	31.79	17.92	49.71	74.00	-24.29	peak
4	13167.000	30.12	19.35	49.47	74.00	-24.53	peak
5	16470.000	25.18	24.38	49.56	74.00	-24.44	peak
6	17523.000	25.63	24.96	50.59	74.00	-23.41	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6185
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9738.000	35.86	13.73	49.59	74.00	-24.41	peak
2	10548.000	34.92	14.31	49.23	74.00	-24.77	peak
3	11853.000	31.57	18.61	50.18	74.00	-23.82	peak
4	13158.000	28.64	20.67	49.31	74.00	-24.69	peak
5	13869.000	26.17	22.91	49.08	74.00	-24.92	peak
6	17865.000	22.69	27.91	50.60	74.00	-23.40	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6185
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.16	13.10	50.26	74.00	-23.74	peak
2	10899.000	34.54	14.53	49.07	74.00	-24.93	peak
3	12690.000	30.92	18.11	49.03	74.00	-24.97	peak
4	13446.000	29.08	20.38	49.46	74.00	-24.54	peak
5	16371.000	24.79	24.51	49.30	74.00	-24.70	peak
6	17100.000	24.89	24.80	49.69	74.00	-24.31	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6345
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	36.89	13.20	50.09	74.00	-23.91	peak
2	10278.000	36.20	13.74	49.94	74.00	-24.06	peak
3	11898.000	31.29	18.67	49.96	74.00	-24.04	peak
4	12699.000	30.85	19.15	50.00	74.00	-24.00	peak
5	13977.000	26.28	23.18	49.46	74.00	-24.54	peak
6	17991.000	21.75	29.11	50.86	74.00	-23.14	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6345
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9360.000	37.81	12.16	49.97	74.00	-24.03	peak
2	10224.000	36.07	13.19	49.26	74.00	-24.74	peak
3	12168.000	31.42	17.70	49.12	74.00	-24.88	peak
4	13482.000	28.94	20.48	49.42	74.00	-24.58	peak
5	16461.000	25.01	24.40	49.41	74.00	-24.59	peak
6	17982.000	22.98	26.91	49.89	74.00	-24.11	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6505
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9945.000	36.41	13.80	50.21	74.00	-23.79	peak
2	10395.000	36.25	13.88	50.13	74.00	-23.87	peak
3	12717.000	29.78	19.19	48.97	74.00	-25.03	peak
4	13608.000	26.41	22.43	48.84	74.00	-25.16	peak
5	14274.000	27.04	22.23	49.27	74.00	-24.73	peak
6	17955.000	21.45	28.77	50.22	74.00	-23.78	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6505
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9729.000	37.26	13.39	50.65	74.00	-23.35	peak
2	11043.000	35.16	14.79	49.95	74.00	-24.05	peak
3	11853.000	32.40	17.39	49.79	74.00	-24.21	peak
4	13545.000	28.23	20.63	48.86	74.00	-25.14	peak
5	16416.000	25.77	24.46	50.23	74.00	-23.77	peak
6	17847.000	24.23	26.22	50.45	74.00	-23.55	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6665
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9738.000	35.96	13.73	49.69	74.00	-24.31	peak
2	10242.000	36.03	13.69	49.72	74.00	-24.28	peak
3	11673.000	31.28	18.53	49.81	74.00	-24.19	peak
4	12699.000	29.82	19.15	48.97	74.00	-25.03	peak
5	13599.000	27.10	22.42	49.52	74.00	-24.48	peak
6	18000.000	20.67	29.20	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6665
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10548.000	35.76	14.05	49.81	74.00	-24.19	peak
2	11844.000	32.28	17.36	49.64	74.00	-24.36	peak
3	12330.000	31.58	17.87	49.45	74.00	-24.55	peak
4	13959.000	28.14	21.53	49.67	74.00	-24.33	peak
5	16371.000	25.25	24.51	49.76	74.00	-24.24	peak
6	17991.000	23.46	26.95	50.41	74.00	-23.59	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6825
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9972.000	36.28	13.77	50.05	74.00	-23.95	peak
2	11826.000	30.68	18.58	49.26	74.00	-24.74	peak
3	12672.000	30.44	19.07	49.51	74.00	-24.49	peak
4	13113.000	28.81	20.44	49.25	74.00	-24.75	peak
5	14013.000	25.83	23.20	49.03	74.00	-24.97	peak
6	17955.000	21.75	28.77	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6825
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9117.000	39.25	11.47	50.72	74.00	-23.28	peak
2	10422.000	36.75	13.66	50.41	74.00	-23.59	peak
3	11133.000	34.82	15.10	49.92	74.00	-24.08	peak
4	12717.000	31.56	18.16	49.72	74.00	-24.28	peak
5	13878.000	27.81	21.31	49.12	74.00	-24.88	peak
6	17037.000	25.03	24.80	49.83	74.00	-24.17	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6985
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9720.000	36.53	13.69	50.22	74.00	-23.78	peak
2	10539.000	35.78	14.27	50.05	74.00	-23.95	peak
3	11880.000	31.24	18.65	49.89	74.00	-24.11	peak
4	13131.000	29.19	20.53	49.72	74.00	-24.28	peak
5	14013.000	26.75	23.20	49.95	74.00	-24.05	peak
6	17766.000	22.79	27.02	49.81	74.00	-24.19	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	6985
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9819.000	36.55	13.42	49.97	74.00	-24.03	peak
2	11079.000	34.27	14.92	49.19	74.00	-24.81	peak
3	12528.000	31.64	17.91	49.55	74.00	-24.45	peak
4	13428.000	28.78	20.32	49.10	74.00	-24.90	peak
5	16254.000	24.50	24.66	49.16	74.00	-24.84	peak
6	17982.000	24.04	26.91	50.95	74.00	-23.05	peak

8.9. SPURIOUS EMISSIONS(9 GHZ~18 GHZ) - CONDITION 2 FPC ANTENNA PARTIAL RU


Note: For the 3 data of Frequency means: Frequency, RU Size, RU index

Test Mode:	802.11ax HE20	Frequency(MHz):	5955 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9531.000	37.29	12.99	50.28	74.00	-23.72	peak
2	10125.000	36.47	13.69	50.16	74.00	-23.84	peak
3	11502.000	31.91	18.11	50.02	74.00	-23.98	peak
4	12672.000	30.58	19.07	49.65	74.00	-24.35	peak
5	13635.000	27.29	22.48	49.77	74.00	-24.23	peak
6	17955.000	20.83	28.77	49.60	74.00	-24.40	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5955 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10440.000	36.54	13.72	50.26	74.00	-23.74	peak
2	11880.000	32.16	17.45	49.61	74.00	-24.39	peak
3	12348.000	32.34	17.88	50.22	74.00	-23.78	peak
4	13590.000	29.20	20.72	49.92	74.00	-24.08	peak
5	16434.000	24.56	24.44	49.00	74.00	-25.00	peak
6	17775.000	23.93	25.88	49.81	74.00	-24.19	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6175 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9738.000	36.87	13.73	50.60	74.00	-23.40	peak
2	10539.000	36.59	14.27	50.86	74.00	-23.14	peak
3	11475.000	32.42	17.95	50.37	74.00	-23.63	peak
4	12735.000	31.04	19.25	50.29	74.00	-23.71	peak
5	13437.000	27.98	21.98	49.96	74.00	-24.04	peak
6	18000.000	21.37	29.20	50.57	74.00	-23.43	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6175 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10323.000	36.82	13.41	50.23	74.00	-23.77	peak
2	12735.000	31.90	18.21	50.11	74.00	-23.89	peak
3	13536.000	29.61	20.61	50.22	74.00	-23.78	peak
4	14436.000	28.75	21.08	49.83	74.00	-24.17	peak
5	17073.000	24.58	24.80	49.38	74.00	-24.62	peak
6	17766.000	24.32	25.85	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6415 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9594.000	36.77	13.34	50.11	74.00	-23.89	peak
2	10899.000	34.85	15.21	50.06	74.00	-23.94	peak
3	11502.000	31.94	18.11	50.05	74.00	-23.95	peak
4	11844.000	30.95	18.59	49.54	74.00	-24.46	peak
5	13311.000	28.22	21.41	49.63	74.00	-24.37	peak
6	17874.000	22.01	28.00	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6415 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9594.000	36.91	13.21	50.12	74.00	-23.88	peak
2	11322.000	34.14	15.81	49.95	74.00	-24.05	peak
3	12591.000	31.74	17.92	49.66	74.00	-24.34	peak
4	14274.000	28.24	21.35	49.59	74.00	-24.41	peak
5	16263.000	25.11	24.65	49.76	74.00	-24.24	peak
6	17928.000	23.27	26.63	49.90	74.00	-24.10	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6435 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9981.000	36.24	13.78	50.02	74.00	-23.98	peak
2	11061.000	34.17	15.74	49.91	74.00	-24.09	peak
3	11916.000	31.11	18.69	49.80	74.00	-24.20	peak
4	12708.000	30.99	19.17	50.16	74.00	-23.84	peak
5	13590.000	27.28	22.40	49.68	74.00	-24.32	peak
6	18000.000	21.31	29.20	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6435 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.79	13.10	50.89	74.00	-23.11	peak
2	11061.000	35.10	14.86	49.96	74.00	-24.04	peak
3	12708.000	31.26	18.15	49.41	74.00	-24.59	peak
4	13482.000	29.27	20.48	49.75	74.00	-24.25	peak
5	14274.000	27.84	21.35	49.19	74.00	-24.81	peak
6	17748.000	25.11	25.78	50.89	74.00	-23.11	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6475 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9612.000	36.46	13.41	49.87	74.00	-24.13	peak
2	10854.000	34.65	15.11	49.76	74.00	-24.24	peak
3	12348.000	31.12	18.84	49.96	74.00	-24.04	peak
4	12816.000	30.78	19.45	50.23	74.00	-23.77	peak
5	13410.000	28.05	21.87	49.92	74.00	-24.08	peak
6	17937.000	21.37	28.60	49.97	74.00	-24.03	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6475 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9576.000	36.94	13.14	50.08	74.00	-23.92	peak
2	11079.000	34.18	14.92	49.10	74.00	-24.90	peak
3	12771.000	31.67	18.28	49.95	74.00	-24.05	peak
4	13959.000	28.21	21.53	49.74	74.00	-24.26	peak
5	16137.000	25.86	24.12	49.98	74.00	-24.02	peak
6	17802.000	24.50	25.99	50.49	74.00	-23.51	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6515 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9675.000	36.76	13.58	50.34	74.00	-23.66	peak
2	11268.000	33.40	16.77	50.17	74.00	-23.83	peak
3	12681.000	31.11	19.10	50.21	74.00	-23.79	peak
4	13527.000	27.71	22.29	50.00	74.00	-24.00	peak
5	16353.000	25.20	22.63	47.83	74.00	-26.17	peak
6	17973.000	20.97	28.94	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6515 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9747.000	36.86	13.41	50.27	74.00	-23.73	peak
2	11349.000	34.49	15.91	50.40	74.00	-23.60	peak
3	12726.000	32.12	18.19	50.31	74.00	-23.69	peak
4	14022.000	28.78	21.63	50.41	74.00	-23.59	peak
5	16335.000	25.51	24.57	50.08	74.00	-23.92	peak
6	16992.000	25.38	24.77	50.15	74.00	-23.85	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6535 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10278.000	36.75	13.74	50.49	74.00	-23.51	peak
2	11070.000	33.85	15.78	49.63	74.00	-24.37	peak
3	12393.000	30.34	18.87	49.21	74.00	-24.79	peak
4	13401.000	26.52	21.84	48.36	74.00	-25.64	peak
5	13617.000	26.08	22.44	48.52	74.00	-25.48	peak
6	17937.000	20.88	28.60	49.48	74.00	-24.52	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6535 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9711.000	37.10	13.37	50.47	74.00	-23.53	peak
2	11043.000	34.45	14.79	49.24	74.00	-24.76	peak
3	12690.000	31.61	18.11	49.72	74.00	-24.28	peak
4	13617.000	28.51	20.76	49.27	74.00	-24.73	peak
5	16353.000	25.03	24.54	49.57	74.00	-24.43	peak
6	17028.000	25.05	24.79	49.84	74.00	-24.16	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6715 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.39	13.20	50.59	74.00	-23.41	peak
2	10440.000	36.36	13.98	50.34	74.00	-23.66	peak
3	11844.000	30.97	18.59	49.56	74.00	-24.44	peak
4	12708.000	31.03	19.17	50.20	74.00	-23.80	peak
5	13428.000	26.98	21.95	48.93	74.00	-25.07	peak
6	17964.000	21.58	28.86	50.44	74.00	-23.56	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6715 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9423.000	38.57	12.40	50.97	74.00	-23.03	peak
2	10422.000	36.75	13.66	50.41	74.00	-23.59	peak
3	11457.000	33.33	16.40	49.73	74.00	-24.27	peak
4	12708.000	32.20	18.15	50.35	74.00	-23.65	peak
5	13734.000	29.00	20.98	49.98	74.00	-24.02	peak
6	16839.000	25.92	24.39	50.31	74.00	-23.69	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6855 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9765.000	35.81	13.80	49.61	74.00	-24.39	peak
2	10323.000	36.02	13.78	49.80	74.00	-24.20	peak
3	11070.000	33.83	15.78	49.61	74.00	-24.39	peak
4	12357.000	30.59	18.85	49.44	74.00	-24.56	peak
5	13824.000	27.06	22.80	49.86	74.00	-24.14	peak
6	17964.000	21.43	28.86	50.29	74.00	-23.71	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6855 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9783.000	36.22	13.46	49.68	74.00	-24.32	peak
2	11628.000	32.32	17.15	49.47	74.00	-24.53	peak
3	12744.000	31.16	18.23	49.39	74.00	-24.61	peak
4	13572.000	29.55	20.68	50.23	74.00	-23.77	peak
5	14562.000	29.39	20.83	50.22	74.00	-23.78	peak
6	17937.000	23.88	26.68	50.56	74.00	-23.44	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6875 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.13	13.20	50.33	74.00	-23.67	peak
2	10215.000	36.64	13.66	50.30	74.00	-23.70	peak
3	10908.000	34.72	15.23	49.95	74.00	-24.05	peak
4	12708.000	30.91	19.17	50.08	74.00	-23.92	peak
5	13464.000	27.43	22.10	49.53	74.00	-24.47	peak
6	17820.000	22.28	27.48	49.76	74.00	-24.24	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	6875 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9576.000	36.69	13.14	49.83	74.00	-24.17	peak
2	11349.000	34.24	15.91	50.15	74.00	-23.85	peak
3	12708.000	31.92	18.15	50.07	74.00	-23.93	peak
4	13950.000	28.11	21.50	49.61	74.00	-24.39	peak
5	14688.000	27.23	20.53	47.76	74.00	-26.24	peak
6	17901.000	23.62	26.49	50.11	74.00	-23.89	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7015 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10143.000	35.95	13.68	49.63	74.00	-24.37	peak
2	10980.000	34.41	15.40	49.81	74.00	-24.19	peak
3	11637.000	31.39	18.55	49.94	74.00	-24.06	peak
4	12699.000	30.14	19.15	49.29	74.00	-24.71	peak
5	13869.000	26.07	22.91	48.98	74.00	-25.02	peak
6	17865.000	22.74	27.91	50.65	74.00	-23.35	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7015 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.77	13.10	50.87	74.00	-23.13	peak
2	10251.000	37.23	13.26	50.49	74.00	-23.51	peak
3	11844.000	33.41	17.36	50.77	74.00	-23.23	peak
4	13626.000	29.17	20.79	49.96	74.00	-24.04	peak
5	16272.000	24.80	24.65	49.45	74.00	-24.55	peak
6	16902.000	25.49	24.54	50.03	74.00	-23.97	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	7115 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.07	13.30	50.37	74.00	-23.63	peak
2	10386.000	36.24	13.86	50.10	74.00	-23.90	peak
3	10917.000	34.96	15.26	50.22	74.00	-23.78	peak
4	12222.000	31.30	18.75	50.05	74.00	-23.95	peak
5	13644.000	27.70	22.49	50.19	74.00	-23.81	peak
6	17865.000	22.11	27.91	50.02	74.00	-23.98	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	7115 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9441.000	37.48	12.49	49.97	74.00	-24.03	peak
2	11547.000	33.85	16.85	50.70	74.00	-23.30	peak
3	12330.000	33.03	17.87	50.90	74.00	-23.10	peak
4	13644.000	29.82	20.82	50.64	74.00	-23.36	peak
5	14787.000	30.14	20.28	50.42	74.00	-23.58	peak
6	17001.000	26.19	24.79	50.98	74.00	-23.02	peak


8.10. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	Margin (dB)	Remark
1	0.0114	72.95	-101.40	-28.45	46.46	-74.91	peak
2	0.0177	70.34	-101.35	-31.01	42.64	-73.65	peak
3	0.0292	66.12	-101.39	-35.27	38.29	-73.56	peak
4	0.0551	60.95	-101.50	-40.55	32.78	-73.33	peak
5	0.0974	57.83	-101.78	-43.95	27.83	-71.78	peak
6	0.1246	56.39	-101.72	-45.33	25.70	-71.03	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	Margin (dB)	Remark
1	0.1748	70.67	-101.68	-31.01	22.76	-53.77	peak
2	0.1910	70.45	-101.70	-31.25	21.98	-53.23	peak
3	0.2436	65.46	-101.79	-36.33	19.87	-56.20	peak
4	0.2636	63.84	-101.82	-37.98	19.18	-57.16	peak
5	0.3286	60.71	-101.88	-41.17	17.27	-58.44	peak
6	0.4121	58.13	-101.98	-43.85	15.30	-59.15	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	Margin (dB)	Remark
1	0.5995	61.38	-62.08	-0.70	32.05	-32.75	peak
2	1.0212	58.49	-62.25	-3.76	27.42	-31.18	peak
3	1.4700	57.89	-62.05	-4.16	24.26	-28.42	peak
4	4.2492	55.85	-61.37	-5.52	29.54	-35.06	peak
5	8.1036	54.29	-61.07	-6.78	29.54	-36.32	peak
6	17.3992	52.93	-60.92	-7.99	29.54	-37.53	peak


8.11. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	19504.000	49.47	-5.54	43.93	74.00	-30.07	peak
2	20888.000	48.61	-4.98	43.63	74.00	-30.37	peak
3	21600.000	48.02	-4.54	43.48	74.00	-30.52	peak
4	23480.000	48.04	-3.16	44.88	74.00	-29.12	peak
5	24208.000	47.71	-2.81	44.90	74.00	-29.10	peak
6	25624.000	45.09	-1.20	43.89	74.00	-30.11	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18168.000	48.99	-5.50	43.49	74.00	-30.51	peak
2	19456.000	48.69	-5.55	43.14	74.00	-30.86	peak
3	20472.000	49.07	-5.39	43.68	74.00	-30.32	peak
4	21432.000	49.24	-4.71	44.53	74.00	-29.47	peak
5	23000.000	47.49	-3.44	44.05	74.00	-29.95	peak
6	24568.000	46.60	-2.33	44.27	74.00	-29.73	peak


8.12. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	27358.000	51.23	-3.95	47.28	74.00	-26.72	peak
2	28086.000	50.91	-3.49	47.42	74.00	-26.58	peak
3	31012.000	47.83	-0.71	47.12	74.00	-26.88	peak
4	32804.000	48.64	-1.12	47.52	74.00	-26.48	peak
5	34582.000	46.07	1.13	47.20	74.00	-26.80	peak
6	38068.000	44.06	3.42	47.48	74.00	-26.52	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28100.000	50.42	-3.40	47.02	74.00	-26.98	peak
2	29864.000	48.76	-1.53	47.23	74.00	-26.77	peak
3	32706.000	48.34	-1.28	47.06	74.00	-26.94	peak
4	35394.000	44.18	2.58	46.76	74.00	-27.24	peak
5	36458.000	44.19	3.67	47.86	74.00	-26.14	peak
6	39972.000	42.95	5.13	48.08	74.00	-25.92	peak


8.13. SPURIOUS EMISSIONS(30 MHz~1 GHZ)

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	89.1700	29.96	-16.61	13.35	43.50	-30.15	QP
2	250.1900	28.75	-14.56	14.19	46.00	-31.81	QP
3	315.1800	29.31	-10.90	18.41	46.00	-27.59	QP
4	426.7300	35.69	-8.88	26.81	46.00	-19.19	QP
5	500.4500	26.06	-7.67	18.39	46.00	-27.61	QP
6	935.0100	28.81	-0.69	28.12	46.00	-17.88	QP

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	53.2800	35.34	-15.04	20.30	40.00	-19.70	QP
2	207.5100	28.92	-12.59	16.33	43.50	-27.17	QP
3	355.9200	23.95	-9.52	14.43	46.00	-31.57	QP
4	426.7300	34.39	-8.88	25.51	46.00	-20.49	QP
5	607.1500	25.43	-5.68	19.75	46.00	-26.25	QP
6	877.7800	27.70	-0.81	26.89	46.00	-19.11	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a).

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	23.2°C	Relative Humidity	56%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

TEST DATE / ENGINEER

Test Date	March 5, 2025	Test By	Karl Wu
-----------	---------------	---------	---------

TEST RESULTS

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1532	32.28	9.73	42.01	65.82	-23.81	QP
2	0.1532	14.16	9.73	23.89	55.82	-31.93	AVG
3	0.1829	28.15	9.67	37.82	64.35	-26.53	QP
4	0.1829	11.71	9.67	21.38	54.35	-32.97	AVG
5	0.2139	23.89	9.64	33.53	63.05	-29.52	QP
6	0.2139	9.12	9.64	18.76	53.05	-34.29	AVG
7	0.7480	12.31	9.63	21.94	56.00	-34.06	QP
8	0.7480	6.46	9.63	16.09	46.00	-29.91	AVG
9	2.1831	11.56	9.74	21.30	56.00	-34.70	QP
10	2.1831	5.65	9.74	15.39	46.00	-30.61	AVG
11	5.0187	12.88	9.73	22.61	60.00	-37.39	QP
12	5.0187	6.13	9.73	15.86	50.00	-34.14	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11ax HE20	Frequency(MHz):	5955
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1543	32.51	9.73	42.24	65.77	-23.53	QP
2	0.1543	12.75	9.73	22.48	55.77	-33.29	AVG
3	0.1850	28.02	9.67	37.69	64.26	-26.57	QP
4	0.1850	9.64	9.67	19.31	54.26	-34.95	AVG
5	0.2143	23.44	9.64	33.08	63.04	-29.96	QP
6	0.2143	6.13	9.64	15.77	53.04	-37.27	AVG
7	0.4908	8.65	9.64	18.29	56.15	-37.86	QP
8	0.4908	0.74	9.64	10.38	46.15	-35.77	AVG
9	0.7312	12.00	9.63	21.63	56.00	-34.37	QP
10	0.7312	6.28	9.63	15.91	46.00	-30.09	AVG
11	1.7026	12.11	9.71	21.82	56.00	-34.18	QP
12	1.7026	5.88	9.71	15.59	46.00	-30.41	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA


11.1. APPENDIX A: EMISSION BANDWIDTH

11.1.1. Test Result


Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11AX20SISO SU	Ant3	5955	21.12	5944.48	5965.60	PASS
		6175	20.92	6164.48	6185.40	PASS
		6415	21.40	6404.28	6425.68	PASS
		6435	20.68	6424.64	6445.32	PASS
		6475	21.40	6464.00	6485.40	PASS
		6515	21.68	6504.12	6525.80	PASS
		6535	21.24	6524.44	6545.68	PASS
		6715	21.36	6704.28	6725.64	PASS
		6855	21.52	6844.24	6865.76	PASS
		6875	21.56	6864.20	6885.76	PASS
		7015	21.00	7004.44	7025.44	PASS
11AX40SISO SU	Ant3	7115	21.80	7103.92	7125.72	PASS
		5965	39.68	5945.16	5984.84	PASS
		6165	39.92	6145.00	6184.92	PASS
		6405	39.84	6385.08	6424.92	PASS
		6445	39.84	6425.08	6464.92	PASS
		6485	39.84	6465.08	6504.92	PASS
		6525	39.84	6505.08	6544.92	PASS
		6565	39.84	6545.08	6584.92	PASS
		6725	39.84	6705.08	6744.92	PASS
		6845	39.92	6825.00	6864.92	PASS
		6885	40.00	6865.00	6905.00	PASS
11AX80SISO SU	Ant3	7005	39.68	6985.08	7024.76	PASS
		7085	40.00	7065.00	7105.00	PASS
		5985	82.40	5942.92	6025.32	PASS
		6145	80.64	6104.68	6185.32	PASS
		6385	80.96	6344.68	6425.64	PASS
		6465	80.80	6424.68	6505.48	PASS
		6545	80.64	6504.68	6585.32	PASS
		6625	40.48	6545.00	6585.48	PASS
		6705	80.96	6664.52	6745.48	PASS
		6785	80.80	6744.52	6825.32	PASS
		6865	80.64	6824.84	6905.48	PASS
11AX160SISO SU	Ant3	6945	80.64	6904.68	6985.32	PASS
		7025	87.04	6978.12	7065.16	PASS
		6025	162.88	5943.72	6106.60	PASS
		6185	162.88	6103.72	6266.60	PASS
		6345	162.88	6263.72	6426.60	PASS
		6505	162.56	6423.72	6586.28	PASS
		6665	162.88	6583.72	6746.60	PASS
		6825	162.24	6744.04	6906.28	PASS
		6985	162.56	6903.72	7066.28	PASS

Test Mode	Antenna	Channel	Ru Size	Ru Index	26db BW [MHz]	FL [MHz]	FH [MHz]	Verdict
11AX20SISO	Ant3	5955	26Tone	RU0	19.88	5944.16	5964.04	PASS
			52Tone	RU37	20.12	5943.96	5964.08	PASS
			106Tone	RU53	20.72	5943.56	5964.28	PASS
		6175	26Tone	RU4	18.28	6165.76	6184.04	PASS
			52Tone	RU38	18.56	6165.52	6184.08	PASS
			106Tone	RU53	20.40	6163.88	6184.28	PASS
		6415	26Tone	RU8	20.60	6405.56	6426.16	PASS
			52Tone	RU40	20.36	6403.68	6424.04	PASS
			106Tone	RU54	20.84	6405.36	6426.20	PASS
		6435	26Tone	RU0	20.12	6423.88	6444.00	PASS
			52Tone	RU37	20.12	6423.84	6443.96	PASS
			106Tone	RU53	20.40	6423.88	6444.28	PASS
		6475	26Tone	RU4	18.28	6465.76	6484.04	PASS
			52Tone	RU38	18.48	6465.60	6484.08	PASS
			106Tone	RU53	20.40	6463.60	6484.00	PASS
		6515	26Tone	RU8	20.60	6505.76	6526.36	PASS
			52Tone	RU40	20.08	6504.00	6524.08	PASS
			106Tone	RU54	21.24	6505.40	6526.64	PASS
		6535	26Tone	RU0	19.48	6524.52	6544.00	PASS
			52Tone	RU37	20.00	6524.08	6544.08	PASS
			106Tone	RU53	20.24	6523.84	6544.08	PASS
		6715	26Tone	RU4	18.16	6705.92	6724.08	PASS
			52Tone	RU38	18.36	6705.72	6724.08	PASS
			106Tone	RU53	20.04	6704.08	6724.12	PASS
		6855	26Tone	RU8	20.28	6845.84	6866.12	PASS
			52Tone	RU40	20.12	6845.80	6865.92	PASS
			106Tone	RU54	20.96	6845.40	6866.36	PASS
		6875	26Tone	RU0	20.08	6863.88	6883.96	PASS
			52Tone	RU37	20.20	6863.96	6884.16	PASS
			106Tone	RU53	20.04	6864.04	6884.08	PASS
		7015	26Tone	RU0	18.36	7005.68	7024.04	PASS
			52Tone	RU38	18.48	7005.60	7024.08	PASS
			106Tone	RU53	21.72	7004.12	7025.84	PASS
		7115	26Tone	RU8	20.68	7105.68	7126.36	PASS
			52Tone	RU40	21.08	7105.52	7126.60	PASS
			106Tone	RU54	21.28	7105.20	7126.48	PASS


11.1.2. Test Graphs



11AX20SISO SU_Ant3_5955



11AX20SISO SU_Ant3_6175



11AX20SISO SU_Ant3_6415