

REPORT No.: SZ18050200S01

Annex D Plots of Maximum SAR Test Results

MEASUREMENT 1

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.23

Measurement duration: 15 minutes 25 seconds


A. Experimental conditions.


Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	Right head		
Device Position	<u>Cheek</u>		
<u>Band</u>	<u>GSM850</u>		
<u>Channels</u>	<u>High</u>		
<u>Signal</u>	<u>GSM</u>		

B. SAR Measurement Results

Higher Band SAR (Channel 251):

Frequency (MHz)	848.800000		
Relative permittivity (real part)	41.182592		
Conductivity (S/m)	0.892146		
Power drift (%)	1.120000		
Ambient Temperature:	22.6°C		
Liquid Temperature:	21.2°C		
ConvF:	6.13		
Duty Cycle:	1:8.3		








Maximum location: X=-68.00, Y=-63.00

SAR Peak: 0.18 W/kg

SAR 10g (W/Kg)	0.076151
SAR 1g (W/Kg)	0.115597

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.1825	0.1188	0.0751	0.0576	0.0413	0.0359	0.0227
(W/Kg)							
	0.18-						
	0.16-	\longrightarrow					
	0.14-	\rightarrow					
	(%) 0.12- ⊗ 0.10-	\longrightarrow	+++	\square			
	≥ 0.10-	$+\lambda$	+++				
	뚫 0.08-		+++				
	0.06-						
	0.04-						
	0.02-		105 17	15 00 5	07.5 00.5	40 0	
	U	.02.55.07.5	12.5 17	7.5 22.5 Z (mm)	27.5 32.5	40.0	





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.19

Measurement duration: 16 minutes 28 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	<u>Left head</u>		
Device Position	<u>Tilt</u>		
<u>Band</u>	<u>GSM1900</u>		
<u>Channels</u>	<u>High</u>		
<u>Signal</u>	<u>GSM</u>		

B. SAR Measurement Results

Higher Band SAR (Channel 810):

Frague ou (MIII-)	4000 000000			
Frequency (MHz)	1909.800000			
Relative permittivity (real part)	40.085436			
Conductivity (S/m)	1.385164			
Power drift (%)	-0.720000			
Ambient Temperature:	22.1°C			
Liquid Temperature:	22.4°C			
ConvF:	5.61			
Duty Cycle:	1:8.3			






Maximum location: X=-1.00, Y=-23.00 SAR Peak: 0.09 W/kg

SAR 10g (W/Kg)	0.041801
SAR 1g (W/Kg)	0.081350

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.0790	0.0554	0.0354	0.0209	0.0124	0.0067	0.0020
(W/Kg)							
	0.08-						
	0.07-	+					
	0.06-	\longrightarrow	+++				
	ு 0.05-	+	\perp				
	િ∌ 0.05- ≹ 0.04-	++					
	뙳 0.03-						
	0.02-	\square	$+$ \downarrow \downarrow				
	0.01-	\Box	$\perp \perp \perp$				
	0.00-				┿┷┷		
	0	.02.55.07.5	12.5 17		27.5 32.5	40.0	
				Z (mm)			





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.19

Measurement duration: 15 minutes 31 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	Left head		
Device Position	<u>Tilt</u>		
<u>Band</u>	Band2_WCDMA1900		
<u>Channels</u>	<u>High</u>		
<u>Signal</u>	<u>RMC</u>		

B. SAR Measurement Results

Higher Band SAR (Channel 9538):

Frequency (MHz)	1907.600000		
Relative permittivity (real part)	40.085438		
Conductivity (S/m)	1.385145		
Power drift (%)	-0.720000		
Ambient Temperature:	22.1°C		
Liquid Temperature:	22.4°C		
ConvF:	5.61		
Duty Cycle:	1:1		






Maximum location: X=-24.00, Y=12.00

SAR Peak: 0.10 W/kg

SAR 10g (W/Kg)	0.038762
SAR 1g (W/Kg)	0.067153

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.0980	0.0733	0.0499	0.0311	0.0186	0.0119	0.0048
(W/Kg)							
	0.10-						
	0.08-	\rightarrow					
	(%) 0.06- (%)	+	+++				
	종 0.04-		\mathcal{H}				
	0.02 - 0.00 -						
		.02.55.07.5	12.5 17	5 22.5	27.5 32.5	40.0	
	Z (nm)						





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.19

Measurement duration: 15 minutes 19 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	<u>Left head</u>		
Device Position	<u>Cheek</u>		
<u>Band</u>	Band4_WCDMA1700		
<u>Channels</u>	<u>High</u>		
<u>Signal</u>	<u>RMC</u>		

B. SAR Measurement Results

Higher Band SAR (Channel 1513):

Frequency (MHz)	1752.600000		
Relative permittivity (real part)	40.126057		
Conductivity (S/m)	1.354671		
Power drift (%)	0.380000		
Ambient Temperature:	22.3°C		
Liquid Temperature:	22.6°C		
ConvF:	5.21		
Duty Cycle:	1:1		






Maximum location: X=-50.00, Y=-63.00

SAR Peak: 0.14 W/kg

SAR 10g (W/Kg)	0.038530
SAR 1g (W/Kg)	0.070090

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.1322	0.0735	0.0293	0.0239	0.0107	0.0048	0.0122
(W/Kg)							
	0.13- 0.10- 0.10- 0.08- 0.06- 0.04- 0.02- 0.00-		12.5 17	.5 22.5 2 (mm)	27.5 32.5	40.0	





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.23

Measurement duration: 16 minutes 29 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	Right head		
Device Position	<u>Cheek</u>		
<u>Band</u>	Band5_WCDMA850		
<u>Channels</u>	<u>Low</u>		
<u>Signal</u>	<u>RMC</u>		

B. SAR Measurement Results

Lower Band SAR (Channel 4132):

Frequency (MHz)	826.400000		
Relative permittivity (real part)	41.184183		
Conductivity (S/m)	0.891544		
Power drift (%)	1.120000		
Ambient Temperature:	22.6°C		
Liquid Temperature:	21.2°C		
ConvF:	6.13		
Duty Cycle:	1:1		






Maximum location: X=-68.00, Y=-62.00

SAR Peak: 0.12 W/kg

SAR 10g (W/Kg)	0.044245		
SAR 1g (W/Kg)	0.072288		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.1192	0.0743	0.0432	0.0353	0.0232	0.0175	0.0114
(W/Kg)							
	0.12-	<u> </u>					
	0.10-	++					
	(2) 0.08- 14/ 10.06-	$\overline{}$					
	æ 0.06-	+N					
	⁷³ 0.04-						
	0. 02 - 0. 01 -				+++		
		.02.55.07.5	12.5 17		27.5 32.5	40.0	
	Z (nm)						





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.19

Measurement duration: 16 minutes 44 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	<u>Left head</u>		
Device Position	<u>Tilt</u>		
<u>Band</u>	LTE band 2		
<u>Channels</u>	<u>Middle</u>		
<u>Signal</u>	<u>LTE</u>		

B. SAR Measurement Results

Middle Band SAR (Channel 18900):

Frequency (MHz)	1879.500000			
Relative permittivity (real part)	40.095041			
Conductivity (S/m)	1.371571			
Power drift (%)	0.380000			
Ambient Temperature:	22.3°C			
Liquid Temperature:	22.6°C			
ConvF:	5.21			
Duty Cycle:	1:1			






Maximum location: X=-34.00, Y=9.00 SAR Peak: 0.09 W/kg

SAR 10g (W/Kg)	0.031103
SAR 1g (W/Kg)	0.056543

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.0825	0.0628	0.0402	0.0189	0.0105	0.0092	0.0060
(W/Kg)							
	0.08-						
	0.07 -						
	0.06-						
	(%) 0.05- (%) 0.04-						
	뾼 0.03-		\mathbb{N}				
	0.02-		+				
	0. 01 - 0. 00 -				+		
	0	.02.55.07.5	12.5 17		27.5 32.5	40.0	
				Z (mm)			





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.19

Measurement duration: 17 minutes 44 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	Left head		
Device Position	<u>Cheek</u>		
<u>Band</u>	LTE band 4		
<u>Channels</u>	<u>High</u>		
<u>Signal</u>	<u>LTE</u>		

B. SAR Measurement Results

Higher Band SAR (Channel 20300):

Frequency (MHz)	1744.500000		
Relative permittivity (real part)	40.101026		
Conductivity (S/m)	1.356578		
Power drift (%)	0.380000		
Ambient Temperature:	22.3°C		
Liquid Temperature:	22.6°C		
ConvF:	5.21		
Duty Cycle:	1:1		






Maximum location: X=-48.00, Y=-53.00

SAR Peak: 0.07 W/kg

SAR 10g (W/Kg)	0.022920
SAR 1g (W/Kg)	0.042785

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.0602	0.0448	0.0264	0.0168	0.0082	0.0057	0.0062
(W/Kg)							
	0.06-						
	0.05-	\perp					
	⊙ 0.04-						
	0.04- ≱/ ≥ 0.03-						
	% 0.02-		\longrightarrow				
	0.01-						
	0.00-				+		
		.02.55.07.5	12.5 17	.5 22.5 :	27.5 32.5	40.0	
				Z (mm)			





Type: Phone measurement (Complete)

Area scan resolution: dx=12mm,dy=12mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.21

Measurement duration: 20 minutes 50 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	<u>Left head</u>		
Device Position	<u>Cheek</u>		
<u>Band</u>	LTE band 7		
<u>Channels</u>	<u>High</u>		
<u>Signal</u>	<u>LTE</u>		

B. SAR Measurement Results

Higher Band SAR (Channel 21350):

Frequency (MHz)	2560.000000		
Relative permittivity (real part)	39.112545		
Conductivity (S/m)	1.968184		
Power Drift (%)	1.020000		
Ambient Temperature:	22.0°C		
Liquid Temperature:	21.8°C		
ConvF:	4.74		
Duty Cycle:	1:1		






Maximum location: X=-36.00, Y=-73.00

SAR Peak: 0.07 W/kg

SAR 10g (W/Kg)	0.019927
SAR 1g (W/Kg)	0.043826

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.1288	0.0493	0.0050	0.0161	0.0035	0.0064	0.0010
(W/Kg)							
	0.13-						
	0.10- 0.08- 0.06- 0.04- 0.02-						
	0.00-	0.02.55.07.5	12.5 17	7.5 22.5 2 Z (mm)	27.5 32.5	40.0	





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.23

Measurement duration: 15 minutes 31 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	<u>Left head</u>		
Device Position	<u>Cheek</u>		
<u>Band</u>	LTE band 12		
<u>Channels</u>	<u>Middle</u>		
<u>Signal</u>	<u>LTE</u>		

B. SAR Measurement Results

Middle Band SAR (Channel 23095):

Frequency (MHz)	707.500000		
Relative permittivity (real part)	41.351708		
Conductivity (S/m)	0.875412		
Power drift (%)	1.020000		
Ambient Temperature:	22.6°C		
Liquid Temperature:	21.2°C		
ConvF:	6.44		
Duty Cycle:	1:1		






Maximum location: X=-80.00, Y=-35.00

SAR Peak: 0.01 W/kg

SAR 10g (W/Kg)	0.013208		
SAR 1g (W/Kg)	0.022447		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.0139	0.0056	0.0016	0.0019	0.0017	0.0011	0.0006
(W/Kg)							
	0.014	-					
	0.012						
	0.010	-					
	(%) 1,7k 1,0,008 (%)						
	ජූ 0.006 ග් 0.004						
	0. 002 0. 001		4				
		0.'02.'55.'07.'	5 12.5 1		27.5 32.5	40.0	
				Z (mm)			





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.23

Measurement duration: 15 minutes 22 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt			
<u>Phantom</u>	Right head			
Device Position	<u>Cheek</u>			
<u>Band</u>	LTE band 17			
<u>Channels</u>	<u>Middle</u>			
<u>Signal</u>	<u>LTE</u>			

B. SAR Measurement Results

Middle Band SAR (Channel 23780):

Frequency (MHz)	709.000000			
Relative permittivity (real part)	41.350702			
Conductivity (S/m)	0.876415			
Power drift (%)	1.020000			
Ambient Temperature:	22.6°C			
Liquid Temperature:	21.2°C			
ConvF:	6.44			
Duty Cycle:	1:1			






Maximum location: X=-80.00, Y=-36.00

SAR Peak: 0.03 W/kg

SAR 10g (W/Kg)	0.011273			
SAR 1g (W/Kg)	0.019135			

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.0436	0.0213	0.0081	0.0070	0.0045	0.0040	0.0024
(W/Kg)							
	0. 044 0. 040 0. 035 0. 0025 0. 000 0. 015 0. 005 0. 001		5 12.5 1	7.5 22.5 Z (nm)	27.5 32.5	40.0	





Type: Phone measurement (Complete)

Area scan resolution: dx=12mm,dy=12mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.21

Measurement duration: 21 minutes 12 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt			
<u>Phantom</u>	<u>Left head</u>			
Device Position	<u>Cheek</u>			
<u>Band</u>	<u>IEEE 802.11b ISM</u>			
<u>Channels</u>	<u>Middle</u>			
<u>Signal</u>	<u>DSSS</u>			

B. SAR Measurement Results

Middle Band SAR (Channel 6):

Frequency (MHz)	2437.000000			
Relative permittivity (real part)	39.301457			
Conductivity (S/m)	1.825851			
Power Drift (%)	1.150000			
Ambient Temperature:	22.0°C			
Liquid Temperature:	21.8°C			
ConvF:	4.82			
Duty Cycle:	1:1			






Maximum location: X=-9.00, Y=9.00 SAR Peak: 0.81 W/kg

SAR 10g (W/Kg)	0.207670		
SAR 1g (W/Kg)	0.435913		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.8094	0.4740	0.2199	0.0971	0.0338	0.0116	0.0024
(W/Kg)							
	0.8- 0.7- 0.6 0.5 0.4 0.3 0.1 0.0-	02.55.07.5	12.5 17.	5 22.5 2 Z (nm)	27.5 32.5	40.0	





Type: Phone measurement (Complete)

Area scan resolution: dx=10mm,dy=10mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2018.06.22

Measurement duration: 28 minutes 5 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt			
<u>Phantom</u>	<u>Left head</u>			
Device Position	<u>Cheek</u>			
<u>Band</u>	<u>IEEE 802.11a U-NII</u>			
<u>Channels</u>	<u>Middle</u>			
<u>Signal</u>	<u>OFMD</u>			

B. SAR Measurement Results

Middle Band SAR (Channel 60):

Frequency (MHz)	5300.000000				
Relative permittivity (real part)	36.126012				
Conductivity (S/m)	4.685265				
Power Drift (%)	1.270000				
Ambient Temperature:	22.9°C				
Liquid Temperature:	22.1°C				
ConvF:	21.61				
Duty Cycle:	1:1				






Maximum location: X=-26.00, Y=5.00 SAR Peak: 0.64 W/kg

SAR 10g (W/Kg)	0.071672			
SAR 1g (W/Kg)	0.180835			

Z (m m)	0.00	4.00	6.00	8.00	10.0	12.0 0	14.0	16.0 0	18.0 0	20.0	22.0 0	24.0
SA	0.71	0.19	0.05	0.03	0.01	0.01	0.04	0.03	0.00	0.03	0.00	0.00
R	09	88	35	71	80	57	11	41	70	21	93	52
(W/												
Kg)												
		0.7 0.6 0.5 0.4 0.0 0.0 0.0		4 6	8 1	0 12 Z (n	14 16	18 20	1 22 2	24 26		





Type: Phone measurement (Complete)

Area scan resolution: dx=10mm,dy=10mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2018.06.22

Measurement duration: 27 minutes 35 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt			
<u>Phantom</u>	<u>Left head</u>			
Device Position	<u>Tilt</u>			
<u>Band</u>	<u>IEEE 802.11a U-NII</u>			
<u>Channels</u>	<u>Middle</u>			
<u>Signal</u>	<u>OFMD</u>			

B. SAR Measurement Results

Middle Band SAR (Channel 140):

Frequency (MHz)	5700.000000
Relative permittivity (real part)	35.557142
Conductivity (S/m)	5.132258
Power Drift (%)	1.150000
Ambient Temperature:	22.9°C
Liquid Temperature:	22.1°C
ConvF:	22.92
Duty Cycle:	1:1






Maximum location: X=-5.00, Y=16.00 SAR Peak: 0.93 W/kg

SAR 10g (W/Kg)	0.133945
SAR 1g (W/Kg)	0.349049

Z (m m) SA R (W/ Kg)	0.00 0.86 18	4.00 0.33 36	0.18 85	8.00 0.07 95	10.0 0 0.07 50	12.0 0 0.03 03	0.01 69	16.0 0 0.01 80	18.0 0 0.01 20	20.0 0 0.01 59	0.01 45	24.0 0 0.01 17
		9.0 9.0 4.0 4.0 9.0 0.0		4 6	8 1	0 12 Z (n	14 16 nm)	18 20	0 22 2	4 26		





Type: Phone measurement (Complete)

Area scan resolution: dx=10mm,dy=10mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2018.06.22

Measurement duration: 27 minutes 9 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
<u>Phantom</u>	Left head		
Device Position	<u>Tilt</u>		
<u>Band</u>	<u>IEEE 802.11a U-NII</u>		
<u>Channels</u>	<u>Middle</u>		
<u>Signal</u>	<u>OFMD</u>		

B. SAR Measurement Results

Middle Band SAR (Channel 165):

Frequency (MHz)	5825.000000
Relative permittivity (real part)	35.334145
Conductivity (S/m)	5.322126
Power Drift (%)	1.310000
Ambient Temperature:	22.9°C
Liquid Temperature:	22.1°C
ConvF:	22.42
Duty Cycle:	1:1






Maximum location: X=-3.00, Y=24.00 SAR Peak: 1.07 W/kg

SAR 10g (W/Kg)	0.170821
SAR 1g (W/Kg)	0.406378

Z (m m) SA R (W/ Kg)	0.00 1.15 56	4.00 0.45 07	0.18 20	8.00 0.14 80	10.0 0 0.08 92	12.0 0 0.06 80	14.0 0 0.04 15	16.0 0 0.03 81	18.0 0 0.02 81	20.0 0 0.03 49	22.0 0 0.05 02	24.0 0 0.07 28
		1.2 1.0 0.8 0.6 0.4 0.2 0.0		4 6	8 1	0 12 Z (n	14 16	18 20	1 22 2	24 26		





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.25


Measurement duration: 13 minutes 52 seconds

A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt
<u>Phantom</u>	<u>Flat</u>
Device Position	<u>Body</u>
<u>Band</u>	CUSTOM (GPRS850_4Tx)
<u>Channels</u>	<u>High</u>
<u>Signal</u>	<u>GPRS</u>

B. SAR Measurement Results

Frequency (MHz)	848.800000
Relative permittivity (real part)	55.389395
Conductivity (S/m)	0.931615
Power drift (%)	1.070000
Ambient Temperature:	22.6°C
Liquid Temperature:	21.2°C
ConvF:	6.37
Duty Cycle:	1:2.08






Maximum location: X=5.00, Y=-5.00 SAR Peak: 0.80 W/kg

SAR 10g (W/Kg) 0.302000 SAR 1g (W/Kg) 0.472548

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.6202	0.4809	0.3419	0.2452	0.1831	0.1061	0.0975
(W/Kg)							
	0.6-						
		$\setminus \mid \mid \mid$					
	0.5-						
	SAR (#/kg) - 5.0 (#/kg)	+ + + +					
	اخ - 0.3 ي						
	0.2-			$\overline{}$			
	0.1-			+	++-		
		02.55.07.5	12.5 17.	5 22.5 2	27.5 32.5	40. 0	
	Z (mm)						





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.24


Measurement duration: 15 minutes 4 seconds

A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt			
<u>Phantom</u>	<u>Flat</u>			
Device Position	<u>Body</u>			
<u>Band</u>	CUSTOM (GPRS1900_4Tx)			
<u>Channels</u>	<u>High</u>			
<u>Signal</u>	<u>GPRS</u>			

B. SAR Measurement Results

Frequency (MHz)	1910.000000		
Relative permittivity (real part)	53.297045		
Conductivity (S/m)	1.504157		
Power drift (%)	-1.510000		
Ambient Temperature:	22.1°C		
Liquid Temperature:	21.4°C		
ConvF:	5.71		
Duty Cycle:	1:2.08		






Maximum location: X=0.00, Y=-18.00 SAR Peak: 0.30 W/kg

SAR 10g (W/Kg)	0.087280		
SAR 1g (W/Kg)	0.172110		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.2678	0.1707	0.0954	0.0562	0.0292	0.0085	0.0003
(W/Kg)							
	0.27-						
	0. 20 -						
	0. 20 -						
		$ \cdot \cdot $					
	疑 0.10- 0.05-						
	0.00 - 0	1 .02.55.07.5	12.5 17	.5 22.5	27.5 32.5	40.0	
	Z (mm)						





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.24

Measurement duration: 16 minutes 9 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt		
<u>Phantom</u>	<u>Flat</u>		
Device Position	<u>Body</u>		
<u>Band</u>	Band2_WCDMA1900		
<u>Channels</u>	<u>High</u>		
<u>Signal</u> <u>RMC</u>			

B. SAR Measurement Results

Higher Band SAR (Channel 9538):

Frequency (MHz)	1907.600000		
Relative permittivity (real part)	53.298046		
Conductivity (S/m)	1.503158		
Power drift (%)	-1.510000		
Ambient Temperature:	22.1°C		
Liquid Temperature:	21.4°C		
ConvF:	5.71		
Duty Cycle:	1:1		






Maximum location: X=5.00, Y=-21.00 SAR Peak: 0.27 W/kg

SAR 10g (W/Kg)	0.076800		
SAR 1g (W/Kg)	0.148447		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.2813	0.1534	0.0651	0.0465	0.0190	0.0086	0.0027
(W/Kg)							
	0.28-						
	0.25-	+					
	0.20-	\perp	$\perp \perp \perp$				
	(%) } 0.15-						
	₩ 0.10-						
	0.05-		+				
	0.00-				444		
		.02.55.07.5	12.5 17	.5 22.5	27.5 32.5	40.0	
	Z (mm)						





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.24

Measurement duration: 16 minutes 10 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt		
<u>Phantom</u>	<u>Flat</u>		
Device Position	<u>Body</u>		
<u>Band</u>	Band4_WCDMA1700		
<u>Channels</u>	<u>High</u>		
<u>Signal</u>	RMC		

B. SAR Measurement Results

Higher Band SAR (Channel 1513):

Frequency (MHz)	1752.000000		
Relative permittivity (real part)	53.297485		
Conductivity (S/m)	1.507074		
Power drift (%)	0.480000		
Ambient Temperature:	22.3°C		
Liquid Temperature:	21.6°C		
ConvF:	5.38		
Duty Cycle:	1:1		






Maximum location: X=25.00, Y=-24.00

SAR Peak: 1.03 W/kg

SAR 10g (W/Kg)	0.290134		
SAR 1g (W/Kg)	0.591752		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	1.0229	0.6225	0.3273	0.1820	0.0991	0.0554	0.0209
(W/Kg)							
	1.0- 0.8- 0.8- (\$\frac{3}{4}\}\) \$\text{8V} 0.6- 0.4- 0.2- 0.0-	02.55.07.5	12.5 17.	5 22.5 2 Z (mm)	27.5 32.5	40.0	



NOTE: This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Fax: 86-755-36698525

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.25

Measurement duration: 15 minutes 47 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt		
<u>Phantom</u>	<u>Flat</u>		
Device Position	<u>Body</u>		
<u>Band</u>	Band5_WCDMA850		
<u>Channels</u>	<u>Low</u>		
<u>Signal</u>	<u>RMC</u>		

B. SAR Measurement Results

Lower Band SAR (Channel 4132):

Frequency (MHz)	826.400000		
Relative permittivity (real part)	55.395378		
Conductivity (S/m)	0.921656		
Power drift (%)	1.070000		
Ambient Temperature:	22.6°C		
Liquid Temperature:	21.2°C		
ConvF:	6.37		
Duty Cycle:	1:1		






Maximum location: X=6.00, Y=5.00 SAR Peak: 0.27 W/kg

SAR 10g (W/Kg)	0.129977		
SAR 1g (W/Kg)	0.189337		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.2524	0.1975	0.1425	0.1043	0.0774	0.0511	0.0400
(W/Kg)							
	0.25-						
		$ \setminus $					
	0.20-	-+					
	(%) 4, 0.15- 8						
	쭚 0.10-		+				
				\mathbb{N}			
	0.05-						
	0.02 - 0	-	12.5 17	.5 22.5 :	27.5 32.5	40.0	
	Ĭ			Z (mm)		.5.0	





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.24

Measurement duration: 16 minutes 6 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt		
<u>Phantom</u>	<u>Flat</u>		
Device Position	<u>Body</u>		
<u>Band</u>	LTE band 2		
<u>Channels</u>	<u>Middle</u>		
<u>Signal</u>	<u>LTE</u>		

B. SAR Measurement Results

Middle Band SAR (Channel 18900):

Frequency (MHz)	1879.500000		
Relative permittivity (real part)	53.242364		
Conductivity (S/m)	1.534025		
Power drift (%)	0.480000		
Ambient Temperature:	22.3°C		
Liquid Temperature:	21.9°C		
ConvF:	5.38		
Duty Cycle:	1:1		






Maximum location: X=21.00, Y=2.00 SAR Peak: 0.26 W/kg

SAR 10g (W/Kg)	0.081038		
SAR 1g (W/Kg)	0.155032		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.2982	0.1595	0.0612	0.0479	0.0137	0.0086	0.0038
(W/Kg)							
	0.30-						
	0.25-	+					
	0.20- ¥ ≥ 0.15-	+					
		+++					
	뿘 0.10-	++					
	0.05-		4				
	0.00 - 0	. 02. 55. 07. 5	12.5 17	.5 22.5	27.5 32.5	40.0	
	Z (mm)						





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.24

Measurement duration: 16 minutes 8 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt		
<u>Phantom</u>	<u>Flat</u>		
Device Position	Body		
<u>Band</u>	LTE band 4		
<u>Channels</u>	<u>High</u>		
<u>Signal</u>	<u>LTE</u>		

B. SAR Measurement Results

Higher Band SAR (Channel 20300):

Frequency (MHz)	1744.500000		
Relative permittivity (real part)	53.296365		
Conductivity (S/m)	1.516072		
Power drift (%)	0.480000		
Ambient Temperature:	22.3°C		
Liquid Temperature:	21.6°C		
ConvF:	5.38		
Duty Cycle:	1:1		






Maximum location: X=8.00, Y=2.00 SAR Peak: 0.78 W/kg

SAR 10g (W/Kg)	0.225835		
SAR 1g (W/Kg)	0.459631		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.7748	0.4953	0.2697	0.1448	0.0669	0.0442	0.0175
(W/Kg)							
	0.8- 0.7- 0.6- 0.5- 0.4- 0.3- 0.2- 0.1- 0.0-	02.55.07.5	12.5 17.		27.5 32.5	40.0	
				Z (mm)			





Type: Phone measurement (Complete)

Area scan resolution: dx=12mm,dy=12mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.25

Measurement duration: 18 minutes 8 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt		
<u>Phantom</u>	<u>Flat</u>		
Device Position	<u>Body</u>		
<u>Band</u>	LTE band 7		
<u>Channels</u>	<u>High</u>		
<u>Signal</u>	<u>LTE</u>		

B. SAR Measurement Results

Higher Band SAR (Channel 21350):

Frequency (MHz)	2560.000000		
Relative permittivity (real part)	52.375217		
Conductivity (S/m)	2.083254		
Power Drift (%)	0.81000		
Ambient Temperature:	22.0°C		
Liquid Temperature:	21.8°C		
ConvF:	4.93		
Duty Cycle:	1:1		






Maximum location: X=20.00, Y=-22.00

SAR Peak: 0.73 W/kg

SAR 10g (W/Kg)	0.179454		
SAR 1g (W/Kg)	0.392996		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.6947	0.4036	0.1876	0.0845	0.0332	0.0171	0.0052
(W/Kg)							
	0.7- 0.6- 0.5- 0.4- 0.3- 0.2- 0.1- 0.0-	02.55.07.5	12.5 17.	5 22.5 2 Z (mm)	27.5 32.5	40.0	





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.25

Measurement duration: 15 minutes 30 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt		
<u>Phantom</u>	<u>Flat</u>		
Device Position	<u>Body</u>		
<u>Band</u>	LTE band 12		
<u>Channels</u>	<u>Middle</u>		
<u>Signal</u>	<u>LTE</u>		

B. SAR Measurement Results

Middle Band SAR (Channel 23095):

Frequency (MHz)	707.500000		
Relative permittivity (real part)	53.527542		
Conductivity (S/m)	1.015018		
Power drift (%)	0.351000		
Ambient Temperature:	22.6°C		
Liquid Temperature:	21.2°C		
ConvF:	6.68		
Duty Cycle:	1:1		






Maximum location: X=2.00, Y=-12.00 SAR Peak: 0.04 W/kg

SAR 10g (W/Kg)	0.011455		
SAR 1g (W/Kg)	0.019701		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.0262	0.0192	0.0133	0.0115	0.0053	0.0086	0.0026
(W/Kg)							
	0.026	-					
	0.020	-					
	(%) 1,√kg 0.015						
	₩ 0.010	-	+				
	0.005			 			
	0.002	- 0.02.55.07.			27.5 32.5	40.0	
		0.02.33.01.	J 12.5 I	7 (mm)	21.3 32.3	40.0	





Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.25

Measurement duration: 15 minutes 8 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt		
<u>Phantom</u>	<u>Flat</u>		
Device Position	<u>Body</u>		
<u>Band</u>	LTE band 17		
<u>Channels</u>	Low		
<u>Signal</u>	<u>LTE</u>		

B. SAR Measurement Results

Lower Band SAR (Channel 23780):

Frequency (MHz)	709.000000		
Relative permittivity (real part)	53.522547		
Conductivity (S/m)	1.018016		
Power drift (%)	0.351000		
Ambient Temperature:	22.6°C		
Liquid Temperature:	21.2°C		
ConvF:	6.68		
Duty Cycle:	1:1		






Maximum location: X=-5.00, Y=-9.00 SAR Peak: 0.09 W/kg

SAR 10g (W/Kg)	0.014483		
SAR 1g (W/Kg)	0.025399		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR	0.0858	0.0353	0.0086	0.0031	0.0022	0.0037	0.0004
(W/Kg)							
	0.09-						
		\setminus					
	0.06-	+++	+++				
	(%) % 0.04-						
	SAR						
	0.02-	+	+++				
			+		اسلياال		
	0.00 - 0	-	12.5 17	7.5 22.5	27.5 32.5	40.0	
Z (mm)							





Type: Phone measurement (Complete)

Area scan resolution: dx=12mm,dy=12mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.25

Measurement duration: 20 minutes 24 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt				
<u>Phantom</u>	<u>Flat</u>				
Device Position	<u>Body</u>				
<u>Band</u>	IEEE 802.11b ISM				
<u>Channels</u>	<u>Middle</u>				
<u>Signal</u>	<u>DSSS</u>				

B. SAR Measurement Results

Middle Band SAR (Channel 6):

Frequency (MHz)	2437.000000				
Relative permittivity (real part)	52.901448				
Conductivity (S/m)	1.955126				
Power Drift (%)	1.160000				
Ambient Temperature:	22.0°C				
Liquid Temperature:	21.8°C				
ConvF:	4.96				
Duty Cycle:	1:1				






Maximum location: X=8.00, Y=0.00 SAR Peak: 0.16 W/kg

SAR 10g (W/Kg)	0.035893
SAR 1g (W/Kg)	0.078944

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00		
SAR	0.1648	0.0828	0.0309	0.0142	0.0084	0.0012	0.0010		
(W/Kg)									
	0.16-								
	0.14-	+++							
	0.12-	1	+++						
	(%) 0.10- (%) 0.08-	-	+++-						
		+++							
	뚨 0.06-	+							
	0.04-								
	0. 02 - 0. 00 -								
		.02.55.07.5	12.5 17	.5 22.5 :	27.5 32.5	40.0			
				Z (mm)					





Type: Phone measurement (Complete)

Area scan resolution: dx=10mm,dy=10mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2018.06.20

Measurement duration: 27 minutes 10 seconds


A. Experimental conditions.

<u>Area scan</u>	surf_sam_plan.txt					
<u>Phantom</u>	<u>Flat</u>					
Device Position	Body					
<u>Band</u>	IEEE 802.11a U-NII					
<u>Channels</u>	<u>Middle</u>					
<u>Signal</u>	<u>OFMD</u>					

B. SAR Measurement Results

Middle Band SAR (Channel 60):

Frequency (MHz)	5300.000000				
Relative permittivity (real part)	48.256211				
Conductivity (S/m)	5.520264				
Power Drift (%)	1.190000				
Ambient Temperature:	22.9°C				
Liquid Temperature:	21.1°C				
ConvF:	22.11				
Duty Cycle:	1:1				






Maximum location: X=-1.00, Y=27.00 SAR Peak: 0.30 W/kg

SAR 10g (W/Kg)	0.070434
SAR 1g (W/Kg)	0.103816

Z 0.00 (m m) SA 0.22 R 67 (W/	4.00 0.11 12	6.00 0.05 37	8.00 0.05 92	10.0 0 0.05 33	12.0 0 0.03 26	14.0 0 0.05 43	16.0 0 0.04 54	18.0 0 0.04 64	20.0 0 0.07 14	22.0 0 0.05 44	24.0 0 0.04 27
Kg)	0.2 0.2 0.1 0.1 0.1 0.0 0.0 0.0	00 - 75 - 50 - 25 - 00 - 75 - 50 -	2 4	6 8	10 12	14 16 (mm)	18 2	0 22 2	24 26		





Type: Phone measurement (Complete)

Area scan resolution: dx=10mm,dy=10mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2018.06.20

Measurement duration: 27 minutes 4 seconds


A. Experimental conditions.

Area scan	surf sam plan.txt				
<u>Phantom</u>	<u>Flat</u>				
Device Position	Body				
<u>Band</u>	<u>IEEE 802.11a U-NII</u>				
<u>Channels</u>	<u>Middle</u>				
<u>Signal</u>	<u>OFMD</u>				

B. SAR Measurement Results

Middle Band SAR (Channel 140):

Frequency (MHz)	5700.000000				
Relative permittivity (real part)	48.375425				
Conductivity (S/m)	5.7713401				
Power Drift (%)	1.230000				
Ambient Temperature:	22.9°C				
Liquid Temperature:	21.1°C				
ConvF:	23.69				
Duty Cycle:	1:1				



Maximum location: X=40.00, Y=38.00

NOTE: This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Tel: 86-755-36698555

Fax: 86-755-36698525


Http://www.morlab.cn

E-mail: service@morlab.cn

SAR Peak: 0.94 W/kg

SAR 10g (W/Kg)	0.038532
SAR 1g (W/Kg)	0.082308

Z (m m)	0.00	4.00	6.00	8.00	10.0	12.0 0	14.0 0	16.0 0	18.0	20.0	22.0 0	24.0
SA	0.92	0.25	0.02	0.01	0.04	0.00	0.00	0.00	0.00	0.01	0.00	0.01
R	31	98	68	30	65	96	84	95	80	13	82	12
(W/												
Kg)												
		0.9 0.8 0.0 0.0 0.0		4 6	8 1	0 12 Z (n	14 16	18 20	1 22 2	4 26		





Type: Phone measurement (Complete)

Area scan resolution: dx=10mm,dy=10mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2018.06.20

Measurement duration: 27 minutes 2 seconds


A. Experimental conditions.

Area scan	surf sam plan.txt				
<u>Phantom</u>	<u>Flat</u>				
Device Position	<u>Body</u>				
<u>Band</u>	<u>IEEE 802.11a U-NII</u>				
<u>Channels</u>	<u>High</u>				
<u>Signal</u>	<u>OFMD</u>				

B. SAR Measurement Results

High Band SAR (Channel 165):

Frequency (MHz)	5825.000000				
Relative permittivity (real part)	48.074515				
Conductivity (S/m)	5.941726				
Power Drift (%)	1.320000				
Ambient Temperature:	22.9°C				
Liquid Temperature:	21.1°C				
ConvF:	23.02				
Duty Cycle:					





Maximum location: X=30.00, Y=18.00 SAR Peak: 0.53 W/kg

SAR 10g (W/Kg)	0.063539
SAR 1g (W/Kg)	0.145741

Z (m m) SA R (W/	0.00 0.43 09	4.00 0.14 93	0.07 24	8.00 0.02 70	10.0 0 0.02 59	12.0 0 0.01 94	14.0 0 0.00 90	16.0 0 0.00 94	18.0 0 0.00 92	20.0 0 0.05 58	0.00 82	24.0 0 0.00 97
Kg)												
0. 43 - 0. 35 - 0. 30 - 0. 25 - 0. 20 - 0. 15 - 0. 10 - 0. 05 - 0. 01 - 0. 00 - 0. 00 - 0. 00 - 0. 00 - 0. 00 - 0. 00 - 0. 00												

