

































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	1.09	0	1.09	11	Pass
NVNT	a	5200	Ant1	1.15	0	1.15	11	Pass
NVNT	a	5240	Ant1	3.4	0	3.4	11	Pass
NVNT	a	5260	Ant1	1.29	0	1.29	11	Pass
NVNT	a	5300	Ant1	0.78	0	0.78	11	Pass
NVNT	a	5320	Ant1	0.63	0	0.63	11	Pass
NVNT	a	5500	Ant1	-0.04	0	-0.04	11	Pass
NVNT	a	5580	Ant1	-0.13	0	-0.13	11	Pass
NVNT	a	5700	Ant1	-0.26	0	-0.26	11	Pass
NVNT	a	5180	Ant2	1.37	0	1.37	11	Pass
NVNT	a	5200	Ant2	1.83	0	1.83	11	Pass
NVNT	a	5240	Ant2	0.87	0	0.87	11	Pass
NVNT	a	5260	Ant2	2.11	0	2.11	11	Pass
NVNT	a	5300	Ant2	2.09	0	2.09	11	Pass
NVNT	a	5320	Ant2	2.41	0	2.41	11	Pass
NVNT	a	5500	Ant2	2.5	0	2.5	11	Pass
NVNT	a	5580	Ant2	2.09	0	2.09	11	Pass
NVNT	a	5700	Ant2	2.07	0	2.07	11	Pass
NVNT	n20	5180	Ant1	-0.03	0	-0.03	11	Pass
NVNT	n20	5200	Ant1	0.25	0	0.25	11	Pass
NVNT	n20	5240	Ant1	0.14	0	0.14	11	Pass
NVNT	n20	5260	Ant1	0.2	0	0.2	11	Pass
NVNT	n20	5300	Ant1	-0.15	0	-0.15	11	Pass
NVNT	n20	5320	Ant1	-0.25	0	-0.25	11	Pass
NVNT	n20	5500	Ant1	-0.97	0	-0.97	11	Pass
NVNT	n20	5580	Ant1	-1.48	0	-1.48	11	Pass
NVNT	n20	5700	Ant1	-1.7	0	-1.7	11	Pass
NVNT	n20	5180	Ant2	0.16	0	0.16	11	Pass
NVNT	n20	5200	Ant2	0.81	0	0.81	11	Pass
NVNT	n20	5240	Ant2	1.11	0	1.11	11	Pass
NVNT	n20	5260	Ant2	1.25	0	1.25	11	Pass
NVNT	n20	5300	Ant2	0.89	0	0.89	11	Pass
NVNT	n20	5320	Ant2	1.72	0	1.72	11	Pass
NVNT	n20	5500	Ant2	0.78	0	0.78	11	Pass
NVNT	n20	5580	Ant2	0.89	0	0.89	11	Pass
NVNT	n20	5700	Ant2	0.64	0	0.64	11	Pass
NVNT	n20	5180	Ant1	-1.38	0	-1.38	11	Pass
NVNT	n20	5180	Ant2	-3.09	0	-3.09	11	Pass
NVNT	n20	5180	MIMO	0.86	0	0.86	11	Pass
NVNT	n20	5200	Ant1	-1.19	0	-1.19	11	Pass
NVNT	n20	5200	Ant2	-3.19	0	-3.19	11	Pass
NVNT	n20	5200	MIMO	0.93	0	0.93	11	Pass
NVNT	n20	5240	Ant1	-3.59	0	-3.59	11	Pass
NVNT	n20	5240	Ant2	-5.48	0	-5.48	11	Pass
NVNT	n20	5240	MIMO	-1.42	0	-1.42	11	Pass
NVNT	n20	5260	Ant1	-6.38	0	-6.38	11	Pass
NVNT	n20	5260	Ant2	-3.27	0	-3.27	11	Pass
NVNT	n20	5260	MIMO	-1.54	0	-1.54	11	Pass
NVNT	n20	5300	Ant1	-1.11	0	-1.11	11	Pass
NVNT	n20	5300	Ant2	-3.51	0	-3.51	11	Pass



NVNT	n20	5300	MIMO	0.86	0	0.86	11	Pass
NVNT	n20	5320	Ant1	-1.54	0	-1.54	11	Pass
NVNT	n20	5320	Ant2	-2.91	0	-2.91	11	Pass
NVNT	n20	5320	MIMO	0.84	0	0.84	11	Pass
NVNT	n20	5500	Ant1	-5.48	0	-5.48	11	Pass
NVNT	n20	5500	Ant2	-2.43	0	-2.43	11	Pass
NVNT	n20	5500	MIMO	-0.68	0	-0.68	11	Pass
NVNT	n20	5580	Ant1	-5.25	0	-5.25	11	Pass
NVNT	n20	5580	Ant2	-2.3	0	-2.3	11	Pass
NVNT	n20	5580	MIMO	-0.52	0	-0.52	11	Pass
NVNT	n20	5700	Ant1	-6.07	0	-6.07	11	Pass
NVNT	n20	5700	Ant2	-2.22	0	-2.22	11	Pass
NVNT	n20	5700	MIMO	-0.72	0	-0.72	11	Pass
NVNT	n40	5190	Ant1	-2.39	0	-2.39	11	Pass
NVNT	n40	5230	Ant1	-2.78	0	-2.78	11	Pass
NVNT	n40	5270	Ant1	-3.63	0	-3.63	11	Pass
NVNT	n40	5310	Ant1	-3.13	0	-3.13	11	Pass
NVNT	n40	5510	Ant1	-5.14	0	-5.14	11	Pass
NVNT	n40	5550	Ant1	-4.72	0	-4.72	11	Pass
NVNT	n40	5670	Ant1	-4.61	0	-4.61	11	Pass
NVNT	n40	5190	Ant2	-2.4	0	-2.4	11	Pass
NVNT	n40	5230	Ant2	-2.18	0	-2.18	11	Pass
NVNT	n40	5270	Ant2	-2.15	0	-2.15	11	Pass
NVNT	n40	5310	Ant2	-2.36	0	-2.36	11	Pass
NVNT	n40	5510	Ant2	-3.36	0	-3.36	11	Pass
NVNT	n40	5550	Ant2	-3.36	0	-3.36	11	Pass
NVNT	n40	5670	Ant2	-2.38	0	-2.38	11	Pass
NVNT	n40	5190	Ant1	-3.49	0	-3.49	11	Pass
NVNT	n40	5190	Ant2	-5.98	0	-5.98	11	Pass
NVNT	n40	5190	MIMO	-1.55	0	-1.55	11	Pass
NVNT	n40	5230	Ant1	-6.89	0	-6.89	11	Pass
NVNT	n40	5230	Ant2	-5.42	0	-5.42	11	Pass
NVNT	n40	5230	MIMO	-3.08	0	-3.08	11	Pass
NVNT	n40	5270	Ant1	-7.79	0	-7.79	11	Pass
NVNT	n40	5270	Ant2	-5.92	0	-5.92	11	Pass
NVNT	n40	5270	MIMO	-3.74	0	-3.74	11	Pass
NVNT	n40	5310	Ant1	-3.75	0	-3.75	11	Pass
NVNT	n40	5310	Ant2	-6.29	0	-6.29	11	Pass
NVNT	n40	5310	MIMO	-1.83	0	-1.83	11	Pass
NVNT	n40	5510	Ant1	-8.21	0	-8.21	11	Pass
NVNT	n40	5510	Ant2	-6.65	0	-6.65	11	Pass
NVNT	n40	5510	MIMO	-4.35	0	-4.35	11	Pass
NVNT	n40	5550	Ant1	-5.84	0	-5.84	11	Pass
NVNT	n40	5550	Ant2	-6.41	0	-6.41	11	Pass
NVNT	n40	5550	MIMO	-3.11	0	-3.11	11	Pass
NVNT	n40	5670	Ant1	-5.72	0	-5.72	11	Pass
NVNT	n40	5670	Ant2	-5.14	0	-5.14	11	Pass
NVNT	n40	5670	MIMO	-2.41	0	-2.41	11	Pass
NVNT	ac20	5180	Ant1	-0.29	0	-0.29	11	Pass
NVNT	ac20	5200	Ant1	0.07	0	0.07	11	Pass
NVNT	ac20	5240	Ant1	0.49	0	0.49	11	Pass
NVNT	ac20	5260	Ant1	0.08	0	0.08	11	Pass
NVNT	ac20	5300	Ant1	-0.06	0	-0.06	11	Pass
NVNT	ac20	5320	Ant1	0.3	0	0.3	11	Pass
NVNT	ac20	5500	Ant1	-1.1	0	-1.1	11	Pass
NVNT	ac20	5580	Ant1	-1.16	0	-1.16	11	Pass



NVNT	ac20	5700	Ant1	-1.52	0	-1.52	11	Pass
NVNT	ac20	5180	Ant2	0.42	0	0.42	11	Pass
NVNT	ac20	5200	Ant2	0.59	0	0.59	11	Pass
NVNT	ac20	5240	Ant2	0.9	0	0.9	11	Pass
NVNT	ac20	5260	Ant2	1.25	0	1.25	11	Pass
NVNT	ac20	5300	Ant2	1.03	0	1.03	11	Pass
NVNT	ac20	5320	Ant2	0.83	0	0.83	11	Pass
NVNT	ac20	5500	Ant2	0.75	0	0.75	11	Pass
NVNT	ac20	5580	Ant2	0.65	0	0.65	11	Pass
NVNT	ac20	5700	Ant2	0.69	0	0.69	11	Pass
NVNT	ac20	5180	Ant1	-1.01	0	-1.01	11	Pass
NVNT	ac20	5180	Ant2	-3.29	0	-3.29	11	Pass
NVNT	ac20	5180	MIMO	1.01	0	1.01	11	Pass
NVNT	ac20	5200	Ant1	-1.23	0	-1.23	11	Pass
NVNT	ac20	5200	Ant2	-3.13	0	-3.13	11	Pass
NVNT	ac20	5200	MIMO	0.93	0	0.93	11	Pass
NVNT	ac20	5240	Ant1	-4.74	0	-4.74	11	Pass
NVNT	ac20	5240	Ant2	-2.52	0	-2.52	11	Pass
NVNT	ac20	5240	MIMO	-0.48	0	-0.48	11	Pass
NVNT	ac20	5260	Ant1	-5.91	0	-5.91	11	Pass
NVNT	ac20	5260	Ant2	-2.33	0	-2.33	11	Pass
NVNT	ac20	5260	MIMO	-0.75	0	-0.75	11	Pass
NVNT	ac20	5300	Ant1	-1.32	0	-1.32	11	Pass
NVNT	ac20	5300	Ant2	-3.22	0	-3.22	11	Pass
NVNT	ac20	5300	MIMO	0.84	0	0.84	11	Pass
NVNT	ac20	5320	Ant1	-1.82	0	-1.82	11	Pass
NVNT	ac20	5320	Ant2	-2.84	0	-2.84	11	Pass
NVNT	ac20	5320	MIMO	0.71	0	0.71	11	Pass
NVNT	ac20	5500	Ant1	-5.39	0	-5.39	11	Pass
NVNT	ac20	5500	Ant2	-2.23	0	-2.23	11	Pass
NVNT	ac20	5500	MIMO	-0.52	0	-0.52	11	Pass
NVNT	ac20	5580	Ant1	-5.53	0	-5.53	11	Pass
NVNT	ac20	5580	Ant2	-2.1	0	-2.1	11	Pass
NVNT	ac20	5580	MIMO	-0.47	0	-0.47	11	Pass
NVNT	ac20	5700	Ant1	-7.08	0	-7.08	11	Pass
NVNT	ac20	5700	Ant2	-2.04	0	-2.04	11	Pass
NVNT	ac20	5700	MIMO	-0.86	0	-0.86	11	Pass
NVNT	ac40	5190	Ant1	-2.98	0	-2.98	11	Pass
NVNT	ac40	5230	Ant1	-2.46	0	-2.46	11	Pass
NVNT	ac40	5270	Ant1	-2.82	0	-2.82	11	Pass
NVNT	ac40	5310	Ant1	-3.38	0	-3.38	11	Pass
NVNT	ac40	5510	Ant1	-5.22	0	-5.22	11	Pass
NVNT	ac40	5550	Ant1	-4.94	0	-4.94	11	Pass
NVNT	ac40	5670	Ant1	-4.89	0	-4.89	11	Pass
NVNT	ac40	5190	Ant2	-2.24	0	-2.24	11	Pass
NVNT	ac40	5230	Ant2	-2.1	0	-2.1	11	Pass
NVNT	ac40	5270	Ant2	-2.15	0	-2.15	11	Pass
NVNT	ac40	5310	Ant2	-2.6	0	-2.6	11	Pass
NVNT	ac40	5510	Ant2	-4.07	0	-4.07	11	Pass
NVNT	ac40	5550	Ant2	-3.34	0	-3.34	11	Pass
NVNT	ac40	5670	Ant2	-2.35	0	-2.35	11	Pass
NVNT	ac40	5190	Ant1	-4.51	0	-4.51	11	Pass
NVNT	ac40	5190	Ant2	-5.92	0	-5.92	11	Pass
NVNT	ac40	5190	MIMO	-2.15	0	-2.15	11	Pass
NVNT	ac40	5230	Ant1	-7.24	0	-7.24	11	Pass
NVNT	ac40	5230	Ant2	-6.03	0	-6.03	11	Pass



NVNT	ac40	5230	MIMO	-3.58	0	-3.58	11	Pass
NVNT	ac40	5270	Ant1	-7.6	0	-7.6	11	Pass
NVNT	ac40	5270	Ant2	-6.49	0	-6.49	11	Pass
NVNT	ac40	5270	MIMO	-4	0	-4	11	Pass
NVNT	ac40	5310	Ant1	-4.74	0	-4.74	11	Pass
NVNT	ac40	5310	Ant2	-6.43	0	-6.43	11	Pass
NVNT	ac40	5310	MIMO	-2.49	0	-2.49	11	Pass
NVNT	ac40	5510	Ant1	-8.22	0	-8.22	11	Pass
NVNT	ac40	5510	Ant2	-6.74	0	-6.74	11	Pass
NVNT	ac40	5510	MIMO	-4.41	0	-4.41	11	Pass
NVNT	ac40	5550	Ant1	-4.65	0	-4.65	11	Pass
NVNT	ac40	5550	Ant2	-5.41	0	-5.41	11	Pass
NVNT	ac40	5550	MIMO	-2	0	-2	11	Pass
NVNT	ac40	5670	Ant1	-6.06	0	-6.06	11	Pass
NVNT	ac40	5670	Ant2	-5.86	0	-5.86	11	Pass
NVNT	ac40	5670	MIMO	-2.95	0	-2.95	11	Pass
NVNT	ac80	5210	Ant1	-7.55	0	-7.55	11	Pass
NVNT	ac80	5290	Ant1	-8.36	0	-8.36	11	Pass
NVNT	ac80	5530	Ant1	-9.38	0	-9.38	11	Pass
NVNT	ac80	5610	Ant1	-9.42	0	-9.42	11	Pass
NVNT	ac80	5210	Ant2	-7.25	0	-7.25	11	Pass
NVNT	ac80	5290	Ant2	-7.51	0	-7.51	11	Pass
NVNT	ac80	5530	Ant2	-8.03	0	-8.03	11	Pass
NVNT	ac80	5610	Ant2	-7.71	0	-7.71	11	Pass
NVNT	ac80	5210	Ant1	-11.45	0	-11.45	11	Pass
NVNT	ac80	5210	Ant2	-8.68	0	-8.68	11	Pass
NVNT	ac80	5210	MIMO	-6.84	0	-6.84	11	Pass
NVNT	ac80	5290	Ant1	-9.22	0	-9.22	11	Pass
NVNT	ac80	5290	Ant2	-11.54	0	-11.54	11	Pass
NVNT	ac80	5290	MIMO	-7.22	0	-7.22	11	Pass
NVNT	ac80	5530	Ant1	-10.55	0	-10.55	11	Pass
NVNT	ac80	5530	Ant2	-11.13	0	-11.13	11	Pass
NVNT	ac80	5530	MIMO	-7.82	0	-7.82	11	Pass
NVNT	ac80	5610	Ant1	-13.85	0	-13.85	11	Pass
NVNT	ac80	5610	Ant2	-9.14	0	-9.14	11	Pass
NVNT	ac80	5610	MIMO	-7.88	0	-7.88	11	Pass
NVNT	ax20	5180	Ant1	-1.04	0	-1.04	11	Pass
NVNT	ax20	5200	Ant1	-0.44	0	-0.44	11	Pass
NVNT	ax20	5240	Ant1	-0.22	0	-0.22	11	Pass
NVNT	ax20	5260	Ant1	-0.71	0	-0.71	11	Pass
NVNT	ax20	5300	Ant1	-0.97	0	-0.97	11	Pass
NVNT	ax20	5320	Ant1	-0.89	0	-0.89	11	Pass
NVNT	ax20	5500	Ant1	-1.52	0	-1.52	11	Pass
NVNT	ax20	5580	Ant1	-1.99	0	-1.99	11	Pass
NVNT	ax20	5700	Ant1	-1.92	0	-1.92	11	Pass
NVNT	ax20	5180	Ant2	0	0	0	11	Pass
NVNT	ax20	5200	Ant2	0.32	0	0.32	11	Pass
NVNT	ax20	5240	Ant2	0.87	0	0.87	11	Pass
NVNT	ax20	5260	Ant2	0.85	0	0.85	11	Pass
NVNT	ax20	5300	Ant2	0.59	0	0.59	11	Pass
NVNT	ax20	5320	Ant2	0.67	0	0.67	11	Pass
NVNT	ax20	5500	Ant2	0.32	0	0.32	11	Pass
NVNT	ax20	5580	Ant2	0.58	0	0.58	11	Pass
NVNT	ax20	5700	Ant2	0.72	0	0.72	11	Pass
NVNT	ax20	5180	Ant1	-1.2	0	-1.2	11	Pass
NVNT	ax20	5180	Ant2	-3.66	0	-3.66	11	Pass



NVNT	ax20	5180	MIMO	0.75	0	0.75	11	Pass
NVNT	ax20	5200	Ant1	-1.58	0	-1.58	11	Pass
NVNT	ax20	5200	Ant2	-3.5	0	-3.5	11	Pass
NVNT	ax20	5200	MIMO	0.58	0	0.58	11	Pass
NVNT	ax20	5240	Ant1	-5.12	0	-5.12	11	Pass
NVNT	ax20	5240	Ant2	-3.17	0	-3.17	11	Pass
NVNT	ax20	5240	MIMO	-1.03	0	-1.03	11	Pass
NVNT	ax20	5260	Ant1	-5.92	0	-5.92	11	Pass
NVNT	ax20	5260	Ant2	-3.5	0	-3.5	11	Pass
NVNT	ax20	5260	MIMO	-1.53	0	-1.53	11	Pass
NVNT	ax20	5300	Ant1	-1.14	0	-1.14	11	Pass
NVNT	ax20	5300	Ant2	-3.31	0	-3.31	11	Pass
NVNT	ax20	5300	MIMO	0.92	0	0.92	11	Pass
NVNT	ax20	5320	Ant1	-2.09	0	-2.09	11	Pass
NVNT	ax20	5320	Ant2	-3.57	0	-3.57	11	Pass
NVNT	ax20	5320	MIMO	0.24	0	0.24	11	Pass
NVNT	ax20	5500	Ant1	-5.96	0	-5.96	11	Pass
NVNT	ax20	5500	Ant2	-2.52	0	-2.52	11	Pass
NVNT	ax20	5500	MIMO	-0.9	0	-0.9	11	Pass
NVNT	ax20	5580	Ant1	-5.51	0	-5.51	11	Pass
NVNT	ax20	5580	Ant2	-2.67	0	-2.67	11	Pass
NVNT	ax20	5580	MIMO	-0.85	0	-0.85	11	Pass
NVNT	ax20	5700	Ant1	-7.43	0	-7.43	11	Pass
NVNT	ax20	5700	Ant2	-2.87	0	-2.87	11	Pass
NVNT	ax20	5700	MIMO	-1.57	0	-1.57	11	Pass
NVNT	ax40	5190	Ant1	-3.36	0	-3.36	11	Pass
NVNT	ax40	5230	Ant1	-2.7	0	-2.7	11	Pass
NVNT	ax40	5270	Ant1	-4	0	-4	11	Pass
NVNT	ax40	5310	Ant1	-4.07	0	-4.07	11	Pass
NVNT	ax40	5510	Ant1	-5.37	0	-5.37	11	Pass
NVNT	ax40	5550	Ant1	-5.27	0	-5.27	11	Pass
NVNT	ax40	5670	Ant1	-7.6	0	-7.6	11	Pass
NVNT	ax40	5190	Ant2	-2.58	0	-2.58	11	Pass
NVNT	ax40	5230	Ant2	-2.54	0	-2.54	11	Pass
NVNT	ax40	5270	Ant2	-2	0	-2	11	Pass
NVNT	ax40	5310	Ant2	-2.99	0	-2.99	11	Pass
NVNT	ax40	5510	Ant2	-3.72	0	-3.72	11	Pass
NVNT	ax40	5550	Ant2	-3.65	0	-3.65	11	Pass
NVNT	ax40	5670	Ant2	-2.93	0	-2.93	11	Pass
NVNT	ax40	5190	Ant1	-4.13	0	-4.13	11	Pass
NVNT	ax40	5190	Ant2	-6.28	0	-6.28	11	Pass
NVNT	ax40	5190	MIMO	-2.06	0	-2.06	11	Pass
NVNT	ax40	5230	Ant1	-7.03	0	-7.03	11	Pass
NVNT	ax40	5230	Ant2	-6.52	0	-6.52	11	Pass
NVNT	ax40	5230	MIMO	-3.76	0	-3.76	11	Pass
NVNT	ax40	5270	Ant1	-8.13	0	-8.13	11	Pass
NVNT	ax40	5270	Ant2	-6.75	0	-6.75	11	Pass
NVNT	ax40	5270	MIMO	-4.38	0	-4.38	11	Pass
NVNT	ax40	5310	Ant1	-4.81	0	-4.81	11	Pass
NVNT	ax40	5310	Ant2	-6.77	0	-6.77	11	Pass
NVNT	ax40	5310	MIMO	-2.67	0	-2.67	11	Pass
NVNT	ax40	5510	Ant1	-8.59	0	-8.59	11	Pass
NVNT	ax40	5510	Ant2	-6.7	0	-6.7	11	Pass
NVNT	ax40	5510	MIMO	-4.53	0	-4.53	11	Pass
NVNT	ax40	5550	Ant1	-5.92	0	-5.92	11	Pass
NVNT	ax40	5550	Ant2	-7.1	0	-7.1	11	Pass



NVNT	ax40	5550	MIMO	-3.46	0	-3.46	11	Pass
NVNT	ax40	5670	Ant1	-5.62	0	-5.62	11	Pass
NVNT	ax40	5670	Ant2	-5.96	0	-5.96	11	Pass
NVNT	ax40	5670	MIMO	-2.78	0	-2.78	11	Pass
NVNT	ax80	5210	Ant1	-8.1	0	-8.1	11	Pass
NVNT	ax80	5290	Ant1	-8.92	0	-8.92	11	Pass
NVNT	ax80	5530	Ant1	-9.41	0	-9.41	11	Pass
NVNT	ax80	5610	Ant1	-9.61	0	-9.61	11	Pass
NVNT	ax80	5210	Ant2	-5.97	0	-5.97	11	Pass
NVNT	ax80	5290	Ant2	-6.45	0	-6.45	11	Pass
NVNT	ax80	5530	Ant2	-7.59	0	-7.59	11	Pass
NVNT	ax80	5610	Ant2	-7.46	0	-7.46	11	Pass
NVNT	ax80	5210	Ant1	-11.14	0	-11.14	11	Pass
NVNT	ax80	5210	Ant2	-9.52	0	-9.52	11	Pass
NVNT	ax80	5210	MIMO	-7.24	0	-7.24	11	Pass
NVNT	ax80	5290	Ant1	-10.08	0	-10.08	11	Pass
NVNT	ax80	5290	Ant2	-11.75	0	-11.75	11	Pass
NVNT	ax80	5290	MIMO	-7.82	0	-7.82	11	Pass
NVNT	ax80	5530	Ant1	-11.92	0	-11.92	11	Pass
NVNT	ax80	5530	Ant2	-12.59	0	-12.59	11	Pass
NVNT	ax80	5530	MIMO	-9.23	0	-9.23	11	Pass
NVNT	ax80	5610	Ant1	-12.84	0	-12.84	11	Pass
NVNT	ax80	5610	Ant2	-12.2	0	-12.2	11	Pass
NVNT	ax80	5610	MIMO	-9.5	0	-9.5	11	Pass



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/510 kHz)	Conducted PSD (dBm/500 kHz)	Duty Factor (dB)	Total PSD (dBm/500 kHz)	Limit (dBm/500 kHz)	Verdict
NVNT	a	5745	Ant1	-2.37	-2.46	0	-2.46	30	Pass
NVNT	a	5785	Ant1	-2.35	-2.44	0	-2.44	30	Pass
NVNT	a	5825	Ant1	-2.2	-2.29	0	-2.29	30	Pass
NVNT	a	5745	Ant2	2.03	1.94	0	1.94	30	Pass
NVNT	a	5785	Ant2	0.14	0.05	0	0.05	30	Pass
NVNT	a	5825	Ant2	-0.27	-0.36	0	-0.36	30	Pass
NVNT	n20	5745	Ant1	-3.42	-3.51	0	-3.51	30	Pass
NVNT	n20	5785	Ant1	-3.78	-3.87	0	-3.87	30	Pass
NVNT	n20	5825	Ant1	-3.61	-3.70	0	-3.70	30	Pass
NVNT	n20	5745	Ant2	-1.02	-1.11	0	-1.11	30	Pass
NVNT	n20	5785	Ant2	-1.44	-1.53	0	-1.53	30	Pass
NVNT	n20	5825	Ant2	-1.8	-1.89	0	-1.89	30	Pass
NVNT	n20	5745	Ant1	-7.32	-7.41	0	-7.41	30	Pass
NVNT	n20	5745	Ant2	-3.84	-3.93	0	-3.93	30	Pass
NVNT	n20	5745	MIMO	-2.23	-2.32	0	-2.32	30	Pass
NVNT	n20	5785	Ant1	-4.75	-4.84	0	-4.84	30	Pass
NVNT	n20	5785	Ant2	-3.92	-4.01	0	-4.01	30	Pass
NVNT	n20	5785	MIMO	-1.3	-1.39	0	-1.39	30	Pass
NVNT	n20	5825	Ant1	-6.76	-6.85	0	-6.85	30	Pass
NVNT	n20	5825	Ant2	-3.97	-4.06	0	-4.06	30	Pass
NVNT	n20	5825	MIMO	-2.13	-2.22	0	-2.22	30	Pass
NVNT	n40	5795	Ant1	-6.68	-6.77	0	-6.77	30	Pass
NVNT	n40	5755	Ant2	-4.66	-4.75	0	-4.75	30	Pass
NVNT	n40	5795	Ant2	-4.77	-4.86	0	-4.86	30	Pass
NVNT	n40	5755	Ant1	-9.26	-9.35	0	-9.35	30	Pass
NVNT	n40	5755	Ant2	-7.38	-7.47	0	-7.47	30	Pass
NVNT	n40	5755	MIMO	-5.21	-5.30	0	-5.30	30	Pass
NVNT	n40	5795	Ant1	-7.74	-7.83	0	-7.83	30	Pass
NVNT	n40	5795	Ant2	-7.49	-7.58	0	-7.58	30	Pass
NVNT	n40	5795	MIMO	-4.6	-4.69	0	-4.69	30	Pass
NVNT	ac20	5745	Ant1	-3.27	-3.36	0	-3.36	30	Pass
NVNT	ac20	5785	Ant1	-3.72	-3.81	0	-3.81	30	Pass
NVNT	ac20	5825	Ant1	-3.39	-3.48	0	-3.48	30	Pass
NVNT	ac20	5745	Ant2	-1.07	-1.16	0	-1.16	30	Pass
NVNT	ac20	5785	Ant2	-1.43	-1.52	0	-1.52	30	Pass
NVNT	ac20	5825	Ant2	-1.6	-1.69	0	-1.69	30	Pass
NVNT	ac20	5745	Ant1	-7.47	-7.56	0	-7.56	30	Pass
NVNT	ac20	5745	Ant2	-4	-4.09	0	-4.09	30	Pass
NVNT	ac20	5745	MIMO	-2.39	-2.48	0	-2.48	30	Pass
NVNT	ac20	5785	Ant1	-4.7	-4.79	0	-4.79	30	Pass
NVNT	ac20	5785	Ant2	-4.21	-4.30	0	-4.30	30	Pass



NVNT	ac2 0	5785	MIMO	-1.44	-1.53	0	-1.53	30	Pass
NVNT	ac2 0	5825	Ant1	-7.19	-7.28	0	-7.28	30	Pass
NVNT	ac2 0	5825	Ant2	-4.17	-4.26	0	-4.26	30	Pass
NVNT	ac2 0	5825	MIMO	-2.41	-2.50	0	-2.50	30	Pass
NVNT	ac4 0	5755	Ant1	-6.37	-6.46	0	-6.46	30	Pass
NVNT	ac4 0	5795	Ant1	-6.68	-6.77	0	-6.77	30	Pass
NVNT	ac4 0	5755	Ant2	-4.57	-4.66	0	-4.66	30	Pass
NVNT	ac4 0	5795	Ant2	-4.98	-5.07	0	-5.07	30	Pass
NVNT	ac4 0	5755	Ant1	-9.45	-9.54	0	-9.54	30	Pass
NVNT	ac4 0	5755	Ant2	-7.38	-7.47	0	-7.47	30	Pass
NVNT	ac4 0	5755	MIMO	-5.28	-5.37	0	-5.37	30	Pass
NVNT	ac4 0	5795	Ant1	-7.75	-7.84	0	-7.84	30	Pass
NVNT	ac4 0	5795	Ant2	-7.69	-7.78	0	-7.78	30	Pass
NVNT	ac4 0	5795	MIMO	-4.71	-4.80	0	-4.80	30	Pass
NVNT	ac8 0	5775	Ant1	-11.49	-11.58	0	-11.58	30	Pass
NVNT	ac8 0	5775	Ant2	-9.72	-9.81	0	-9.81	30	Pass
NVNT	ac8 0	5775	Ant1	-12.65	-12.74	0	-12.74	30	Pass
NVNT	ac8 0	5775	Ant2	-12.29	-12.38	0	-12.38	30	Pass
NVNT	ac8 0	5775	MIMO	-9.46	-9.55	0	-9.55	30	Pass
NVNT	ax2 0	5745	Ant1	-3.53	-3.62	0	-3.62	30	Pass
NVNT	ax2 0	5785	Ant1	-3.35	-3.44	0	-3.44	30	Pass
NVNT	ax2 0	5825	Ant1	-3.1	-3.19	0	-3.19	30	Pass
NVNT	ax2 0	5745	Ant2	-1.37	-1.46	0	-1.46	30	Pass
NVNT	ax2 0	5785	Ant2	-1.52	-1.61	0	-1.61	30	Pass
NVNT	ax2 0	5825	Ant2	-1.9	-1.99	0	-1.99	30	Pass
NVNT	ax2 0	5745	Ant1	-7.39	-7.48	0	-7.48	30	Pass
NVNT	ax2 0	5745	Ant2	-4.01	-4.10	0	-4.10	30	Pass
NVNT	ax2 0	5745	MIMO	-2.37	-2.46	0	-2.46	30	Pass



NVNT	ax2 0	5785	Ant1	-5.1	-5.19	0	-5.19	30	Pass
NVNT	ax2 0	5785	Ant2	-4.64	-4.73	0	-4.73	30	Pass
NVNT	ax2 0	5785	MIMO	-1.85	-1.94	0	-1.94	30	Pass
NVNT	ax2 0	5825	Ant1	-7.21	-7.30	0	-7.30	30	Pass
NVNT	ax2 0	5825	Ant2	-4.4	-4.49	0	-4.49	30	Pass
NVNT	ax2 0	5825	MIMO	-2.57	-2.66	0	-2.66	30	Pass
NVNT	ax4 0	5755	Ant1	-6.26	-6.35	0	-6.35	30	Pass
NVNT	ax4 0	5795	Ant1	-6.86	-6.95	0	-6.95	30	Pass
NVNT	ax4 0	5755	Ant2	-4.53	-4.62	0	-4.62	30	Pass
NVNT	ax4 0	5795	Ant2	-4.8	-4.89	0	-4.89	30	Pass
NVNT	ax4 0	5755	Ant1	-9.18	-9.27	0	-9.27	30	Pass
NVNT	ax4 0	5755	Ant2	-7.4	-7.49	0	-7.49	30	Pass
NVNT	ax4 0	5755	MIMO	-5.19	-5.28	0	-5.28	30	Pass
NVNT	ax4 0	5795	Ant1	-8.09	-8.18	0	-8.18	30	Pass
NVNT	ax4 0	5795	Ant2	-7.51	-7.60	0	-7.60	30	Pass
NVNT	ax4 0	5795	MIMO	-4.78	-4.87	0	-4.87	30	Pass
NVNT	ax8 0	5775	Ant1	-10.93	-11.02	0	-11.02	30	Pass
NVNT	ax8 0	5775	Ant2	-8.92	-9.01	0	-9.01	30	Pass
NVNT	ax8 0	5775	Ant1	-12.3	-12.39	0	-12.39	30	Pass
NVNT	ax8 0	5775	Ant2	-11.95	-12.04	0	-12.04	30	Pass
NVNT	ax8 0	5775	MIMO	-9.11	-9.20	0	-9.20	30	Pass

