




Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	3.37	≤11.00	PASS
		5220	5.26	≤11.00	PASS
		5240	6.17	≤11.00	PASS
		5260	6.21	≤11.00	PASS
		5300	6.20	≤11.00	PASS
		5320	6.04	≤11.00	PASS
		5500	5.58	≤11.00	PASS
		5580	5.57	≤11.00	PASS
		5700	4.69	≤11.00	PASS
		5720_UNII-2C	5.88	≤11.00	PASS
		5720_UNII-3	3.04	≤30.00	PASS
		5745	2.84	≤30.00	PASS
		5785	2.95	≤30.00	PASS
		5825	2.97	≤30.00	PASS
11N40SISO	Ant1	5190	-6.94	≤11.00	PASS
		5230	1.90	≤11.00	PASS
		5270	1.72	≤11.00	PASS
		5310	-4.19	≤11.00	PASS
		5510	-3.49	≤11.00	PASS
		5550	1.33	≤11.00	PASS
		5670	1.46	≤11.00	PASS
		5710_UNII-2C	1.69	≤11.00	PASS
		5710_UNII-3	-1.96	≤30.00	PASS
		5755	-1.39	≤30.00	PASS
		5795	-1.12	≤30.00	PASS
11AX20SISO	Ant1	5180	1.55	≤11.00	PASS
		5220	4.81	≤11.00	PASS
		5240	5.47	≤11.00	PASS
		5260	5.62	≤11.00	PASS
		5300	5.50	≤11.00	PASS
		5320	5.31	≤11.00	PASS
		5500	4.89	≤11.00	PASS
		5580	4.72	≤11.00	PASS
		5700	2.54	≤11.00	PASS
		5720_UNII-2C	4.99	≤11.00	PASS
		5720_UNII-3	2.07	≤30.00	PASS
		5745	1.90	≤30.00	PASS
		5785	2.00	≤30.00	PASS
		5825	2.07	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs



























































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.168	50.76	-14.32	65.08	40.21	0.10	10.45	QP
2	0.168	32.16	-22.92	55.08	21.61	0.10	10.45	Average
3	0.200	48.74	-14.88	63.62	38.20	0.08	10.46	QP
4	0.200	32.74	-20.88	53.62	22.20	0.08	10.46	Average
5	0.238	47.15	-15.02	62.17	36.60	0.08	10.47	QP
6	0.238	34.75	-17.42	52.17	24.20	0.08	10.47	Average
7 *	0.538	45.08	-10.92	56.00	34.81	-0.12	10.39	QP
8	0.538	33.48	-12.52	46.00	23.21	-0.12	10.39	Average
9	0.555	43.77	-12.23	56.00	33.50	-0.12	10.39	QP
10	0.555	32.47	-13.53	46.00	22.20	-0.12	10.39	Average
11	2.779	40.25	-15.75	56.00	30.19	-0.17	10.23	QP
12	2.779	26.65	-19.35	46.00	16.59	-0.17	10.23	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.173	52.48	-12.33	64.81	41.91	0.12	10.45	QP
2	0.173	36.78	-18.03	54.81	26.21	0.12	10.45	Average
3	0.182	51.78	-12.59	64.37	41.19	0.13	10.46	QP
4	0.182	34.56	-19.81	54.37	23.97	0.13	10.46	Average
5	0.270	46.32	-14.80	61.12	35.91	-0.06	10.47	QP
6	0.270	31.62	-19.50	51.12	21.21	-0.06	10.47	Average
7	0.555	42.03	-13.97	56.00	31.79	-0.15	10.39	QP
8	0.555	32.43	-13.57	46.00	22.19	-0.15	10.39	Average
9	2.794	41.82	-14.18	56.00	31.80	-0.21	10.23	QP
10	2.794	28.22	-17.78	46.00	18.20	-0.21	10.23	Average
11	3.140	38.01	-17.99	56.00	28.00	-0.21	10.22	QP
12	3.140	25.91	-20.09	46.00	15.90	-0.21	10.22	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	41~43%
		Temperature :	20.2~21.5℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	SISO	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	SISO	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	SISO	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	SISO	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	SISO	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	SISO	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	SISO	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	SISO	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	SISO	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	SISO	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	SISO	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	SISO	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	SISO	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	SISO	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	SISO	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	SISO	802.11ax HE20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	SISO	802.11ax HE20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	SISO	802.11ax HE20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	SISO	802.11n HT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	SISO	802.11n HT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	SISO	802.11n HT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	SISO	802.11n HT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	SISO	802.11n HT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	SISO	802.11n HT40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	SISO	802.11n HT40	134	5670	MCS0	Full	-
Mode 26	U-NII-3	5.725-5.85	SISO	802.11a	149	5745	6Mbps	-	-
Mode 27	U-NII-3	5.725-5.85	SISO	802.11a	157	5785	6Mbps	-	-
Mode 28	U-NII-3	5.725-5.85	SISO	802.11a	165	5825	6Mbps	-	-
Mode 29	U-NII-3	5.725-5.85	SISO	802.11ax HE20	149	5745	MCS0	Full	-
Mode 30	U-NII-3	5.725-5.85	SISO	802.11ax HE20	157	5785	MCS0	Full	-
Mode 31	U-NII-3	5.725-5.85	SISO	802.11ax HE20	165	5825	MCS0	Full	-
Mode 32	U-NII-3	5.725-5.85	SISO	802.11n HT40	151	5755	MCS0	Full	-
Mode 33	U-NII-3	5.725-5.85	SISO	802.11n HT40	159	5795	MCS0	Full	-
Mode 34	U-NII-2C	5.47-5.85	SISO	802.11a	144	5720	6Mbps	-	-
Mode 35	U-NII-2C	5.47-5.85	SISO	802.11ax HE20	144	5720	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.85	SISO	802.11n HT40	142	5710	MCS0	Full	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	52.17	54.00	-1.83	H	AVERAGE	Pass	Band Edge
	802.11a	36	10360.00	59.18	68.20	-9.02	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	10440.00	59.34	68.20	-8.86	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
	802.11a	48	10480.00	58.36	68.20	-9.84	V	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
	802.11a	52	15780.00	44.18	54.00	-9.82	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
	802.11a	60	10600.00	46.75	54.00	-7.25	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.15	71.64	74.00	-2.36	H	PEAK	Pass	Band Edge
6	802.11a	64	15960.00	47.12	54.00	-6.88	H	AVERAGE	Pass	Harmonic
7	802.11a	100	5469.61	65.88	68.20	-2.32	H	PEAK	Pass	Band Edge
7	802.11a	100	16500.00	60.72	68.20	-7.48	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	60.10	68.20	-8.10	H	PEAK	Pass	Harmonic
9	802.11a	140	5730.24	66.32	68.20	-1.88	V	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	45.96	54.00	-8.04	H	AVERAGE	Pass	Harmonic
10	802.11ax HE20	36	5149.99	52.47	54.00	-1.53	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.00	58.75	68.20	-9.45	V	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	10440.00	59.97	68.20	-8.23	V	PEAK	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	15720.00	43.72	54.00	-10.28	V	AVERAGE	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	15780.00	43.63	54.00	-10.37	V	AVERAGE	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	46.13	54.00	-7.87	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.00	51.14	54.00	-2.86	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	15960.00	45.93	54.00	-8.07	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5469.93	66.48	68.20	-1.72	H	PEAK	Pass	Band Edge
16	802.11ax HE20	100	16500.00	59.25	68.20	-8.95	H	PEAK	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
17	802.11ax HE20	116	16740.00	59.83	68.20	-8.37	V	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5725.28	66.77	68.20	-1.43	H	PEAK	Pass	Band Edge
18	802.11ax HE20	140	7600.00	48.56	54.00	-5.44	H	AVERAGE	Pass	Harmonic
19	802.11n HT40	38	5149.97	52.39	54.00	-1.61	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	10380.00	54.95	68.20	-13.25	V	PEAK	Pass	Harmonic
20	802.11n HT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11n HT40	46	10460.00	53.63	68.20	-14.57	V	PEAK	Pass	Harmonic
21	802.11n HT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11n HT40	54	10540.00	53.46	68.20	-14.74	V	PEAK	Pass	Harmonic
22	802.11n HT40	62	5350.00	51.95	54.00	-2.05	H	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	10620.00	41.11	54.00	-12.89	V	AVERAGE	Pass	Harmonic
23	802.11n HT40	102	5466.73	65.87	68.20	-2.33	H	PEAK	Pass	Band Edge
23	802.11n HT40	102	11020.00	46.29	74.00	-27.71	H	PEAK	Pass	Harmonic
24	802.11n HT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11n HT40	110	11100.00	46.39	74.00	-27.61	H	PEAK	Pass	Harmonic
25	802.11n HT40	134	5727.44	67.06	68.20	-1.14	H	PEAK	Pass	Band Edge
25	802.11n HT40	134	7559.98	46.84	54.00	-7.16	H	AVERAGE	Pass	Harmonic
26	802.11a	149	5617.20	56.93	68.20	-11.27	V	PEAK	Pass	Band Edge
26	802.11a	149	11490.00	47.20	54.00	-6.80	H	AVERAGE	Pass	Harmonic
27	802.11a	157	-	-	-	-	-	-	-	Band Edge
27	802.11a	157	11570.00	45.66	54.00	-8.34	H	AVERAGE	Pass	Harmonic
28	802.11a	165	5972.40	57.74	68.20	-10.46	H	PEAK	Pass	Band Edge
28	802.11a	165	11650.00	45.14	54.00	-8.86	H	AVERAGE	Pass	Harmonic
29	802.11ax HE20	149	5607.01	56.50	68.20	-11.70	H	PEAK	Pass	Band Edge
29	802.11ax HE20	149	11490.00	46.59	54.00	-7.41	H	AVERAGE	Pass	Harmonic
30	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	157	7713.31	47.03	54.00	-6.97	H	AVERAGE	Pass	Harmonic
31	802.11ax HE20	165	5998.61	58.03	68.20	-10.17	H	PEAK	Pass	Band Edge
31	802.11ax HE20	165	11650.00	43.79	54.00	-10.21	H	AVERAGE	Pass	Harmonic
32	802.11n HT40	151	5649.99	58.82	68.20	-9.38	H	PEAK	Pass	Band Edge
32	802.11n HT40	151	7673.31	46.34	54.00	-7.66	H	AVERAGE	Pass	Harmonic
33	802.11n HT40	159	5994.61	57.54	68.20	-10.66	H	PEAK	Pass	Band Edge







FCC RADIO TEST REPORT





Report No. : FR512010D

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
33	802.11n HT40	159	7726.65	44.66	54.00	-9.34	H	AVERAGE	Pass	Harmonic
34	802.11a	144	-	-	-	-	-	-	-	Band Edge
34	802.11a	144	7626.65	48.48	54.00	-5.52	H	AVERAGE	Pass	Harmonic
35	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	144	7626.65	48.21	54.00	-5.79	H	AVERAGE	Pass	Harmonic
36	802.11n HT40	142	-	-	-	-	-	-	-	Band Edge
36	802.11n HT40	142	7613.31	45.80	54.00	-8.20	H	AVERAGE	Pass	Harmonic





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	SISO																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.15</td><td>67.16</td><td>74.00</td><td>-6.84</td><td>50.90</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.15	67.16	74.00	-6.84	50.90	34.10	12.03	29.87	0.00	100	272	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.56</td><td>-----</td><td>-----</td><td>90.16</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.56	-----	-----	90.16	34.22	12.06	29.88	0.00	100	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.15	67.16	74.00	-6.84	50.90	34.10	12.03	29.87	0.00	100	272	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	106.56	-----	-----	90.16	34.22	12.06	29.88	0.00	100	272	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>52.17</td><td>54.00</td><td>-1.83</td><td>35.91</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	52.17	54.00	-1.83	35.91	34.10	12.03	29.87	0.00	100	272	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.77</td><td>-----</td><td>-----</td><td>82.41</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.77	-----	-----	82.41	34.19	12.05	29.88	0.00	100	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	52.17	54.00	-1.83	35.91	34.10	12.03	29.87	0.00	100	272	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	98.77	-----	-----	82.41	34.19	12.05	29.88	0.00	100	272	AVERAGE																																																																																																			





		1																																																				
Mode		Band Edge																																																				
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																				
ANT		SISO																																																				
Pol.		Vertical																																																				
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.15</td><td>61.66</td><td>74.00</td><td>-12.34</td><td>45.39</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>371</td><td>86</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.15	61.66	74.00	-12.34	45.39	34.11	12.03	29.87	0.00	371	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5147.15	61.66	74.00	-12.34	45.39	34.11	12.03	29.87	0.00	371	86	PEAK																																										
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.97</td><td>-----</td><td>-----</td><td>87.61</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>371</td><td>86</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.97	-----	-----	87.61	34.19	12.05	29.88	0.00	371	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	103.97	-----	-----	87.61	34.19	12.05	29.88	0.00	371	86	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>49.43</td><td>54.00</td><td>-4.57</td><td>33.17</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>371</td><td>86</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	49.43	54.00	-4.57	33.17	34.10	12.03	29.87	0.00	371	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.99	49.43	54.00	-4.57	33.17	34.10	12.03	29.87	0.00	371	86	AVERAGE																																										
AVERAGE																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.67</td><td>-----</td><td>-----</td><td>79.31</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>371</td><td>86</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.67	-----	-----	79.31	34.19	12.05	29.88	0.00	371	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	95.67	-----	-----	79.31	34.19	12.05	29.88	0.00	371	86	AVERAGE																																										





Mode	1																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																							
ANT	SISO																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>49.26</td><td>68.20</td><td>-18.94</td><td>60.80</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>51.16</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10360.00	49.26	68.20	-18.94	60.80	37.46	17.54	66.54	0.00	--	--	PEAK	2	15540.00	46.11	74.00	-27.89	51.16	40.04	21.65	66.74	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>59.18</td><td>68.20</td><td>-9.02</td><td>70.72</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>105</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>52.19</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>105</td><td>64</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>36.96</td><td>54.00</td><td>-17.04</td><td>42.01</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>105</td><td>64</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10360.00	59.18	68.20	-9.02	70.72	37.46	17.54	66.54	0.00	105	64	PEAK	2	15540.00	47.14	74.00	-26.86	52.19	40.04	21.65	66.74	0.00	105	64	PEAK	3	15540.00	36.96	54.00	-17.04	42.01	40.04	21.65	66.74	0.00	105	64
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	10360.00	49.26	68.20	-18.94	60.80	37.46	17.54	66.54	0.00	--	--	PEAK																																																																																																																																												
2	15540.00	46.11	74.00	-27.89	51.16	40.04	21.65	66.74	0.00	--	--	PEAK																																																																																																																																												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	10360.00	59.18	68.20	-9.02	70.72	37.46	17.54	66.54	0.00	105	64	PEAK																																																																																																																																												
2	15540.00	47.14	74.00	-26.86	52.19	40.04	21.65	66.74	0.00	105	64	PEAK																																																																																																																																												
3	15540.00	36.96	54.00	-17.04	42.01	40.04	21.65	66.74	0.00	105	64	AVERAGE																																																																																																																																												





Mode	2																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>55.35</td><td>68.20</td><td>-12.85</td><td>66.75</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>51.54</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>37.35</td><td>54.00</td><td>-16.65</td><td>41.82</td><td>40.17</td><td>21.75</td><td>66.39</td><td>0.00</td><td>100</td><td>341</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	55.35	68.20	-12.85	66.75	37.54	17.61	66.55	0.00	100	341	PEAK	2	15660.00	47.03	74.00	-26.97	51.54	40.16	21.74	66.41	0.00	100	341	PEAK	3	15660.00	37.35	54.00	-16.65	41.82	40.17	21.75	66.39	0.00	100	341	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>59.34</td><td>68.20</td><td>-8.86</td><td>70.74</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>50.78</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	59.34	68.20	-8.86	70.74	37.54	17.61	66.55	0.00	100	59	PEAK	2	15660.00	46.27	74.00	-27.73	50.78	40.16	21.74	66.41	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	10440.00	55.35	68.20	-12.85	66.75	37.54	17.61	66.55	0.00	100	341	PEAK																																																																																																																															
2	15660.00	47.03	74.00	-26.97	51.54	40.16	21.74	66.41	0.00	100	341	PEAK																																																																																																																															
3	15660.00	37.35	54.00	-16.65	41.82	40.17	21.75	66.39	0.00	100	341	AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	10440.00	59.34	68.20	-8.86	70.74	37.54	17.61	66.55	0.00	100	59	PEAK																																																																																																																															
2	15660.00	46.27	74.00	-27.73	50.78	40.16	21.74	66.41	0.00	--	--	PEAK																																																																																																																															



Mode	3																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																																								
ANT	SISO																																																																																																																																																																								
Pol.	Horizontal										Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>56.09</td><td>68.20</td><td>-12.11</td><td>67.42</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>56.86</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>18</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>46.65</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>18</td><td>AVERAGE</td></tr></table>												Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10480.00	56.09	68.20	-12.11	67.42	37.58	17.65	66.56	0.00	100	342	PEAK	2	15720.00	52.67	74.00	-21.33	56.86	40.26	21.79	66.24	0.00	100	18	PEAK	3	15720.00	42.46	54.00	-11.54	46.65	40.26	21.79	66.24	0.00	100	18	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>58.36</td><td>68.20</td><td>-9.84</td><td>69.69</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>100</td><td>57</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>57.39</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>47.52</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>248</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10480.00	58.36	68.20	-9.84	69.69	37.58	17.65	66.56	0.00	100	57	PEAK	2	15720.00	53.20	74.00	-20.80	57.39	40.26	21.79	66.24	0.00	100	248	PEAK	3	15720.00	43.33	54.00	-10.67	47.52	40.26	21.79	66.24	0.00	100	248
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1	10480.00	56.09	68.20	-12.11	67.42	37.58	17.65	66.56	0.00	100	342	PEAK																																																																																																																																																													
2	15720.00	52.67	74.00	-21.33	56.86	40.26	21.79	66.24	0.00	100	18	PEAK																																																																																																																																																													
3	15720.00	42.46	54.00	-11.54	46.65	40.26	21.79	66.24	0.00	100	18	AVERAGE																																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1	10480.00	58.36	68.20	-9.84	69.69	37.58	17.65	66.56	0.00	100	57	PEAK																																																																																																																																																													
2	15720.00	53.20	74.00	-20.80	57.39	40.26	21.79	66.24	0.00	100	248	PEAK																																																																																																																																																													
3	15720.00	43.33	54.00	-10.67	47.52	40.26	21.79	66.24	0.00	100	248	AVERAGE																																																																																																																																																													







Mode	4																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																																																																																										
ANT	SISO																																																																																																																																																																																																																										
Pol.	Horizontal								Vertical																																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3" rowspan="4"></th></tr><tr><td>1</td><td>10520.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>67.23</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td><td colspan="4"></td></tr><tr><td>2</td><td>15780.00</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>50.94</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td><td colspan="4"></td></tr><tr><td>3</td><td>15780.00</td><td>37.82</td><td>54.00</td><td>-16.18</td><td>41.59</td><td>40.45</td><td>21.85</td><td>66.07</td><td>0.00</td><td>100</td><td>346</td><td>AVERAGE</td><td colspan="4"></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	10520.00	55.98	68.20	-12.22	67.23	37.60	17.69	66.54	0.00	100	346	PEAK					2	15780.00	47.14	74.00	-26.86	50.94	40.44	21.84	66.08	0.00	100	346	PEAK					3	15780.00	37.82	54.00	-16.18	41.59	40.45	21.85	66.07	0.00	100	346	AVERAGE					<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3" rowspan="4"></th></tr><tr><td>1</td><td>10520.00</td><td>58.26</td><td>68.20</td><td>-9.94</td><td>69.51</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>101</td><td>60</td><td>PEAK</td><td colspan="4"></td></tr><tr><td>2</td><td>15780.00</td><td>53.39</td><td>74.00</td><td>-20.61</td><td>57.19</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td><td colspan="4"></td></tr><tr><td>3</td><td>15780.00</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>47.96</td><td>40.45</td><td>21.84</td><td>66.07</td><td>0.00</td><td>100</td><td>246</td><td>AVERAGE</td><td colspan="4"></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	10520.00	58.26	68.20	-9.94	69.51	37.60	17.69	66.54	0.00	101	60	PEAK					2	15780.00	53.39	74.00	-20.61	57.19	40.44	21.84	66.08	0.00	100	246	PEAK					3	15780.00	44.18	54.00	-9.82	47.96	40.45	21.84	66.07	0.00	100	246	AVERAGE			
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																														
1	10520.00	55.98	68.20	-12.22	67.23	37.60	17.69	66.54	0.00	100	346	PEAK																																																																																																																																																																																																															
2	15780.00	47.14	74.00	-26.86	50.94	40.44	21.84	66.08	0.00	100	346	PEAK																																																																																																																																																																																																															
3	15780.00	37.82	54.00	-16.18	41.59	40.45	21.85	66.07	0.00	100	346	AVERAGE																																																																																																																																																																																																															
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																														
1	10520.00	58.26	68.20	-9.94	69.51	37.60	17.69	66.54	0.00	101	60	PEAK																																																																																																																																																																																																															
2	15780.00	53.39	74.00	-20.61	57.19	40.44	21.84	66.08	0.00	100	246	PEAK																																																																																																																																																																																																															
3	15780.00	44.18	54.00	-9.82	47.96	40.45	21.84	66.07	0.00	100	246	AVERAGE																																																																																																																																																																																																															







Mode	5																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																								
ANT	SISO																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																		
Peak Avg																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>64.56</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>44.41</td><td>54.00</td><td>-9.59</td><td>55.49</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr><tr><td>3 15900.00</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>58.23</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>100</td><td>16</td><td>PEAK</td></tr><tr><td>4 15900.00</td><td>45.25</td><td>54.00</td><td>-8.75</td><td>48.65</td><td>40.40</td><td>21.94</td><td>65.74</td><td>0.00</td><td>100</td><td>16</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	53.48	74.00	-20.52	64.56	37.60	17.77	66.45	0.00	100	342	PEAK	2 10600.00	44.41	54.00	-9.59	55.49	37.60	17.77	66.45	0.00	100	342	AVERAGE	3 15900.00	54.82	74.00	-19.18	58.23	40.40	21.94	65.75	0.00	100	16	PEAK	4 15900.00	45.25	54.00	-8.75	48.65	40.40	21.94	65.74	0.00	100	16	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>67.47</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>102</td><td>59</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>57.83</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>102</td><td>59</td><td>AVERAGE</td></tr><tr><td>3 15900.00</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>59.45</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>4 15900.00</td><td>46.34</td><td>54.00</td><td>-7.66</td><td>49.74</td><td>40.40</td><td>21.94</td><td>65.74</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	56.39	74.00	-17.61	67.47	37.60	17.77	66.45	0.00	102	59	PEAK	2 10600.00	46.75	54.00	-7.25	57.83	37.60	17.77	66.45	0.00	102	59	AVERAGE	3 15900.00	56.04	74.00	-17.96	59.45	40.40	21.94	65.75	0.00	100	244	PEAK	4 15900.00	46.34	54.00	-7.66	49.74	40.40	21.94	65.74	0.00	100	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1 10600.00	53.48	74.00	-20.52	64.56	37.60	17.77	66.45	0.00	100	342	PEAK																																																																																																																																																														
2 10600.00	44.41	54.00	-9.59	55.49	37.60	17.77	66.45	0.00	100	342	AVERAGE																																																																																																																																																														
3 15900.00	54.82	74.00	-19.18	58.23	40.40	21.94	65.75	0.00	100	16	PEAK																																																																																																																																																														
4 15900.00	45.25	54.00	-8.75	48.65	40.40	21.94	65.74	0.00	100	16	AVERAGE																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1 10600.00	56.39	74.00	-17.61	67.47	37.60	17.77	66.45	0.00	102	59	PEAK																																																																																																																																																														
2 10600.00	46.75	54.00	-7.25	57.83	37.60	17.77	66.45	0.00	102	59	AVERAGE																																																																																																																																																														
3 15900.00	56.04	74.00	-17.96	59.45	40.40	21.94	65.75	0.00	100	244	PEAK																																																																																																																																																														
4 15900.00	46.34	54.00	-7.66	49.74	40.40	21.94	65.74	0.00	100	244	AVERAGE																																																																																																																																																														





Mode	6																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	SISO																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.15</td><td>71.64</td><td>74.00</td><td>-2.36</td><td>54.87</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.15	71.64	74.00	-2.36	54.87	34.40	12.21	29.84	0.00	100	281
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.15	71.64	74.00	-2.36	54.87	34.40	12.21	29.84	0.00	100	281	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.99</td><td>-----</td><td>-----</td><td>92.32</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.99	-----	-----	92.32	34.40	12.17	29.90	0.00	100	281
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	108.99	-----	-----	92.32	34.40	12.17	29.90	0.00	100	281	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>32.96</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>100</td><td>281</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	49.72	54.00	-4.28	32.96	34.40	12.20	29.84	0.00	100	281
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	49.72	54.00	-4.28	32.96	34.40	12.20	29.84	0.00	100	281	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.14</td><td>-----</td><td>-----</td><td>83.47</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>281</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.14	-----	-----	83.47	34.40	12.17	29.90	0.00	100	281
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	100.14	-----	-----	83.47	34.40	12.17	29.90	0.00	100	281	AVERAGE																																											







Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																			
ANT	SISO																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.15</td><td>65.63</td><td>74.00</td><td>-8.37</td><td>48.85</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>352</td><td>85</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.15	65.63	74.00	-8.37	48.85	34.41	12.21	29.84	0.00	352	85	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.60</td><td>-----</td><td>-----</td><td>89.91</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>352</td><td>85</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.60	-----	-----	89.91	34.40	12.18	29.89	0.00	352	85	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5352.15	65.63	74.00	-8.37	48.85	34.41	12.21	29.84	0.00	352	85	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	106.60	-----	-----	89.91	34.40	12.18	29.89	0.00	352	85	PEAK																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>47.51</td><td>54.00</td><td>-6.49</td><td>30.75</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>352</td><td>85</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	47.51	54.00	-6.49	30.75	34.40	12.20	29.84	0.00	352	85	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.75</td><td>-----</td><td>-----</td><td>81.00</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>352</td><td>85</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.75	-----	-----	81.00	34.40	12.17	29.90	0.00	352	85	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.00	47.51	54.00	-6.49	30.75	34.40	12.20	29.84	0.00	352	85	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	97.75	-----	-----	81.00	34.40	12.17	29.90	0.00	352	85	AVERAGE																																																																																								







Mode	6																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																				
ANT	SISO																																																																																																																																																				
Pol.	Horizontal					Vertical																																																																																																																																															
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>53.96</td><td>74.00</td><td>-20.04</td><td>64.92</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>104 344 PEAK</td></tr><tr><td>2 10640.00</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>55.59</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>104 344 AVERAGE</td></tr><tr><td>3 15960.00</td><td>58.05</td><td>74.00</td><td>-15.95</td><td>61.12</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>102 16 PEAK</td></tr><tr><td>4 15960.00</td><td>47.12</td><td>54.00</td><td>-6.88</td><td>50.19</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>102 16 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	53.96	74.00	-20.04	64.92	37.64	17.80	66.40	0.00	104 344 PEAK	2 10640.00	44.63	54.00	-9.37	55.59	37.64	17.80	66.40	0.00	104 344 AVERAGE	3 15960.00	58.05	74.00	-15.95	61.12	40.52	21.99	65.58	0.00	102 16 PEAK	4 15960.00	47.12	54.00	-6.88	50.19	40.52	21.99	65.58	0.00	102 16 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>55.91</td><td>74.00</td><td>-18.09</td><td>66.87</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100 58 PEAK</td></tr><tr><td>2 10640.00</td><td>46.12</td><td>54.00</td><td>-7.88</td><td>57.08</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100 58 AVERAGE</td></tr><tr><td>3 15960.00</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>59.29</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100 241 PEAK</td></tr><tr><td>4 15960.00</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>49.70</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100 241 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	55.91	74.00	-18.09	66.87	37.64	17.80	66.40	0.00	100 58 PEAK	2 10640.00	46.12	54.00	-7.88	57.08	37.64	17.80	66.40	0.00	100 58 AVERAGE	3 15960.00	56.22	74.00	-17.78	59.29	40.52	21.99	65.58	0.00	100 241 PEAK	4 15960.00	46.63	54.00	-7.37	49.70	40.52	21.99	65.58	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1 10640.00	53.96	74.00	-20.04	64.92	37.64	17.80	66.40	0.00	104 344 PEAK																																																																																																																																												
2 10640.00	44.63	54.00	-9.37	55.59	37.64	17.80	66.40	0.00	104 344 AVERAGE																																																																																																																																												
3 15960.00	58.05	74.00	-15.95	61.12	40.52	21.99	65.58	0.00	102 16 PEAK																																																																																																																																												
4 15960.00	47.12	54.00	-6.88	50.19	40.52	21.99	65.58	0.00	102 16 AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1 10640.00	55.91	74.00	-18.09	66.87	37.64	17.80	66.40	0.00	100 58 PEAK																																																																																																																																												
2 10640.00	46.12	54.00	-7.88	57.08	37.64	17.80	66.40	0.00	100 58 AVERAGE																																																																																																																																												
3 15960.00	56.22	74.00	-17.78	59.29	40.52	21.99	65.58	0.00	100 241 PEAK																																																																																																																																												
4 15960.00	46.63	54.00	-7.37	49.70	40.52	21.99	65.58	0.00	100 241 AVERAGE																																																																																																																																												





		7																																																						
Mode		Band Edge																																																						
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																						
ANT		SISO																																																						
Pol.		Horizontal					Fundamental																																																	
Peak																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.37	62.32	74.00	-11.68	45.28	34.59	12.32	29.87	0.00	102	234	PEAK	2	5469.61	65.88	68.20	-2.32	48.87	34.56	12.34	29.89	0.00	102	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5455.37	62.32	74.00	-11.68	45.28	34.59	12.32	29.87	0.00	102	234	PEAK																																												
2	5469.61	65.88	68.20	-2.32	48.87	34.56	12.34	29.89	0.00	102	234	PEAK																																												
Avg																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	48.77	54.00	-5.23	31.74	34.58	12.33	29.88	0.00	102	234	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5459.50	48.77	54.00	-5.23	31.74	34.58	12.33	29.88	0.00	102	234	AVERAGE																																												
Peak																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.45	-----	-----	92.50	34.51	12.38	29.94	0.00	102	234	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5500.00	109.45	-----	-----	92.50	34.51	12.38	29.94	0.00	102	234	PEAK																																												
Avg																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.09	-----	-----	84.13	34.52	12.37	29.93	0.00	102	234	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5500.00	101.09	-----	-----	84.13	34.52	12.37	29.93	0.00	102	234	AVERAGE																																												





Mode	7																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																											
ANT	SISO																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.53</td><td>58.06</td><td>74.00</td><td>-15.94</td><td>41.03</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>383</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>5466.57</td><td>64.39</td><td>68.20</td><td>-3.81</td><td>47.37</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>383</td><td>104</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.53	58.06	74.00	-15.94	41.03	34.58	12.33	29.88	0.00	383	104	PEAK	2	5466.57	64.39	68.20	-3.81	47.37	34.57	12.34	29.89	0.00	383	104	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.53</td><td>-----</td><td>-----</td><td>91.57</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>383</td><td>104</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.53	-----	-----	91.57	34.52	12.37	29.93	0.00	383	104
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.53	58.06	74.00	-15.94	41.03	34.58	12.33	29.88	0.00	383	104	PEAK																																																																																																																
2	5466.57	64.39	68.20	-3.81	47.37	34.57	12.34	29.89	0.00	383	104	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	108.53	-----	-----	91.57	34.52	12.37	29.93	0.00	383	104	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.52</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>38.04</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>383</td><td>104</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.52	47.07	54.00	-6.93	38.04	34.58	12.33	29.88	0.00	383	104	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.02</td><td>-----</td><td>-----</td><td>82.06</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>383</td><td>104</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.02	-----	-----	82.06	34.52	12.37	29.93	0.00	383	104	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.52	47.07	54.00	-6.93	38.04	34.58	12.33	29.88	0.00	383	104	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	99.02	-----	-----	82.06	34.52	12.37	29.93	0.00	383	104	AVERAGE																																																																																																																






Mode	7																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>49.92</td><td>74.00</td><td>-24.08</td><td>59.96</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>100</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>40.80</td><td>54.00</td><td>-13.20</td><td>50.84</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>100</td><td>353</td><td>AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>60.72</td><td>68.20</td><td>-7.48</td><td>62.30</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>100</td><td>20</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	49.92	74.00	-24.08	59.96	37.80	18.15	65.99	0.00	100	353	PEAK	2	11000.00	40.80	54.00	-13.20	50.84	37.80	18.15	65.99	0.00	100	353	AVERAGE	3	16500.00	60.72	68.20	-7.48	62.30	41.60	22.34	65.52	0.00	100	20	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	11000.00	49.92	74.00	-24.08	59.96	37.80	18.15	65.99	0.00	100	353	PEAK																																																																						
2	11000.00	40.80	54.00	-13.20	50.84	37.80	18.15	65.99	0.00	100	353	AVERAGE																																																																						
3	16500.00	60.72	68.20	-7.48	62.30	41.60	22.34	65.52	0.00	100	20	PEAK																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>55.96</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>58.62</td><td>68.20</td><td>-9.58</td><td>60.22</td><td>41.59</td><td>22.33</td><td>65.52</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	45.92	74.00	-28.08	55.96	37.80	18.15	65.99	0.00	--	--	PEAK	2	16500.00	58.62	68.20	-9.58	60.22	41.59	22.33	65.52	0.00	100	252	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	11000.00	45.92	74.00	-28.08	55.96	37.80	18.15	65.99	0.00	--	--	PEAK																																																																						
2	16500.00	58.62	68.20	-9.58	60.22	41.59	22.33	65.52	0.00	100	252	PEAK																																																																						






Mode	8																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																																						
ANT	SISO																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>63.91</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>100</td><td>350</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>54.21</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>100</td><td>350</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>60.10</td><td>68.20</td><td>-8.10</td><td>61.08</td><td>41.95</td><td>22.49</td><td>65.42</td><td>0.00</td><td>100</td><td>17</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>62.25</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>305</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>52.30</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>305</td><td>146</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>60.02</td><td>68.20</td><td>-8.18</td><td>61.01</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>100</td><td>309</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	54.79	74.00	-19.21	63.91	37.96	18.29	65.37	0.00	100	350	PEAK	2	11160.00	45.09	54.00	-8.91	54.21	37.96	18.29	65.37	0.00	100	350	AVERAGE	3	16740.00	60.10	68.20	-8.10	61.08	41.95	22.49	65.42	0.00	100	17	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	53.13	74.00	-20.87	62.25	37.96	18.29	65.37	0.00	305	146	PEAK	2	11160.00	43.18	54.00	-10.82	52.30	37.96	18.29	65.37	0.00	305	146	AVERAGE	3	16740.00	60.02	68.20	-8.18	61.01	41.94	22.49	65.42	0.00	100	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11160.00	54.79	74.00	-19.21	63.91	37.96	18.29	65.37	0.00	100	350	PEAK																																																																																																																																											
2	11160.00	45.09	54.00	-8.91	54.21	37.96	18.29	65.37	0.00	100	350	AVERAGE																																																																																																																																											
3	16740.00	60.10	68.20	-8.10	61.08	41.95	22.49	65.42	0.00	100	17	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11160.00	53.13	74.00	-20.87	62.25	37.96	18.29	65.37	0.00	305	146	PEAK																																																																																																																																											
2	11160.00	43.18	54.00	-10.82	52.30	37.96	18.29	65.37	0.00	305	146	AVERAGE																																																																																																																																											
3	16740.00	60.02	68.20	-8.18	61.01	41.94	22.49	65.42	0.00	100	309	PEAK																																																																																																																																											







Mode	9																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																															
ANT	SISO																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5726.08</td><td>66.14</td><td>68.20</td><td>-2.06</td><td>48.74</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>105</td><td>348 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5726.08	66.14	68.20	-2.06	48.74	34.65	12.68	29.93	0.00	105	348 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>109.23</td><td>-----</td><td>-----</td><td>91.97</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>105</td><td>348 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	109.23	-----	-----	91.97	34.60	12.63	29.97	0.00	105	348 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5726.08	66.14	68.20	-2.06	48.74	34.65	12.68	29.93	0.00	105	348 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5700.00	109.23	-----	-----	91.97	34.60	12.63	29.97	0.00	105	348 PEAK																																																																																						
Avg	Blank																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>100.40</td><td>-----</td><td>-----</td><td>83.15</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>105</td><td>348 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	100.40	-----	-----	83.15	34.60	12.64	29.99	0.00	105	348 AVERAGE																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5700.00	100.40	-----	-----	83.15	34.60	12.64	29.99	0.00	105	348 AVERAGE																																																																																						







Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	SISO																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5730.24</td><td>66.32</td><td>68.20</td><td>-1.88</td><td>48.90</td><td>34.66</td><td>12.68</td><td>29.92</td><td>0.00</td><td>375</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.24	66.32	68.20	-1.88	48.90	34.66	12.68	29.92	0.00	375	116	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.75</td><td>-----</td><td>-----</td><td>90.50</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>375</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.75	-----	-----	90.50	34.60	12.65	30.00	0.00	375	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5730.24	66.32	68.20	-1.88	48.90	34.66	12.68	29.92	0.00	375	116	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	107.75	-----	-----	90.50	34.60	12.65	30.00	0.00	375	116	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.51</td><td>-----</td><td>-----</td><td>81.26</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>375</td><td>116</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.51	-----	-----	81.26	34.60	12.65	30.00	0.00	375	116	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	98.51	-----	-----	81.26	34.60	12.65	30.00	0.00	375	116	AVERAGE																																																																																							







Mode	9																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																					
ANT	SISO																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7600.00</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>64.74</td><td>35.70</td><td>14.76</td><td>66.68</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 7600.00</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>60.29</td><td>35.70</td><td>14.76</td><td>66.68</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 11400.00</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>63.46</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>107</td><td>271</td><td>PEAK</td></tr><tr><td>4 11400.00</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>53.90</td><td>38.00</td><td>18.50</td><td>64.44</td><td>0.00</td><td>107</td><td>271</td><td>AVERAGE</td></tr><tr><td>5 17100.00</td><td>53.54</td><td>68.20</td><td>-14.66</td><td>54.68</td><td>41.41</td><td>22.73</td><td>65.28</td><td>0.00</td><td>100</td><td>19</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7600.00	48.52	74.00	-25.48	64.74	35.70	14.76	66.68	0.00	100	360	PEAK	2 7600.00	44.07	54.00	-9.93	60.29	35.70	14.76	66.68	0.00	100	360	AVERAGE	3 11400.00	55.51	74.00	-18.49	63.46	38.00	18.50	64.45	0.00	107	271	PEAK	4 11400.00	45.96	54.00	-8.04	53.90	38.00	18.50	64.44	0.00	107	271	AVERAGE	5 17100.00	53.54	68.20	-14.66	54.68	41.41	22.73	65.28	0.00	100	19
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 7600.00	48.52	74.00	-25.48	64.74	35.70	14.76	66.68	0.00	100	360	PEAK																																																																																											
2 7600.00	44.07	54.00	-9.93	60.29	35.70	14.76	66.68	0.00	100	360	AVERAGE																																																																																											
3 11400.00	55.51	74.00	-18.49	63.46	38.00	18.50	64.45	0.00	107	271	PEAK																																																																																											
4 11400.00	45.96	54.00	-8.04	53.90	38.00	18.50	64.44	0.00	107	271	AVERAGE																																																																																											
5 17100.00	53.54	68.20	-14.66	54.68	41.41	22.73	65.28	0.00	100	19	PEAK																																																																																											
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7600.00</td><td>43.20</td><td>74.00</td><td>-30.80</td><td>59.42</td><td>35.70</td><td>14.76</td><td>66.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11400.00</td><td>54.88</td><td>74.00</td><td>-19.12</td><td>62.83</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>316</td><td>145</td><td>PEAK</td></tr><tr><td>3 11400.00</td><td>44.87</td><td>54.00</td><td>-9.13</td><td>52.82</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>316</td><td>145</td><td>AVERAGE</td></tr><tr><td>4 17100.00</td><td>54.52</td><td>68.20</td><td>-13.68</td><td>55.66</td><td>41.41</td><td>22.73</td><td>65.28</td><td>0.00</td><td>101</td><td>320</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7600.00	43.20	74.00	-30.80	59.42	35.70	14.76	66.68	0.00	--	--	PEAK	2 11400.00	54.88	74.00	-19.12	62.83	38.00	18.50	64.45	0.00	316	145	PEAK	3 11400.00	44.87	54.00	-9.13	52.82	38.00	18.50	64.45	0.00	316	145	AVERAGE	4 17100.00	54.52	68.20	-13.68	55.66	41.41	22.73	65.28	0.00	101	320	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 7600.00	43.20	74.00	-30.80	59.42	35.70	14.76	66.68	0.00	--	--	PEAK																																																																																											
2 11400.00	54.88	74.00	-19.12	62.83	38.00	18.50	64.45	0.00	316	145	PEAK																																																																																											
3 11400.00	44.87	54.00	-9.13	52.82	38.00	18.50	64.45	0.00	316	145	AVERAGE																																																																																											
4 17100.00	54.52	68.20	-13.68	55.66	41.41	22.73	65.28	0.00	101	320	PEAK																																																																																											





Mode	10																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																														
ANT	SISO																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.85</td><td>65.96</td><td>74.00</td><td>-8.04</td><td>49.69</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.85	65.96	74.00	-8.04	49.69	34.11	12.03	29.87	0.00	100	272	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.87</td><td>-----</td><td>-----</td><td>91.51</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.87	-----	-----	91.51	34.19	12.05	29.88	0.00	100	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.85	65.96	74.00	-8.04	49.69	34.11	12.03	29.87	0.00	100	272	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	107.87	-----	-----	91.51	34.19	12.05	29.88	0.00	100	272	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>52.47</td><td>54.00</td><td>-1.53</td><td>36.21</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	52.47	54.00	-1.53	36.21	34.10	12.03	29.87	0.00	100	272	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.75</td><td>-----</td><td>-----</td><td>81.39</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.75	-----	-----	81.39	34.19	12.05	29.88	0.00	100	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.99	52.47	54.00	-1.53	36.21	34.10	12.03	29.87	0.00	100	272	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	97.75	-----	-----	81.39	34.19	12.05	29.88	0.00	100	272	AVERAGE																																																																																																			





Mode	10																																																							
	Band Edge																																																							
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																							
ANT	SISO																																																							
Pol.	Vertical						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.45</td><td>60.84</td><td>74.00</td><td>-13.16</td><td>44.57</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>389</td><td>105</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.45	60.84	74.00	-13.16	44.57	34.11	12.03	29.87	0.00	389	105	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5147.45	60.84	74.00	-13.16	44.57	34.11	12.03	29.87	0.00	389	105	PEAK																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.97</td><td>-----</td><td>-----</td><td>89.61</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>389</td><td>105</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.97	-----	-----	89.61	34.19	12.05	29.88	0.00	389	105	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	105.97	-----	-----	89.61	34.19	12.05	29.88	0.00	389	105	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>49.23</td><td>54.00</td><td>-4.77</td><td>32.97</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>389</td><td>105</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	49.23	54.00	-4.77	32.97	34.10	12.03	29.87	0.00	389	105	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5149.99	49.23	54.00	-4.77	32.97	34.10	12.03	29.87	0.00	389	105	AVERAGE																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.17</td><td>-----</td><td>-----</td><td>80.75</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>389</td><td>105</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.17	-----	-----	80.75	34.24	12.06	29.88	0.00	389	105	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	97.17	-----	-----	80.75	34.24	12.06	29.88	0.00	389	105	AVERAGE																																												





Mode	10																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																																													
ANT	SISO																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>55.91</td><td>68.20</td><td>-12.29</td><td>67.45</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>115</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>51.25</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	55.91	68.20	-12.29	67.45	37.46	17.54	66.54	0.00	115	343	PEAK	2	15540.00	46.20	74.00	-27.80	51.25	40.04	21.65	66.74	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>58.75</td><td>68.20</td><td>-9.45</td><td>70.29</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>100</td><td>61</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>51.95</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	58.75	68.20	-9.45	70.29	37.46	17.54	66.54	0.00	100	61	PEAK	2	15540.00	46.90	74.00	-27.10	51.95	40.04	21.65	66.74	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10360.00	55.91	68.20	-12.29	67.45	37.46	17.54	66.54	0.00	115	343	PEAK																																																																																																																		
2	15540.00	46.20	74.00	-27.80	51.25	40.04	21.65	66.74	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10360.00	58.75	68.20	-9.45	70.29	37.46	17.54	66.54	0.00	100	61	PEAK																																																																																																																		
2	15540.00	46.90	74.00	-27.10	51.95	40.04	21.65	66.74	0.00	--	--	PEAK																																																																																																																		





Mode	11																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																																																																													
ANT	SISO																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>56.10</td><td>68.20</td><td>-12.10</td><td>67.50</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>51.46</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	56.10	68.20	-12.10	67.50	37.54	17.61	66.55	0.00	100	342	PEAK	2	15660.00	46.95	74.00	-27.05	51.46	40.16	21.74	66.41	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>59.97</td><td>68.20</td><td>-8.23</td><td>71.37</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>51.07</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	59.97	68.20	-8.23	71.37	37.54	17.61	66.55	0.00	100	59	PEAK	2	15660.00	46.56	74.00	-27.44	51.07	40.16	21.74	66.41	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10440.00	56.10	68.20	-12.10	67.50	37.54	17.61	66.55	0.00	100	342	PEAK																																																																																																																		
2	15660.00	46.95	74.00	-27.05	51.46	40.16	21.74	66.41	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10440.00	59.97	68.20	-8.23	71.37	37.54	17.61	66.55	0.00	100	59	PEAK																																																																																																																		
2	15660.00	46.56	74.00	-27.44	51.07	40.16	21.74	66.41	0.00	--	--	PEAK																																																																																																																		





		12																																																																					
Mode		Harmonic																																																																					
		U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																					
ANT		SISO																																																																					
Pol.		Horizontal					Vertical																																																																
Peak Avg																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>67.80</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00 100 305 PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>51.66</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00 100 305 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>38.12</td><td>54.00</td><td>-15.88</td><td>42.32</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00 100 305 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	56.47	68.20	-11.73	67.80	37.58	17.65	66.56	0.00 100 305 PEAK	2	15720.00	47.47	74.00	-26.53	51.66	40.26	21.79	66.24	0.00 100 305 PEAK	3	15720.00	38.12	54.00	-15.88	42.32	40.26	21.79	66.25	0.00 100 305 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	10480.00	56.47	68.20	-11.73	67.80	37.58	17.65	66.56	0.00 100 305 PEAK																																																														
2	15720.00	47.47	74.00	-26.53	51.66	40.26	21.79	66.24	0.00 100 305 PEAK																																																														
3	15720.00	38.12	54.00	-15.88	42.32	40.26	21.79	66.25	0.00 100 305 AVERAGE																																																														
																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>69.14</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00 101 44 PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>56.82</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00 100 121 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>47.89</td><td>40.27</td><td>21.80</td><td>66.24</td><td>0.00 100 121 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	57.81	68.20	-10.39	69.14	37.58	17.65	66.56	0.00 101 44 PEAK	2	15720.00	52.63	74.00	-21.37	56.82	40.26	21.79	66.24	0.00 100 121 PEAK	3	15720.00	43.72	54.00	-10.28	47.89	40.27	21.80	66.24	0.00 100 121 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	10480.00	57.81	68.20	-10.39	69.14	37.58	17.65	66.56	0.00 101 44 PEAK																																																														
2	15720.00	52.63	74.00	-21.37	56.82	40.26	21.79	66.24	0.00 100 121 PEAK																																																														
3	15720.00	43.72	54.00	-10.28	47.89	40.27	21.80	66.24	0.00 100 121 AVERAGE																																																														







Mode	13																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																																																																																																							
ANT	SISO																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>67.21</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>49.94</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	55.96	68.20	-12.24	67.21	37.60	17.69	66.54	0.00	100	310	PEAK	2	15780.00	46.14	74.00	-27.86	49.94	40.44	21.84	66.08	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>56.60</td><td>68.20</td><td>-11.60</td><td>67.85</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>56.84</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>47.43</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	56.60	68.20	-11.60	67.85	37.60	17.69	66.54	0.00	100	45	PEAK	2	15780.00	53.04	74.00	-20.96	56.84	40.44	21.84	66.08	0.00	100	121	PEAK	3	15780.00	43.63	54.00	-10.37	47.43	40.44	21.84	66.08	0.00	100	121
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	10520.00	55.96	68.20	-12.24	67.21	37.60	17.69	66.54	0.00	100	310	PEAK																																																																																																																																												
2	15780.00	46.14	74.00	-27.86	49.94	40.44	21.84	66.08	0.00	--	--	PEAK																																																																																																																																												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	10520.00	56.60	68.20	-11.60	67.85	37.60	17.69	66.54	0.00	100	45	PEAK																																																																																																																																												
2	15780.00	53.04	74.00	-20.96	56.84	40.44	21.84	66.08	0.00	100	121	PEAK																																																																																																																																												
3	15780.00	43.63	54.00	-10.37	47.43	40.44	21.84	66.08	0.00	100	121	AVERAGE																																																																																																																																												







Mode	14																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																																																																																																
ANT	SISO																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>53.37</td><td>74.00</td><td>-20.63</td><td>64.45</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>311</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>43.91</td><td>54.00</td><td>-10.09</td><td>54.99</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>311</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>53.85</td><td>74.00</td><td>-20.15</td><td>57.26</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>109</td><td>340</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>44.20</td><td>54.00</td><td>-9.80</td><td>47.61</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>109</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	53.37	74.00	-20.63	64.45	37.60	17.77	66.45	0.00	100	311	PEAK	2	10600.00	43.91	54.00	-10.09	54.99	37.60	17.77	66.45	0.00	100	311	AVERAGE	3	15900.00	53.85	74.00	-20.15	57.26	40.40	21.94	65.75	0.00	109	340	PEAK	4	15900.00	44.20	54.00	-9.80	47.61	40.40	21.94	65.75	0.00	109	340	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>66.49</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>57.21</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>54.88</td><td>74.00</td><td>-19.12</td><td>58.29</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>48.50</td><td>40.41</td><td>21.94</td><td>65.74</td><td>0.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	55.41	74.00	-18.59	66.49	37.60	17.77	66.45	0.00	100	43	PEAK	2	10600.00	46.13	54.00	-7.87	57.21	37.60	17.77	66.45	0.00	100	43	AVERAGE	3	15900.00	54.88	74.00	-19.12	58.29	40.40	21.94	65.75	0.00	100	122	PEAK	4	15900.00	45.11	54.00	-8.89	48.50	40.41	21.94	65.74	0.00	100	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10600.00	53.37	74.00	-20.63	64.45	37.60	17.77	66.45	0.00	100	311	PEAK																																																																																																																																																																					
2	10600.00	43.91	54.00	-10.09	54.99	37.60	17.77	66.45	0.00	100	311	AVERAGE																																																																																																																																																																					
3	15900.00	53.85	74.00	-20.15	57.26	40.40	21.94	65.75	0.00	109	340	PEAK																																																																																																																																																																					
4	15900.00	44.20	54.00	-9.80	47.61	40.40	21.94	65.75	0.00	109	340	AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10600.00	55.41	74.00	-18.59	66.49	37.60	17.77	66.45	0.00	100	43	PEAK																																																																																																																																																																					
2	10600.00	46.13	54.00	-7.87	57.21	37.60	17.77	66.45	0.00	100	43	AVERAGE																																																																																																																																																																					
3	15900.00	54.88	74.00	-19.12	58.29	40.40	21.94	65.75	0.00	100	122	PEAK																																																																																																																																																																					
4	15900.00	45.11	54.00	-8.89	48.50	40.41	21.94	65.74	0.00	100	122	AVERAGE																																																																																																																																																																					





Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																		
ANT	SISO																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.85</td><td>68.69</td><td>74.00</td><td>-5.31</td><td>51.91</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>276</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.85	68.69	74.00	-5.31	51.91	34.41	12.21	29.84	0.00	100	276	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.34</td><td>-----</td><td>-----</td><td>92.67</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>276</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.34	-----	-----	92.67	34.40	12.17	29.90	0.00	100	276
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5351.85	68.69	74.00	-5.31	51.91	34.41	12.21	29.84	0.00	100	276	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	109.34	-----	-----	92.67	34.40	12.17	29.90	0.00	100	276	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>51.14</td><td>54.00</td><td>-2.86</td><td>34.38</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>100</td><td>276</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	51.14	54.00	-2.86	34.38	34.40	12.20	29.84	0.00	100	276	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.03</td><td>-----</td><td>-----</td><td>83.36</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>276</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.03	-----	-----	83.36	34.40	12.17	29.90	0.00	100	276
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	51.14	54.00	-2.86	34.38	34.40	12.20	29.84	0.00	100	276	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	100.03	-----	-----	83.36	34.40	12.17	29.90	0.00	100	276	AVERAGE																																																																																							







Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																		
ANT	SISO																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.75</td><td>61.66</td><td>74.00</td><td>-12.34</td><td>44.87</td><td>34.42</td><td>12.21</td><td>29.84</td><td>0.00</td><td>313</td><td>86</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.75	61.66	74.00	-12.34	44.87	34.42	12.21	29.84	0.00	313	86	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>107.37</td><td>-----</td><td>-----</td><td>90.68</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>313</td><td>86</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.37	-----	-----	90.68	34.40	12.18	29.89	0.00	313	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5353.75	61.66	74.00	-12.34	44.87	34.42	12.21	29.84	0.00	313	86	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	107.37	-----	-----	90.68	34.40	12.18	29.89	0.00	313	86	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>48.64</td><td>54.00</td><td>-5.36</td><td>31.88</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>313</td><td>86</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	48.64	54.00	-5.36	31.88	34.40	12.20	29.84	0.00	313	86	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.47</td><td>-----</td><td>-----</td><td>80.78</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>313</td><td>86</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.47	-----	-----	80.78	34.40	12.18	29.89	0.00	313	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	48.64	54.00	-5.36	31.88	34.40	12.20	29.84	0.00	313	86	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	97.47	-----	-----	80.78	34.40	12.18	29.89	0.00	313	86	AVERAGE																																																																																							







Mode	15																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																																																																																																
ANT	SISO																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>64.06</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>42.81</td><td>54.00</td><td>-11.19</td><td>53.77</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>307</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>57.45</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>109</td><td>340</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>47.89</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>109</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	53.10	74.00	-20.90	64.06	37.64	17.80	66.40	0.00	100	307	PEAK	2	10640.00	42.81	54.00	-11.19	53.77	37.64	17.80	66.40	0.00	100	307	AVERAGE	3	15960.00	54.38	74.00	-19.62	57.45	40.52	21.99	65.58	0.00	109	340	PEAK	4	15960.00	44.82	54.00	-9.18	47.89	40.52	21.99	65.58	0.00	109	340	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>55.13</td><td>74.00</td><td>-18.87</td><td>66.09</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>43.90</td><td>54.00</td><td>-10.10</td><td>54.86</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>190</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>56.40</td><td>74.00</td><td>-17.60</td><td>59.47</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>49.00</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	55.13	74.00	-18.87	66.09	37.64	17.80	66.40	0.00	100	190	PEAK	2	10640.00	43.90	54.00	-10.10	54.86	37.64	17.80	66.40	0.00	100	190	AVERAGE	3	15960.00	56.40	74.00	-17.60	59.47	40.52	21.99	65.58	0.00	100	121	PEAK	4	15960.00	45.93	54.00	-8.07	49.00	40.52	21.99	65.58	0.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10640.00	53.10	74.00	-20.90	64.06	37.64	17.80	66.40	0.00	100	307	PEAK																																																																																																																																																																					
2	10640.00	42.81	54.00	-11.19	53.77	37.64	17.80	66.40	0.00	100	307	AVERAGE																																																																																																																																																																					
3	15960.00	54.38	74.00	-19.62	57.45	40.52	21.99	65.58	0.00	109	340	PEAK																																																																																																																																																																					
4	15960.00	44.82	54.00	-9.18	47.89	40.52	21.99	65.58	0.00	109	340	AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10640.00	55.13	74.00	-18.87	66.09	37.64	17.80	66.40	0.00	100	190	PEAK																																																																																																																																																																					
2	10640.00	43.90	54.00	-10.10	54.86	37.64	17.80	66.40	0.00	100	190	AVERAGE																																																																																																																																																																					
3	15960.00	56.40	74.00	-17.60	59.47	40.52	21.99	65.58	0.00	100	121	PEAK																																																																																																																																																																					
4	15960.00	45.93	54.00	-8.07	49.00	40.52	21.99	65.58	0.00	100	121	AVERAGE																																																																																																																																																																					




Mode	16																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.89</td><td>62.24</td><td>74.00</td><td>-11.76</td><td>45.20</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>104</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>5469.93</td><td>66.48</td><td>68.20</td><td>-1.72</td><td>49.47</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>104</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.89	62.24	74.00	-11.76	45.20	34.58	12.33	29.87	0.00	104	235	PEAK	2	5469.93	66.48	68.20	-1.72	49.47	34.56	12.34	29.89	0.00	104	235	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.81</td><td>-----</td><td>-----</td><td>92.86</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>104</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.81	-----	-----	92.86	34.51	12.38	29.94	0.00	104	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.89	62.24	74.00	-11.76	45.20	34.58	12.33	29.87	0.00	104	235	PEAK																																																																																																				
2	5469.93	66.48	68.20	-1.72	49.47	34.56	12.34	29.89	0.00	104	235	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	109.81	-----	-----	92.86	34.51	12.38	29.94	0.00	104	235	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>49.55</td><td>54.00</td><td>-4.45</td><td>32.52</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>104</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	49.55	54.00	-4.45	32.52	34.58	12.33	29.88	0.00	104	235	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.44</td><td>-----</td><td>-----</td><td>83.48</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>104</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.44	-----	-----	83.48	34.52	12.37	29.93	0.00	104	235	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.85	49.55	54.00	-4.45	32.52	34.58	12.33	29.88	0.00	104	235	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	100.44	-----	-----	83.48	34.52	12.37	29.93	0.00	104	235	AVERAGE																																																																																																				



Mode	16																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																											
ANT	SISO																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.61</td><td>58.25</td><td>74.00</td><td>-15.75</td><td>41.21</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>344</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>5469.45</td><td>61.34</td><td>68.20</td><td>-6.86</td><td>44.33</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>344</td><td>106</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.61	58.25	74.00	-15.75	41.21	34.58	12.33	29.87	0.00	344	106	PEAK	2	5469.45	61.34	68.20	-6.86	44.33	34.56	12.34	29.89	0.00	344	106	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.76</td><td>-----</td><td>-----</td><td>90.81</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>344</td><td>106</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.76	-----	-----	90.81	34.51	12.38	29.94	0.00	344	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.61	58.25	74.00	-15.75	41.21	34.58	12.33	29.87	0.00	344	106	PEAK																																																																																																																
2	5469.45	61.34	68.20	-6.86	44.33	34.56	12.34	29.89	0.00	344	106	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	107.76	-----	-----	90.81	34.51	12.38	29.94	0.00	344	106	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.95</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>30.18</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>344</td><td>106</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	47.21	54.00	-6.79	30.18	34.58	12.33	29.88	0.00	344	106	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.43</td><td>-----</td><td>-----</td><td>81.47</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>344</td><td>106</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.43	-----	-----	81.47	34.52	12.37	29.93	0.00	344	106	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.95	47.21	54.00	-6.79	30.18	34.58	12.33	29.88	0.00	344	106	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	98.43	-----	-----	81.47	34.52	12.37	29.93	0.00	344	106	AVERAGE																																																																																																																






Mode	16																																																																																
	Harmonic																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																
ANT	SISO																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>57.86</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>37.87</td><td>54.00</td><td>-16.13</td><td>47.91</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>59.25</td><td>68.20</td><td>-8.95</td><td>60.88</td><td>41.56</td><td>22.33</td><td>65.52</td><td>0.00</td><td>100</td><td>354</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	47.82	74.00	-26.18	57.86	37.80	18.15	65.99	0.00	100	360	PEAK	2	11000.00	37.87	54.00	-16.13	47.91	37.80	18.15	65.99	0.00	100	360	AVERAGE	3	16500.00	59.25	68.20	-8.95	60.88	41.56	22.33	65.52	0.00	100	354	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	11000.00	47.82	74.00	-26.18	57.86	37.80	18.15	65.99	0.00	100	360	PEAK																																																																					
2	11000.00	37.87	54.00	-16.13	47.91	37.80	18.15	65.99	0.00	100	360	AVERAGE																																																																					
3	16500.00	59.25	68.20	-8.95	60.88	41.56	22.33	65.52	0.00	100	354	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>57.67</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>37.38</td><td>54.00</td><td>-16.62</td><td>47.42</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>58.67</td><td>68.20</td><td>-9.53</td><td>60.29</td><td>41.57</td><td>22.33</td><td>65.52</td><td>0.00</td><td>100</td><td>225</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	47.63	74.00	-26.37	57.67	37.80	18.15	65.99	0.00	100	0	PEAK	2	11000.00	37.38	54.00	-16.62	47.42	37.80	18.15	65.99	0.00	100	0	AVERAGE	3	16500.00	58.67	68.20	-9.53	60.29	41.57	22.33	65.52	0.00	100	225	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	11000.00	47.63	74.00	-26.37	57.67	37.80	18.15	65.99	0.00	100	0	PEAK																																																																					
2	11000.00	37.38	54.00	-16.62	47.42	37.80	18.15	65.99	0.00	100	0	AVERAGE																																																																					
3	16500.00	58.67	68.20	-9.53	60.29	41.57	22.33	65.52	0.00	100	225	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>57.67</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>37.38</td><td>54.00</td><td>-16.62</td><td>47.42</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>58.67</td><td>68.20</td><td>-9.53</td><td>60.29</td><td>41.57</td><td>22.33</td><td>65.52</td><td>0.00</td><td>100</td><td>225</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	47.63	74.00	-26.37	57.67	37.80	18.15	65.99	0.00	100	0	PEAK	2	11000.00	37.38	54.00	-16.62	47.42	37.80	18.15	65.99	0.00	100	0	AVERAGE	3	16500.00	58.67	68.20	-9.53	60.29	41.57	22.33	65.52	0.00	100	225	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	11000.00	47.63	74.00	-26.37	57.67	37.80	18.15	65.99	0.00	100	0	PEAK																																																																					
2	11000.00	37.38	54.00	-16.62	47.42	37.80	18.15	65.99	0.00	100	0	AVERAGE																																																																					
3	16500.00	58.67	68.20	-9.53	60.29	41.57	22.33	65.52	0.00	100	225	PEAK																																																																					






Mode	17																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																																																																																																														
ANT	SISO																																																																																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3" rowspan="4"></th></tr><tr><td>1</td><td>11160.00</td><td>56.03</td><td>74.00</td><td>-17.97</td><td>65.15</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>100</td><td>241</td><td colspan="3">PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>44.92</td><td>54.00</td><td>-9.08</td><td>54.03</td><td>37.96</td><td>18.29</td><td>65.36</td><td>0.00</td><td>100</td><td>241</td><td colspan="3">AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>57.51</td><td>68.20</td><td>-10.69</td><td>58.52</td><td>41.93</td><td>22.48</td><td>65.42</td><td>0.00</td><td>100</td><td>360</td><td colspan="3">PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	11160.00	56.03	74.00	-17.97	65.15	37.96	18.29	65.37	0.00	100	241	PEAK			2	11160.00	44.92	54.00	-9.08	54.03	37.96	18.29	65.36	0.00	100	241	AVERAGE			3	16740.00	57.51	68.20	-10.69	58.52	41.93	22.48	65.42	0.00	100	360	PEAK			<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3" rowspan="4"></th></tr><tr><td>1</td><td>11160.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>56.54</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>100</td><td>0</td><td colspan="3">PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>37.57</td><td>54.00</td><td>-16.43</td><td>46.68</td><td>37.96</td><td>18.29</td><td>65.36</td><td>0.00</td><td>100</td><td>0</td><td colspan="3">AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>59.83</td><td>68.20</td><td>-8.37</td><td>60.82</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>100</td><td>299</td><td colspan="3">PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	11160.00	47.42	74.00	-26.58	56.54	37.96	18.29	65.37	0.00	100	0	PEAK			2	11160.00	37.57	54.00	-16.43	46.68	37.96	18.29	65.36	0.00	100	0	AVERAGE			3	16740.00	59.83	68.20	-8.37	60.82	41.94	22.49	65.42	0.00	100	299	PEAK	
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	11160.00	56.03	74.00	-17.97	65.15	37.96	18.29	65.37	0.00	100	241	PEAK																																																																																																																																																																																																			
2	11160.00	44.92	54.00	-9.08	54.03	37.96	18.29	65.36	0.00	100	241	AVERAGE																																																																																																																																																																																																			
3	16740.00	57.51	68.20	-10.69	58.52	41.93	22.48	65.42	0.00	100	360	PEAK																																																																																																																																																																																																			
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	11160.00	47.42	74.00	-26.58	56.54	37.96	18.29	65.37	0.00	100	0	PEAK																																																																																																																																																																																																			
2	11160.00	37.57	54.00	-16.43	46.68	37.96	18.29	65.36	0.00	100	0	AVERAGE																																																																																																																																																																																																			
3	16740.00	59.83	68.20	-8.37	60.82	41.94	22.49	65.42	0.00	100	299	PEAK																																																																																																																																																																																																			





Mode	18																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																	
ANT	SISO																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.28</td><td>66.77</td><td>68.20</td><td>-1.43</td><td>49.38</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.28	66.77	68.20	-1.43	49.38	34.65	12.68	29.94	0.00	100	346	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>108.04</td><td>-----</td><td>-----</td><td>90.79</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	108.04	-----	-----	90.79	34.60	12.65	30.00	0.00	100	346	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5725.28	66.77	68.20	-1.43	49.38	34.65	12.68	29.94	0.00	100	346	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	108.04	-----	-----	90.79	34.60	12.65	30.00	0.00	100	346	PEAK																																																																																							
Avg	Blank																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>97.90</td><td>-----</td><td>-----</td><td>80.64</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>100</td><td>346</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	97.90	-----	-----	80.64	34.60	12.63	29.97	0.00	100	346	AVERAGE																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	97.90	-----	-----	80.64	34.60	12.63	29.97	0.00	100	346	AVERAGE																																																																																							







Mode	18																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																			
ANT	SISO																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.00</td><td>62.67</td><td>68.20</td><td>-5.53</td><td>45.28</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>376</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.00	62.67	68.20	-5.53	45.28	34.65	12.68	29.94	0.00	376	115	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.13</td><td>-----</td><td>-----</td><td>88.88</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>376</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.13	-----	-----	88.88	34.60	12.64	29.99	0.00	376	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.00	62.67	68.20	-5.53	45.28	34.65	12.68	29.94	0.00	376	115	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	106.13	-----	-----	88.88	34.60	12.64	29.99	0.00	376	115	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.70</td><td>-----</td><td>-----</td><td>79.45</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>376</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	96.70	-----	-----	79.45	34.60	12.65	30.00	0.00	376	115	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	96.70	-----	-----	79.45	34.60	12.65	30.00	0.00	376	115	AVERAGE																																																																																								



Mode	18																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																																																			
ANT	SISO																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7600.00</td><td>51.80</td><td>74.00</td><td>-22.20</td><td>68.02</td><td>35.70</td><td>14.76</td><td>66.68</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>7600.00</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>64.78</td><td>35.70</td><td>14.76</td><td>66.68</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>56.93</td><td>74.00</td><td>-17.07</td><td>64.88</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>103</td><td>240</td><td>PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>46.24</td><td>54.00</td><td>-7.76</td><td>54.19</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>103</td><td>240</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7600.00	51.80	74.00	-22.20	68.02	35.70	14.76	66.68	0.00	100	334	PEAK	2	7600.00	48.56	54.00	-5.44	64.78	35.70	14.76	66.68	0.00	100	334	AVERAGE	3	11400.00	56.93	74.00	-17.07	64.88	38.00	18.50	64.45	0.00	103	240	PEAK	4	11400.00	46.24	54.00	-7.76	54.19	38.00	18.50	64.45	0.00	103	240	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7600.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>59.38</td><td>35.70</td><td>14.76</td><td>66.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>51.37</td><td>74.00</td><td>-22.63</td><td>59.32</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>101</td><td>84</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>41.14</td><td>54.00</td><td>-12.86</td><td>49.08</td><td>38.00</td><td>18.50</td><td>64.44</td><td>0.00</td><td>101</td><td>84</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7600.00	43.16	74.00	-30.84	59.38	35.70	14.76	66.68	0.00	--	--	PEAK	2	11400.00	51.37	74.00	-22.63	59.32	38.00	18.50	64.45	0.00	101	84	PEAK	3	11400.00	41.14	54.00	-12.86	49.08	38.00	18.50	64.44	0.00	101	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	7600.00	51.80	74.00	-22.20	68.02	35.70	14.76	66.68	0.00	100	334	PEAK																																																																																																																																																								
2	7600.00	48.56	54.00	-5.44	64.78	35.70	14.76	66.68	0.00	100	334	AVERAGE																																																																																																																																																								
3	11400.00	56.93	74.00	-17.07	64.88	38.00	18.50	64.45	0.00	103	240	PEAK																																																																																																																																																								
4	11400.00	46.24	54.00	-7.76	54.19	38.00	18.50	64.45	0.00	103	240	AVERAGE																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	7600.00	43.16	74.00	-30.84	59.38	35.70	14.76	66.68	0.00	--	--	PEAK																																																																																																																																																								
2	11400.00	51.37	74.00	-22.63	59.32	38.00	18.50	64.45	0.00	101	84	PEAK																																																																																																																																																								
3	11400.00	41.14	54.00	-12.86	49.08	38.00	18.50	64.44	0.00	101	84	AVERAGE																																																																																																																																																								







Mode	19																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																														
ANT	SISO																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.49</td><td>65.74</td><td>74.00</td><td>-8.26</td><td>49.47</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>104</td><td>275</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.49	65.74	74.00	-8.26	49.47	34.11	12.03	29.87	0.00	104	275	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>99.28</td><td>-----</td><td>-----</td><td>82.92</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>104</td><td>275</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.28	-----	-----	82.92	34.19	12.05	29.88	0.00	104	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.49	65.74	74.00	-8.26	49.47	34.11	12.03	29.87	0.00	104	275	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	99.28	-----	-----	82.92	34.19	12.05	29.88	0.00	104	275	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.97</td><td>52.39</td><td>54.00</td><td>-1.61</td><td>36.13</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>104</td><td>275</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.97	52.39	54.00	-1.61	36.13	34.10	12.03	29.87	0.00	104	275	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>90.74</td><td>-----</td><td>-----</td><td>74.38</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>104</td><td>275</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	90.74	-----	-----	74.38	34.19	12.05	29.88	0.00	104	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.97	52.39	54.00	-1.61	36.13	34.10	12.03	29.87	0.00	104	275	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	90.74	-----	-----	74.38	34.19	12.05	29.88	0.00	104	275	AVERAGE																																																																																																			





Mode	19																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																						
ANT	SISO																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.91</td><td>55.81</td><td>74.00</td><td>-18.19</td><td>38.76</td><td>34.60</td><td>12.31</td><td>29.86</td><td>0.00</td><td>104</td><td>275</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.91	55.81	74.00	-18.19	38.76	34.60	12.31	29.86	0.00	104	275	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5446.91	55.81	74.00	-18.19	38.76	34.60	12.31	29.86	0.00	104	275	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.05</td><td>44.71</td><td>54.00</td><td>-9.29</td><td>27.67</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>104</td><td>275</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	44.71	54.00	-9.29	27.67	34.58	12.33	29.87	0.00	104	275	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5459.05	44.71	54.00	-9.29	27.67	34.58	12.33	29.87	0.00	104	275	AVERAGE																																											




Mode	19																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																		
ANT	SISO																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.37</td><td>58.40</td><td>74.00</td><td>-15.60</td><td>42.14</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>386</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.37	58.40	74.00	-15.60	42.14	34.10	12.03	29.87	0.00	386	114	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>97.82</td><td>-----</td><td>-----</td><td>81.35</td><td>34.29</td><td>12.07</td><td>29.89</td><td>0.00</td><td>386</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.82	-----	-----	81.35	34.29	12.07	29.89	0.00	386	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.37	58.40	74.00	-15.60	42.14	34.10	12.03	29.87	0.00	386	114	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	97.82	-----	-----	81.35	34.29	12.07	29.89	0.00	386	114	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.37</td><td>49.50</td><td>54.00</td><td>-4.50</td><td>33.24</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>386</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.37	49.50	54.00	-4.50	33.24	34.10	12.03	29.87	0.00	386	114	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>89.27</td><td>-----</td><td>-----</td><td>72.00</td><td>34.29</td><td>12.07</td><td>29.89</td><td>0.00</td><td>386</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	89.27	-----	-----	72.00	34.29	12.07	29.89	0.00	386	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.37	49.50	54.00	-4.50	33.24	34.10	12.03	29.87	0.00	386	114	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	89.27	-----	-----	72.00	34.29	12.07	29.89	0.00	386	114	AVERAGE																																																																																							





Mode	19																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																							
ANT	SISO																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.17</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>38.50</td><td>34.50</td><td>12.23</td><td>29.81</td><td>0.00</td><td>386</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.17	55.42	74.00	-18.58	38.50	34.50	12.23	29.81	0.00	386	114	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5376.17	55.42	74.00	-18.58	38.50	34.50	12.23	29.81	0.00	386	114	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.71</td><td>45.32</td><td>54.00</td><td>-8.68</td><td>28.28</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>386</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.71	45.32	54.00	-8.68	28.28	34.58	12.33	29.87	0.00	386	114	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.71	45.32	54.00	-8.68	28.28	34.58	12.33	29.87	0.00	386	114	AVERAGE																																												





Mode	19																																																																			
	Harmonic																																																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																			
ANT	SISO																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>46.43</td><td>68.20</td><td>-21.77</td><td>57.95</td><td>37.48</td><td>17.55</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>51.32</td><td>40.07</td><td>21.67</td><td>66.66</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10380.00	46.43	68.20	-21.77	57.95	37.48	17.55	66.55	0.00	--	PEAK	2	15570.00	46.40	74.00	-27.60	51.32	40.07	21.67	66.66	0.00	--	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	10380.00	46.43	68.20	-21.77	57.95	37.48	17.55	66.55	0.00	--	PEAK																																																									
2	15570.00	46.40	74.00	-27.60	51.32	40.07	21.67	66.66	0.00	--	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>66.47</td><td>37.48</td><td>17.55</td><td>66.55</td><td>0.00</td><td>100</td><td>46</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>50.66</td><td>40.07</td><td>21.67</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10380.00	54.95	68.20	-13.25	66.47	37.48	17.55	66.55	0.00	100	46	PEAK	2	15570.00	45.74	74.00	-28.26	50.66	40.07	21.67	66.66	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	10380.00	54.95	68.20	-13.25	66.47	37.48	17.55	66.55	0.00	100	46	PEAK																																																								
2	15570.00	45.74	74.00	-28.26	50.66	40.07	21.67	66.66	0.00	--	--	PEAK																																																								







Mode	20																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																																																			
ANT	SISO																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>53.18</td><td>68.20</td><td>-15.02</td><td>64.55</td><td>37.56</td><td>17.63</td><td>66.56</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	10460.00	53.18	68.20	-15.02	64.55	37.56	17.63	66.56	0.00	100	306	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>53.63</td><td>68.20</td><td>-14.57</td><td>64.99</td><td>37.56</td><td>17.64</td><td>66.56</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	10460.00	53.63	68.20	-14.57	64.99	37.56	17.64	66.56	0.00	100	43	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10460.00	53.18	68.20	-15.02	64.55	37.56	17.63	66.56	0.00	100	306	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10460.00	53.63	68.20	-14.57	64.99	37.56	17.64	66.56	0.00	100	43	PEAK																																																																																								





		21																																																				
Mode		Harmonic																																																				
		U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																				
ANT		SISO																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>45.30</td><td>68.20</td><td>-22.90</td><td>56.52</td><td>37.60</td><td>17.70</td><td>66.52</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	45.30	68.20	-22.90	56.52	37.60	17.70	66.52	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10540.00	45.30	68.20	-22.90	56.52	37.60	17.70	66.52	0.00	--	PEAK																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>53.46</td><td>68.20</td><td>-14.74</td><td>64.66</td><td>37.60</td><td>17.71</td><td>66.51</td><td>0.00</td><td>100</td><td>43 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	53.46	68.20	-14.74	64.66	37.60	17.71	66.51	0.00	100	43 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10540.00	53.46	68.20	-14.74	64.66	37.60	17.71	66.51	0.00	100	43 PEAK																																											







Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																		
ANT	SISO																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5118.17</td><td>57.14</td><td>74.00</td><td>-16.86</td><td>40.76</td><td>34.23</td><td>12.01</td><td>29.86</td><td>0.00</td><td>111</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.17	57.14	74.00	-16.86	40.76	34.23	12.01	29.86	0.00	111	246	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>103.04</td><td>-----</td><td>-----</td><td>86.35</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>111</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.04	-----	-----	86.35	34.40	12.18	29.89	0.00	111	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5118.17	57.14	74.00	-16.86	40.76	34.23	12.01	29.86	0.00	111	246	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	103.04	-----	-----	86.35	34.40	12.18	29.89	0.00	111	246	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.54</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>29.34</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>111</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.54	45.79	54.00	-8.21	29.34	34.30	12.00	29.85	0.00	111	246	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>94.07</td><td>-----</td><td>-----</td><td>77.38</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>111</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	94.07	-----	-----	77.38	34.40	12.18	29.89	0.00	111	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5100.54	45.79	54.00	-8.21	29.34	34.30	12.00	29.85	0.00	111	246	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	94.07	-----	-----	77.38	34.40	12.18	29.89	0.00	111	246	AVERAGE																																																																																							





Mode	22																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																							
ANT	SISO																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.35</td><td>68.42</td><td>74.00</td><td>-5.58</td><td>51.64</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>111</td><td>246</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.35	68.42	74.00	-5.58	51.64	34.41	12.21	29.84	0.00	111	246	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.35	68.42	74.00	-5.58	51.64	34.41	12.21	29.84	0.00	111	246	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>51.95</td><td>54.00</td><td>-2.05</td><td>35.19</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>111</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	51.95	54.00	-2.05	35.19	34.40	12.20	29.84	0.00	111	246	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.00	51.95	54.00	-2.05	35.19	34.40	12.20	29.84	0.00	111	246	AVERAGE																																												





Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																		
ANT	SISO																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.09</td><td>57.94</td><td>74.00</td><td>-16.06</td><td>41.49</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>393</td><td>22</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.09	57.94	74.00	-16.06	41.49	34.30	12.00	29.85	0.00	393	22	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>99.69</td><td>-----</td><td>-----</td><td>83.03</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>393</td><td>22</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	99.69	-----	-----	83.03	34.40	12.16	29.90	0.00	393	22
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5100.09	57.94	74.00	-16.06	41.49	34.30	12.00	29.85	0.00	393	22	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	99.69	-----	-----	83.03	34.40	12.16	29.90	0.00	393	22	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.06</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>29.29</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>393</td><td>22</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.06	45.74	54.00	-8.26	29.29	34.30	12.00	29.85	0.00	393	22	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>90.99</td><td>-----</td><td>-----</td><td>74.35</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>393</td><td>22</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	90.99	-----	-----	74.35	34.40	12.15	29.91	0.00	393	22
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5100.06	45.74	54.00	-8.26	29.29	34.30	12.00	29.85	0.00	393	22	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	90.99	-----	-----	74.35	34.40	12.15	29.91	0.00	393	22	AVERAGE																																																																																							







Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																						
ANT	SISO																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.75</td><td>61.80</td><td>74.00</td><td>-12.20</td><td>45.03</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>393</td><td>22</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.75	61.80	74.00	-12.20	45.03	34.40	12.21	29.84	0.00	393	22	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.75	61.80	74.00	-12.20	45.03	34.40	12.21	29.84	0.00	393	22	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>47.87</td><td>54.00</td><td>-6.13</td><td>31.11</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>393</td><td>22</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	47.87	54.00	-6.13	31.11	34.40	12.20	29.84	0.00	393	22	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	47.87	54.00	-6.13	31.11	34.40	12.20	29.84	0.00	393	22	AVERAGE																																											




Mode	22																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																																	
ANT	SISO																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>45.24</td><td>74.00</td><td>-28.76</td><td>56.25</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	45.24	74.00	-28.76	56.25	37.62	17.79	66.42	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>62.40</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>100</td><td>41</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>41.11</td><td>54.00</td><td>-12.89</td><td>52.12</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>100</td><td>41</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	51.39	74.00	-22.61	62.40	37.62	17.79	66.42	0.00	100	41	PEAK	2	10620.00	41.11	54.00	-12.89	52.12	37.62	17.79	66.42	0.00	100	41
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	10620.00	45.24	74.00	-28.76	56.25	37.62	17.79	66.42	0.00	--	--	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	10620.00	51.39	74.00	-22.61	62.40	37.62	17.79	66.42	0.00	100	41	PEAK																																																																																																						
2	10620.00	41.11	54.00	-12.89	52.12	37.62	17.79	66.42	0.00	100	41	AVERAGE																																																																																																						







Mode	23																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.77</td><td>60.01</td><td>74.00</td><td>-13.99</td><td>42.95</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>102</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>5466.73</td><td>65.87</td><td>68.20</td><td>-2.33</td><td>48.85</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>102</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.77	60.01	74.00	-13.99	42.95	34.60	12.31	29.85	0.00	102	340	PEAK	2	5466.73	65.87	68.20	-2.33	48.85	34.57	12.34	29.89	0.00	102	340	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>101.96</td><td>-----</td><td>-----</td><td>84.96</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>102</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.96	-----	-----	84.96	34.50	12.41	29.91	0.00	102	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5445.77	60.01	74.00	-13.99	42.95	34.60	12.31	29.85	0.00	102	340	PEAK																																																																																																				
2	5466.73	65.87	68.20	-2.33	48.85	34.57	12.34	29.89	0.00	102	340	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	101.96	-----	-----	84.96	34.50	12.41	29.91	0.00	102	340	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.97</td><td>48.46</td><td>54.00</td><td>-5.54</td><td>31.43</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>102</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.97	48.46	54.00	-5.54	31.43	34.58	12.33	29.88	0.00	102	340	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>93.27</td><td>-----</td><td>-----</td><td>76.26</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>102</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.27	-----	-----	76.26	34.50	12.41	29.90	0.00	102	340	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.97	48.46	54.00	-5.54	31.43	34.58	12.33	29.88	0.00	102	340	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	93.27	-----	-----	76.26	34.50	12.41	29.90	0.00	102	340	AVERAGE																																																																																																				




Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																							
ANT	SISO																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.60</td><td>55.92</td><td>68.20</td><td>-12.28</td><td>38.53</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>102</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.60	55.92	68.20	-12.28	38.53	34.65	12.68	29.94	0.00	102	340	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.60	55.92	68.20	-12.28	38.53	34.65	12.68	29.94	0.00	102	340	PEAK																																												





Mode	23																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.89</td><td>56.42</td><td>74.00</td><td>-17.58</td><td>39.37</td><td>34.60</td><td>12.31</td><td>29.86</td><td>0.00</td><td>356</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>5469.45</td><td>61.45</td><td>68.20</td><td>-6.75</td><td>44.44</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>356</td><td>80</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.89	56.42	74.00	-17.58	39.37	34.60	12.31	29.86	0.00	356	80	PEAK	2	5469.45	61.45	68.20	-6.75	44.44	34.56	12.34	29.89	0.00	356	80	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>90.73</td><td>-----</td><td>-----</td><td>81.72</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>356</td><td>80</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	90.73	-----	-----	81.72	34.50	12.41	29.90	0.00	356	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5446.89	56.42	74.00	-17.58	39.37	34.60	12.31	29.86	0.00	356	80	PEAK																																																																																																				
2	5469.45	61.45	68.20	-6.75	44.44	34.56	12.34	29.89	0.00	356	80	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	90.73	-----	-----	81.72	34.50	12.41	29.90	0.00	356	80	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.97</td><td>46.21</td><td>54.00</td><td>-7.79</td><td>29.18</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>356</td><td>80</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.97	46.21	54.00	-7.79	29.18	34.58	12.33	29.88	0.00	356	80	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>89.97</td><td>-----</td><td>-----</td><td>72.96</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>356</td><td>80</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	89.97	-----	-----	72.96	34.50	12.41	29.90	0.00	356	80	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.97	46.21	54.00	-7.79	29.18	34.58	12.33	29.88	0.00	356	80	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	89.97	-----	-----	72.96	34.50	12.41	29.90	0.00	356	80	AVERAGE																																																																																																				





Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																							
ANT	SISO																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.08</td><td>56.15</td><td>68.20</td><td>-12.05</td><td>38.70</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>356</td><td>80</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.08	56.15	68.20	-12.05	38.70	34.67	12.69	29.91	0.00	356	80	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.08	56.15	68.20	-12.05	38.70	34.67	12.69	29.91	0.00	356	80	PEAK																																												







Mode	23																																																								
	Harmonic																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																								
ANT	SISO																																																								
Pol.	Horizontal						Vertical																																																		
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>56.21</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	46.29	74.00	-27.71	56.21	37.82	18.17	65.91	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11020.00	46.29	74.00	-27.71	56.21	37.82	18.17	65.91	0.00	--	--	PEAK																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>55.00</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.08	74.00	-28.92	55.00	37.82	18.17	65.91	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11020.00	45.08	74.00	-28.92	55.00	37.82	18.17	65.91	0.00	--	--	PEAK																																													




Mode	24																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																																																
ANT	SISO																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>55.85</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	46.39	74.00	-27.61	55.85	37.90	18.24	65.60	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>54.90</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	45.44	74.00	-28.56	54.90	37.90	18.24	65.60	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11100.00	46.39	74.00	-27.61	55.85	37.90	18.24	65.60	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11100.00	45.44	74.00	-28.56	54.90	37.90	18.24	65.60	0.00	--	PEAK																																																																																						







Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5417.29</td><td>56.08</td><td>74.00</td><td>-17.92</td><td>39.02</td><td>34.60</td><td>12.27</td><td>29.81</td><td>0.00</td><td>112</td><td>341</td><td>PEAK</td></tr><tr><td>2</td><td>5464.01</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>38.42</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>112</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5417.29	56.08	74.00	-17.92	39.02	34.60	12.27	29.81	0.00	112	341	PEAK	2	5464.01	55.45	68.20	-12.75	38.42	34.57	12.34	29.88	0.00	112	341	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>106.80</td><td>-----</td><td>-----</td><td>89.51</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>112</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.80	-----	-----	89.51	34.60	12.60	29.91	0.00	112	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5417.29	56.08	74.00	-17.92	39.02	34.60	12.27	29.81	0.00	112	341	PEAK																																																																																																				
2	5464.01	55.45	68.20	-12.75	38.42	34.57	12.34	29.88	0.00	112	341	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	106.80	-----	-----	89.51	34.60	12.60	29.91	0.00	112	341	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.85</td><td>44.84</td><td>54.00</td><td>-9.16</td><td>27.79</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>112</td><td>341</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.85	44.84	54.00	-9.16	27.79	34.59	12.33	29.87	0.00	112	341	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.76</td><td>-----</td><td>-----</td><td>80.44</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>112</td><td>341</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.76	-----	-----	80.44	34.60	12.59	29.87	0.00	112	341	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.85	44.84	54.00	-9.16	27.79	34.59	12.33	29.87	0.00	112	341	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	97.76	-----	-----	80.44	34.60	12.59	29.87	0.00	112	341	AVERAGE																																																																																																				




Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																							
ANT	SISO																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.44</td><td>67.06</td><td>68.20</td><td>-1.14</td><td>49.66</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>112</td><td>341</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.44	67.06	68.20	-1.14	49.66	34.65	12.68	29.93	0.00	112	341	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.44	67.06	68.20	-1.14	49.66	34.65	12.68	29.93	0.00	112	341	PEAK																																												






Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.21</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>39.51</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>400</td><td>89</td><td>PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>55.18</td><td>68.20</td><td>-13.02</td><td>38.17</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>400</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	56.55	74.00	-17.45	39.51	34.58	12.33	29.87	0.00	400	89	PEAK	2	5467.53	55.18	68.20	-13.02	38.17	34.56	12.34	29.89	0.00	400	89	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>103.38</td><td>-----</td><td>-----</td><td>86.06</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>400</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.38	-----	-----	86.06	34.60	12.59	29.87	0.00	400	89
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.21	56.55	74.00	-17.45	39.51	34.58	12.33	29.87	0.00	400	89	PEAK																																																																																																				
2	5467.53	55.18	68.20	-13.02	38.17	34.56	12.34	29.89	0.00	400	89	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	103.38	-----	-----	86.06	34.60	12.59	29.87	0.00	400	89	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.06</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>27.66</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>400</td><td>89</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.06	44.70	54.00	-9.30	27.66	34.58	12.33	29.87	0.00	400	89	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.60</td><td>-----</td><td>-----</td><td>77.28</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>400</td><td>89</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.60	-----	-----	77.28	34.60	12.59	29.87	0.00	400	89	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.06	44.70	54.00	-9.30	27.66	34.58	12.33	29.87	0.00	400	89	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	94.60	-----	-----	77.28	34.60	12.59	29.87	0.00	400	89	AVERAGE																																																																																																				






Mode	25																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																									
ANT	SISO																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5742.64</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>40.50</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>400 89 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5742.64	58.00	68.20	-10.20	40.50	34.69	12.70	29.89	0.00	400 89 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5742.64	58.00	68.20	-10.20	40.50	34.69	12.70	29.89	0.00	400 89 PEAK																																	






Mode	25																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																																																																										
ANT	SISO																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.98</td><td>49.61</td><td>74.00</td><td>-24.39</td><td>65.66</td><td>35.78</td><td>14.73</td><td>66.56</td><td>0.00</td><td>101</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>7559.98</td><td>46.84</td><td>54.00</td><td>-7.16</td><td>62.89</td><td>35.78</td><td>14.73</td><td>66.56</td><td>0.00</td><td>101</td><td>334</td><td>AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>62.49</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>11340.00</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>52.47</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>100</td><td>242</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7559.98	49.61	74.00	-24.39	65.66	35.78	14.73	66.56	0.00	101	334	PEAK	2	7559.98	46.84	54.00	-7.16	62.89	35.78	14.73	66.56	0.00	101	334	AVERAGE	3	11340.00	54.20	74.00	-19.80	62.49	37.94	18.45	64.68	0.00	100	242	PEAK	4	11340.00	44.18	54.00	-9.82	52.47	37.94	18.45	64.68	0.00	100	242	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.98</td><td>43.59</td><td>74.00</td><td>-30.41</td><td>59.64</td><td>35.78</td><td>14.73</td><td>66.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>54.92</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7559.98	43.59	74.00	-30.41	59.64	35.78	14.73	66.56	0.00	--	--	PEAK	2	11340.00	46.63	74.00	-27.37	54.92	37.94	18.45	64.68	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	7559.98	49.61	74.00	-24.39	65.66	35.78	14.73	66.56	0.00	101	334	PEAK																																																																																																																																															
2	7559.98	46.84	54.00	-7.16	62.89	35.78	14.73	66.56	0.00	101	334	AVERAGE																																																																																																																																															
3	11340.00	54.20	74.00	-19.80	62.49	37.94	18.45	64.68	0.00	100	242	PEAK																																																																																																																																															
4	11340.00	44.18	54.00	-9.82	52.47	37.94	18.45	64.68	0.00	100	242	AVERAGE																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	7559.98	43.59	74.00	-30.41	59.64	35.78	14.73	66.56	0.00	--	--	PEAK																																																																																																																																															
2	11340.00	46.63	74.00	-27.37	54.92	37.94	18.45	64.68	0.00	--	--	PEAK																																																																																																																																															







Mode	26																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5607.20</td><td>56.25</td><td>68.20</td><td>-11.95</td><td>38.96</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.92</td><td>68.20</td><td>-14.28</td><td>36.60</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>3</td><td>5715.60</td><td>73.16</td><td>109.67</td><td>-36.51</td><td>55.83</td><td>34.63</td><td>12.66</td><td>29.96</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>4</td><td>5724.40</td><td>81.05</td><td>120.93</td><td>-39.88</td><td>63.66</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5607.20	56.25	68.20	-11.95	38.96	34.51	12.53	29.75	0.00	100	238	PEAK	2	5650.00	53.92	68.20	-14.28	36.60	34.60	12.58	29.86	0.00	100	238	PEAK	3	5715.60	73.16	109.67	-36.51	55.83	34.63	12.66	29.96	0.00	100	238	PEAK	4	5724.40	81.05	120.93	-39.88	63.66	34.65	12.68	29.94	0.00	100	238	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.51</td><td>-----</td><td>-----</td><td>93.04</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.51	-----	-----	93.04	34.68	12.69	29.90	0.00	100	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5607.20	56.25	68.20	-11.95	38.96	34.51	12.53	29.75	0.00	100	238	PEAK																																																																																																																														
2	5650.00	53.92	68.20	-14.28	36.60	34.60	12.58	29.86	0.00	100	238	PEAK																																																																																																																														
3	5715.60	73.16	109.67	-36.51	55.83	34.63	12.66	29.96	0.00	100	238	PEAK																																																																																																																														
4	5724.40	81.05	120.93	-39.88	63.66	34.65	12.68	29.94	0.00	100	238	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	110.51	-----	-----	93.04	34.68	12.69	29.90	0.00	100	238	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.86</td><td>-----</td><td>-----</td><td>84.39</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.86	-----	-----	84.39	34.68	12.69	29.90	0.00	100	238	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	101.86	-----	-----	84.39	34.68	12.69	29.90	0.00	100	238	AVERAGE																																																																																																																														





Mode	26																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.20</td><td>56.93</td><td>68.20</td><td>-11.27</td><td>39.64</td><td>34.53</td><td>12.54</td><td>29.78</td><td>0.00</td><td>393</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>54.23</td><td>69.09</td><td>-14.86</td><td>36.92</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>393</td><td>102</td><td>PEAK</td></tr><tr><td>3</td><td>5711.60</td><td>62.54</td><td>108.55</td><td>-46.01</td><td>45.23</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>393</td><td>102</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>75.47</td><td>116.37</td><td>-40.90</td><td>58.10</td><td>34.64</td><td>12.67</td><td>29.94</td><td>0.00</td><td>393</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5617.20	56.93	68.20	-11.27	39.64	34.53	12.54	29.78	0.00	393	102	PEAK	2	5651.20	54.23	69.09	-14.86	36.92	34.60	12.58	29.87	0.00	393	102	PEAK	3	5711.60	62.54	108.55	-46.01	45.23	34.62	12.66	29.97	0.00	393	102	PEAK	4	5722.40	75.47	116.37	-40.90	58.10	34.64	12.67	29.94	0.00	393	102	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.08</td><td>-----</td><td>-----</td><td>90.58</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>393</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.08	-----	-----	90.58	34.69	12.70	29.89	0.00	393	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5617.20	56.93	68.20	-11.27	39.64	34.53	12.54	29.78	0.00	393	102	PEAK																																																																																																																														
2	5651.20	54.23	69.09	-14.86	36.92	34.60	12.58	29.87	0.00	393	102	PEAK																																																																																																																														
3	5711.60	62.54	108.55	-46.01	45.23	34.62	12.66	29.97	0.00	393	102	PEAK																																																																																																																														
4	5722.40	75.47	116.37	-40.90	58.10	34.64	12.67	29.94	0.00	393	102	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	108.08	-----	-----	90.58	34.69	12.70	29.89	0.00	393	102	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.10</td><td>-----</td><td>-----</td><td>82.63</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>393</td><td>102</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.10	-----	-----	82.63	34.68	12.69	29.90	0.00	393	102	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	100.10	-----	-----	82.63	34.68	12.69	29.90	0.00	393	102	AVERAGE																																																																																																																														






Mode	26																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																																																			
ANT	SISO																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																													
Peak Avg																																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7660.00</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>66.29</td><td>35.94</td><td>14.82</td><td>66.87</td><td>0.00</td><td>100</td><td>22</td><td>PEAK</td></tr><tr><td>2 7660.00</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>63.20</td><td>35.94</td><td>14.82</td><td>66.87</td><td>0.00</td><td>100</td><td>22</td><td>AVERAGE</td></tr><tr><td>3 11490.00</td><td>56.49</td><td>74.00</td><td>-17.51</td><td>64.01</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>101</td><td>307</td><td>PEAK</td></tr><tr><td>4 11490.00</td><td>47.20</td><td>54.00</td><td>-6.80</td><td>54.72</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>101</td><td>307</td><td>AVERAGE</td></tr><tr><td>5 17235.00</td><td>53.12</td><td>68.20</td><td>-15.08</td><td>54.12</td><td>41.38</td><td>22.85</td><td>65.23</td><td>0.00</td><td>100</td><td>14</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7660.00	50.18	74.00	-23.82	66.29	35.94	14.82	66.87	0.00	100	22	PEAK	2 7660.00	47.09	54.00	-6.91	63.20	35.94	14.82	66.87	0.00	100	22	AVERAGE	3 11490.00	56.49	74.00	-17.51	64.01	38.00	18.58	64.10	0.00	101	307	PEAK	4 11490.00	47.20	54.00	-6.80	54.72	38.00	18.58	64.10	0.00	101	307	AVERAGE	5 17235.00	53.12	68.20	-15.08	54.12	41.38	22.85	65.23	0.00	100	14	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7660.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>60.21</td><td>35.94</td><td>14.82</td><td>66.87</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11490.00</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>63.42</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>283</td><td>144</td><td>PEAK</td></tr><tr><td>3 11490.00</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>53.95</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>283</td><td>144</td><td>AVERAGE</td></tr><tr><td>4 17235.00</td><td>51.98</td><td>68.20</td><td>-16.22</td><td>52.95</td><td>41.42</td><td>22.84</td><td>65.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7660.00	44.10	74.00	-29.90	60.21	35.94	14.82	66.87	0.00	--	--	PEAK	2 11490.00	55.90	74.00	-18.10	63.42	38.00	18.58	64.10	0.00	283	144	PEAK	3 11490.00	46.43	54.00	-7.57	53.95	38.00	18.58	64.10	0.00	283	144	AVERAGE	4 17235.00	51.98	68.20	-16.22	52.95	41.42	22.84	65.23	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																										
1 7660.00	50.18	74.00	-23.82	66.29	35.94	14.82	66.87	0.00	100	22	PEAK																																																																																																																																																																									
2 7660.00	47.09	54.00	-6.91	63.20	35.94	14.82	66.87	0.00	100	22	AVERAGE																																																																																																																																																																									
3 11490.00	56.49	74.00	-17.51	64.01	38.00	18.58	64.10	0.00	101	307	PEAK																																																																																																																																																																									
4 11490.00	47.20	54.00	-6.80	54.72	38.00	18.58	64.10	0.00	101	307	AVERAGE																																																																																																																																																																									
5 17235.00	53.12	68.20	-15.08	54.12	41.38	22.85	65.23	0.00	100	14	PEAK																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																										
1 7660.00	44.10	74.00	-29.90	60.21	35.94	14.82	66.87	0.00	--	--	PEAK																																																																																																																																																																									
2 11490.00	55.90	74.00	-18.10	63.42	38.00	18.58	64.10	0.00	283	144	PEAK																																																																																																																																																																									
3 11490.00	46.43	54.00	-7.57	53.95	38.00	18.58	64.10	0.00	283	144	AVERAGE																																																																																																																																																																									
4 17235.00	51.98	68.20	-16.22	52.95	41.42	22.84	65.23	0.00	--	--	PEAK																																																																																																																																																																									







Mode	27																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																													
ANT	SISO																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>55.53</td><td>74.00</td><td>-18.47</td><td>62.91</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>53.04</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	55.53	74.00	-18.47	62.91	38.07	18.65	64.10	0.00	100	289	PEAK	2	11570.00	45.66	54.00	-8.34	53.04	38.07	18.65	64.10	0.00	100	289	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>60.92</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>111</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>42.86</td><td>54.00</td><td>-11.14</td><td>50.24</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>111</td><td>67</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	53.54	74.00	-20.46	60.92	38.07	18.65	64.10	0.00	111	67	PEAK	2	11570.00	42.86	54.00	-11.14	50.24	38.07	18.65	64.10	0.00	111	67	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11570.00	55.53	74.00	-18.47	62.91	38.07	18.65	64.10	0.00	100	289	PEAK																																																																																																																		
2	11570.00	45.66	54.00	-8.34	53.04	38.07	18.65	64.10	0.00	100	289	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11570.00	53.54	74.00	-20.46	60.92	38.07	18.65	64.10	0.00	111	67	PEAK																																																																																																																		
2	11570.00	42.86	54.00	-11.14	50.24	38.07	18.65	64.10	0.00	111	67	AVERAGE																																																																																																																		





Mode	28																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.80</td><td>68.89</td><td>115.92</td><td>-47.03</td><td>51.02</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>72.93</td><td>110.51</td><td>-37.58</td><td>55.04</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>55.00</td><td>68.64</td><td>-13.64</td><td>36.77</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr><tr><td>4</td><td>5972.40</td><td>57.74</td><td>68.20</td><td>-10.46</td><td>39.39</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.80	68.89	115.92	-47.03	51.02	34.82	12.86	29.81	0.00	100	234	PEAK	2	5856.40	72.93	110.51	-37.58	55.04	34.84	12.87	29.82	0.00	100	234	PEAK	3	5924.40	55.00	68.64	-13.64	36.77	35.10	12.98	29.85	0.00	100	234	PEAK	4	5972.40	57.74	68.20	-10.46	39.39	35.10	13.06	29.81	0.00	100	234	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.86</td><td>-----</td><td>-----</td><td>92.03</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.86	-----	-----	92.03	34.80	12.82	29.79	0.00	100	234	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5852.80	68.89	115.92	-47.03	51.02	34.82	12.86	29.81	0.00	100	234	PEAK																																																																																																																															
2	5856.40	72.93	110.51	-37.58	55.04	34.84	12.87	29.82	0.00	100	234	PEAK																																																																																																																															
3	5924.40	55.00	68.64	-13.64	36.77	35.10	12.98	29.85	0.00	100	234	PEAK																																																																																																																															
4	5972.40	57.74	68.20	-10.46	39.39	35.10	13.06	29.81	0.00	100	234	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	109.86	-----	-----	92.03	34.80	12.82	29.79	0.00	100	234	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.42</td><td>-----</td><td>-----</td><td>83.59</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>100</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.42	-----	-----	83.59	34.80	12.82	29.79	0.00	100	234	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	101.42	-----	-----	83.59	34.80	12.82	29.79	0.00	100	234	AVERAGE																																																																																																																															






Mode	28																																																																																																																																											
	Band Edge																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																											
ANT	SISO																																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.40</td><td>66.19</td><td>116.83</td><td>-50.64</td><td>48.33</td><td>34.81</td><td>12.86</td><td>29.81</td><td>0.00</td><td>399</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>59.92</td><td>110.28</td><td>-50.36</td><td>42.03</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>399</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.55</td><td>68.35</td><td>-12.80</td><td>37.32</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>399</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5950.00</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>38.52</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>399</td><td>109</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.40	66.19	116.83	-50.64	48.33	34.81	12.86	29.81	0.00	399	109	PEAK	2	5857.20	59.92	110.28	-50.36	42.03	34.84	12.87	29.82	0.00	399	109	PEAK	3	5924.00	55.55	68.35	-12.80	37.32	35.10	12.98	29.85	0.00	399	109	PEAK	4	5950.00	56.81	68.20	-11.39	38.52	35.10	13.02	29.83	0.00	399	109	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.81</td><td>-----</td><td>-----</td><td>89.98</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>399</td><td>109</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.81	-----	-----	89.98	34.80	12.82	29.79	0.00	399	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5852.40	66.19	116.83	-50.64	48.33	34.81	12.86	29.81	0.00	399	109	PEAK																																																																																																																																
2	5857.20	59.92	110.28	-50.36	42.03	34.84	12.87	29.82	0.00	399	109	PEAK																																																																																																																																
3	5924.00	55.55	68.35	-12.80	37.32	35.10	12.98	29.85	0.00	399	109	PEAK																																																																																																																																
4	5950.00	56.81	68.20	-11.39	38.52	35.10	13.02	29.83	0.00	399	109	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5825.00	107.81	-----	-----	89.98	34.80	12.82	29.79	0.00	399	109	PEAK																																																																																																																																
Avg																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.57</td><td>-----</td><td>-----</td><td>81.74</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>399</td><td>109</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.57	-----	-----	81.74	34.80	12.82	29.79	0.00	399	109	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.57</td><td>-----</td><td>-----</td><td>81.74</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>399</td><td>109</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.57	-----	-----	81.74	34.80	12.82	29.79	0.00	399	109	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5825.00	99.57	-----	-----	81.74	34.80	12.82	29.79	0.00	399	109	AVERAGE																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5825.00	99.57	-----	-----	81.74	34.80	12.82	29.79	0.00	399	109	AVERAGE																																																																																																																																



Mode	28																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																											
ANT	SISO																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>62.87</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>215</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.14</td><td>54.00</td><td>-8.86</td><td>52.36</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>215</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	55.65	74.00	-18.35	62.87	38.20	18.72	64.14	0.00	100	215	PEAK	2	11650.00	45.14	54.00	-8.86	52.36	38.20	18.72	64.14	0.00	100	215	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>60.60</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>102</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>50.29</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>102</td><td>65</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	53.38	74.00	-20.62	60.60	38.20	18.72	64.14	0.00	102	65	PEAK	2	11650.00	43.07	54.00	-10.93	50.29	38.20	18.72	64.14	0.00	102	65	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11650.00	55.65	74.00	-18.35	62.87	38.20	18.72	64.14	0.00	100	215	PEAK																																																																																																																																
2	11650.00	45.14	54.00	-8.86	52.36	38.20	18.72	64.14	0.00	100	215	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11650.00	53.38	74.00	-20.62	60.60	38.20	18.72	64.14	0.00	102	65	PEAK																																																																																																																																
2	11650.00	43.07	54.00	-10.93	50.29	38.20	18.72	64.14	0.00	102	65	AVERAGE																																																																																																																																



Mode	29																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5607.01</td><td>56.50</td><td>68.20</td><td>-11.70</td><td>39.21</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.97</td><td>68.20</td><td>-14.23</td><td>36.65</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr><tr><td>3</td><td>5719.41</td><td>76.63</td><td>110.74</td><td>-34.11</td><td>59.27</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr><tr><td>4</td><td>5721.01</td><td>82.51</td><td>113.21</td><td>-30.70</td><td>65.15</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5607.01	56.50	68.20	-11.70	39.21	34.51	12.53	29.75	0.00	100	43	PEAK	2	5650.00	53.97	68.20	-14.23	36.65	34.60	12.58	29.86	0.00	100	43	PEAK	3	5719.41	76.63	110.74	-34.11	59.27	34.64	12.67	29.95	0.00	100	43	PEAK	4	5721.01	82.51	113.21	-30.70	65.15	34.64	12.67	29.95	0.00	100	43	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.18</td><td>-----</td><td>-----</td><td>94.73</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.18	-----	-----	94.73	34.67	12.69	29.91	0.00	100	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5607.01	56.50	68.20	-11.70	39.21	34.51	12.53	29.75	0.00	100	43	PEAK																																																																																																																														
2	5650.00	53.97	68.20	-14.23	36.65	34.60	12.58	29.86	0.00	100	43	PEAK																																																																																																																														
3	5719.41	76.63	110.74	-34.11	59.27	34.64	12.67	29.95	0.00	100	43	PEAK																																																																																																																														
4	5721.01	82.51	113.21	-30.70	65.15	34.64	12.67	29.95	0.00	100	43	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	112.18	-----	-----	94.73	34.67	12.69	29.91	0.00	100	43	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.38</td><td>-----</td><td>-----</td><td>85.88</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.38	-----	-----	85.88	34.69	12.70	29.89	0.00	100	43	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	103.38	-----	-----	85.88	34.69	12.70	29.89	0.00	100	43	AVERAGE																																																																																																																														