










Mode	29																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.81</td><td>56.04</td><td>68.20</td><td>-12.16</td><td>38.74</td><td>34.56</td><td>12.55</td><td>29.81</td><td>0.00</td><td>385</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.77</td><td>68.20</td><td>-14.43</td><td>36.45</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>385</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5719.81</td><td>72.11</td><td>110.85</td><td>-38.74</td><td>54.75</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>385</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5721.41</td><td>78.31</td><td>114.12</td><td>-35.81</td><td>60.95</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>385</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.81	56.04	68.20	-12.16	38.74	34.56	12.55	29.81	0.00	385	111	PEAK	2	5650.00	53.77	68.20	-14.43	36.45	34.60	12.58	29.86	0.00	385	111	PEAK	3	5719.81	72.11	110.85	-38.74	54.75	34.64	12.67	29.95	0.00	385	111	PEAK	4	5721.41	78.31	114.12	-35.81	60.95	34.64	12.67	29.95	0.00	385	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.55</td><td>-----</td><td>-----</td><td>91.02</td><td>34.70</td><td>12.71</td><td>29.88</td><td>0.00</td><td>385</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.55	-----	-----	91.02	34.70	12.71	29.88	0.00	385	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5627.81	56.04	68.20	-12.16	38.74	34.56	12.55	29.81	0.00	385	111	PEAK																																																																																																																														
2	5650.00	53.77	68.20	-14.43	36.45	34.60	12.58	29.86	0.00	385	111	PEAK																																																																																																																														
3	5719.81	72.11	110.85	-38.74	54.75	34.64	12.67	29.95	0.00	385	111	PEAK																																																																																																																														
4	5721.41	78.31	114.12	-35.81	60.95	34.64	12.67	29.95	0.00	385	111	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	108.55	-----	-----	91.02	34.70	12.71	29.88	0.00	385	111	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.47</td><td>-----</td><td>-----</td><td>81.94</td><td>34.70</td><td>12.71</td><td>29.88</td><td>0.00</td><td>385</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.47	-----	-----	81.94	34.70	12.71	29.88	0.00	385	111	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	99.47	-----	-----	81.94	34.70	12.71	29.88	0.00	385	111	AVERAGE																																																																																																																														






Mode	29																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																									
ANT	SISO																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th rowspan="2">Freq</th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>57.28</td><td>74.00</td><td>-16.72</td><td>64.80</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>285 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.59</td><td>54.00</td><td>-7.41</td><td>54.11</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>285 AVERAGE</td></tr></table>						Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	57.28	74.00	-16.72	64.80	38.00	18.58	64.10	0.00	100	285 PEAK	2	11490.00	46.59	54.00	-7.41	54.11	38.00	18.58	64.10	0.00	100	285 AVERAGE	<table><tr><th rowspan="2">Freq</th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>52.80</td><td>74.00</td><td>-21.20</td><td>60.32</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.55</td><td>54.00</td><td>-11.45</td><td>50.06</td><td>38.00</td><td>18.58</td><td>64.09</td><td>0.00</td><td>100</td><td>84 AVERAGE</td></tr></table>						Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	52.80	74.00	-21.20	60.32	38.00	18.58	64.10	0.00	100	84 PEAK	2	11490.00	42.55	54.00	-11.45	50.06	38.00	18.58	64.09	0.00	100	84 AVERAGE
	Freq	Limit		Read	Ant	Cable		Preamp	Aux	APos	TPos	Remark																																																																																																														
Level		Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11490.00	57.28	74.00	-16.72	64.80	38.00	18.58	64.10	0.00	100	285 PEAK																																																																																																															
2	11490.00	46.59	54.00	-7.41	54.11	38.00	18.58	64.10	0.00	100	285 AVERAGE																																																																																																															
Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11490.00	52.80	74.00	-21.20	60.32	38.00	18.58	64.10	0.00	100	84 PEAK																																																																																																															
2	11490.00	42.55	54.00	-11.45	50.06	38.00	18.58	64.09	0.00	100	84 AVERAGE																																																																																																															






Mode	30																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																																													
ANT	SISO																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7713.31</td><td>50.93</td><td>74.00</td><td>-23.07</td><td>67.36</td><td>35.73</td><td>14.87</td><td>67.03</td><td>0.00</td><td>100</td><td>349</td><td>PEAK</td></tr><tr><td>2 7713.31</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>63.46</td><td>35.73</td><td>14.87</td><td>67.03</td><td>0.00</td><td>100</td><td>349</td><td>AVERAGE</td></tr><tr><td>3 11570.00</td><td>56.00</td><td>74.00</td><td>-17.20</td><td>64.18</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>102</td><td>287</td><td>PEAK</td></tr><tr><td>4 11570.00</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>52.64</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>102</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7713.31	50.93	74.00	-23.07	67.36	35.73	14.87	67.03	0.00	100	349	PEAK	2 7713.31	47.03	54.00	-6.97	63.46	35.73	14.87	67.03	0.00	100	349	AVERAGE	3 11570.00	56.00	74.00	-17.20	64.18	38.07	18.65	64.10	0.00	102	287	PEAK	4 11570.00	45.26	54.00	-8.74	52.64	38.07	18.65	64.10	0.00	102	287	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7713.31</td><td>42.75</td><td>74.00</td><td>-31.25</td><td>59.18</td><td>35.73</td><td>14.87</td><td>67.03</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>52.87</td><td>74.00</td><td>-21.13</td><td>60.25</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>101</td><td>79</td><td>PEAK</td></tr><tr><td>3 11570.00</td><td>42.42</td><td>54.00</td><td>-11.58</td><td>49.00</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>101</td><td>79</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7713.31	42.75	74.00	-31.25	59.18	35.73	14.87	67.03	0.00	--	--	PEAK	2 11570.00	52.87	74.00	-21.13	60.25	38.07	18.65	64.10	0.00	101	79	PEAK	3 11570.00	42.42	54.00	-11.58	49.00	38.07	18.65	64.10	0.00	101	79	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1 7713.31	50.93	74.00	-23.07	67.36	35.73	14.87	67.03	0.00	100	349	PEAK																																																																																																																																																			
2 7713.31	47.03	54.00	-6.97	63.46	35.73	14.87	67.03	0.00	100	349	AVERAGE																																																																																																																																																			
3 11570.00	56.00	74.00	-17.20	64.18	38.07	18.65	64.10	0.00	102	287	PEAK																																																																																																																																																			
4 11570.00	45.26	54.00	-8.74	52.64	38.07	18.65	64.10	0.00	102	287	AVERAGE																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																				
1 7713.31	42.75	74.00	-31.25	59.18	35.73	14.87	67.03	0.00	--	--	PEAK																																																																																																																																																			
2 11570.00	52.87	74.00	-21.13	60.25	38.07	18.65	64.10	0.00	101	79	PEAK																																																																																																																																																			
3 11570.00	42.42	54.00	-11.58	49.00	38.07	18.65	64.10	0.00	101	79	AVERAGE																																																																																																																																																			





Mode	31																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a blue signal line with a peak at 5825 MHz. A red limit line is shown at 113.8 dBuV/m. The signal level is approximately 101.82 dBuV/m at the peak. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.41</td><td>71.64</td><td>114.52</td><td>-42.88</td><td>53.77</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>5855.81</td><td>71.78</td><td>110.67</td><td>-38.89</td><td>53.91</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>54.45</td><td>68.21</td><td>-13.76</td><td>36.22</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>4</td><td>5998.61</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>39.61</td><td>35.10</td><td>13.11</td><td>29.79</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.41	71.64	114.52	-42.88	53.77	34.82	12.86	29.81	0.00	100	235	PEAK	2	5855.81	71.78	110.67	-38.89	53.91	34.83	12.86	29.82	0.00	100	235	PEAK	3	5924.99	54.45	68.21	-13.76	36.22	35.10	12.98	29.85	0.00	100	235	PEAK	4	5998.61	58.03	68.20	-10.17	39.61	35.10	13.11	29.79	0.00	100	235	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a peak at 5825 MHz. A red limit line is shown at 113.8 dBuV/m. The signal level is approximately 110.80 dBuV/m at the peak. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.80</td><td>-----</td><td>-----</td><td>92.97</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	110.80	-----	-----	92.97	34.80	12.81	29.78	0.00	100	235	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5853.41	71.64	114.52	-42.88	53.77	34.82	12.86	29.81	0.00	100	235	PEAK																																																																																																																															
2	5855.81	71.78	110.67	-38.89	53.91	34.83	12.86	29.82	0.00	100	235	PEAK																																																																																																																															
3	5924.99	54.45	68.21	-13.76	36.22	35.10	12.98	29.85	0.00	100	235	PEAK																																																																																																																															
4	5998.61	58.03	68.20	-10.17	39.61	35.10	13.11	29.79	0.00	100	235	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	110.80	-----	-----	92.97	34.80	12.81	29.78	0.00	100	235	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a peak at 5825 MHz. A red limit line is shown at 113.8 dBuV/m. The signal level is approximately 101.82 dBuV/m at the peak. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.82</td><td>-----</td><td>-----</td><td>83.99</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.82	-----	-----	83.99	34.80	12.81	29.78	0.00	100	235	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	101.82	-----	-----	83.99	34.80	12.81	29.78	0.00	100	235	AVERAGE																																																																																																																															






Mode	31																																																																																																																																											
	Band Edge																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																											
ANT	SISO																																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.99</td><td>71.02</td><td>110.93</td><td>-39.91</td><td>53.15</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>396</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5855.01</td><td>71.12</td><td>110.90</td><td>-39.78</td><td>53.25</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>396</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>55.34</td><td>68.78</td><td>-13.44</td><td>37.11</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>396</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5939.41</td><td>56.78</td><td>68.20</td><td>-11.42</td><td>38.51</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>396</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	71.02	110.93	-39.91	53.15	34.83	12.86	29.82	0.00	396	113	PEAK	2	5855.01	71.12	110.90	-39.78	53.25	34.83	12.86	29.82	0.00	396	113	PEAK	3	5924.21	55.34	68.78	-13.44	37.11	35.10	12.98	29.85	0.00	396	113	PEAK	4	5939.41	56.78	68.20	-11.42	38.51	35.10	13.01	29.84	0.00	396	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.56</td><td>-----</td><td>-----</td><td>89.73</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>396</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	107.56	-----	-----	89.73	34.80	12.81	29.78	0.00	396	113	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5854.99	71.02	110.93	-39.91	53.15	34.83	12.86	29.82	0.00	396	113	PEAK																																																																																																																																
2	5855.01	71.12	110.90	-39.78	53.25	34.83	12.86	29.82	0.00	396	113	PEAK																																																																																																																																
3	5924.21	55.34	68.78	-13.44	37.11	35.10	12.98	29.85	0.00	396	113	PEAK																																																																																																																																
4	5939.41	56.78	68.20	-11.42	38.51	35.10	13.01	29.84	0.00	396	113	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	107.56	-----	-----	89.73	34.80	12.81	29.78	0.00	396	113	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.67</td><td>-----</td><td>-----</td><td>80.83</td><td>34.80</td><td>12.82</td><td>29.78</td><td>0.00</td><td>396</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	98.67	-----	-----	80.83	34.80	12.82	29.78	0.00	396	113	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	98.67	-----	-----	80.83	34.80	12.82	29.78	0.00	396	113	AVERAGE																																																																																																																																



Mode	31																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																																							
ANT	SISO																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>51.53</td><td>68.20</td><td>-16.67</td><td>67.96</td><td>35.83</td><td>14.93</td><td>67.19</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>54.92</td><td>74.00</td><td>-19.08</td><td>62.14</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>236</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>51.01</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>236</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.65	51.53	68.20	-16.67	67.96	35.83	14.93	67.19	0.00	100	334	PEAK	2	11650.00	54.92	74.00	-19.08	62.14	38.20	18.72	64.14	0.00	100	236	PEAK	3	11650.00	43.79	54.00	-10.21	51.01	38.20	18.72	64.14	0.00	100	236	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>42.78</td><td>68.20</td><td>-25.42</td><td>59.21</td><td>35.83</td><td>14.93</td><td>67.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>59.97</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>66</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>49.33</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>66</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.65	42.78	68.20	-25.42	59.21	35.83	14.93	67.19	0.00	--	--	PEAK	2	11650.00	52.75	74.00	-21.25	59.97	38.20	18.72	64.14	0.00	100	66	PEAK	3	11650.00	42.11	54.00	-11.89	49.33	38.20	18.72	64.14	0.00	100	66	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	7766.65	51.53	68.20	-16.67	67.96	35.83	14.93	67.19	0.00	100	334	PEAK																																																																																																																																												
2	11650.00	54.92	74.00	-19.08	62.14	38.20	18.72	64.14	0.00	100	236	PEAK																																																																																																																																												
3	11650.00	43.79	54.00	-10.21	51.01	38.20	18.72	64.14	0.00	100	236	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	7766.65	42.78	68.20	-25.42	59.21	35.83	14.93	67.19	0.00	--	--	PEAK																																																																																																																																												
2	11650.00	52.75	74.00	-21.25	59.97	38.20	18.72	64.14	0.00	100	66	PEAK																																																																																																																																												
3	11650.00	42.11	54.00	-11.89	49.33	38.20	18.72	64.14	0.00	100	66	AVERAGE																																																																																																																																												




Mode	32																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																								
ANT	SISO																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5649.99</td><td>58.82</td><td>68.20</td><td>-9.38</td><td>41.50</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>102 40 PEAK</td></tr><tr><td>2 5650.00</td><td>58.38</td><td>68.20</td><td>-9.82</td><td>41.07</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>102 40 PEAK</td></tr><tr><td>3 5719.28</td><td>80.34</td><td>110.70</td><td>-30.36</td><td>62.98</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>102 40 PEAK</td></tr><tr><td>4 5720.98</td><td>81.73</td><td>113.14</td><td>-31.41</td><td>64.37</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>102 40 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5649.99	58.82	68.20	-9.38	41.50	34.60	12.58	29.86	0.00	102 40 PEAK	2 5650.00	58.38	68.20	-9.82	41.07	34.60	12.58	29.87	0.00	102 40 PEAK	3 5719.28	80.34	110.70	-30.36	62.98	34.64	12.67	29.95	0.00	102 40 PEAK	4 5720.98	81.73	113.14	-31.41	64.37	34.64	12.67	29.95	0.00	102 40 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>106.35</td><td>-----</td><td>-----</td><td>88.85</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>102 40 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	106.35	-----	-----	88.85	34.69	12.70	29.89	0.00	102 40 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 5649.99	58.82	68.20	-9.38	41.50	34.60	12.58	29.86	0.00	102 40 PEAK																																																																																																																
2 5650.00	58.38	68.20	-9.82	41.07	34.60	12.58	29.87	0.00	102 40 PEAK																																																																																																																
3 5719.28	80.34	110.70	-30.36	62.98	34.64	12.67	29.95	0.00	102 40 PEAK																																																																																																																
4 5720.98	81.73	113.14	-31.41	64.37	34.64	12.67	29.95	0.00	102 40 PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 5755.00	106.35	-----	-----	88.85	34.69	12.70	29.89	0.00	102 40 PEAK																																																																																																																
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>98.26</td><td>-----</td><td>-----</td><td>88.76</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>102 40 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	98.26	-----	-----	88.76	34.69	12.70	29.89	0.00	102 40 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 5755.00	98.26	-----	-----	88.76	34.69	12.70	29.89	0.00	102 40 AVERAGE																																																																																																																



FCC RADIO TEST REPORT


Report No. : FR512010D

Mode	32																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																													
ANT	SISO																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.55</td><td>56.28</td><td>111.92</td><td>-55.64</td><td>38.41</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>102</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5874.83</td><td>56.16</td><td>105.35</td><td>-49.19</td><td>38.15</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>102</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5923.39</td><td>56.21</td><td>69.39</td><td>-13.18</td><td>37.98</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>102</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5939.18</td><td>56.42</td><td>68.20</td><td>-11.78</td><td>38.15</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>102</td><td>40</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.55	56.28	111.92	-55.64	38.41	34.83	12.86	29.82	0.00	102	40	PEAK	2	5874.83	56.16	105.35	-49.19	38.15	34.95	12.90	29.84	0.00	102	40	PEAK	3	5923.39	56.21	69.39	-13.18	37.98	35.10	12.98	29.85	0.00	102	40	PEAK	4	5939.18	56.42	68.20	-11.78	38.15	35.10	13.01	29.84	0.00	102	40	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.55	56.28	111.92	-55.64	38.41	34.83	12.86	29.82	0.00	102	40	PEAK																																																																																		
2	5874.83	56.16	105.35	-49.19	38.15	34.95	12.90	29.84	0.00	102	40	PEAK																																																																																		
3	5923.39	56.21	69.39	-13.18	37.98	35.10	12.98	29.85	0.00	102	40	PEAK																																																																																		
4	5939.18	56.42	68.20	-11.78	38.15	35.10	13.01	29.84	0.00	102	40	PEAK																																																																																		





Mode	32																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.00</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>38.83</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>382</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>54.45</td><td>68.66</td><td>-14.21</td><td>37.14</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>382</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5718.97</td><td>72.88</td><td>110.61</td><td>-37.73</td><td>55.52</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>382</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.43</td><td>110.90</td><td>-38.47</td><td>55.07</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>382</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.00	56.14	68.20	-12.06	38.83	34.58	12.57	29.84	0.00	382	110	PEAK	2	5650.61	54.45	68.66	-14.21	37.14	34.60	12.58	29.87	0.00	382	110	PEAK	3	5718.97	72.88	110.61	-37.73	55.52	34.64	12.67	29.95	0.00	382	110	PEAK	4	5720.00	72.43	110.90	-38.47	55.07	34.64	12.67	29.95	0.00	382	110	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.47</td><td>-----</td><td>-----</td><td>84.88</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>382</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	102.47	-----	-----	84.88	34.72	12.72	29.85	0.00	382	110	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5641.00	56.14	68.20	-12.06	38.83	34.58	12.57	29.84	0.00	382	110	PEAK																																																																																																																															
2	5650.61	54.45	68.66	-14.21	37.14	34.60	12.58	29.87	0.00	382	110	PEAK																																																																																																																															
3	5718.97	72.88	110.61	-37.73	55.52	34.64	12.67	29.95	0.00	382	110	PEAK																																																																																																																															
4	5720.00	72.43	110.90	-38.47	55.07	34.64	12.67	29.95	0.00	382	110	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	102.47	-----	-----	84.88	34.72	12.72	29.85	0.00	382	110	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.07</td><td>-----</td><td>-----</td><td>76.44</td><td>34.73</td><td>12.73</td><td>29.83</td><td>0.00</td><td>382</td><td>110</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	94.07	-----	-----	76.44	34.73	12.73	29.83	0.00	382	110	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	94.07	-----	-----	76.44	34.73	12.73	29.83	0.00	382	110	AVERAGE																																																																																																																															






Mode	32																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																														
ANT	SISO																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.55</td><td>53.65</td><td>111.92</td><td>-58.27</td><td>35.78</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>382</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5874.05</td><td>56.16</td><td>105.56</td><td>-49.40</td><td>38.16</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>382</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>55.21</td><td>68.38</td><td>-13.17</td><td>36.98</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>382</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5949.13</td><td>58.06</td><td>68.20</td><td>-10.14</td><td>39.77</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>382</td><td>110</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.55	53.65	111.92	-58.27	35.78	34.83	12.86	29.82	0.00	382	110	PEAK	2	5874.05	56.16	105.56	-49.40	38.16	34.94	12.90	29.84	0.00	382	110	PEAK	3	5924.75	55.21	68.38	-13.17	36.98	35.10	12.98	29.85	0.00	382	110	PEAK	4	5949.13	58.06	68.20	-10.14	39.77	35.10	13.02	29.83	0.00	382	110	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.55	53.65	111.92	-58.27	35.78	34.83	12.86	29.82	0.00	382	110	PEAK																																																																																			
2	5874.05	56.16	105.56	-49.40	38.16	34.94	12.90	29.84	0.00	382	110	PEAK																																																																																			
3	5924.75	55.21	68.38	-13.17	36.98	35.10	12.98	29.85	0.00	382	110	PEAK																																																																																			
4	5949.13	58.06	68.20	-10.14	39.77	35.10	13.02	29.83	0.00	382	110	PEAK																																																																																			




Mode	32																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																																							
ANT	SISO																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.31</td><td>49.52</td><td>74.00</td><td>-24.48</td><td>65.74</td><td>35.86</td><td>14.83</td><td>66.91</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>7673.31</td><td>46.34</td><td>54.00</td><td>-7.66</td><td>62.56</td><td>35.86</td><td>14.83</td><td>66.91</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr><tr><td>3</td><td>11510.00</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>59.80</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>100</td><td>285</td><td>PEAK</td></tr><tr><td>4</td><td>11510.00</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>49.90</td><td>38.00</td><td>18.59</td><td>64.06</td><td>0.00</td><td>100</td><td>285</td><td>AVERAGE</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.31</td><td>42.27</td><td>74.00</td><td>-31.73</td><td>58.49</td><td>35.86</td><td>14.83</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>54.23</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7673.31	49.52	74.00	-24.48	65.74	35.86	14.83	66.91	0.00	100	328	PEAK	2	7673.31	46.34	54.00	-7.66	62.56	35.86	14.83	66.91	0.00	100	328	AVERAGE	3	11510.00	52.34	74.00	-21.66	59.80	38.01	18.60	64.07	0.00	100	285	PEAK	4	11510.00	42.43	54.00	-11.57	49.90	38.00	18.59	64.06	0.00	100	285	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.31	42.27	74.00	-31.73	58.49	35.86	14.83	66.91	0.00	--	--	PEAK	2	11510.00	46.77	74.00	-27.23	54.23	38.01	18.60	64.07	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	7673.31	49.52	74.00	-24.48	65.74	35.86	14.83	66.91	0.00	100	328	PEAK																																																																																																																																												
2	7673.31	46.34	54.00	-7.66	62.56	35.86	14.83	66.91	0.00	100	328	AVERAGE																																																																																																																																												
3	11510.00	52.34	74.00	-21.66	59.80	38.01	18.60	64.07	0.00	100	285	PEAK																																																																																																																																												
4	11510.00	42.43	54.00	-11.57	49.90	38.00	18.59	64.06	0.00	100	285	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7673.31	42.27	74.00	-31.73	58.49	35.86	14.83	66.91	0.00	--	--	PEAK																																																																																																																																												
2	11510.00	46.77	74.00	-27.23	54.23	38.01	18.60	64.07	0.00	--	--	PEAK																																																																																																																																												






Mode	33																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.61</td><td>56.35</td><td>68.20</td><td>-11.85</td><td>39.05</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>103</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>55.55</td><td>68.66</td><td>-13.11</td><td>38.24</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>103</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5703.81</td><td>56.71</td><td>106.37</td><td>-49.66</td><td>39.44</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>103</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.06</td><td>110.90</td><td>-53.84</td><td>39.70</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>103</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.61	56.35	68.20	-11.85	39.05	34.51	12.53	29.74	0.00	103	40	PEAK	2	5650.61	55.55	68.66	-13.11	38.24	34.60	12.58	29.87	0.00	103	40	PEAK	3	5703.81	56.71	106.37	-49.66	39.44	34.61	12.65	29.99	0.00	103	40	PEAK	4	5720.00	57.06	110.90	-53.84	39.70	34.64	12.67	29.95	0.00	103	40	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.48</td><td>-----</td><td>-----</td><td>87.78</td><td>34.76</td><td>12.74</td><td>29.80</td><td>0.00</td><td>103</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	105.48	-----	-----	87.78	34.76	12.74	29.80	0.00	103	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5604.61	56.35	68.20	-11.85	39.05	34.51	12.53	29.74	0.00	103	40	PEAK																																																																																																																														
2	5650.61	55.55	68.66	-13.11	38.24	34.60	12.58	29.87	0.00	103	40	PEAK																																																																																																																														
3	5703.81	56.71	106.37	-49.66	39.44	34.61	12.65	29.99	0.00	103	40	PEAK																																																																																																																														
4	5720.00	57.06	110.90	-53.84	39.70	34.64	12.67	29.95	0.00	103	40	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	105.48	-----	-----	87.78	34.76	12.74	29.80	0.00	103	40	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.38</td><td>-----</td><td>-----</td><td>79.68</td><td>34.76</td><td>12.74</td><td>29.80</td><td>0.00</td><td>103</td><td>40</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.38	-----	-----	79.68	34.76	12.74	29.80	0.00	103	40	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	97.38	-----	-----	79.68	34.76	12.74	29.80	0.00	103	40	AVERAGE																																																																																																																														




Mode	33																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																													
ANT	SISO																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.61</td><td>61.96</td><td>111.78</td><td>-49.82</td><td>44.09</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>103</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5856.61</td><td>60.52</td><td>110.45</td><td>-49.93</td><td>42.63</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>103</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>55.70</td><td>68.21</td><td>-12.51</td><td>37.47</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>103</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5994.61</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>39.13</td><td>35.10</td><td>13.10</td><td>29.79</td><td>0.00</td><td>103</td><td>40</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.61	61.96	111.78	-49.82	44.09	34.83	12.86	29.82	0.00	103	40	PEAK	2	5856.61	60.52	110.45	-49.93	42.63	34.84	12.87	29.82	0.00	103	40	PEAK	3	5924.99	55.70	68.21	-12.51	37.47	35.10	12.98	29.85	0.00	103	40	PEAK	4	5994.61	57.54	68.20	-10.66	39.13	35.10	13.10	29.79	0.00	103	40	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.61	61.96	111.78	-49.82	44.09	34.83	12.86	29.82	0.00	103	40	PEAK																																																																																		
2	5856.61	60.52	110.45	-49.93	42.63	34.84	12.87	29.82	0.00	103	40	PEAK																																																																																		
3	5924.99	55.70	68.21	-12.51	37.47	35.10	12.98	29.85	0.00	103	40	PEAK																																																																																		
4	5994.61	57.54	68.20	-10.66	39.13	35.10	13.10	29.79	0.00	103	40	PEAK																																																																																		






Mode	33																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.41</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>38.34</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>358</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>54.06</td><td>68.66</td><td>-13.00</td><td>37.55</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>358</td><td>104</td><td>PEAK</td></tr><tr><td>3</td><td>5703.41</td><td>55.73</td><td>106.26</td><td>-50.53</td><td>38.46</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>358</td><td>104</td><td>PEAK</td></tr><tr><td>4</td><td>5720.61</td><td>55.62</td><td>112.30</td><td>-56.68</td><td>38.26</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>358</td><td>104</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.41	55.65	68.20	-12.55	38.34	34.58	12.57	29.84	0.00	358	104	PEAK	2	5650.61	54.06	68.66	-13.00	37.55	34.60	12.58	29.87	0.00	358	104	PEAK	3	5703.41	55.73	106.26	-50.53	38.46	34.61	12.65	29.99	0.00	358	104	PEAK	4	5720.61	55.62	112.30	-56.68	38.26	34.64	12.67	29.95	0.00	358	104	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.14</td><td>-----</td><td>-----</td><td>83.34</td><td>34.79</td><td>12.77</td><td>29.76</td><td>0.00</td><td>358</td><td>104</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.14	-----	-----	83.34	34.79	12.77	29.76	0.00	358	104	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5639.41	55.65	68.20	-12.55	38.34	34.58	12.57	29.84	0.00	358	104	PEAK																																																																																																																															
2	5650.61	54.06	68.66	-13.00	37.55	34.60	12.58	29.87	0.00	358	104	PEAK																																																																																																																															
3	5703.41	55.73	106.26	-50.53	38.46	34.61	12.65	29.99	0.00	358	104	PEAK																																																																																																																															
4	5720.61	55.62	112.30	-56.68	38.26	34.64	12.67	29.95	0.00	358	104	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	101.14	-----	-----	83.34	34.79	12.77	29.76	0.00	358	104	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>92.92</td><td>-----</td><td>-----</td><td>75.12</td><td>34.79</td><td>12.77</td><td>29.76</td><td>0.00</td><td>358</td><td>104</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	92.92	-----	-----	75.12	34.79	12.77	29.76	0.00	358	104	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	92.92	-----	-----	75.12	34.79	12.77	29.76	0.00	358	104	AVERAGE																																																																																																																															





Mode	33																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																													
ANT	SISO																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.59</td><td>110.93</td><td>-56.34</td><td>36.72</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>358</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>5874.21</td><td>54.06</td><td>105.52</td><td>-51.46</td><td>36.05</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>358</td><td>104</td><td>PEAK</td></tr><tr><td>3</td><td>5924.61</td><td>54.94</td><td>68.49</td><td>-13.55</td><td>36.71</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>358</td><td>104</td><td>PEAK</td></tr><tr><td>4</td><td>5972.61</td><td>56.90</td><td>68.20</td><td>-11.30</td><td>38.55</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>358</td><td>104</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	54.59	110.93	-56.34	36.72	34.83	12.86	29.82	0.00	358	104	PEAK	2	5874.21	54.06	105.52	-51.46	36.05	34.95	12.90	29.84	0.00	358	104	PEAK	3	5924.61	54.94	68.49	-13.55	36.71	35.10	12.98	29.85	0.00	358	104	PEAK	4	5972.61	56.90	68.20	-11.30	38.55	35.10	13.06	29.81	0.00	358	104	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.99	54.59	110.93	-56.34	36.72	34.83	12.86	29.82	0.00	358	104	PEAK																																																																																		
2	5874.21	54.06	105.52	-51.46	36.05	34.95	12.90	29.84	0.00	358	104	PEAK																																																																																		
3	5924.61	54.94	68.49	-13.55	36.71	35.10	12.98	29.85	0.00	358	104	PEAK																																																																																		
4	5972.61	56.90	68.20	-11.30	38.55	35.10	13.06	29.81	0.00	358	104	PEAK																																																																																		





Mode	33																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																																										
ANT	SISO																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>64.71</td><td>35.75</td><td>14.89</td><td>67.07</td><td>0.00</td><td>100</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>7726.65</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>61.09</td><td>35.75</td><td>14.89</td><td>67.07</td><td>0.00</td><td>100</td><td>331</td><td>AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>58.70</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>290</td><td>PEAK</td></tr><tr><td>4</td><td>11590.00</td><td>41.45</td><td>54.00</td><td>-12.55</td><td>48.80</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>290</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	48.28	74.00	-25.72	64.71	35.75	14.89	67.07	0.00	100	331	PEAK	2	7726.65	44.66	54.00	-9.34	61.09	35.75	14.89	67.07	0.00	100	331	AVERAGE	3	11590.00	51.35	74.00	-22.65	58.70	38.09	18.67	64.11	0.00	100	290	PEAK	4	11590.00	41.45	54.00	-12.55	48.80	38.09	18.67	64.11	0.00	100	290	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>42.43</td><td>74.00</td><td>-31.57</td><td>58.06</td><td>35.75</td><td>14.89</td><td>67.07</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>53.06</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	42.43	74.00	-31.57	58.06	35.75	14.89	67.07	0.00	--	--	PEAK	2	11590.00	46.51	74.00	-27.49	53.06	38.09	18.67	64.11	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	7726.65	48.28	74.00	-25.72	64.71	35.75	14.89	67.07	0.00	100	331	PEAK																																																																																																																																															
2	7726.65	44.66	54.00	-9.34	61.09	35.75	14.89	67.07	0.00	100	331	AVERAGE																																																																																																																																															
3	11590.00	51.35	74.00	-22.65	58.70	38.09	18.67	64.11	0.00	100	290	PEAK																																																																																																																																															
4	11590.00	41.45	54.00	-12.55	48.80	38.09	18.67	64.11	0.00	100	290	AVERAGE																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	7726.65	42.43	74.00	-31.57	58.06	35.75	14.89	67.07	0.00	--	--	PEAK																																																																																																																																															
2	11590.00	46.51	74.00	-27.49	53.06	38.09	18.67	64.11	0.00	--	--	PEAK																																																																																																																																															





Mode	34																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																	
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																																																																																	
ANT	SISO																																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7626.65</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>67.64</td><td>35.86</td><td>14.79</td><td>66.77</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>48.48</td><td>54.00</td><td>-5.52</td><td>64.60</td><td>35.86</td><td>14.79</td><td>66.77</td><td>0.00</td><td>100</td><td>325</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>57.09</td><td>74.00</td><td>-16.91</td><td>64.84</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>11440.00</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>54.41</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr><tr><td>5</td><td>17160.00</td><td>52.48</td><td>68.20</td><td>-15.72</td><td>53.47</td><td>41.47</td><td>22.79</td><td>65.25</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	51.52	74.00	-22.48	67.64	35.86	14.79	66.77	0.00	100	325	PEAK	2	7626.65	48.48	54.00	-5.52	64.60	35.86	14.79	66.77	0.00	100	325	AVERAGE	3	11440.00	57.09	74.00	-16.91	64.84	38.00	18.54	64.29	0.00	100	287	PEAK	4	11440.00	46.66	54.00	-7.34	54.41	38.00	18.54	64.29	0.00	100	287	AVERAGE	5	17160.00	52.48	68.20	-15.72	53.47	41.47	22.79	65.25	0.00	100	352	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7626.65</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>59.56</td><td>35.86</td><td>14.79</td><td>66.77</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>51.98</td><td>74.00</td><td>-22.02</td><td>59.73</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>41.42</td><td>54.00</td><td>-12.58</td><td>49.17</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>85</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>54.18</td><td>68.20</td><td>-14.02</td><td>55.18</td><td>41.46</td><td>22.79</td><td>65.25</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	43.44	74.00	-30.56	59.56	35.86	14.79	66.77	0.00	--	--	PEAK	2	11440.00	51.98	74.00	-22.02	59.73	38.00	18.54	64.29	0.00	100	85	PEAK	3	11440.00	41.42	54.00	-12.58	49.17	38.00	18.54	64.29	0.00	100	85	AVERAGE	4	17160.00	54.18	68.20	-14.02	55.18	41.46	22.79	65.25	0.00	100	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																							
1	7626.65	51.52	74.00	-22.48	67.64	35.86	14.79	66.77	0.00	100	325	PEAK																																																																																																																																																																																						
2	7626.65	48.48	54.00	-5.52	64.60	35.86	14.79	66.77	0.00	100	325	AVERAGE																																																																																																																																																																																						
3	11440.00	57.09	74.00	-16.91	64.84	38.00	18.54	64.29	0.00	100	287	PEAK																																																																																																																																																																																						
4	11440.00	46.66	54.00	-7.34	54.41	38.00	18.54	64.29	0.00	100	287	AVERAGE																																																																																																																																																																																						
5	17160.00	52.48	68.20	-15.72	53.47	41.47	22.79	65.25	0.00	100	352	PEAK																																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																							
1	7626.65	43.44	74.00	-30.56	59.56	35.86	14.79	66.77	0.00	--	--	PEAK																																																																																																																																																																																						
2	11440.00	51.98	74.00	-22.02	59.73	38.00	18.54	64.29	0.00	100	85	PEAK																																																																																																																																																																																						
3	11440.00	41.42	54.00	-12.58	49.17	38.00	18.54	64.29	0.00	100	85	AVERAGE																																																																																																																																																																																						
4	17160.00	54.18	68.20	-14.02	55.18	41.46	22.79	65.25	0.00	100	305	PEAK																																																																																																																																																																																						



Mode	35																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																													
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																																																																																																																																													
ANT	SISO																																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.65</td><td>50.92</td><td>74.00</td><td>-23.08</td><td>67.04</td><td>35.86</td><td>14.79</td><td>66.77</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>64.33</td><td>35.86</td><td>14.79</td><td>66.77</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>56.81</td><td>74.00</td><td>-17.19</td><td>64.56</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>290</td><td>PEAK</td></tr><tr><td>4</td><td>11440.00</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>53.42</td><td>38.00</td><td>18.54</td><td>64.30</td><td>0.00</td><td>100</td><td>290</td><td>AVERAGE</td></tr><tr><td>5</td><td>17160.00</td><td>50.31</td><td>68.20</td><td>-17.89</td><td>51.34</td><td>41.45</td><td>22.78</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.65</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>59.48</td><td>35.86</td><td>14.79</td><td>66.77</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>50.98</td><td>74.00</td><td>-23.02</td><td>58.73</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>48.60</td><td>38.00</td><td>18.54</td><td>64.28</td><td>0.00</td><td>100</td><td>82</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>54.69</td><td>41.45</td><td>22.78</td><td>65.26</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	50.92	74.00	-23.08	67.04	35.86	14.79	66.77	0.00	100	333	PEAK	2	7626.65	48.21	54.00	-5.79	64.33	35.86	14.79	66.77	0.00	100	333	AVERAGE	3	11440.00	56.81	74.00	-17.19	64.56	38.00	18.54	64.29	0.00	100	290	PEAK	4	11440.00	45.66	54.00	-8.34	53.42	38.00	18.54	64.30	0.00	100	290	AVERAGE	5	17160.00	50.31	68.20	-17.89	51.34	41.45	22.78	65.26	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	43.36	74.00	-30.64	59.48	35.86	14.79	66.77	0.00	--	--	PEAK	2	11440.00	50.98	74.00	-23.02	58.73	38.00	18.54	64.29	0.00	100	82	PEAK	3	11440.00	40.86	54.00	-13.14	48.60	38.00	18.54	64.28	0.00	100	82	AVERAGE	4	17160.00	53.66	68.20	-14.54	54.69	41.45	22.78	65.26	0.00	100	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7626.65	50.92	74.00	-23.08	67.04	35.86	14.79	66.77	0.00	100	333	PEAK																																																																																																																																																																																		
2	7626.65	48.21	54.00	-5.79	64.33	35.86	14.79	66.77	0.00	100	333	AVERAGE																																																																																																																																																																																		
3	11440.00	56.81	74.00	-17.19	64.56	38.00	18.54	64.29	0.00	100	290	PEAK																																																																																																																																																																																		
4	11440.00	45.66	54.00	-8.34	53.42	38.00	18.54	64.30	0.00	100	290	AVERAGE																																																																																																																																																																																		
5	17160.00	50.31	68.20	-17.89	51.34	41.45	22.78	65.26	0.00	--	--	PEAK																																																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7626.65	43.36	74.00	-30.64	59.48	35.86	14.79	66.77	0.00	--	--	PEAK																																																																																																																																																																																		
2	11440.00	50.98	74.00	-23.02	58.73	38.00	18.54	64.29	0.00	100	82	PEAK																																																																																																																																																																																		
3	11440.00	40.86	54.00	-13.14	48.60	38.00	18.54	64.28	0.00	100	82	AVERAGE																																																																																																																																																																																		
4	17160.00	53.66	68.20	-14.54	54.69	41.45	22.78	65.26	0.00	100	304	PEAK																																																																																																																																																																																		




Mode	36																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																													
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_Full_5710MHz																																																																																																																																																																																													
ANT	SISO																																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.31</td><td>49.14</td><td>74.00</td><td>-24.86</td><td>65.31</td><td>35.78</td><td>14.77</td><td>66.72</td><td>0.00</td><td>100</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>7613.31</td><td>45.80</td><td>54.00</td><td>-8.20</td><td>61.97</td><td>35.78</td><td>14.77</td><td>66.72</td><td>0.00</td><td>100</td><td>323</td><td>AVERAGE</td></tr><tr><td>3</td><td>11420.00</td><td>53.51</td><td>74.00</td><td>-20.49</td><td>61.36</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>4</td><td>11420.00</td><td>42.81</td><td>54.00</td><td>-11.19</td><td>50.66</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr><tr><td>5</td><td>17130.00</td><td>50.16</td><td>68.20</td><td>-18.04</td><td>51.21</td><td>41.44</td><td>22.77</td><td>65.26</td><td>0.00</td><td>100</td><td>349</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7613.31	49.14	74.00	-24.86	65.31	35.78	14.77	66.72	0.00	100	323	PEAK	2	7613.31	45.80	54.00	-8.20	61.97	35.78	14.77	66.72	0.00	100	323	AVERAGE	3	11420.00	53.51	74.00	-20.49	61.36	38.00	18.52	64.37	0.00	100	240	PEAK	4	11420.00	42.81	54.00	-11.19	50.66	38.00	18.52	64.37	0.00	100	240	AVERAGE	5	17130.00	50.16	68.20	-18.04	51.21	41.44	22.77	65.26	0.00	100	349	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.31</td><td>43.93</td><td>74.00</td><td>-30.07</td><td>60.10</td><td>35.78</td><td>14.77</td><td>66.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>59.25</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>331</td><td>73</td><td>PEAK</td></tr><tr><td>3</td><td>11420.00</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>49.53</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>331</td><td>73</td><td>AVERAGE</td></tr><tr><td>4</td><td>17130.00</td><td>50.06</td><td>68.20</td><td>-18.14</td><td>51.16</td><td>41.42</td><td>22.75</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7613.31	43.93	74.00	-30.07	60.10	35.78	14.77	66.72	0.00	--	--	PEAK	2	11420.00	51.40	74.00	-22.60	59.25	38.00	18.52	64.37	0.00	331	73	PEAK	3	11420.00	41.68	54.00	-12.32	49.53	38.00	18.52	64.37	0.00	331	73	AVERAGE	4	17130.00	50.06	68.20	-18.14	51.16	41.42	22.75	65.27	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7613.31	49.14	74.00	-24.86	65.31	35.78	14.77	66.72	0.00	100	323	PEAK																																																																																																																																																																																		
2	7613.31	45.80	54.00	-8.20	61.97	35.78	14.77	66.72	0.00	100	323	AVERAGE																																																																																																																																																																																		
3	11420.00	53.51	74.00	-20.49	61.36	38.00	18.52	64.37	0.00	100	240	PEAK																																																																																																																																																																																		
4	11420.00	42.81	54.00	-11.19	50.66	38.00	18.52	64.37	0.00	100	240	AVERAGE																																																																																																																																																																																		
5	17130.00	50.16	68.20	-18.04	51.21	41.44	22.77	65.26	0.00	100	349	PEAK																																																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7613.31	43.93	74.00	-30.07	60.10	35.78	14.77	66.72	0.00	--	--	PEAK																																																																																																																																																																																		
2	11420.00	51.40	74.00	-22.60	59.25	38.00	18.52	64.37	0.00	331	73	PEAK																																																																																																																																																																																		
3	11420.00	41.68	54.00	-12.32	49.53	38.00	18.52	64.37	0.00	331	73	AVERAGE																																																																																																																																																																																		
4	17130.00	50.06	68.20	-18.14	51.16	41.42	22.75	65.27	0.00	--	--	PEAK																																																																																																																																																																																		

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100	-	-	10Hz
802.11n HT40	98.85	-	-	10Hz
802.11ax HE20	99.26	-	-	10Hz

802.11a





802.11n HT40



802.11ax HE20

