












Mode	3																																																																																											
	Harmonic																																																																																											
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>65.78</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>58.98</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr><tr><td>4</td><td>9920.00</td><td>47.89</td><td>89.02</td><td>-41.13</td><td>64.45</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK	3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE	4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																																	
2	7440.00	46.05	74.00	-27.95	65.78	35.54	12.38	67.65	0.00	100	213 PEAK																																																																																	
3	7440.00	39.25	54.00	-14.75	58.98	35.54	12.38	67.65	0.00	100	213 AVERAGE																																																																																	
4	9920.00	47.89	89.02	-41.13	64.45	37.10	14.29	67.95	0.00	100	204 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		





Mode	4																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>57.16</td><td>74.00</td><td>-16.84</td><td>49.76</td><td>31.84</td><td>6.79</td><td>37.23</td><td>6.00</td><td>330 170 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	57.16	74.00	-16.84	49.76	31.84	6.79	37.23	6.00	330 170 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>116.81</td><td>-----</td><td>-----</td><td>109.30</td><td>31.91</td><td>6.82</td><td>37.22</td><td>6.00</td><td>330 170 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	116.81	-----	-----	109.30	31.91	6.82	37.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	57.16	74.00	-16.84	49.76	31.84	6.79	37.23	6.00	330 170 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	116.81	-----	-----	109.30	31.91	6.82	37.22	6.00	330 170 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>37.93</td><td>31.87</td><td>6.80</td><td>37.23</td><td>6.00</td><td>330 170 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	45.37	54.00	-8.63	37.93	31.87	6.80	37.23	6.00	330 170 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>114.48</td><td>-----</td><td>-----</td><td>106.97</td><td>31.91</td><td>6.82</td><td>37.22</td><td>6.00</td><td>330 170 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	114.48	-----	-----	106.97	31.91	6.82	37.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	45.37	54.00	-8.63	37.93	31.87	6.80	37.23	6.00	330 170 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	114.48	-----	-----	106.97	31.91	6.82	37.22	6.00	330 170 AVERAGE																																																																																									





Mode	4																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>55.10</td><td>74.00</td><td>-18.90</td><td>47.66</td><td>31.87</td><td>6.80</td><td>37.23</td><td>6.00</td><td>104 146 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	55.10	74.00	-18.90	47.66	31.87	6.80	37.23	6.00	104 146 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>116.84</td><td>-----</td><td>-----</td><td>109.33</td><td>31.91</td><td>6.82</td><td>37.22</td><td>6.00</td><td>104 146 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	116.84	-----	-----	109.33	31.91	6.82	37.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.82	55.10	74.00	-18.90	47.66	31.87	6.80	37.23	6.00	104 146 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	116.84	-----	-----	109.33	31.91	6.82	37.22	6.00	104 146 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>37.06</td><td>31.87</td><td>6.80</td><td>37.23</td><td>6.00</td><td>104 146 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.50	54.00	-9.50	37.06	31.87	6.80	37.23	6.00	104 146 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>114.37</td><td>-----</td><td>-----</td><td>106.86</td><td>31.91</td><td>6.82</td><td>37.22</td><td>6.00</td><td>104 146 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	114.37	-----	-----	106.86	31.91	6.82	37.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	44.50	54.00	-9.50	37.06	31.87	6.80	37.23	6.00	104 146 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	114.37	-----	-----	106.86	31.91	6.82	37.22	6.00	104 146 AVERAGE																																																																																								







Mode	4																																																																																																																																																												
	Harmonic																																																																																																																																																												
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.30</td><td>74.00</td><td>-35.70</td><td>60.51</td><td>33.90</td><td>9.88</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7207.50</td><td>50.78</td><td>92.12</td><td>-41.34</td><td>70.70</td><td>35.51</td><td>12.04</td><td>67.47</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr><tr><td>3</td><td>9610.50</td><td>48.15</td><td>92.12</td><td>-43.97</td><td>65.39</td><td>36.71</td><td>14.18</td><td>68.13</td><td>0.00</td><td>100</td><td>219</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	38.30	74.00	-35.70	60.51	33.90	9.88	65.99	0.00	---	---	PEAK	2	7207.50	50.78	92.12	-41.34	70.70	35.51	12.04	67.47	0.00	100	208	PEAK	3	9610.50	48.15	92.12	-43.97	65.39	36.71	14.18	68.13	0.00	100	219	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>37.45</td><td>74.00</td><td>-36.55</td><td>59.66</td><td>33.90</td><td>9.88</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7206.00</td><td>54.25</td><td>92.42</td><td>-38.17</td><td>74.16</td><td>35.51</td><td>12.04</td><td>67.46</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>9608.00</td><td>44.96</td><td>92.42</td><td>-47.46</td><td>62.21</td><td>36.71</td><td>14.18</td><td>68.14</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	37.45	74.00	-36.55	59.66	33.90	9.88	65.99	0.00	---	---	PEAK	2	7206.00	54.25	92.42	-38.17	74.16	35.51	12.04	67.46	0.00	100	183	PEAK	3	9608.00	44.96	92.42	-47.46	62.21	36.71	14.18	68.14	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4804.00	38.30	74.00	-35.70	60.51	33.90	9.88	65.99	0.00	---	---	PEAK																																																																																																																																																	
2	7207.50	50.78	92.12	-41.34	70.70	35.51	12.04	67.47	0.00	100	208	PEAK																																																																																																																																																	
3	9610.50	48.15	92.12	-43.97	65.39	36.71	14.18	68.13	0.00	100	219	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4804.00	37.45	74.00	-36.55	59.66	33.90	9.88	65.99	0.00	---	---	PEAK																																																																																																																																																	
2	7206.00	54.25	92.42	-38.17	74.16	35.51	12.04	67.46	0.00	100	183	PEAK																																																																																																																																																	
3	9608.00	44.96	92.42	-47.46	62.21	36.71	14.18	68.14	0.00	---	---	PEAK																																																																																																																																																	







Mode	5																																																																																																																																																												
	Harmonic																																																																																																																																																												
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.16</td><td>74.00</td><td>-34.84</td><td>61.32</td><td>33.90</td><td>9.96</td><td>66.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7318.50</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>67.59</td><td>35.58</td><td>12.23</td><td>67.55</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr><tr><td>3</td><td>9757.50</td><td>47.78</td><td>91.54</td><td>-43.76</td><td>64.76</td><td>36.86</td><td>14.21</td><td>68.05</td><td>0.00</td><td>100</td><td>198</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	39.16	74.00	-34.84	61.32	33.90	9.96	66.02	0.00	---	---	PEAK	2	7318.50	47.85	74.00	-26.15	67.59	35.58	12.23	67.55	0.00	100	208	PEAK	3	9757.50	47.78	91.54	-43.76	64.76	36.86	14.21	68.05	0.00	100	198	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.12</td><td>74.00</td><td>-32.88</td><td>63.28</td><td>33.90</td><td>9.96</td><td>66.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7321.50</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>68.27</td><td>35.58</td><td>12.23</td><td>67.56</td><td>0.00</td><td>100</td><td>194</td><td>PEAK</td></tr><tr><td>3</td><td>9757.50</td><td>46.02</td><td>91.01</td><td>-44.99</td><td>63.00</td><td>36.86</td><td>14.21</td><td>68.05</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.12	74.00	-32.88	63.28	33.90	9.96	66.02	0.00	---	---	PEAK	2	7321.50	48.52	74.00	-25.48	68.27	35.58	12.23	67.56	0.00	100	194	PEAK	3	9757.50	46.02	91.01	-44.99	63.00	36.86	14.21	68.05	0.00	100	115
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4880.00	39.16	74.00	-34.84	61.32	33.90	9.96	66.02	0.00	---	---	PEAK																																																																																																																																																	
2	7318.50	47.85	74.00	-26.15	67.59	35.58	12.23	67.55	0.00	100	208	PEAK																																																																																																																																																	
3	9757.50	47.78	91.54	-43.76	64.76	36.86	14.21	68.05	0.00	100	198	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4880.00	41.12	74.00	-32.88	63.28	33.90	9.96	66.02	0.00	---	---	PEAK																																																																																																																																																	
2	7321.50	48.52	74.00	-25.48	68.27	35.58	12.23	67.56	0.00	100	194	PEAK																																																																																																																																																	
3	9757.50	46.02	91.01	-44.99	63.00	36.86	14.21	68.05	0.00	100	115	PEAK																																																																																																																																																	







Mode	6																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.74</td><td>72.13</td><td>74.00</td><td>-1.87</td><td>64.26</td><td>32.15</td><td>6.92</td><td>37.20</td><td>6.00</td><td>344</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	72.13	74.00	-1.87	64.26	32.15	6.92	37.20	6.00	344	181	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>114.72</td><td>-----</td><td>-----</td><td>106.86</td><td>32.14</td><td>6.92</td><td>37.20</td><td>6.00</td><td>344</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	114.72	-----	-----	106.86	32.14	6.92	37.20	6.00	344	181	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2483.74	72.13	74.00	-1.87	64.26	32.15	6.92	37.20	6.00	344	181	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2480.00	114.72	-----	-----	106.86	32.14	6.92	37.20	6.00	344	181	PEAK																																																																																												
Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>52.84</td><td>54.00</td><td>-1.16</td><td>44.97</td><td>32.15</td><td>6.92</td><td>37.20</td><td>6.00</td><td>344</td><td>181</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	52.84	54.00	-1.16	44.97	32.15	6.92	37.20	6.00	344	181	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>112.28</td><td>-----</td><td>-----</td><td>104.42</td><td>32.14</td><td>6.92</td><td>37.20</td><td>6.00</td><td>344</td><td>181</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	112.28	-----	-----	104.42	32.14	6.92	37.20	6.00	344	181	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2483.50	52.84	54.00	-1.16	44.97	32.15	6.92	37.20	6.00	344	181	AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2480.00	112.28	-----	-----	104.42	32.14	6.92	37.20	6.00	344	181	AVERAGE																																																																																												





Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>72.70</td><td>74.00</td><td>-1.30</td><td>64.83</td><td>32.15</td><td>6.92</td><td>37.20</td><td>6.00</td><td>106</td><td>153 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	72.70	74.00	-1.30	64.83	32.15	6.92	37.20	6.00	106	153 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>113.65</td><td>-----</td><td>-----</td><td>105.79</td><td>32.14</td><td>6.92</td><td>37.20</td><td>6.00</td><td>106</td><td>153 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	113.65	-----	-----	105.79	32.14	6.92	37.20	6.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	72.70	74.00	-1.30	64.83	32.15	6.92	37.20	6.00	106	153 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	113.65	-----	-----	105.79	32.14	6.92	37.20	6.00	106	153 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>51.99</td><td>54.00</td><td>-2.01</td><td>44.12</td><td>32.15</td><td>6.92</td><td>37.20</td><td>6.00</td><td>106</td><td>153 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	51.99	54.00	-2.01	44.12	32.15	6.92	37.20	6.00	106	153 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>111.30</td><td>-----</td><td>-----</td><td>103.44</td><td>32.14</td><td>6.92</td><td>37.20</td><td>6.00</td><td>106</td><td>153 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	111.30	-----	-----	103.44	32.14	6.92	37.20	6.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	51.99	54.00	-2.01	44.12	32.15	6.92	37.20	6.00	106	153 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	111.30	-----	-----	103.44	32.14	6.92	37.20	6.00	106	153 AVERAGE																																																																																								



Mode	6																																																																															
	Harmonic																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.51</td><td>74.00</td><td>-34.49</td><td>61.62</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7438.50</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>64.69</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>3</td><td>9918.00</td><td>46.13</td><td>90.14</td><td>-44.01</td><td>62.70</td><td>37.10</td><td>14.28</td><td>67.95</td><td>0.00</td><td>100</td><td>196 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.51	74.00	-34.49	61.62	33.90	10.03	66.04	0.00	---	PEAK	2	7438.50	44.96	74.00	-29.04	64.69	35.54	12.38	67.65	0.00	100	202 PEAK	3	9918.00	46.13	90.14	-44.01	62.70	37.10	14.28	67.95	0.00	100	196 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4960.00	39.51	74.00	-34.49	61.62	33.90	10.03	66.04	0.00	---	PEAK																																																																					
2	7438.50	44.96	74.00	-29.04	64.69	35.54	12.38	67.65	0.00	100	202 PEAK																																																																					
3	9918.00	46.13	90.14	-44.01	62.70	37.10	14.28	67.95	0.00	100	196 PEAK																																																																					
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>63.93</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9922.50</td><td>44.27</td><td>89.14</td><td>-44.87</td><td>60.83</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	44.20	74.00	-29.80	63.93	35.54	12.38	67.65	0.00	---	PEAK	3	9922.50	44.27	89.14	-44.87	60.83	37.10	14.29	67.95	0.00	100	109 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																					
2	7440.00	44.20	74.00	-29.80	63.93	35.54	12.38	67.65	0.00	---	PEAK																																																																					
3	9922.50	44.27	89.14	-44.87	60.83	37.10	14.29	67.95	0.00	100	109 PEAK																																																																					
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.51</td><td>74.00</td><td>-34.49</td><td>61.62</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7438.50</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>64.69</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>3</td><td>9918.00</td><td>46.13</td><td>90.14</td><td>-44.01</td><td>62.70</td><td>37.10</td><td>14.28</td><td>67.95</td><td>0.00</td><td>100</td><td>196 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.51	74.00	-34.49	61.62	33.90	10.03	66.04	0.00	---	PEAK	2	7438.50	44.96	74.00	-29.04	64.69	35.54	12.38	67.65	0.00	100	202 PEAK	3	9918.00	46.13	90.14	-44.01	62.70	37.10	14.28	67.95	0.00	100	196 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4960.00	39.51	74.00	-34.49	61.62	33.90	10.03	66.04	0.00	---	PEAK																																																																					
2	7438.50	44.96	74.00	-29.04	64.69	35.54	12.38	67.65	0.00	100	202 PEAK																																																																					
3	9918.00	46.13	90.14	-44.01	62.70	37.10	14.28	67.95	0.00	100	196 PEAK																																																																					
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.85</td><td>33.90</td><td>10.03</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>63.93</td><td>35.54</td><td>12.38</td><td>67.65</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9922.50</td><td>44.27</td><td>89.14</td><td>-44.87</td><td>60.83</td><td>37.10</td><td>14.29</td><td>67.95</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK	2	7440.00	44.20	74.00	-29.80	63.93	35.54	12.38	67.65	0.00	---	PEAK	3	9922.50	44.27	89.14	-44.87	60.83	37.10	14.29	67.95	0.00	100	109 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4960.00	39.74	74.00	-34.26	61.85	33.90	10.03	66.04	0.00	---	PEAK																																																																					
2	7440.00	44.20	74.00	-29.80	63.93	35.54	12.38	67.65	0.00	---	PEAK																																																																					
3	9922.50	44.27	89.14	-44.87	60.83	37.10	14.29	67.95	0.00	100	109 PEAK																																																																					



Mode	6																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																																																																																									
ANT	1																																																																																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																			
Peak																																																																																																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>120.21</td><td>30.11</td><td>43.50</td><td>-13.39</td><td>43.17</td><td>17.51</td><td>1.49</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>216.00</td><td>27.60</td><td>43.50</td><td>-15.90</td><td>42.57</td><td>15.02</td><td>2.02</td><td>32.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>482.75</td><td>29.11</td><td>46.00</td><td>-16.89</td><td>34.65</td><td>23.62</td><td>3.01</td><td>32.17</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>554.53</td><td>31.92</td><td>46.00</td><td>-14.08</td><td>35.42</td><td>25.70</td><td>3.23</td><td>32.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>746.59</td><td>29.30</td><td>46.00</td><td>-16.70</td><td>29.26</td><td>28.09</td><td>3.74</td><td>31.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>839.71</td><td>29.58</td><td>46.00</td><td>-16.42</td><td>28.13</td><td>29.01</td><td>3.97</td><td>31.53</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	120.21	30.11	43.50	-13.39	43.17	17.51	1.49	32.06	0.00	---	---	Peak	2	216.00	27.60	43.50	-15.90	42.57	15.02	2.02	32.01	0.00	---	---	Peak	3	482.75	29.11	46.00	-16.89	34.65	23.62	3.01	32.17	0.00	---	---	Peak	4	554.53	31.92	46.00	-14.08	35.42	25.70	3.23	32.43	0.00	---	---	Peak	5	746.59	29.30	46.00	-16.70	29.26	28.09	3.74	31.79	0.00	---	---	Peak	6	839.71	29.58	46.00	-16.42	28.13	29.01	3.97	31.53	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>28.82</td><td>40.00</td><td>-11.18</td><td>37.03</td><td>23.50</td><td>0.49</td><td>32.20</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>47.22</td><td>27.27</td><td>40.00</td><td>-12.73</td><td>43.17</td><td>15.57</td><td>0.67</td><td>32.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>119.97</td><td>25.45</td><td>43.50</td><td>-18.05</td><td>38.51</td><td>17.51</td><td>1.49</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>400.54</td><td>27.52</td><td>46.00</td><td>-18.48</td><td>35.07</td><td>21.85</td><td>2.74</td><td>32.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>556.23</td><td>29.88</td><td>46.00</td><td>-16.12</td><td>33.25</td><td>25.80</td><td>3.24</td><td>32.41</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>846.98</td><td>30.14</td><td>46.00</td><td>-15.86</td><td>28.19</td><td>29.47</td><td>3.98</td><td>31.50</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	32.91	28.82	40.00	-11.18	37.03	23.50	0.49	32.20	0.00	---	---	Peak	2	47.22	27.27	40.00	-12.73	43.17	15.57	0.67	32.14	0.00	---	---	Peak	3	119.97	25.45	43.50	-18.05	38.51	17.51	1.49	32.06	0.00	---	---	Peak	4	400.54	27.52	46.00	-18.48	35.07	21.85	2.74	32.14	0.00	---	---	Peak	5	556.23	29.88	46.00	-16.12	33.25	25.80	3.24	32.41	0.00	---	---	Peak	6	846.98	30.14	46.00	-15.86	28.19	29.47	3.98	31.50	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																															
	1	120.21	30.11	43.50	-13.39	43.17	17.51	1.49	32.06	0.00	---	---	Peak																																																																																																																																																																																																																													
	2	216.00	27.60	43.50	-15.90	42.57	15.02	2.02	32.01	0.00	---	---	Peak																																																																																																																																																																																																																													
	3	482.75	29.11	46.00	-16.89	34.65	23.62	3.01	32.17	0.00	---	---	Peak																																																																																																																																																																																																																													
4	554.53	31.92	46.00	-14.08	35.42	25.70	3.23	32.43	0.00	---	---	Peak																																																																																																																																																																																																																														
5	746.59	29.30	46.00	-16.70	29.26	28.09	3.74	31.79	0.00	---	---	Peak																																																																																																																																																																																																																														
6	839.71	29.58	46.00	-16.42	28.13	29.01	3.97	31.53	0.00	---	---	Peak																																																																																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																
1	32.91	28.82	40.00	-11.18	37.03	23.50	0.49	32.20	0.00	---	---	Peak																																																																																																																																																																																																																														
2	47.22	27.27	40.00	-12.73	43.17	15.57	0.67	32.14	0.00	---	---	Peak																																																																																																																																																																																																																														
3	119.97	25.45	43.50	-18.05	38.51	17.51	1.49	32.06	0.00	---	---	Peak																																																																																																																																																																																																																														
4	400.54	27.52	46.00	-18.48	35.07	21.85	2.74	32.14	0.00	---	---	Peak																																																																																																																																																																																																																														
5	556.23	29.88	46.00	-16.12	33.25	25.80	3.24	32.41	0.00	---	---	Peak																																																																																																																																																																																																																														
6	846.98	30.14	46.00	-15.86	28.19	29.47	3.98	31.50	0.00	---	---	Peak																																																																																																																																																																																																																														

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	100	-	-	10Hz
Bluetooth LE 2Mbps	100	-	-	10Hz

Bluetooth LE 1Mbps



Bluetooth LE 2Mbps

