

TEST REPORT

Reference No...... : WTS18S12133823-5W
FCC ID : 2AC88-ELTS18A02
Applicant..... : HONGKONG UCLOUDLINK NETWORK TECHNOLOGY LIMITED
Address..... : Suite 603, 6/F, Laws Commercial Plaza, 788 Cheung Sha Wan Road,
Kowloon, Hong Kong
Manufacturer : The same as above
Address..... : The same as above
Product..... : Smart Phone
Model(s) : ELTS18A02
Brand Name..... : GlocalMe
Standards..... : FCC CFR47 Part 22 Subpart H: 2018
FCC CFR47 Part 24 Subpart E: 2018
FCC CFR47 Part 27: 2018
FCC CFR47 Part 90: 2018
Date of Receipt sample : 2018-12-25
Date of Test : 2018-12-26 to 2019-03-20
Date of Issue..... : 2019-03-21
Test Result..... : **Pass**

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

Prepared By:

Waltek Services (Shenzhen) Co., Ltd.

Address: 1/F., Fukangtai Building, West Baima Road, Songgang Street, Baoan District, Shenzhen,
Guangdong, China

Tel :+86-755-83551033

Fax:+86-755-83552400

Compiled by:

Ford Wang

Ford Wang / Project Engineer

Approved by:



Philo Zhong

Philo Zhong / Manager

2 Laboratories Introduction

Waltek Services (Shenzhen) Co., Ltd is a professional third-party testing and certification laboratory with multi-year product testing and certification experience, established strictly in accordance with ISO/IEC 17025 requirements, and accredited by ILAC (International Laboratory Accreditation Cooperation) member. A2LA (American Association for Laboratory Accreditation, the certification number is 4243.01) of USA, CNAS (China National Accreditation Service for Conformity Assessment, the registration number is L3110) of China. Meanwhile, Waltek has got recognition as registration and accreditation laboratory from EMSD (Electrical and Mechanical Services Department), and American Energy star, FCC (The Federal Communications Commission), CEC (California energy efficiency), ISED (Innovation, Science and Economic Development Canada). It's the strategic partner and data recognition laboratory of international authoritative organizations, such as Intertek (ETL-SEMKO), TÜV Rheinland, TÜV SÜD, etc.



Waltek Services (Shenzhen) Co., Ltd is one of the largest and the most comprehensive third party testing laboratory in China. Our test capability covered four large fields: safety test. Electro Magnetic Compatibility (EMC), and energy performance, wireless radio. As a professional, comprehensive, justice international test organization, we still keep the scientific and rigorous work attitude to help each client satisfy the international standards and assist their product enter into globe market smoothly.

Test Facility:**A. Accreditations for Conformity Assessment (International)**

Country/Region	Scope Covered By	Scope	Note
USA	ISO/IEC 17025	FCC ID \ DOC \ VOC	1
Canada		IC ID \ VOC	2
Japan		MIC-T \ MIC-R	-
Europe		EMCD \ RED	-
Taiwan		NCC	-
Hong Kong		OFCA	-
Australia		RCM	-
India		WPC	-
Thailand		NTC	-
Singapore		IDA	-
Note:			
1. FCC Designation No.: CN1201. Test Firm Registration No.: 523476.			
2. ISED CAB identifier: CN0013			

B. TCBs and Notify Bodies Recognized Testing Laboratory.

Recognized Testing Laboratory of ...	Notify body number
TUV Rheinland	Optional.
Intertek	
TUV SUD	
SGS	
Phoenix Testlab GmbH	0700
Element Materials Technology Warwick Ltd	0891
Timco Engineering, Inc.	1177
Eurofins Product Service GmbH	0681

3 Contents

	Page
1 COVER PAGE.....	1
2 LABORATORIES INTRODUCTION	2
3 CONTENTS	4
4 REVISION HISTORY	6
5 GENERAL INFORMATION.....	7
5.1 GENERAL DESCRIPTION OF E.U.T.	7
5.2 DETAILS OF E.U.T.	7
5.3 TEST MODE	10
6 TEST SUMMARY	13
7 EQUIPMENT USED DURING TEST	14
7.1 EQUIPMENTS LIST	14
7.2 MEASUREMENT UNCERTAINTY	15
7.3 TEST EQUIPMENT CALIBRATION	15
8 RF OUTPUT POWER	16
8.1 EUT OPERATION.....	16
8.2 TEST PROCEDURE	16
8.3 TEST RESULT	17
9 PEAK-TO-AVERAGE RATIO.....	77
9.1 EUT OPERATION.....	77
9.2 TEST PROCEDURE	77
9.3 TEST RESULT	77
10 BANDWIDTH.....	78
10.1 EUT OPERATION.....	78
10.2 TEST PROCEDURE.....	78
10.3 TEST RESULT	79
11 SPURIOUS EMISSIONS AT ANTENNA TERMINALS	129
11.1 EUT OPERATION.....	129
11.2 TEST PROCEDURE.....	129
11.3 TEST RESULT	129
12 SPURIOUS RADIATED EMISSIONS.....	130
12.1 EUT OPERATION.....	130
12.2 TEST SETUP	130
12.3 SPECTRUM ANALYZER SETUP	131
12.4 TEST PROCEDURE.....	132
12.5 SUMMARY OF TEST RESULTS	133
13 BAND EDGE MEASUREMENT	143
13.1 EUT OPERATION.....	143
13.2 TEST PROCEDURE.....	143
13.3 TEST RESULT	144
14 FREQUENCY STABILITY.....	145
14.1 EUT OPERATION.....	145
14.2 TEST PROCEDURE.....	145
14.3 TEST RESULT	146

15 RF EXPOSURE..... 187

16 PHOTOGRAPHS OF TEST SETUP AND EUT..... 188

4 Revision History

Test report No.	Date of Receipt sample	Date of Test	Date of Issue	Purpose	Comment	Approved
WTS18S12133 823-5W	2018-12-25	2018-12-26 to 2019-03-20	2019-03-21	original	-	Valid

5 General Information

5.1 General Description of E.U.T.

Product:	Smart Phone
Model(s):	ELTS18A02
Model Description:	N/A
GSM Band(s):	GSM 850/900/1800/1900MHz
GPRS/EGPRS Class:	12
WCDMA Band(s):	FDD Band I/II/IV/V/VIII
CDMA Band(s):	BC0/ BC1
LTE Band(s):	FDD Band 2/4/5/7/12/13/17/26 TDD Band 41
Wi-Fi Specification:	2.4G-802.11b/g/n HT20/n HT40 5G-802.11a/ n(HT20/40)/ac(HT20/40/80)
Bluetooth Version:	Bluetooth v4.1 with BLE
GPS:	Support
NFC:	Support
Hardware Version:	S20i_M_VB
Software Version:	S20iQ19_C00_TSV1.4001.001.190226 userdebug release-keys
Highest frequency (Exclude Radio):	1.8GHz
Storage Location:	Internal Storage
Note:	This EUT has two SIM card slots, and use same one RF module. We found that RF parameters are the same, when we insert the card 1 and card 2. So we usually performed the test under main card slot 1.

5.2 Details of E.U.T.

Operation Frequency:	LTE Band 2: 1850~1910MHz LTE Band 4: 1710~1755MHz LTE Band 5: 824~849MHz LTE Band 7: 2500~2570MHz LTE Band 12: 699~716MHz LTE Band 13: 777~787MHz LTE Band 17: 704~716MHz LTE Band 26(Part 90): 814~824MHz LTE Band 26(Part 22): 824~849MHz LTE Band 41: 2496~2690MHz
Max. RF output power:	LTE Band 2: 22.97dBm LTE Band 4: 23.89dBm LTE Band 5: 23.89dBm LTE Band 7: 22.73dBm

	LTE Band 12: 23.84dBm
	LTE Band 13: 23.92dBm
	LTE Band 17: 23.96dBm
	LTE Band 26 (Part 90): 23.93dBm
	LTE Band 26 (Part 22): 23.42dBm
	LTE Band 41: 22.85dBm
Type of Modulation:	LTE: QPSK, 16QAM
Antenna installation:	LTE: internal permanent antenna
Antenna Gain:	LTE Band 2: -2.21dBi LTE Band 4: 0.67dBi LTE Band 5: -3.69dBi LTE Band 7: -1.78dBi LTE Band 12: -4.33dBi LTE Band 13: -2.99dBi LTE Band 17: -4.33dBi LTE Band 26 -3.69dBi LTE Band 41 -1.78dBi
Ratings:	Battery DC 3.85V, 2000mAh DC 5V, 2.0A charging from adapter 1 (Adapter Input: 100-240V~50/60Hz 0.3A) DC 5V, 2.0A charging from adapter 2 (Adapter Input: 100-240V~50/60Hz MAX 0.35A)
Adapter 1:	Manufacturer: ShenZhen HuaJin Electronics CO.,LTD Model No.: HJ-0502000W2-US
Adapter 2:	Manufacturer: Shenzhen Flypower Technology Co., Ltd. Model No.: PS10J050K2000UU
Type of Emission:	LTE Band 2 1.4MHz: 1M09G7D(QPSK), 1M10W7D(16QAM) LTE Band 2 3MHz: 2M69G7D(QPSK), 2M69W7D(16QAM) LTE Band 2 5MHz: 4M52G7D(QPSK), 4M52W7D(16QAM) LTE Band 2 10 MHz: 8M94G7D(QPSK), 8M95W7D(16QAM) LTE Band 2 15MHz: 13M5G7D(QPSK), 13M5W7D(16QAM) LTE Band 2 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM) LTE Band 4 1.4MHz: 1M10G7D(QPSK), 1M10W7D(16QAM) LTE Band 4 3MHz: 2M69G7D(QPSK), 2M69W7D(16QAM) LTE Band 4 5MHz: 4M53G7D(QPSK), 4M52W7D(16QAM) LTE Band 4 10 MHz: 8M96G7D(QPSK), 8M94W7D(16QAM) LTE Band 4 15MHz: 13M5G7D(QPSK), 13M5W7D(16QAM) LTE Band 4 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM) LTE Band 5 1.4MHz: 1M10G7D(QPSK), 1M09W7D(16QAM) LTE Band 5 3MHz: 2M69G7D(QPSK), 2M69W7D(16QAM)

LTE Band 5 5MHz: 4M53G7D(QPSK), 4M52W7D(16QAM)
LTE Band 5 10 MHz: 8M96G7D(QPSK), 8M94W7D(16QAM)
LTE Band 7 5MHz: 4M52G7D(QPSK), 4M52W7D(16QAM)
LTE Band 7 10 MHz: 8M95G7D(QPSK), 8M95W7D(16QAM)
LTE Band 7 15MHz: 13M5G7D(QPSK), 13M5W7D(16QAM)
LTE Band 7 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)
LTE Band 12 1.4MHz: 1M10G7D(QPSK), 1M10W7D(16QAM)
LTE Band 12 3MHz: 2M69G7D(QPSK), 2M69W7D(16QAM)
LTE Band 12 5MHz: 4M52G7D(QPSK), 4M53W7D(16QAM)
LTE Band 12 10MHz: 8M97G7D(QPSK), 8M96W7D(16QAM)
LTE Band 13 5MHz: 4M53G7D(QPSK), 4M51W7D(16QAM)
LTE Band 13 10 MHz: 8M94G7D(QPSK), 8M93W7D(16QAM)
LTE Band 17 5MHz: 4M52G7D(QPSK), 4M54W7D(16QAM)
LTE Band 17 10 MHz: 8M93G7D(QPSK), 8M94W7D(16QAM)
BAND26 Part 22H
LTE Band 26 1.4MHz: 1M10G7D(QPSK), 1M10W7D(16QAM)
LTE Band 26 3MHz: 2M69G7D(QPSK), 2M69W7D(16QAM)
LTE Band 26 5MHz: 4M52G7D(QPSK), 4M52W7D(16QAM)
LTE Band 26 10 MHz: 8M94G7D(QPSK), 8M95W7D(16QAM)
LTE Band 26 15MHz: 13M5G7D(QPSK), 13M5W7D(16QAM)
BAND26 Part 90
LTE Band 26 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)
LTE Band 26 3MHz: 2M71G7D(QPSK), 2M70W7D(16QAM)
LTE Band 26 5MHz: 4M52G7D(QPSK), 4M52W7D(16QAM)
LTE Band 26 10 MHz: 8M99G7D(QPSK), 8M97W7D(16QAM)
LTE Band 41 5MHz: 4M52G7D(QPSK), 4M51W7D(16QAM)
LTE Band 41 10 MHz: 8M97G7D(QPSK), 8M95W7D(16QAM)
LTE Band 41 15 MHz: 13M5G7D(QPSK), 13M5W7D(16QAM)
LTE Band 41 20 MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)

5.3 Test Mode

All test mode(s) and condition(s) mentioned were considered and evaluated respectively by performing full tests, the worst data were recorded and reported.

Support Band	Test Mode BW(MHz)	Channel Frequency	Channel Number
LTE Band 2	1.4	1850.7 MHz	18607
		1880.0 MHz	18900
		1909.3 MHz	19193
	3	1851.5 MHz	18615
		1880.0 MHz	18900
		1908.5 MHz	19185
	5	1852.5 MHz	18625
		1880.0 MHz	18900
		1907.5 MHz	19175
	10	1855.0 MHz	18650
		1880.0 MHz	18900
		1905.0 MHz	19150
	15	1857.5 MHz	18675
		1880.0 MHz	18900
		1902.5 MHz	19125
	20	1860.0 MHz	18700
		1880.0 MHz	18900
		1900.0 MHz	19100
LTE Band 4	1.4	1710.7 MHz	19957
		1732.5 MHz	20175
		1754.3 MHz	20393
	3	1711.5 MHz	19965
		1732.5 MHz	20175
		1753.5 MHz	20385
	5	1712.5 MHz	19975
		1732.5 MHz	20175
		1752.5 MHz	20375
	10	1715.0 MHz	20000
		1732.5 MHz	20175
		1750.0 MHz	20350
	15	1717.5 MHz	20025
		1732.5 MHz	20175
		1747.5 MHz	20325
	20	1720.0 MHz	20050
		1732.5 MHz	20175
		1745.0 MHz	20300
LTE Band 5	1.4	824.7 MHz	20407
		836.5 MHz	20525
		848.3 MHz	20643

	3	825.5 MHz	20415
		836.5 MHz	20525
		847.5 MHz	20635
	5	826.5 MHz	20425
		836.5 MHz	20525
		846.5 MHz	20625
	10	829.0 MHz	20450
		836.5 MHz	20525
		844.0 MHz	20600
LTE Band 7	5	2502.5 MHz	20775
		2535.0 MHz	21100
		2567.5 MHz	21425
	10	2505.0 MHz	20800
		2535.0 MHz	21100
		2565.0 MHz	21400
	15	2507.5 MHz	20825
		2535.0 MHz	21100
		2562.5 MHz	21375
	20	2510.0 MHz	20850
		2535.0 MHz	21100
		2560.0 MHz	21350
LTE Band 12	1.4	699.7 MHz	23017
		707.5 MHz	23095
		715.3 MHz	23173
	3	700.5 MHz	23025
		707.5 MHz	23095
		714.5 MHz	23165
	5	701.5 MHz	23035
		707.5 MHz	23095
		713.5 MHz	23155
	10	704.0 MHz	23060
		707.5 MHz	23095
		711.0 MHz	23130
LTE Band 13	5	779.5 MHz	23205
		782.0 MHz	23230
		784.5 MHz	23255
	10	782.0 MHz	23230
LTE Band 17	5	706.5 MHz	23755
		710.0 MHz	23790
		713.5 MHz	23825
	10	709.0 MHz	23780
		710.0 MHz	23790
		711.0 MHz	23800
	1.4	824.7 MHz	26797
		836.5 MHz	26915

LTE Band 26 (Part 22H) UL: 824-849MHz	3	848.3 MHz	27033
		825.5 MHz	26805
		836.5 MHz	26915
		847.5 MHz	27025
	5	826.5 MHz	26815
		836.5 MHz	26915
		846.5 MHz	27015
	10	829.0 MHz	26840
		836.5 MHz	26915
		844.0 MHz	26990
	15	831.5 MHz	26865
		836.5 MHz	26915
841.5 MHz		26965	
LTE Band 26 (Part 90) UL: 814-824MHz	1.4	814.7 MHz	26697
		819.0 MHz	26740
		823.3 MHz	26783
	3	815.5 MHz	26705
		819.0 MHz	26740
		822.5 MHz	26775
	5	816.5 MHz	26715
		819.0 MHz	26740
		821.5 MHz	26765
	10	819.0 MHz	26740
LTE Band 41	5	2498.5 MHz	39675
		2593.0 MHz	40620
		2687.5MHz	41565
	10	2501.0 MHz	39700
		2593.0 MHz	40620
		2685.0 MHz	41540
	15	2503.5 MHz	39725
		2593.0 MHz	40620
		2682.5 MHz	41515
	20	2687.5 MHz	39750
		2593.0 MHz	40620
2680.0 MHz		41490	
Remark: All mode(s) were tested and the worst data was recorded.			

6 Test Summary

Test Items	Test Requirement	Result
RF Output Power	2.1046 22.913 (a) 24.232 (c) 27.50(h.2) 27.50(d.4) 90.635	PASS
Peak-to-Average Ratio	24.232 (d) 27.50(d)	PASS
Bandwidth	2.1049 22.905 22.917 24.238 27.53(a) 90.691	PASS
Spurious Emissions at Antenna Terminal	2.1051 22.917 (a) 24.238 (a) 27.53(h) 27.53(m)(4) 90.691	PASS
Field Strength of Spurious Radiation	2.1053 22.917 (a) 24.238 (a) 27.53(h) 27.53(m)(4) 90.691	PASS
Out of band emission	22.917 (a) 24.238 (a) 27.53(h) 27.53(m)(4) 90.691	PASS
Frequency Stability	2.1055 22.355 24.235 27.5(h) 27.54 90.231	PASS
Maximum Permissible Exposure (SAR)	1.1307 2.1093	PASS

7 Equipment Used during Test

7.1 Equipments List

Conducted Emissions Test Site 1#						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1.	EMI Test Receiver	R&S	ESCI	100947	2018-09-12	2019-09-11
2.	LISN	R&S	ENV216	101215	2018-09-12	2019-09-11
3.	Cable	Top	TYPE16(3.5M)	-	2018-09-12	2019-09-11
Conducted Emissions Test Site 2#						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1.	EMI Test Receiver	R&S	ESCI	101155	2018-09-12	2019-09-11
2.	LISN	SCHWARZBECK	NSLK 8128	8128-289	2018-09-12	2019-09-11
3.	Limiter	York	MTS-IMP-136	261115-001-0024	2018-09-12	2019-09-11
4.	Cable	LARGE	RF300	-	2018-09-12	2019-09-11
3m Semi-anechoic Chamber for Radiation Emissions Test site 1#						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1	Spectrum Analyzer	R&S	FSP	100091	2018-04-29	2019-04-28
2	Active Loop Antenna	Beijing Dazhi	ZN30900A	-	2018-04-09	2019-04-08
3	Trilog Broadband Antenna	SCHWARZBECK	VULB9163	336	2018-04-09	2019-04-08
4	Coaxial Cable (below 1GHz)	Top	TYPE16(13M)	-	2018-09-12	2019-09-11
5	Broad-band Horn Antenna	SCHWARZBECK	BBHA 9120 D	667	2018-04-09	2019-04-08
6	Broad-band Horn Antenna	SCHWARZBECK	BBHA 9170	335	2018-04-09	2019-04-08
7	Broadband Preamplifier	COMPLIANCE DIRECTION	PAP-1G18	2004	2018-04-13	2019-04-12
8	Coaxial Cable (above 1GHz)	Top	1GHz-25GHz	EW02014-7	2018-04-13	2019-04-12
9	Signal Generator	R&S	SMR20	100046	2018-09-12	2019-09-11
10	Smart Antenna	SCHWARZBECK	HA08	-	2018-04-09	2019-04-08
3m Semi-anechoic Chamber for Radiation Emissions Test site 2#						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1	Test Receiver	R&S	ESCI	101296	2018-04-13	2019-04-12
2	Trilog Broadband Antenna	SCHWARZBECK	VULB9160	9160-3325	2018-04-09	2019-04-08

3	Amplifier	Compliance pirection systems inc	PAP-0203	22024	2018-04-13	2019-04-12
4	Cable	HUBER+SUHNER	CBL2	525178	2018-04-13	2019-04-12
RF Conducted Testing						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1.	EMC Analyzer (9k~26.5GHz)	Agilent	E7405A	MY45114943	2018-09-12	2019-09-11
2.	Spectrum Analyzer	Agilent	N9020A	MY49100060	2018-09-12	2019-09-11
3.	Universal Radio Communication Tester	R&S	CMW 500	127818	2018-04-13	2019-04-12
4	Signal Analyzer (9k~26.5GHz)	Agilent	N9010A	MY50520207	2018-09-12	2019-09-11

7.2 Measurement Uncertainty

Parameter	Uncertainty
Conducted Emission	± 3.64 dB(AC mains 150KHz~30MHz)
Radiated Spurious Emissions	± 5.08 dB (Bilog antenna 30M~1000MHz)
	± 5.47 dB (Horn antenna 1000M~25000MHz)
Radio Frequency	± 1 x 10 ⁻⁷ Hz
RF Power	± 0.42 dB
RF Power Density	± 0.7dB
Conducted Spurious Emissions	± 2.76 dB (9kHz~26500MHz)
Confidence interval: 95%. Confidence factor:k=2	

7.3 Test Equipment Calibration

All the test equipments used are valid and calibrated by CEPREI Certification Body that address is No.110 Dongguan Zhuang RD. Guangzhou, P.R.China.

8 RF OUTPUT POWER

Test Requirement:	FCC Part 2.1046, 22.913 (a), 24.232 (c), 27.50(h.2); 27.50(d.4); 90.635
Test Method:	TIA/EIA-603-E:2016 ANSI C63.26:2015
Test Mode:	TX transmitting

8.1 EUT Operation


Operating Environment :

Temperature:	22.5 °C
Humidity:	52.1 % RH
Atmospheric Pressure:	101.2kPa

8.2 Test Procedure

Conducted method:

The RF output of the transmitter was connected to the wireless test set and the spectrum analyzer through sufficient attenuation.



Radiated method:

1. The setup of EUT is according with per TIA/EIA Standard 603D:2010.
2. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.
3. The frequency range up to tenth harmonic of the fundamental frequency was investigated.
4. Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

8.3 Test Result

Conducted Power

LTE Band 2:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	18607	1850.7	QPSK	1	0	22.64	22.0±1	/
				1	2	22.71	22.0±1	/
				1	5	22.68	22.0±1	/
				3	0	22.61	22.0±1	/
				3	1	22.7	22.0±1	/
				3	2	22.61	22.0±1	/
				6	0	21.58	21.0±1	1.0
			16QAM	1	0	21.78	21.0±1	1.0
				1	2	21.84	21.0±1	1.0
				1	5	21.77	21.0±1	1.0
				3	0	21.75	21.0±1	1.0
				3	1	21.81	21.0±1	1.0
				3	2	21.76	21.0±1	1.0
				6	0	20.84	21.0±1	1.0
	18900	1880	QPSK	1	0	22.64	22.0±1	/
				1	2	22.71	22.0±1	/
				1	5	22.64	22.0±1	/
				3	0	22.64	22.0±1	/
				3	1	22.7	22.0±1	/
				3	2	22.65	22.0±1	/
				6	0	21.63	21.0±1	1.0
			16QAM	1	0	21.93	21.0±1	1.0
				1	2	21.97	21.0±1	1.0
				1	5	21.95	21.0±1	1.0
				3	0	21.93	21.0±1	1.0
				3	1	21.99	21.0±1	1.0
				3	2	21.91	21.0±1	1.0
				6	0	20.62	21.0±1	1.0
	19193	1909.3	QPSK	1	0	22.43	22.0±1	/
				1	2	22.5	22.0±1	/
				1	5	22.45	22.0±1	/
				3	0	22.44	22.0±1	/
				3	1	22.53	22.0±1	/
				3	2	22.46	22.0±1	/
				6	0	21.42	21.0±1	1.0
			16QAM	1	0	21.46	21.0±1	1.0
				1	2	21.5	21.0±1	1.0
				1	5	21.46	21.0±1	1.0
				3	0	21.65	21.0±1	1.0
				3	1	21.73	21.0±1	1.0
				3	2	21.66	21.0±1	1.0
				6	0	20.67	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	18615	1851.5	QPSK	1	0	22.7	22.0±1	/
				1	8	22.71	22.0±1	/
				1	14	22.68	22.0±1	/
				6	0	21.78	21.0±1	1.0
				6	4	21.76	21.0±1	1.0
				6	9	21.73	21.0±1	1.0
				15	0	21.73	21.0±1	1.0
			16QAM	1	0	21.63	21.0±1	1.0
				1	8	21.64	21.0±1	1.0
				1	14	21.57	21.0±1	1.0
				6	0	20.94	21.0±1	1.0
				6	4	20.31	21.0±1	1.0
				6	9	20.43	21.0±1	1.0
				15	0	20.42	21.0±1	1.0
	18900	1880	QPSK	1	0	22.32	22.0±1	/
				1	8	22.31	22.0±1	/
				1	14	22.32	22.0±1	/
				6	0	21.41	21.0±1	1.0
				6	4	21.44	21.0±1	1.0
				6	9	21.44	21.0±1	1.0
				15	0	21.39	21.0±1	1.0
			16QAM	1	0	21.77	21.0±1	1.0
				1	8	21.8	21.0±1	1.0
				1	14	21.79	21.0±1	1.0
				6	0	20.61	21.0±1	1.0
				6	4	20.62	21.0±1	1.0
				6	9	20.6	21.0±1	1.0
				15	0	20.57	21.0±1	1.0
	19185	1908.5	QPSK	1	0	22.27	22.0±1	/
				1	8	22.26	22.0±1	/
				1	14	22.23	22.0±1	/
				6	0	21.25	21.0±1	1.0
				6	4	21.32	21.0±1	1.0
				6	9	21.24	21.0±1	1.0
				15	0	21.29	21.0±1	1.0
			16QAM	1	0	21.31	21.0±1	1.0
				1	8	21.25	21.0±1	1.0
				1	14	21.28	21.0±1	1.0
				6	0	20.39	21.0±1	1.0
				6	4	20.43	21.0±1	1.0
				6	9	20.36	21.0±1	1.0
				15	0	20.35	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	18625	1852.5	QPSK	1	0	22.55	22.0±1	/
				1	12	22.61	22.0±1	/
				1	24	22.48	22.0±1	/
				12	0	21.56	21.0±1	1.0
				12	6	21.56	21.0±1	1.0
				12	11	21.56	21.0±1	1.0
				25	0	21.53	21.0±1	1.0
			16QAM	1	0	21.71	21.0±1	1.0
				1	12	21.83	21.0±1	1.0
				1	24	21.74	21.0±1	1.0
				12	0	20.76	21.0±1	1.0
				12	6	20.75	21.0±1	1.0
				12	11	20.72	21.0±1	1.0
				25	0	20.7	21.0±1	1.0
	18900	1880	QPSK	1	0	22.54	22.0±1	/
				1	12	22.6	22.0±1	/
				1	24	22.63	22.0±1	/
				12	0	21.58	21.0±1	1.0
				12	6	21.57	21.0±1	1.0
				12	11	21.52	21.0±1	1.0
				25	0	21.56	21.0±1	1.0
			16QAM	1	0	21.91	21.0±1	1.0
				1	12	21.92	21.0±1	1.0
				1	24	21.92	21.0±1	1.0
				12	0	20.86	21.0±1	1.0
				12	6	20.85	21.0±1	1.0
				12	11	20.83	21.0±1	1.0
				25	0	20.77	21.0±1	1.0
	19175	1907.5	QPSK	1	0	22.4	22.0±1	/
				1	12	22.43	22.0±1	/
				1	24	22.32	22.0±1	/
				12	0	21.41	21.0±1	1.0
				12	6	21.41	21.0±1	1.0
				12	11	21.36	21.0±1	1.0
				25	0	21.38	21.0±1	1.0
			16QAM	1	0	21.47	21.0±1	1.0
				1	12	21.53	21.0±1	1.0
				1	24	21.47	21.0±1	1.0
				12	0	20.53	21.0±1	1.0
				12	6	20.56	21.0±1	1.0
				12	11	20.49	21.0±1	1.0
				25	0	20.42	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	18650	1855	QPSK	1	0	22.71	22.0±1	/
				1	24	22.64	22.0±1	/
				1	49	22.71	22.0±1	/
				25	0	21.64	21.0±1	1.0
				25	12	21.65	21.0±1	1.0
				25	24	21.62	21.0±1	1.0
				50	0	21.62	21.0±1	1.0
			16QAM	1	0	21.65	21.0±1	1.0
				1	24	21.57	21.0±1	1.0
				1	49	21.56	21.0±1	1.0
				25	0	20.7	21.0±1	1.0
				25	12	20.75	21.0±1	1.0
				25	24	20.7	21.0±1	1.0
				50	0	20.73	21.0±1	1.0
	18900	1880	QPSK	1	0	22.71	22.0±1	/
				1	24	22.63	22.0±1	/
				1	49	22.73	22.0±1	/
				25	0	21.69	21.0±1	1.0
				25	12	21.66	21.0±1	1.0
				25	24	21.62	21.0±1	1.0
				50	0	21.68	21.0±1	1.0
			16QAM	1	0	21.99	21.0±1	1.0
				1	24	21.96	21.0±1	1.0
				1	49	21.99	21.0±1	1.0
				25	0	20.75	21.0±1	1.0
				25	12	20.8	21.0±1	1.0
				25	24	20.8	21.0±1	1.0
				50	0	20.76	21.0±1	1.0
	19150	1905	QPSK	1	0	22.63	22.0±1	/
				1	24	22.5	22.0±1	/
				1	49	22.43	22.0±1	/
				25	0	21.47	21.0±1	1.0
				25	12	21.47	21.0±1	1.0
				25	24	21.47	21.0±1	1.0
				50	0	21.46	21.0±1	1.0
			16QAM	1	0	21.47	21.0±1	1.0
				1	24	21.4	21.0±1	1.0
				1	49	21.42	21.0±1	1.0
				25	0	20.61	21.0±1	1.0
				25	12	20.62	21.0±1	1.0
				25	24	20.62	21.0±1	1.0
				50	0	20.55	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
15MHz	18675	1857.5	QPSK	1	0	22.65	22.0±1	/
				1	37	22.66	22.0±1	/
				1	74	22.65	22.0±1	/
				36	0	21.68	21.0±1	1.0
				36	16	21.7	21.0±1	1.0
				36	35	21.7	21.0±1	1.0
				75	0	21.68	21.0±1	1.0
			16QAM	1	0	21.57	21.0±1	1.0
				1	37	21.6	21.0±1	1.0
				1	74	21.5	21.0±1	1.0
				36	0	20.82	21.0±1	1.0
				36	16	20.81	21.0±1	1.0
				36	35	20.82	21.0±1	1.0
				75	0	20.86	21.0±1	1.0
	18900	1880	QPSK	1	0	22.66	22.0±1	/
				1	37	22.63	22.0±1	/
				1	74	22.56	22.0±1	/
				36	0	21.68	21.0±1	1.0
				36	16	21.7	21.0±1	1.0
				36	35	21.65	21.0±1	1.0
				75	0	21.69	21.0±1	1.0
			16QAM	1	0	21.94	21.0±1	1.0
				1	37	21.91	21.0±1	1.0
				1	74	21.97	21.0±1	1.0
				36	0	20.9	21.0±1	1.0
				36	16	20.89	21.0±1	1.0
				36	35	20.86	21.0±1	1.0
				75	0	20.82	21.0±1	1.0
	19125	1902.5	QPSK	1	0	22.57	22.0±1	/
				1	37	22.53	22.0±1	/
				1	74	22.43	22.0±1	/
				36	0	21.56	21.0±1	1.0
				36	16	21.59	21.0±1	1.0
				36	35	21.53	21.0±1	1.0
				75	0	21.52	21.0±1	1.0
			16QAM	1	0	21.39	21.0±1	1.0
				1	37	21.34	21.0±1	1.0
				1	74	21.31	21.0±1	1.0
				36	0	20.63	21.0±1	1.0
				36	16	20.64	21.0±1	1.0
				36	35	20.62	21.0±1	1.0
				75	0	20.64	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
20MHz	18700	1860	QPSK	1	0	22.72	22.0±1	/
				1	49	22.74	22.0±1	/
				1	99	22.72	22.0±1	/
				50	0	21.71	21.0±1	1.0
				50	24	21.77	21.0±1	1.0
				50	49	21.68	21.0±1	1.0
				100	0	21.71	21.0±1	1.0
			16QAM	1	0	21.99	21.0±1	1.0
				1	49	21.84	21.0±1	1.0
				1	99	21.74	21.0±1	1.0
				50	0	20.8	21.0±1	1.0
				50	24	20.83	21.0±1	1.0
				50	49	20.79	21.0±1	1.0
				100	0	20.82	21.0±1	1.0
	18900	1880	QPSK	1	0	22.93	22.0±1	/
				1	49	22.97	22.0±1	/
				1	99	22.67	22.0±1	/
				50	0	21.92	21.0±1	1.0
				50	24	21.99	21.0±1	1.0
				50	49	21.64	21.0±1	1.0
				100	0	21.67	21.0±1	1.0
			16QAM	1	0	21.82	21.0±1	1.0
				1	49	21.81	21.0±1	1.0
				1	99	21.98	21.0±1	1.0
				50	0	20.79	21.0±1	1.0
				50	24	20.82	21.0±1	1.0
				50	49	20.77	21.0±1	1.0
				100	0	20.79	21.0±1	1.0
	19100	1900	QPSK	1	0	22.41	22.0±1	/
				1	49	22.53	22.0±1	/
				1	99	22.41	22.0±1	/
				50	0	21.43	21.0±1	1.0
				50	24	21.57	21.0±1	1.0
				50	49	21.48	21.0±1	1.0
				100	0	21.47	21.0±1	1.0
			16QAM	1	0	21.86	21.0±1	1.0
				1	49	21.8	21.0±1	1.0
				1	99	21.83	21.0±1	1.0
				50	0	20.47	21.0±1	1.0
				50	24	20.59	21.0±1	1.0
				50	49	20.52	21.0±1	1.0
				100	0	20.53	21.0±1	1.0

LTE Band 4:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	19957	1710.7	QPSK	1	0	23.04	23.0±1	/
				1	2	23.08	23.0±1	/
				1	5	23.06	23.0±1	/
				3	0	22.89	23.0±1	/
				3	1	23.02	23.0±1	/
				3	2	22.93	23.0±1	/
				6	0	22.07	22.0±1	1.0
			16QAM	1	0	22.06	22.0±1	1.0
				1	2	22.09	22.0±1	1.0
				1	5	22.04	22.0±1	1.0
				3	0	21.95	22.0±1	1.0
				3	1	22.03	22.0±1	1.0
				3	2	22	22.0±1	1.0
				6	0	21.17	22.0±1	1.0
	20175	1732.5	QPSK	1	0	23.03	23.0±1	/
				1	2	23.25	23.0±1	/
				1	5	23.15	23.0±1	/
				3	0	23.11	23.0±1	/
				3	1	23.26	23.0±1	/
				3	2	23.19	23.0±1	/
				6	0	22.17	22.0±1	1.0
			16QAM	1	0	22.51	22.0±1	1.0
				1	2	22.64	22.0±1	1.0
				1	5	22.59	22.0±1	1.0
				3	0	22.39	22.0±1	1.0
				3	1	22.53	22.0±1	1.0
				3	2	22.48	22.0±1	1.0
				6	0	21.12	22.0±1	1.0
	20393	1754.3	QPSK	1	0	23.28	23.0±1	/
				1	2	23.37	23.0±1	/
				1	5	23.37	23.0±1	/
				3	0	22.8	23.0±1	/
				3	1	22.91	23.0±1	/
				3	2	22.85	23.0±1	/
				6	0	22.35	22.0±1	1.0
			16QAM	1	0	21.97	22.0±1	1.0
				1	2	22.11	22.0±1	1.0
				1	5	22.08	22.0±1	1.0
				3	0	21.79	22.0±1	1.0
				3	1	21.91	22.0±1	1.0
				3	2	21.93	22.0±1	1.0
				6	0	21.24	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	19965	1711.5	QPSK	1	0	23.18	23.0±1	/
				1	8	23.28	23.0±1	/
				1	14	23.31	23.0±1	/
				6	0	22.25	22.0±1	1.0
				6	4	22.28	22.0±1	1.0
				6	9	22.27	22.0±1	1.0
				15	0	22.18	22.0±1	1.0
			16QAM	1	0	21.88	22.0±1	1.0
				1	8	22.01	22.0±1	1.0
				1	14	21.97	22.0±1	1.0
				8	0	21.33	22.0±1	1.0
				8	4	21.37	22.0±1	1.0
				8	9	21.29	22.0±1	1.0
				15	0	21.24	22.0±1	1.0
	20175	1732.5	QPSK	1	0	23.16	23.0±1	/
				1	8	23.22	23.0±1	/
				1	14	23.22	23.0±1	/
				6	0	22.26	22.0±1	1.0
				6	4	22.29	22.0±1	1.0
				6	9	22.25	22.0±1	1.0
				15	0	22.25	22.0±1	1.0
			16QAM	1	0	22.5	22.0±1	1.0
				1	8	22.63	22.0±1	1.0
				1	14	22.64	22.0±1	1.0
				6	0	21.41	22.0±1	1.0
				6	4	21.49	22.0±1	1.0
				6	9	21.42	22.0±1	1.0
				15	0	21.39	22.0±1	1.0
	20385	1753.5	QPSK	1	0	23.34	23.0±1	/
				1	8	23.44	23.0±1	/
				1	14	23.56	23.0±1	/
				6	0	22.26	22.0±1	1.0
				6	4	22.32	22.0±1	1.0
				6	9	22.25	22.0±1	1.0
				15	0	22.18	22.0±1	1.0
			16QAM	1	0	21.9	22.0±1	1.0
				1	8	22	22.0±1	1.0
				1	14	22.07	22.0±1	1.0
				8	0	21.18	22.0±1	1.0
				8	4	21.21	22.0±1	1.0
				8	9	21.18	22.0±1	1.0
				15	0	21.04	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	19975	1712.5	QPSK	1	0	23.15	23.0±1	/
				1	49	23.39	23.0±1	/
				1	99	23.44	23.0±1	/
				12	0	22.22	22.0±1	1.0
				12	24	22.22	22.0±1	1.0
				12	49	22.33	22.0±1	1.0
				25	0	22.18	22.0±1	1.0
			16QAM	1	0	22.13	22.0±1	1.0
				1	49	22.31	22.0±1	1.0
				1	99	22.33	22.0±1	1.0
				12	0	21.29	22.0±1	1.0
				12	24	21.25	22.0±1	1.0
				12	49	21.3	22.0±1	1.0
				25	0	21.14	22.0±1	1.0
	20175	1732.5	QPSK	1	0	23.16	23.0±1	/
				1	49	23.27	23.0±1	/
				1	99	23.16	23.0±1	/
				12	0	22.19	22.0±1	1.0
				12	24	22.3	22.0±1	1.0
				12	49	22.24	22.0±1	1.0
				25	0	22.3	22.0±1	1.0
			16QAM	1	0	22.33	22.0±1	1.0
				1	49	22.56	22.0±1	1.0
				1	99	22.47	22.0±1	1.0
				12	0	21.37	22.0±1	1.0
				12	24	21.51	22.0±1	1.0
				12	49	21.45	22.0±1	1.0
				25	0	21.4	22.0±1	1.0
	20375	1752.5	QPSK	1	0	23.44	23.0±1	/
				1	49	23.38	23.0±1	/
				1	99	23.51	23.0±1	/
				12	0	22.21	22.0±1	1.0
				12	24	22.23	22.0±1	1.0
				12	49	22.18	22.0±1	1.0
				25	0	22.15	22.0±1	1.0
			16QAM	1	0	22.57	22.0±1	1.0
				1	49	22.51	22.0±1	1.0
				1	99	22.61	22.0±1	1.0
				12	0	21.25	22.0±1	1.0
				12	24	21.26	22.0±1	1.0
				12	49	21.2	22.0±1	1.0
				25	0	21.11	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	20000	1715	QPSK	1	0	23.24	23.0±1	/
				1	49	23.52	23.0±1	/
				1	99	23.47	23.0±1	/
				25	0	22.27	22.0±1	1.0
				25	24	22.36	22.0±1	1.0
				25	49	22.37	22.0±1	1.0
				50	0	22.3	22.0±1	1.0
			16QAM	1	0	22.03	22.0±1	1.0
				1	49	22.18	22.0±1	1.0
				1	99	22.05	22.0±1	1.0
				25	0	21.24	22.0±1	1.0
				25	24	21.32	22.0±1	1.0
				25	49	21.3	22.0±1	1.0
				50	0	21.27	22.0±1	1.0
	20175	1732.5	QPSK	1	0	23.2	23.0±1	/
				1	49	23.3	23.0±1	/
				1	99	23.26	23.0±1	/
				25	0	22.24	22.0±1	1.0
				25	24	22.34	22.0±1	1.0
				25	49	22.35	22.0±1	1.0
				50	0	22.33	22.0±1	1.0
			16QAM	1	0	22.56	22.0±1	1.0
				1	49	22.72	22.0±1	1.0
				1	99	22.66	22.0±1	1.0
				25	0	21.37	22.0±1	1.0
				25	24	21.46	22.0±1	1.0
				25	49	21.46	22.0±1	1.0
				50	0	21.4	22.0±1	1.0
	20350	1750	QPSK	1	0	23.33	23.0±1	/
				1	49	23.46	23.0±1	/
				1	99	23.64	23.0±1	/
				25	0	22.22	22.0±1	1.0
				25	24	22.24	22.0±1	1.0
				25	49	22.21	22.0±1	1.0
				50	0	22.15	22.0±1	1.0
			16QAM	1	0	22.02	22.0±1	1.0
				1	49	22.06	22.0±1	1.0
				1	99	22.12	22.0±1	1.0
				25	0	21.22	22.0±1	1.0
				25	24	21.23	22.0±1	1.0
				25	49	21.18	22.0±1	1.0
				50	0	21.13	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
15MHz	20025	1717.5	QPSK	1	0	23.18	23.0±1	/
				1	49	23.43	23.0±1	/
				1	99	23.29	23.0±1	/
				36	0	22.42	22.0±1	1.0
				36	24	22.46	22.0±1	1.0
				36	49	22.36	22.0±1	1.0
				75	0	22.45	22.0±1	1.0
			16QAM	1	0	22	22.0±1	1.0
				1	49	22.05	22.0±1	1.0
				1	99	22.05	22.0±1	1.0
				36	0	21.42	22.0±1	1.0
				36	24	21.47	22.0±1	1.0
				36	49	21.38	22.0±1	1.0
				75	0	21.43	22.0±1	1.0
	20175	1732.5	QPSK	1	0	23.22	23.0±1	/
				1	49	23.29	23.0±1	/
				1	99	23.26	23.0±1	/
				36	0	22.22	22.0±1	1.0
				36	24	22.39	22.0±1	1.0
				36	49	22.37	22.0±1	1.0
				75	0	22.35	22.0±1	1.0
			16QAM	1	0	22.53	22.0±1	1.0
				1	49	22.73	22.0±1	1.0
				1	99	22.67	22.0±1	1.0
				36	0	21.42	22.0±1	1.0
				36	24	21.53	22.0±1	1.0
				36	49	21.52	22.0±1	1.0
				75	0	21.5	22.0±1	1.0
	20325	1747.5	QPSK	1	0	23.3	23.0±1	/
				1	49	23.46	23.0±1	/
				1	99	23.45	23.0±1	/
				36	0	22.29	22.0±1	1.0
				36	24	22.37	22.0±1	1.0
				36	49	22.36	22.0±1	1.0
				75	0	22.33	22.0±1	1.0
			16QAM	1	0	22.56	22.0±1	1.0
				1	49	22.35	22.0±1	1.0
				1	99	22.25	22.0±1	1.0
				36	0	21.33	22.0±1	1.0
				36	24	21.34	22.0±1	1.0
				36	49	21.32	22.0±1	1.0
				75	0	21.37	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
20MHz	20050	1720	QPSK	1	0	23.14	23.0±1	/
				1	49	23.81	23.0±1	/
				1	99	23.22	23.0±1	/
				50	0	22.3	22.0±1	1.0
				50	24	22.94	22.0±1	1.0
				50	49	22.25	22.0±1	1.0
				100	0	22.31	22.0±1	1.0
			16QAM	1	0	22.56	22.0±1	1.0
				1	49	22.58	22.0±1	1.0
				1	99	22.79	22.0±1	1.0
				50	0	21.35	22.0±1	1.0
				50	24	21.35	22.0±1	1.0
				50	49	21.33	22.0±1	1.0
				100	0	21.37	22.0±1	1.0
	20175	1732.5	QPSK	1	0	23.89	23.0±1	/
				1	49	23.89	23.0±1	/
				1	99	23.37	23.0±1	/
				50	0	22.22	22.0±1	1.0
				50	24	22.95	22.0±1	1.0
				50	49	22.31	22.0±1	1.0
				100	0	22.32	22.0±1	1.0
			16QAM	1	0	22.47	22.0±1	1.0
				1	49	22.75	22.0±1	1.0
				1	99	22.65	22.0±1	1.0
				50	0	21.31	22.0±1	1.0
				50	24	21.49	22.0±1	1.0
				50	49	21.39	22.0±1	1.0
				100	0	21.39	22.0±1	1.0
	20300	1745	QPSK	1	0	23.21	23.0±1	/
				1	49	23.81	23.0±1	/
				1	99	23.4	23.0±1	/
				50	0	22.25	22.0±1	1.0
				50	24	22.95	22.0±1	1.0
				50	49	22.2	22.0±1	1.0
				100	0	22.19	22.0±1	1.0
			16QAM	1	0	22.66	22.0±1	1.0
				1	49	22.36	22.0±1	1.0
				1	99	22.34	22.0±1	1.0
				50	0	21.27	22.0±1	1.0
				50	24	21.21	22.0±1	1.0
				50	49	21.11	22.0±1	1.0
				100	0	21.23	22.0±1	1.0

LTE Band 5:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	20407	824.7	QPSK	1	0	23.52	23.0±1	/
				1	2	23.53	23.0±1	/
				1	5	23.51	23.0±1	/
				3	0	23.54	23.0±1	/
				3	1	23.59	23.0±1	/
				3	2	23.53	23.0±1	/
				6	0	22.47	22.0±1	1.0
			16QAM	1	0	22.72	22.0±1	1.0
				1	2	22.76	22.0±1	1.0
				1	5	22.7	22.0±1	1.0
				3	0	22.69	22.0±1	1.0
				3	1	22.73	22.0±1	1.0
				3	2	22.7	22.0±1	1.0
				6	0	21.75	22.0±1	1.0
	20525	836.5	QPSK	1	0	23.45	23.0±1	/
				1	2	23.48	23.0±1	/
				1	5	23.42	23.0±1	/
				3	0	23.46	23.0±1	/
				3	1	23.56	23.0±1	/
				3	2	23.51	23.0±1	/
				6	0	22.41	22.0±1	1.0
			16QAM	1	0	22.91	22.0±1	1.0
				1	2	22.95	22.0±1	1.0
				1	5	22.86	22.0±1	1.0
				3	0	22.78	22.0±1	1.0
				3	1	22.81	22.0±1	1.0
				3	2	22.78	22.0±1	1.0
				6	0	21.46	22.0±1	1.0
	20634	848.3	QPSK	1	0	23.45	23.0±1	/
				1	2	23.49	23.0±1	/
				1	5	23.39	23.0±1	/
				3	0	23.43	23.0±1	/
				3	1	23.49	23.0±1	/
				3	2	23.44	23.0±1	/
				6	0	22.39	22.0±1	1.0
			16QAM	1	0	22.44	22.0±1	1.0
				1	2	22.47	22.0±1	1.0
				1	5	22.42	22.0±1	1.0
				3	0	22.64	22.0±1	1.0
				3	1	22.71	22.0±1	1.0
				3	2	22.65	22.0±1	1.0
				6	0	21.67	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	20415	825.5	QPSK	1	0	23.56	23.0±1	/
				1	8	23.54	23.0±1	/
				1	14	23.5	23.0±1	/
				6	0	22.62	22.0±1	1.0
				6	4	22.67	22.0±1	1.0
				6	9	22.6	22.0±1	1.0
				15	0	22.62	22.0±1	1.0
			16QAM	1	0	22.57	22.0±1	1.0
				1	8	22.51	22.0±1	1.0
				1	14	22.49	22.0±1	1.0
				8	0	21.83	22.0±1	1.0
				8	4	21.89	22.0±1	1.0
				8	9	21.8	22.0±1	1.0
				15	0	21.78	22.0±1	1.0
	20525	836.5	QPSK	1	0	23.52	23.0±1	/
				1	8	23.45	23.0±1	/
				1	14	23.46	23.0±1	/
				6	0	22.58	22.0±1	1.0
				6	4	22.59	22.0±1	1.0
				6	9	22.48	22.0±1	1.0
				15	0	22.53	22.0±1	1.0
			16QAM	1	0	22.99	22.0±1	1.0
				1	8	22.94	22.0±1	1.0
				1	14	22.95	22.0±1	1.0
				6	0	21.7	22.0±1	1.0
				6	4	21.74	22.0±1	1.0
				6	9	21.73	22.0±1	1.0
				15	0	21.71	22.0±1	1.0
	20635	847.5	QPSK	1	0	23.55	23.0±1	/
				1	8	23.53	23.0±1	/
				1	14	23.54	23.0±1	/
				6	0	22.55	22.0±1	1.0
				6	4	22.6	22.0±1	1.0
				6	9	22.55	22.0±1	1.0
				15	0	22.61	22.0±1	1.0
			16QAM	1	0	22.58	22.0±1	1.0
				1	8	22.53	22.0±1	1.0
				1	14	22.52	22.0±1	1.0
				8	0	21.68	22.0±1	1.0
				8	4	21.76	22.0±1	1.0
				8	9	21.65	22.0±1	1.0
				15	0	21.61	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	20425	826.5	QPSK	1	0	23.59	23.0±1	/
				1	49	23.63	23.0±1	/
				1	99	23.51	23.0±1	/
				12	0	22.66	22.0±1	1.0
				12	24	22.63	22.0±1	1.0
				12	49	22.62	22.0±1	1.0
				25	0	22.62	22.0±1	1.0
			16QAM	1	0	22.78	22.0±1	1.0
				1	49	22.78	22.0±1	1.0
				1	99	22.69	22.0±1	1.0
				12	0	21.82	22.0±1	1.0
				12	24	21.79	22.0±1	1.0
				12	49	21.75	22.0±1	1.0
				25	0	21.69	22.0±1	1.0
	20525	836.5	QPSK	1	0	23.41	23.0±1	/
				1	49	23.55	23.0±1	/
				1	99	23.44	23.0±1	/
				12	0	22.57	22.0±1	1.0
				12	24	22.58	22.0±1	1.0
				12	49	22.53	22.0±1	1.0
				25	0	22.57	22.0±1	1.0
			16QAM	1	0	22.7	22.0±1	1.0
				1	49	22.82	22.0±1	1.0
				1	99	22.69	22.0±1	1.0
				12	0	21.79	22.0±1	1.0
				12	24	21.77	22.0±1	1.0
				12	49	21.7	22.0±1	1.0
				25	0	21.7	22.0±1	1.0
	20625	846.5	QPSK	1	0	23.6	23.0±1	/
				1	49	23.64	23.0±1	/
				1	99	23.59	23.0±1	/
				12	0	22.63	22.0±1	1.0
				12	24	22.67	22.0±1	1.0
				12	49	22.63	22.0±1	1.0
				25	0	22.59	22.0±1	1.0
			16QAM	1	0	22.89	22.0±1	1.0
				1	49	22.86	22.0±1	1.0
				1	99	22.91	22.0±1	1.0
				12	0	21.83	22.0±1	1.0
				12	24	21.88	22.0±1	1.0
				12	49	21.87	22.0±1	1.0
				25	0	21.73	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	20450	829	QPSK	1	0	23.66	23.0±1	/
				1	49	23.55	23.0±1	/
				1	99	23.46	23.0±1	/
				25	0	22.66	22.0±1	1.0
				25	24	22.65	22.0±1	1.0
				25	49	22.55	22.0±1	1.0
				50	0	22.62	22.0±1	1.0
			16QAM	1	0	22.73	22.0±1	1.0
				1	49	22.64	22.0±1	1.0
				1	99	22.56	22.0±1	1.0
				25	0	21.87	22.0±1	1.0
				25	24	21.81	22.0±1	1.0
				25	49	21.78	22.0±1	1.0
				50	0	21.8	22.0±1	1.0
	20525	836.5	QPSK	1	0	23.52	23.0±1	/
				1	49	23.89	23.0±1	/
				1	99	23.55	23.0±1	/
				25	0	22.63	22.0±1	1.0
				25	24	22.88	22.0±1	1.0
				25	49	22.57	22.0±1	1.0
				50	0	22.6	22.0±1	1.0
			16QAM	1	0	22.53	22.0±1	1.0
				1	49	22.51	22.0±1	1.0
				1	99	22.52	22.0±1	1.0
				25	0	21.75	22.0±1	1.0
				25	24	21.76	22.0±1	1.0
				25	49	21.65	22.0±1	1.0
				50	0	21.68	22.0±1	1.0
	20600	844	QPSK	1	0	23.57	23.0±1	/
				1	49	23.53	23.0±1	/
				1	99	23.51	23.0±1	/
				25	0	22.63	22.0±1	1.0
				25	24	22.67	22.0±1	1.0
				25	49	22.65	22.0±1	1.0
				50	0	22.61	22.0±1	1.0
			16QAM	1	0	22.81	22.0±1	1.0
				1	49	22.92	22.0±1	1.0
				1	99	22.91	22.0±1	1.0
				25	0	21.76	22.0±1	1.0
				25	24	21.87	22.0±1	1.0
				25	49	21.73	22.0±1	1.0
				50	0	21.8	22.0±1	1.0

LTE Band 7:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	20775	2502.5	QPSK	1	0	22.2	22.0±1	/
				1	49	22.28	22.0±1	/
				1	99	22.22	22.0±1	/
				12	0	21.28	21.0±1	1.0
				12	24	21.31	21.0±1	1.0
				12	49	21.32	21.0±1	1.0
				25	0	21.33	21.0±1	1.0
			16QAM	1	0	21.44	21.0±1	1.0
				1	49	21.56	21.0±1	1.0
				1	99	21.53	21.0±1	1.0
				12	0	20.45	21.0±1	1.0
				12	24	20.49	21.0±1	1.0
				12	49	20.49	21.0±1	1.0
				25	0	20.45	21.0±1	1.0
	21100	2535	QPSK	1	0	22.17	22.0±1	/
				1	49	22.21	22.0±1	/
				1	99	22.2	22.0±1	/
				12	0	21.21	21.0±1	1.0
				12	24	21.22	21.0±1	1.0
				12	49	21.21	21.0±1	1.0
				25	0	21.21	21.0±1	1.0
			16QAM	1	0	21.73	21.0±1	1.0
				1	49	21.86	21.0±1	1.0
				1	99	21.81	21.0±1	1.0
				12	0	20.43	21.0±1	1.0
				12	24	20.44	21.0±1	1.0
				12	49	20.44	21.0±1	1.0
				25	0	20.4	21.0±1	1.0
	21425	2567.5	QPSK	1	0	22.18	22.0±1	/
				1	49	22.18	22.0±1	/
				1	99	22.14	22.0±1	/
				12	0	21.22	21.0±1	1.0
				12	24	21.21	21.0±1	1.0
				12	49	21.2	21.0±1	1.0
				25	0	21.19	21.0±1	1.0
			16QAM	1	0	21.29	21.0±1	1.0
				1	49	21.34	21.0±1	1.0
				1	99	21.31	21.0±1	1.0
				12	0	20.33	21.0±1	1.0
				12	24	20.36	21.0±1	1.0
				12	49	20.33	21.0±1	1.0
				25	0	20.25	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	20800	2505	QPSK	1	0	22.38	22.0±1	/
				1	49	22.28	22.0±1	/
				1	99	22.4	22.0±1	/
				25	0	21.43	21.0±1	1.0
				25	24	21.45	21.0±1	1.0
				25	49	21.45	21.0±1	1.0
				50	0	21.43	21.0±1	1.0
			16QAM	1	0	21.95	21.0±1	1.0
				1	49	21.83	21.0±1	1.0
				1	99	21.84	21.0±1	1.0
				25	0	20.56	21.0±1	1.0
				25	24	20.57	21.0±1	1.0
				25	49	20.61	21.0±1	1.0
				50	0	20.55	21.0±1	1.0
	21100	2535	QPSK	1	0	22.25	22.0±1	/
				1	49	22.25	22.0±1	/
				1	99	22.32	22.0±1	/
				25	0	21.3	21.0±1	1.0
				25	24	21.3	21.0±1	1.0
				25	49	21.34	21.0±1	1.0
				50	0	21.31	21.0±1	1.0
			16QAM	1	0	21.33	21.0±1	1.0
				1	49	21.32	21.0±1	1.0
				1	99	21.37	21.0±1	1.0
				25	0	20.49	21.0±1	1.0
				25	24	20.53	21.0±1	1.0
				25	49	20.54	21.0±1	1.0
				50	0	20.43	21.0±1	1.0
	21400	2565	QPSK	1	0	22.23	22.0±1	/
				1	49	22.23	22.0±1	/
				1	99	22.73	22.0±1	/
				25	0	21.25	21.0±1	1.0
				25	24	21.28	21.0±1	1.0
				25	49	21.26	21.0±1	1.0
				50	0	21.27	21.0±1	1.0
			16QAM	1	0	21.15	21.0±1	1.0
				1	49	21.21	21.0±1	1.0
				1	99	21.88	21.0±1	1.0
				25	0	20.37	21.0±1	1.0
				25	24	20.4	21.0±1	1.0
				25	49	20.39	21.0±1	1.0
				50	0	20.39	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
15MHz	20825	2507.5	QPSK	1	0	22.53	22.0±1	/
				1	49	22.4	22.0±1	/
				1	99	22.42	22.0±1	/
				36	0	21.48	21.0±1	1.0
				36	24	21.49	21.0±1	1.0
				36	49	21.49	21.0±1	1.0
				75	0	21.42	21.0±1	1.0
			16QAM	1	0	21.95	21.0±1	1.0
				1	49	21.91	21.0±1	1.0
				1	99	21.9	21.0±1	1.0
				36	0	20.66	21.0±1	1.0
				36	24	20.7	21.0±1	1.0
				36	49	20.61	21.0±1	1.0
				75	0	20.55	21.0±1	1.0
	21100	2535	QPSK	1	0	22.36	22.0±1	/
				1	49	22.32	22.0±1	/
				1	99	22.39	22.0±1	/
				36	0	21.39	21.0±1	1.0
				36	24	21.4	21.0±1	1.0
				36	49	21.47	21.0±1	1.0
				75	0	21.43	21.0±1	1.0
			16QAM	1	0	21.75	21.0±1	1.0
				1	49	21.79	21.0±1	1.0
				1	99	21.9	21.0±1	1.0
				36	0	20.44	21.0±1	1.0
				36	24	20.51	21.0±1	1.0
				36	49	20.51	21.0±1	1.0
				75	0	20.47	21.0±1	1.0
	21375	2562.5	QPSK	1	0	22.32	22.0±1	/
				1	49	22.28	22.0±1	/
				1	99	22.4	22.0±1	/
				36	0	21.4	21.0±1	1.0
				36	24	21.38	21.0±1	1.0
				36	49	21.38	21.0±1	1.0
				75	0	21.34	21.0±1	1.0
			16QAM	1	0	21.25	21.0±1	1.0
				1	49	21.25	21.0±1	1.0
				1	99	20.06	21.0±1	1.0
				36	0	20.48	21.0±1	1.0
				36	24	20.48	21.0±1	1.0
				36	49	20.53	21.0±1	1.0
				75	0	20.5	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
20MHz	20850	2510	QPSK	1	0	21.61	22.0±1	/
				1	49	22.55	22.0±1	/
				1	99	22.55	22.0±1	/
				50	0	21.56	21.0±1	1.0
				50	24	21.52	21.0±1	1.0
				50	49	21.56	21.0±1	1.0
				100	0	21.51	21.0±1	1.0
			16QAM	1	0	21.91	21.0±1	1.0
				1	49	21.93	21.0±1	1.0
				1	99	21.98	21.0±1	1.0
				50	0	20.73	21.0±1	1.0
				50	24	20.66	21.0±1	1.0
				50	49	20.69	21.0±1	1.0
				100	0	20.63	21.0±1	1.0
	21100	2535	QPSK	1	0	22.34	22.0±1	/
				1	49	22.73	22.0±1	/
				1	99	22.64	22.0±1	/
				50	0	21.85	21.0±1	1.0
				50	24	21.97	21.0±1	1.0
				50	49	21.53	21.0±1	1.0
				100	0	21.47	21.0±1	1.0
			16QAM	1	0	21.77	21.0±1	1.0
				1	49	21.84	21.0±1	1.0
				1	99	21.86	21.0±1	1.0
				50	0	20.53	21.0±1	1.0
				50	24	20.56	21.0±1	1.0
				50	49	20.55	21.0±1	1.0
				100	0	20.59	21.0±1	1.0
	21350	2560	QPSK	1	0	22.34	22.0±1	/
				1	49	22.34	22.0±1	/
				1	99	22.39	22.0±1	/
				50	0	21.44	21.0±1	1.0
				50	24	21.47	21.0±1	1.0
				50	49	21.43	21.0±1	1.0
				100	0	21.43	21.0±1	1.0
			16QAM	1	0	21.91	21.0±1	1.0
				1	49	21.88	21.0±1	1.0
				1	99	21.99	21.0±1	1.0
				50	0	20.5	21.0±1	1.0
				50	24	20.13	21.0±1	1.0
				50	49	20.55	21.0±1	1.0
				100	0	20.46	21.0±1	1.0

LTE Band 12:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	23017	699.7	QPSK	1	0	23.59	23.0±1	/
				1	2	23.57	23.0±1	/
				1	5	23.52	23.0±1	/
				3	0	23.25	23.0±1	/
				3	1	23.38	23.0±1	/
				3	2	23.28	23.0±1	/
				6	0	22.49	22.0±1	1.0
			16QAM	1	0	22.27	22.0±1	1.0
				1	2	22.33	22.0±1	1.0
				1	5	22.35	22.0±1	1.0
				3	0	22.43	22.0±1	1.0
				3	1	22.56	22.0±1	1.0
				3	2	22.42	22.0±1	1.0
				6	0	21.55	22.0±1	1.0
	23095	707.5	QPSK	1	0	23.4	23.0±1	/
				1	2	23.46	23.0±1	/
				1	5	23.45	23.0±1	/
				3	0	23.3	23.0±1	/
				3	1	23.42	23.0±1	/
				3	2	23.33	23.0±1	/
				6	0	22.36	22.0±1	1.0
			16QAM	1	0	22.47	22.0±1	1.0
				1	2	22.54	22.0±1	1.0
				1	5	22.46	22.0±1	1.0
				3	0	22.45	22.0±1	1.0
				3	1	22.52	22.0±1	1.0
				3	2	22.45	22.0±1	1.0
				6	0	21.53	22.0±1	1.0
	23173	715.3	QPSK	1	0	23.46	23.0±1	/
				1	2	23.51	23.0±1	/
				1	5	23.48	23.0±1	/
				3	0	23.25	23.0±1	/
				3	1	23.36	23.0±1	/
				3	2	23.19	23.0±1	/
				6	0	22.43	22.0±1	1.0
			16QAM	1	0	22.72	22.0±1	1.0
				1	2	22.75	22.0±1	1.0
				1	5	22.72	22.0±1	1.0
				3	0	22.53	22.0±1	1.0
				3	1	22.6	22.0±1	1.0
				3	2	22.45	22.0±1	1.0
				6	0	21.28	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	23025	700.5	QPSK	1	0	23.63	23.0±1	/
				1	8	23.51	23.0±1	/
				1	14	23.47	23.0±1	/
				8	0	22.54	22.0±1	1.0
				8	4	22.58	22.0±1	1.0
				8	9	22.5	22.0±1	1.0
				15	0	22.51	22.0±1	1.0
			16QAM	1	0	22.26	22.0±1	1.0
				1	8	22.24	22.0±1	1.0
				1	14	22.27	22.0±1	1.0
				8	0	21.58	22.0±1	1.0
				8	4	21.65	22.0±1	1.0
				8	9	21.58	22.0±1	1.0
				15	0	21.52	22.0±1	1.0
	23095	707.5	QPSK	1	0	23.4	23.0±1	/
				1	8	23.47	23.0±1	/
				1	14	23.5	23.0±1	/
				8	0	22.49	22.0±1	1.0
				8	4	22.53	22.0±1	1.0
				8	9	22.49	22.0±1	1.0
				15	0	22.43	22.0±1	1.0
			16QAM	1	0	22.71	22.0±1	1.0
				1	8	22.77	22.0±1	1.0
				1	14	22.75	22.0±1	1.0
				8	0	21.6	22.0±1	1.0
				8	4	21.63	22.0±1	1.0
				8	9	21.57	22.0±1	1.0
				15	0	21.56	22.0±1	1.0
	23165	714.5	QPSK	1	0	23.46	23.0±1	/
				1	8	23.55	23.0±1	/
				1	14	23.61	23.0±1	/
				8	0	22.44	22.0±1	1.0
				8	4	22.45	22.0±1	1.0
				8	9	22.46	22.0±1	1.0
				15	0	22.4	22.0±1	1.0
			16QAM	1	0	22.35	22.0±1	1.0
				1	8	22.4	22.0±1	1.0
				1	14	22.37	22.0±1	1.0
				8	0	21.51	22.0±1	1.0
				8	4	21.51	22.0±1	1.0
				8	9	21.49	22.0±1	1.0
				15	0	21.4	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	23035	701.5	QPSK	1	0	23.56	23.0±1	/
				1	49	23.54	23.0±1	/
				1	99	23.38	23.0±1	/
				12	0	22.45	22.0±1	1.0
				12	24	22.47	22.0±1	1.0
				12	49	22.42	22.0±1	1.0
				25	0	22.42	22.0±1	1.0
			16QAM	1	0	22.54	22.0±1	1.0
				1	49	22.61	22.0±1	1.0
				1	99	22.56	22.0±1	1.0
				12	0	21.53	22.0±1	1.0
				12	24	21.55	22.0±1	1.0
				12	49	21.57	22.0±1	1.0
				25	0	21.48	22.0±1	1.0
	23095	707.5	QPSK	1	0	23.39	23.0±1	/
				1	49	23.55	23.0±1	/
				1	99	23.49	23.0±1	/
				12	0	22.47	22.0±1	1.0
				12	24	22.46	22.0±1	1.0
				12	49	22.42	22.0±1	1.0
				25	0	22.45	22.0±1	1.0
			16QAM	1	0	22.88	22.0±1	1.0
				1	49	22.97	22.0±1	1.0
				1	99	22.92	22.0±1	1.0
				12	0	21.75	22.0±1	1.0
				12	24	21.73	22.0±1	1.0
				12	49	21.66	22.0±1	1.0
				25	0	21.6	22.0±1	1.0
	23155	713.5	QPSK	1	0	23.48	23.0±1	/
				1	49	23.5	23.0±1	/
				1	99	23.55	23.0±1	/
				12	0	22.48	22.0±1	1.0
				12	24	22.49	22.0±1	1.0
				12	49	22.37	22.0±1	1.0
				25	0	22.41	22.0±1	1.0
			16QAM	1	0	22.48	22.0±1	1.0
				1	49	22.52	22.0±1	1.0
				1	99	22.51	22.0±1	1.0
				12	0	21.57	22.0±1	1.0
				12	24	21.57	22.0±1	1.0
				12	49	21.46	22.0±1	1.0
				25	0	21.45	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	23060	704	QPSK	1	0	23.62	23.0±1	/
				1	49	23.43	23.0±1	/
				1	99	23.51	23.0±1	/
				25	0	22.43	22.0±1	1.0
				25	24	22.42	22.0±1	1.0
				25	49	22.49	22.0±1	1.0
				50	0	22.5	22.0±1	1.0
			16QAM	1	0	22.25	22.0±1	1.0
				1	49	22.24	22.0±1	1.0
				1	99	22.26	22.0±1	1.0
				25	0	21.48	22.0±1	1.0
				25	24	21.5	22.0±1	1.0
				25	49	21.57	22.0±1	1.0
				50	0	21.54	22.0±1	1.0
	23095	707.5	QPSK	1	0	23.41	23.0±1	/
				1	49	23.84	23.0±1	/
				1	99	23.42	23.0±1	/
				25	0	22.45	22.0±1	1.0
				25	24	22.88	22.0±1	1.0
				25	49	22.46	22.0±1	1.0
				50	0	22.47	22.0±1	1.0
			16QAM	1	0	22.75	22.0±1	1.0
				1	49	22.81	22.0±1	1.0
				1	99	22.71	22.0±1	1.0
				25	0	21.63	22.0±1	1.0
				25	24	21.58	22.0±1	1.0
				25	49	21.54	22.0±1	1.0
				50	0	21.54	22.0±1	1.0
	23130	711	QPSK	1	0	23.54	23.0±1	/
				1	49	23.51	23.0±1	/
				1	99	23.61	23.0±1	/
				25	0	22.48	22.0±1	1.0
				25	24	22.48	22.0±1	1.0
				25	49	22.43	22.0±1	1.0
				50	0	22.45	22.0±1	1.0
			16QAM	1	0	22.45	22.0±1	1.0
				1	49	22.41	22.0±1	1.0
				1	99	22.36	22.0±1	1.0
				25	0	21.62	22.0±1	1.0
				25	24	21.62	22.0±1	1.0
				25	49	21.59	22.0±1	1.0
				50	0	21.55	22.0±1	1.0

LTE Band 13:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	23205	779.5	QPSK	1	0	23.35	23.0±1	/
				1	49	23.38	23.0±1	/
				1	99	23.19	23.0±1	/
				12	0	22.27	22.0±1	1.0
				12	24	22.31	22.0±1	1.0
				12	49	22.22	22.0±1	1.0
				25	0	22.26	22.0±1	1.0
			16QAM	1	0	22.52	22.0±1	1.0
				1	49	22.53	22.0±1	1.0
				1	99	22.32	22.0±1	1.0
				12	0	21.29	22.0±1	1.0
				12	24	21.32	22.0±1	1.0
				12	49	21.3	22.0±1	1.0
				25	0	21.25	22.0±1	1.0
	23230	782.0	QPSK	1	0	23.36	23.0±1	/
				1	49	23.28	23.0±1	/
				1	99	23.35	23.0±1	/
				12	0	22.23	22.0±1	1.0
				12	24	22.22	22.0±1	1.0
				12	49	22.19	22.0±1	1.0
				25	0	22.23	22.0±1	1.0
			16QAM	1	0	22.7	22.0±1	1.0
				1	49	22.77	22.0±1	1.0
				1	99	22.81	22.0±1	1.0
				12	0	21.41	22.0±1	1.0
				12	24	21.44	22.0±1	1.0
				12	49	21.42	22.0±1	1.0
				25	0	21.33	22.0±1	1.0
	23255	784.5	QPSK	1	0	23.4	23.0±1	/
				1	49	23.29	23.0±1	/
				1	99	23.34	23.0±1	/
				12	0	22.23	22.0±1	1.0
				12	24	22.25	22.0±1	1.0
				12	49	22.18	22.0±1	1.0
				25	0	22.21	22.0±1	1.0
			16QAM	1	0	22.36	22.0±1	1.0
				1	49	22.33	22.0±1	1.0
				1	99	22.32	22.0±1	1.0
				12	0	21.31	22.0±1	1.0
				12	24	21.35	22.0±1	1.0
				12	49	21.27	22.0±1	1.0
				25	0	21.24	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	23230	782.0	QPSK	1	0	23.74	23.0±1	/
				1	49	23.92	23.0±1	/
				1	99	23.26	23.0±1	/
				25	0	22.88	22.0±1	1.0
				25	24	22.95	22.0±1	1.0
				25	49	22.24	22.0±1	1.0
				50	0	22.25	22.0±1	1.0
			16QAM	1	0	22.28	22.0±1	1.0
				1	49	22.06	22.0±1	1.0
				1	99	22.19	22.0±1	1.0
				25	0	21.27	22.0±1	1.0
				25	24	21.31	22.0±1	1.0
				25	49	21.3	22.0±1	1.0
				50	0	21.3	22.0±1	1.0

LTE Band 17:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	23755	706.5	QPSK	1	0	23.43	23.0±1	/
				1	49	23.6	23.0±1	/
				1	99	23.4	23.0±1	/
				12	0	22.45	22.0±1	1.0
				12	24	22.54	22.0±1	1.0
				12	49	22.53	22.0±1	1.0
				25	0	22.53	22.0±1	1.0
			16QAM	1	0	22.49	22.0±1	1.0
				1	49	22.65	22.0±1	1.0
				1	99	22.42	22.0±1	1.0
				12	0	21.57	22.0±1	1.0
				12	24	21.69	22.0±1	1.0
				12	49	21.62	22.0±1	1.0
				25	0	21.56	22.0±1	1.0
	23790	710	QPSK	1	0	23.4	23.0±1	/
				1	49	23.58	23.0±1	/
				1	99	23.44	23.0±1	/
				12	0	22.52	22.0±1	1.0
				12	24	22.53	22.0±1	1.0
				12	49	22.5	22.0±1	1.0
				25	0	22.49	22.0±1	1.0
			16QAM	1	0	22.51	22.0±1	1.0
				1	49	22.63	22.0±1	1.0
				1	99	22.58	22.0±1	1.0
				12	0	21.62	22.0±1	1.0
				12	24	21.64	22.0±1	1.0
				12	49	21.59	22.0±1	1.0
				25	0	21.56	22.0±1	1.0
	23825	713.5	QPSK	1	0	23.53	23.0±1	/
				1	49	23.55	23.0±1	/
				1	99	23.52	23.0±1	/
				12	0	22.51	22.0±1	1.0
				12	24	22.48	22.0±1	1.0
				12	49	22.38	22.0±1	1.0
				25	0	22.43	22.0±1	1.0
			16QAM	1	0	22.93	22.0±1	1.0
				1	49	22.97	22.0±1	1.0
				1	99	22.84	22.0±1	1.0
				12	0	21.69	22.0±1	1.0
				12	24	21.68	22.0±1	1.0
				12	49	21.62	22.0±1	1.0
				25	0	21.56	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	23780	709	QPSK	1	0	23.46	23.0±1	/
				1	49	23.46	23.0±1	/
				1	99	23.6	23.0±1	/
				25	0	22.54	22.0±1	1.0
				25	24	22.54	22.0±1	1.0
				25	49	22.54	22.0±1	1.0
				50	0	22.52	22.0±1	1.0
			16QAM	1	0	22.42	22.0±1	1.0
				1	49	22.4	22.0±1	1.0
				1	99	22.55	22.0±1	1.0
				25	0	21.76	22.0±1	1.0
				25	24	21.71	22.0±1	1.0
				25	49	21.7	22.0±1	1.0
				50	0	21.68	22.0±1	1.0
	23790	710	QPSK	1	0	23.84	23.0±1	/
				1	49	23.96	23.0±1	/
				1	99	23.46	23.0±1	/
				25	0	22.51	22.0±1	1.0
				25	24	22.91	22.0±1	1.0
				25	49	22.49	22.0±1	1.0
				50	0	22.48	22.0±1	1.0
			16QAM	1	0	22.29	22.0±1	1.0
				1	49	22.31	22.0±1	1.0
				1	99	22.24	22.0±1	1.0
				25	0	21.57	22.0±1	1.0
				25	24	21.59	22.0±1	1.0
				25	49	21.53	22.0±1	1.0
				50	0	21.54	22.0±1	1.0
	23800	711	QPSK	1	0	23.54	23.0±1	/
				1	49	23.56	23.0±1	/
				1	99	23.52	23.0±1	/
				25	0	22.57	22.0±1	1.0
				25	24	22.58	22.0±1	1.0
				25	49	22.5	22.0±1	1.0
				50	0	22.53	22.0±1	1.0
			16QAM	1	0	22.92	22.0±1	1.0
				1	49	22.81	22.0±1	1.0
				1	99	22.76	22.0±1	1.0
				25	0	21.62	22.0±1	1.0
				25	24	21.63	22.0±1	1.0
				25	49	21.64	22.0±1	1.0
				50	0	21.57	22.0±1	1.0

LTE Band 26(Part 90S):

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	26697	814.7	QPSK	1	0	23.16	23.0±1	/
				1	2	23.23	23.0±1	/
				1	5	23.15	23.0±1	/
				3	0	23.21	23.0±1	/
				3	1	23.28	23.0±1	/
				3	2	23.23	23.0±1	/
				6	0	22.15	22.0±1	1.0
			16QAM	1	0	22.36	22.0±1	1.0
				1	2	22.45	22.0±1	1.0
				1	5	22.27	22.0±1	1.0
				3	0	22.37	22.0±1	1.0
				3	1	22.47	22.0±1	1.0
				3	2	22.41	22.0±1	1.0
				6	0	21.41	22.0±1	1.0
	26740	819.0	QPSK	1	0	23.27	23.0±1	/
				1	2	23.35	23.0±1	/
				1	5	23.27	23.0±1	/
				3	0	23.32	23.0±1	/
				3	1	23.4	23.0±1	/
				3	2	23.33	23.0±1	/
				6	0	22.27	22.0±1	1.0
			16QAM	1	0	22.76	22.0±1	1.0
				1	2	22.8	22.0±1	1.0
				1	5	22.74	22.0±1	1.0
				3	0	22.66	22.0±1	1.0
				3	1	22.69	22.0±1	1.0
				3	2	22.62	22.0±1	1.0
				6	0	21.28	22.0±1	1.0
	26783	823.3	QPSK	1	0	23.12	23.0±1	/
				1	2	23.19	23.0±1	/
				1	5	23.15	23.0±1	/
				3	0	23.33	23.0±1	/
				3	1	23.27	23.0±1	/
				3	2	23.29	23.0±1	/
				6	0	22.09	22.0±1	1.0
			16QAM	1	0	22.24	22.0±1	1.0
				1	2	22.26	22.0±1	1.0
				1	5	22.25	22.0±1	1.0
				3	0	22.42	22.0±1	1.0
				3	1	22.5	22.0±1	1.0
				3	2	22.45	22.0±1	1.0
				6	0	21.37	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	26705	815.5	QPSK	1	0	23.3	23.0±1	/
				1	8	23.22	23.0±1	/
				1	14	23.21	23.0±1	/
				6	0	22.28	22.0±1	1.0
				6	4	22.37	22.0±1	1.0
				6	9	22.28	22.0±1	1.0
				15	0	22.3	22.0±1	1.0
			16QAM	1	0	22.22	22.0±1	1.0
				1	8	22.22	22.0±1	1.0
				1	14	22.22	22.0±1	1.0
				8	0	21.49	22.0±1	1.0
				8	4	21.54	22.0±1	1.0
				8	9	21.47	22.0±1	1.0
				15	0	21.45	22.0±1	1.0
	26740	819.0	QPSK	1	0	23.34	23.0±1	/
				1	8	23.32	23.0±1	/
				1	14	23.34	23.0±1	/
				6	0	22.4	22.0±1	1.0
				6	4	22.39	22.0±1	1.0
				6	9	22.34	22.0±1	1.0
				15	0	22.42	22.0±1	1.0
			16QAM	1	0	22.83	22.0±1	1.0
				1	8	22.79	22.0±1	1.0
				1	14	22.83	22.0±1	1.0
				8	0	21.54	22.0±1	1.0
				8	4	21.58	22.0±1	1.0
				8	9	21.53	22.0±1	1.0
				15	0	21.5	22.0±1	1.0
	26775	822.5	QPSK	1	0	23.22	23.0±1	/
				1	8	23.22	23.0±1	/
				1	14	23.19	23.0±1	/
				6	0	22.24	22.0±1	1.0
				6	4	22.24	22.0±1	1.0
				6	9	22.21	22.0±1	1.0
				15	0	22.25	22.0±1	1.0
			16QAM	1	0	22.4	22.0±1	1.0
				1	8	22.3	22.0±1	1.0
				1	14	22.31	22.0±1	1.0
				8	0	21.39	22.0±1	1.0
				8	4	21.41	22.0±1	1.0
				8	9	21.38	22.0±1	1.0
				15	0	21.31	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	26715	816.5	QPSK	1	0	23.27	23.0±1	/
				1	49	23.32	23.0±1	/
				1	99	23.31	23.0±1	/
				12	0	22.31	22.0±1	1.0
				12	24	22.43	22.0±1	1.0
				12	49	22.39	22.0±1	1.0
				25	0	22.45	22.0±1	1.0
			16QAM	1	0	22.53	22.0±1	1.0
				1	49	22.57	22.0±1	1.0
				1	99	22.61	22.0±1	1.0
				12	0	21.52	22.0±1	1.0
				12	24	21.66	22.0±1	1.0
				12	49	21.56	22.0±1	1.0
				25	0	21.58	22.0±1	1.0
	26740	819.0	QPSK	1	0	23.28	23.0±1	/
				1	49	23.42	23.0±1	/
				1	99	23.34	23.0±1	/
				12	0	22.43	22.0±1	1.0
				12	24	22.41	22.0±1	1.0
				12	49	22.38	22.0±1	1.0
				25	0	22.37	22.0±1	1.0
			16QAM	1	0	22.86	22.0±1	1.0
				1	49	22.84	22.0±1	1.0
				1	99	22.94	22.0±1	1.0
				12	0	21.66	22.0±1	1.0
				12	24	21.67	22.0±1	1.0
				12	49	21.6	22.0±1	1.0
				25	0	21.61	22.0±1	1.0
	26765	821.5	QPSK	1	0	23.24	23.0±1	/
				1	49	23.27	23.0±1	/
				1	99	23.18	23.0±1	/
				12	0	22.29	22.0±1	1.0
				12	24	22.31	22.0±1	1.0
				12	49	22.25	22.0±1	1.0
				25	0	22.25	22.0±1	1.0
			16QAM	1	0	22.45	22.0±1	1.0
				1	49	22.46	22.0±1	1.0
				1	99	22.42	22.0±1	1.0
				12	0	21.43	22.0±1	1.0
				12	24	21.48	22.0±1	1.0
				12	49	21.38	22.0±1	1.0
				25	0	21.33	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	26740	819.0	QPSK	1	0	23.29	23.0±1	/
				1	49	23.37	23.0±1	/
				1	99	23.31	23.0±1	/
				25	0	22.47	22.0±1	1.0
				25	24	22.44	22.0±1	1.0
				25	49	22.39	22.0±1	1.0
				50	0	22.39	22.0±1	1.0
			16QAM	1	0	22.31	22.0±1	1.0
				1	49	22.39	22.0±1	1.0
				1	99	22.25	22.0±1	1.0
				25	0	21.59	22.0±1	1.0
				25	24	21.57	22.0±1	1.0
				25	49	21.53	22.0±1	1.0
				50	0	21.5	22.0±1	1.0

LTE Band 26(Part 22H):

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	26797	824.7	QPSK	1	0	23.43	23.0±1	/
				1	2	23.45	23.0±1	/
				1	5	23.4	23.0±1	/
				3	0	23.5	23.0±1	/
				3	1	23.55	23.0±1	/
				3	2	23.45	23.0±1	/
				6	0	22.35	22.0±1	1.0
			16QAM	1	0	22.64	22.0±1	1.0
				1	2	22.68	22.0±1	1.0
				1	5	22.63	22.0±1	1.0
				3	0	22.66	22.0±1	1.0
				3	1	22.67	22.0±1	1.0
				3	2	22.63	22.0±1	1.0
				6	0	21.6	22.0±1	1.0
	26915	836.5	QPSK	1	0	23.35	23.0±1	/
				1	2	23.4	23.0±1	/
				1	5	23.38	23.0±1	/
				3	0	23.4	23.0±1	/
				3	1	23.48	23.0±1	/
				3	2	23.42	23.0±1	/
				6	0	22.35	22.0±1	1.0
			16QAM	1	0	22.85	22.0±1	1.0
				1	2	22.88	22.0±1	1.0
				1	5	22.83	22.0±1	1.0
				3	0	22.74	22.0±1	1.0
				3	1	22.81	22.0±1	1.0
				3	2	22.69	22.0±1	1.0
				6	0	21.39	22.0±1	1.0
	27033	848.3	QPSK	1	0	23.37	23.0±1	/
				1	2	23.45	23.0±1	/
				1	5	23.38	23.0±1	/
				3	0	23.4	23.0±1	/
				3	1	23.51	23.0±1	/
				3	2	23.41	23.0±1	/
				6	0	22.4	22.0±1	1.0
			16QAM	1	0	22.43	22.0±1	1.0
				1	2	22.48	22.0±1	1.0
				1	5	22.42	22.0±1	1.0
				3	0	22.69	22.0±1	1.0
				3	1	22.71	22.0±1	1.0
				3	2	22.66	22.0±1	1.0
				6	0	21.64	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	26805	825.5	QPSK	1	0	23.5	23.0±1	/
				1	8	23.45	23.0±1	/
				1	14	23.43	23.0±1	/
				6	0	22.5	22.0±1	1.0
				6	4	22.54	22.0±1	1.0
				6	9	22.46	22.0±1	1.0
				15	0	22.52	22.0±1	1.0
			16QAM	1	0	22.47	22.0±1	1.0
				1	8	22.43	22.0±1	1.0
				1	14	22.4	22.0±1	1.0
				8	0	21.7	22.0±1	1.0
				8	4	21.76	22.0±1	1.0
				8	9	21.68	22.0±1	1.0
				15	0	21.64	22.0±1	1.0
	26915	836.5	QPSK	1	0	23.48	23.0±1	/
				1	8	23.38	23.0±1	/
				1	14	23.42	23.0±1	/
				6	0	22.47	22.0±1	1.0
				6	4	22.5	22.0±1	1.0
				6	9	22.43	22.0±1	1.0
				15	0	22.46	22.0±1	1.0
			16QAM	1	0	22.91	22.0±1	1.0
				1	8	22.87	22.0±1	1.0
				1	14	22.88	22.0±1	1.0
				6	0	21.66	22.0±1	1.0
				6	4	21.7	22.0±1	1.0
				6	9	21.61	22.0±1	1.0
				15	0	21.61	22.0±1	1.0
	27025	847.5	QPSK	1	0	23.48	23.0±1	/
				1	8	23.46	23.0±1	/
				1	14	23.45	23.0±1	/
				6	0	22.46	22.0±1	1.0
				6	4	22.52	22.0±1	1.0
				6	9	22.48	22.0±1	1.0
				15	0	22.54	22.0±1	1.0
			16QAM	1	0	22.52	22.0±1	1.0
				1	8	22.48	22.0±1	1.0
				1	14	22.47	22.0±1	1.0
				8	0	21.6	22.0±1	1.0
				8	4	21.65	22.0±1	1.0
				8	9	21.6	22.0±1	1.0
				15	0	21.54	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	26815	826.5	QPSK	1	0	23.5	23.0±1	/
				1	49	23.52	23.0±1	/
				1	99	23.49	23.0±1	/
				12	0	22.53	22.0±1	1.0
				12	24	22.54	22.0±1	1.0
				12	49	22.55	22.0±1	1.0
				25	0	22.62	22.0±1	1.0
			16QAM	1	0	22.76	22.0±1	1.0
				1	49	22.79	22.0±1	1.0
				1	99	22.79	22.0±1	1.0
				12	0	21.69	22.0±1	1.0
				12	24	21.72	22.0±1	1.0
				12	49	21.74	22.0±1	1.0
				25	0	21.75	22.0±1	1.0
	26915	836.5	QPSK	1	0	23.49	23.0±1	/
				1	49	23.48	23.0±1	/
				1	99	23.44	23.0±1	/
				12	0	22.49	22.0±1	1.0
				12	24	22.5	22.0±1	1.0
				12	49	22.46	22.0±1	1.0
				25	0	22.46	22.0±1	1.0
			16QAM	1	0	22.89	22.0±1	1.0
				1	49	22.88	22.0±1	1.0
				1	99	22.96	22.0±1	1.0
				12	0	21.75	22.0±1	1.0
				12	24	21.78	22.0±1	1.0
				12	49	21.72	22.0±1	1.0
				25	0	21.66	22.0±1	1.0
	27015	846.5	QPSK	1	0	23.45	23.0±1	/
				1	49	23.48	23.0±1	/
				1	99	23.43	23.0±1	/
				12	0	22.54	22.0±1	1.0
				12	24	22.52	22.0±1	1.0
				12	49	22.56	22.0±1	1.0
				25	0	22.51	22.0±1	1.0
			16QAM	1	0	22.57	22.0±1	1.0
				1	49	22.65	22.0±1	1.0
				1	99	22.56	22.0±1	1.0
				12	0	21.68	22.0±1	1.0
				12	24	21.67	22.0±1	1.0
				12	49	21.66	22.0±1	1.0
				25	0	21.55	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	26840	829.0	QPSK	1	0	23.52	23.0±1	/
				1	49	23.51	23.0±1	/
				1	99	23.44	23.0±1	/
				25	0	22.62	22.0±1	1.0
				25	24	22.62	22.0±1	1.0
				25	49	22.57	22.0±1	1.0
				50	0	22.62	22.0±1	1.0
			16QAM	1	0	22.54	22.0±1	1.0
				1	49	22.54	22.0±1	1.0
				1	99	22.42	22.0±1	1.0
				25	0	21.79	22.0±1	1.0
				25	24	21.77	22.0±1	1.0
				25	49	21.69	22.0±1	1.0
				50	0	21.7	22.0±1	1.0
	26915	836..5	QPSK	1	0	23.51	23.0±1	/
				1	49	23.41	23.0±1	/
				1	99	23.37	23.0±1	/
				25	0	22.53	22.0±1	1.0
				25	24	22.55	22.0±1	1.0
				25	49	22.48	22.0±1	1.0
				50	0	22.5	22.0±1	1.0
			16QAM	1	0	22.98	22.0±1	1.0
				1	49	22.91	22.0±1	1.0
				1	99	22.84	22.0±1	1.0
				25	0	21.71	22.0±1	1.0
				25	24	21.67	22.0±1	1.0
				25	49	21.62	22.0±1	1.0
				50	0	21.61	22.0±1	1.0
	26990	844.0	QPSK	1	0	23.43	23.0±1	/
				1	49	23.51	23.0±1	/
				1	99	23.44	23.0±1	/
				25	0	22.45	22.0±1	1.0
				25	24	22.59	22.0±1	1.0
				25	49	22.57	22.0±1	1.0
				50	0	22.4	22.0±1	1.0
			16QAM	1	0	22.5	22.0±1	1.0
				1	49	22.51	22.0±1	1.0
				1	99	22.47	22.0±1	1.0
				25	0	21.61	22.0±1	1.0
				25	24	21.75	22.0±1	1.0
				25	49	21.71	22.0±1	1.0
				50	0	21.53	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
15MHz	26865	831.5	QPSK	1	0	23.5	23.0±1	/
				1	49	23.47	23.0±1	/
				1	99	23.37	23.0±1	/
				36	0	22.62	22.0±1	1.0
				36	24	22.58	22.0±1	1.0
				36	49	22.49	22.0±1	1.0
				75	0	22.54	22.0±1	1.0
			16QAM	1	0	22.5	22.0±1	1.0
				1	49	22.48	22.0±1	1.0
				1	99	22.39	22.0±1	1.0
				36	0	21.71	22.0±1	1.0
				36	24	21.7	22.0±1	1.0
				36	49	21.56	22.0±1	1.0
				75	0	21.67	22.0±1	1.0
	26915	836.5	QPSK	1	0	23.55	23.0±1	/
				1	49	23.93	23.0±1	/
				1	99	23.47	23.0±1	/
				36	0	22.52	22.0±1	1.0
				36	24	22.98	22.0±1	1.0
				36	49	22.44	22.0±1	1.0
				75	0	22.53	22.0±1	1.0
			16QAM	1	0	22.92	22.0±1	1.0
				1	49	22.9	22.0±1	1.0
				1	99	22.9	22.0±1	1.0
				36	0	21.67	22.0±1	1.0
				36	24	21.65	22.0±1	1.0
				36	49	21.59	22.0±1	1.0
				75	0	21.61	22.0±1	1.0
	26965	841.5	QPSK	1	0	23.48	23.0±1	/
				1	49	23.5	23.0±1	/
				1	99	23.46	23.0±1	/
				36	0	22.4	22.0±1	1.0
				36	24	22.44	22.0±1	1.0
				36	49	22.55	22.0±1	1.0
				75	0	22.4	22.0±1	1.0
			16QAM	1	0	22.98	22.0±1	1.0
				1	49	22.91	22.0±1	1.0
				1	99	22.84	22.0±1	1.0
				36	0	21.49	22.0±1	1.0
				36	24	21.52	22.0±1	1.0
				36	49	21.56	22.0±1	1.0
				75	0	21.52	22.0±1	1.0

LTE Band 41:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	40065	2537.5	QPSK	1	0	22.32	22.0±1	/
				1	12	22.42	22.0±1	/
				1	24	22.39	22.0±1	/
				12	0	21.3	21.0±1	1.0
				12	6	21.34	21.0±1	1.0
				12	11	21.27	21.0±1	1.0
				25	0	21.26	21.0±1	1.0
			16QAM	1	0	21.48	21.0±1	1.0
				1	12	21.57	21.0±1	1.0
				1	24	21.53	21.0±1	1.0
				12	0	20.33	21.0±1	1.0
				12	6	20.42	21.0±1	1.0
				12	11	20.33	21.0±1	1.0
				25	0	20.24	21.0±1	1.0
	40740	2605.0	QPSK	1	0	22.14	22.0±1	/
				1	12	22.23	22.0±1	/
				1	24	22.16	22.0±1	/
				12	0	21.18	21.0±1	1.0
				12	6	21.22	21.0±1	1.0
				12	11	21.16	21.0±1	1.0
				25	0	21.15	21.0±1	1.0
			16QAM	1	0	21.24	21.0±1	1.0
				1	12	21.31	21.0±1	1.0
				1	24	21.26	21.0±1	1.0
				12	0	20.13	21.0±1	1.0
				12	6	20.23	21.0±1	1.0
				12	11	20.13	21.0±1	1.0
				25	0	20.09	21.0±1	1.0
	41215	2652.5	QPSK	1	0	22.46	22.0±1	/
				1	12	22.69	22.0±1	/
				1	24	22.45	22.0±1	/
				12	0	21.3	21.0±1	1.0
				12	6	21.2	21.0±1	1.0
				12	11	21.3	21.0±1	1.0
				25	0	21.22	21.0±1	1.0
			16QAM	1	0	21.34	21.0±1	1.0
				1	12	21.42	21.0±1	1.0
				1	24	21.36	21.0±1	1.0
				12	0	20.17	21.0±1	1.0
				12	6	20.26	21.0±1	1.0
				12	11	20.17	21.0±1	1.0
				25	0	20.21	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	40290	2560.0	QPSK	1	0	22.25	22.0±1	/
				1	24	22.2	22.0±1	/
				1	49	22.27	22.0±1	/
				25	0	21.23	21.0±1	1.0
				25	12	21.27	21.0±1	1.0
				25	24	21.29	21.0±1	1.0
				50	0	21.18	21.0±1	1.0
			16QAM	1	0	21.36	21.0±1	1.0
				1	24	21.34	21.0±1	1.0
				1	49	21.42	21.0±1	1.0
				25	0	20.24	21.0±1	1.0
				25	12	20.21	21.0±1	1.0
				25	24	20.23	21.0±1	1.0
				50	0	20.27	21.0±1	1.0
	40740	2605.0	QPSK	1	0	22.26	22.0±1	/
				1	24	22.19	22.0±1	/
				1	49	22.28	22.0±1	/
				25	0	21.2	21.0±1	1.0
				25	12	21.2	21.0±1	1.0
				25	24	21.22	21.0±1	1.0
				50	0	21.17	21.0±1	1.0
			16QAM	1	0	21.43	21.0±1	1.0
				1	24	21.42	21.0±1	1.0
				1	49	21.48	21.0±1	1.0
				25	0	20.23	21.0±1	1.0
				25	12	20.24	21.0±1	1.0
				25	24	20.26	21.0±1	1.0
				50	0	20.23	21.0±1	1.0
	41190	2650.0	QPSK	1	0	22.55	22.0±1	/
				1	24	22.53	22.0±1	/
				1	49	22.31	22.0±1	/
				25	0	21.34	21.0±1	1.0
				25	12	21.37	21.0±1	1.0
				25	24	21.34	21.0±1	1.0
				50	0	21.28	21.0±1	1.0
			16QAM	1	0	21.5	21.0±1	1.0
				1	24	21.84	21.0±1	1.0
				1	49	21.45	21.0±1	1.0
				25	0	20.24	21.0±1	1.0
				25	12	20.29	21.0±1	1.0
				25	24	20.25	21.0±1	1.0
				50	0	20.28	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
15MHz	40315	2562.5	QPSK	1	0	22.29	22.0±1	/
				1	37	22.27	22.0±1	/
				1	74	22.27	22.0±1	/
				36	0	21.47	21.0±1	1.0
				36	16	21.63	21.0±1	1.0
				36	35	21.45	21.0±1	1.0
				75	0	21.38	21.0±1	1.0
			16QAM	1	0	21.45	21.0±1	1.0
				1	37	21.41	21.0±1	1.0
				1	74	21.44	21.0±1	1.0
				36	0	20.33	21.0±1	1.0
				36	16	20.41	21.0±1	1.0
				36	35	20.34	21.0±1	1.0
				75	0	20.38	21.0±1	1.0
	40740	2605.0	QPSK	1	0	22.23	22.0±1	/
				1	37	22.28	22.0±1	/
				1	74	22.3	22.0±1	/
				36	0	21.3	21.0±1	1.0
				36	16	21.23	21.0±1	1.0
				36	35	21.27	21.0±1	1.0
				75	0	21.28	21.0±1	1.0
			16QAM	1	0	21.51	21.0±1	1.0
				1	37	21.47	21.0±1	1.0
				1	74	21.5	21.0±1	1.0
				36	0	20.4	21.0±1	1.0
				36	16	20.62	21.0±1	1.0
				36	35	20.45	21.0±1	1.0
				75	0	20.36	21.0±1	1.0
	41165	2647.5	QPSK	1	0	22.65	22.0±1	/
				1	37	22.68	22.0±1	/
				1	74	21.31	22.0±1	/
				36	0	21.43	21.0±1	1.0
				36	16	21.47	21.0±1	1.0
				36	35	21.49	21.0±1	1.0
				75	0	21.44	21.0±1	1.0
			16QAM	1	0	21.42	21.0±1	1.0
				1	37	21.39	21.0±1	1.0
				1	74	21.49	21.0±1	1.0
				36	0	20.45	21.0±1	1.0
				36	16	20.4	21.0±1	1.0
				36	35	20.46	21.0±1	1.0
				75	0	20.42	21.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
20MHz	40340	2565.0	QPSK	1	0	22.46	22.0±1	/
				1	49	22.34	22.0±1	/
				1	99	22.34	22.0±1	/
				50	0	21.36	21.0±1	1.0
				50	24	21.32	21.0±1	1.0
				50	49	21.29	21.0±1	1.0
				100	0	21.26	21.0±1	1.0
			16QAM	1	0	21.48	21.0±1	1.0
				1	49	21.47	21.0±1	1.0
				1	99	21.45	21.0±1	1.0
				50	0	20.31	21.0±1	1.0
				50	24	20.29	21.0±1	1.0
				50	49	20.3	21.0±1	1.0
				100	0	20.29	21.0±1	1.0
	40740	2605.0	QPSK	1	0	22.76	22.0±1	/
				1	49	22.85	22.0±1	/
				1	99	22.34	22.0±1	/
				50	0	21.27	21.0±1	1.0
				50	24	21.93	21.0±1	1.0
				50	49	21.31	21.0±1	1.0
				100	0	21.31	21.0±1	1.0
			16QAM	1	0	21.27	21.0±1	1.0
				1	49	21.31	21.0±1	1.0
				1	99	21.33	21.0±1	1.0
				50	0	20.22	21.0±1	1.0
				50	24	20.35	21.0±1	1.0
				50	49	20.29	21.0±1	1.0
				100	0	20.28	21.0±1	1.0
	41140	2645.0	QPSK	1	0	22.44	22.0±1	/
				1	49	22.39	22.0±1	/
				1	99	22.35	22.0±1	/
				50	0	21.32	21.0±1	1.0
				50	24	21.39	21.0±1	1.0
				50	49	21.4	21.0±1	1.0
				100	0	21.34	21.0±1	1.0
			16QAM	1	0	21.57	21.0±1	1.0
				1	49	21.51	21.0±1	1.0
				1	99	21.58	21.0±1	1.0
				50	0	21.17	21.0±1	1.0
				50	24	21.05	21.0±1	1.0
				50	49	20.93	21.0±1	1.0
				100	0	20.77	21.0±1	1.0

ERP and EIRP**LTE Band 2**

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 24E	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 2 Channel 18607 – 1.4MHz – QPSK										
1850.70	84.25	103	1.1	H	10.28	0.31	10.40	20.37	33	-12.63
1850.70	83.50	259	1.1	V	10.22	0.31	10.40	20.31	33	-12.69
LTE Band 2 Channel 18900 – 1.4MHz – QPSK										
1880.00	84.27	108	2.1	H	10.42	0.31	10.40	20.51	33	-12.49
1880.00	83.52	298	1.5	V	10.40	0.31	10.40	20.49	33	-12.51
LTE Band 2 Channel 19193 – 1.4MHz – QPSK										
1909.30	84.26	103	1.5	H	10.53	0.32	10.40	20.61	33	-12.39
1909.30	83.55	55	2.2	V	10.59	0.32	10.40	20.67	33	-12.33
LTE Band 2 Channel 18607 – 1.4MHz – 16QAM										
1850.70	84.34	290	2.2	H	10.37	0.31	10.40	20.46	33	-12.54
1850.70	83.56	69	2.0	V	10.28	0.31	10.40	20.37	33	-12.63
LTE Band 2 Channel 18900 – 1.4MHz – 16QAM										
1880.00	84.35	221	1.7	H	10.50	0.31	10.40	20.59	33	-12.41
1880.00	83.48	69	1.8	V	10.36	0.31	10.40	20.45	33	-12.55
LTE Band 2 Channel 19193 – 1.4MHz – 16QAM										
1909.30	84.23	41	1.6	H	10.50	0.32	10.40	20.58	33	-12.42
1909.30	83.40	83	1.9	V	10.44	0.32	10.40	20.52	33	-12.48
LTE Band 2 Channel 18615 – 3MHz – QPSK										
1851.50	84.41	124	2.4	H	10.44	0.31	10.40	20.53	33	-12.47
1851.50	83.62	123	2.5	V	10.34	0.31	10.40	20.43	33	-12.57
LTE Band 2 Channel 18900 – 3MHz – QPSK										
1880.00	84.05	286	1.1	H	10.20	0.31	10.40	20.29	33	-12.71
1880.00	83.25	124	2.0	V	10.13	0.31	10.40	20.22	33	-12.78
LTE Band 2 Channel 19185 – 3MHz – QPSK										
1908.50	84.07	2	2.1	H	10.34	0.32	10.40	20.42	33	-12.58
1908.50	83.20	131	1.7	V	10.24	0.32	10.40	20.32	33	-12.68
LTE Band 2 Channel 18615 – 3MHz – 16QAM										
1851.50	84.09	111	1.7	H	10.12	0.31	10.40	20.21	33	-12.79
1851.50	83.54	189	1.5	V	10.26	0.31	10.40	20.35	33	-12.65
LTE Band 2 Channel 18900 – 3MHz – 16QAM										
1880.00	84.10	159	2.0	H	10.25	0.31	10.40	20.34	33	-12.66
1880.00	83.46	233	2.0	V	10.34	0.31	10.40	20.43	33	-12.57
LTE Band 2 Channel 19185 – 3MHz – 16QAM										
1908.50	84.17	241	2.2	H	10.44	0.32	10.40	20.52	33	-12.48
1908.50	83.50	22	2.1	V	10.54	0.32	10.40	20.62	33	-12.38
LTE Band 2 Channel 18625 – 5MHz – QPSK										
1852.50	84.18	285	2.0	H	10.21	0.31	10.40	20.30	33	-12.70
1852.50	83.47	128	1.0	V	10.19	0.31	10.40	20.28	33	-12.72
LTE Band 2 Channel 18900 – 5MHz – QPSK										
1880.00	84.15	282	2.1	H	10.30	0.31	10.40	20.39	33	-12.61

1880.00	83.44	259	1.1	V	10.32	0.31	10.40	20.41	33	-12.59
LTE Band 2 Channel 19175 – 5MHz – QPSK										
1907.50	84.12	232	1.4	H	10.39	0.32	10.40	20.47	33	-12.53
1907.50	83.43	7	2.1	V	10.47	0.32	10.40	20.55	33	-12.45
LTE Band 2 Channel 18625 – 5MHz – 16QAM										
1852.50	84.11	216	1.6	H	10.14	0.31	10.40	20.23	33	-12.77
1852.50	83.46	189	2.1	V	10.18	0.31	10.40	20.27	33	-12.73
LTE Band 2 Channel 18900 – 5MHz – 16QAM										
1880.00	84.16	307	2.0	H	10.31	0.31	10.40	20.40	33	-12.60
1880.00	83.45	182	1.6	V	10.33	0.31	10.40	20.42	33	-12.58
LTE Band 2 Channel 19175 – 5MHz – 16QAM										
1907.50	84.17	105	2.4	H	10.44	0.32	10.40	20.52	33	-12.48
1907.50	83.26	130	2.2	V	10.30	0.32	10.40	20.38	33	-12.62
LTE Band 2 Channel 18650 – 10MHz – QPSK										
1855.00	84.20	282	2.5	H	10.23	0.31	10.40	20.32	33	-12.68
1855.00	83.23	225	1.5	V	9.95	0.31	10.40	20.04	33	-12.96
LTE Band 2 Channel 18900 – 10MHz – QPSK										
1880.00	84.40	138	2.4	H	10.55	0.31	10.40	20.64	33	-12.36
1880.00	83.60	170	1.0	V	10.48	0.31	10.40	20.57	33	-12.43
LTE Band 2 Channel 19150 – 10MHz – QPSK										
1905.00	84.19	131	1.9	H	10.46	0.32	10.40	20.54	33	-12.46
1905.00	83.44	183	1.1	V	10.48	0.32	10.40	20.56	33	-12.44
LTE Band 2 Channel 18650 – 10MHz – 16QAM										
1855.00	84.24	128	2.4	H	10.27	0.31	10.40	20.36	33	-12.64
1855.00	83.49	271	2.4	V	10.21	0.31	10.40	20.30	33	-12.70
LTE Band 2 Channel 18900 – 10MHz – 16QAM										
1880.00	84.25	251	1.8	H	10.40	0.31	10.40	20.49	33	-12.51
1880.00	83.46	153	1.2	V	10.34	0.31	10.40	20.43	33	-12.57
LTE Band 2 Channel 19150 – 10MHz – 16QAM										
1905.00	84.28	300	2.1	H	10.55	0.32	10.40	20.63	33	-12.37
1905.00	83.41	22	1.7	V	10.45	0.32	10.40	20.53	33	-12.47
LTE Band 2 Channel 18675 – 15MHz – QPSK										
1857.50	84.25	83	1.6	H	10.28	0.31	10.40	20.37	33	-12.63
1857.50	83.51	72	1.2	V	10.23	0.31	10.40	20.32	33	-12.68
LTE Band 2 Channel 18900 – 15MHz – QPSK										
1880.00	84.26	225	2.3	H	10.41	0.31	10.40	20.50	33	-12.50
1880.00	83.52	182	2.5	V	10.40	0.31	10.40	20.49	33	-12.51
LTE Band 2 Channel 19125 – 15MHz – QPSK										
1902.50	84.27	356	1.5	H	10.54	0.32	10.40	20.62	33	-12.38
1902.50	83.53	20	2.1	V	10.57	0.32	10.40	20.65	33	-12.35
LTE Band 2 Channel 18675 – 15MHz – 16QAM										
1857.50	84.29	129	1.0	H	10.32	0.31	10.40	20.41	33	-12.59
1857.50	83.50	44	1.4	V	10.22	0.31	10.40	20.31	33	-12.69
LTE Band 2 Channel 18900 – 15MHz – 16QAM										
1880.00	84.25	240	1.1	H	10.40	0.31	10.40	20.49	33	-12.51
1880.00	83.51	285	2.2	V	10.39	0.31	10.40	20.48	33	-12.52
LTE Band 2 Channel 19125 – 15MHz – 16QAM										

1902.50	84.26	125	2.0	H	10.53	0.32	10.40	20.61	33	-12.39
1902.50	83.54	217	1.2	V	10.58	0.32	10.40	20.66	33	-12.34
LTE Band 2 Channel 18700 – 20MHz – QPSK										
1860.00	84.59	97	2.4	H	10.62	0.31	10.40	20.71	33	-12.29
1860.00	83.92	145	1.4	V	10.64	0.31	10.40	20.73	33	-12.27
LTE Band 2 Channel 18900 – 20MHz – QPSK										
1880.00	84.61	34	1.3	H	10.76	0.31	10.40	20.85	33	-12.15
1880.00	83.89	259	1.3	V	10.77	0.31	10.40	20.86	33	-12.14
LTE Band 2 Channel 19100 – 20MHz – QPSK										
1900.00	84.52	203	2.4	H	10.79	0.32	10.40	20.87	33	-12.13
1900.00	83.74	238	1.4	V	10.78	0.32	10.40	20.86	33	-12.14
LTE Band 2 Channel 18670 – 20MHz – 16QAM										
1860.00	84.76	187	1.0	H	10.79	0.31	10.40	20.88	33	-12.12
1860.00	83.95	162	2.2	V	10.67	0.31	10.40	20.76	33	-12.24
LTE Band 2 Channel 18900 – 20MHz – 16QAM										
1880.00	84.71	185	1.9	H	10.86	0.31	10.40	20.95	33	-12.05
1880.00	83.96	86	2.4	V	10.84	0.31	10.40	20.93	33	-12.07
LTE Band 2 Channel 19100 – 20MHz – 16QAM										
1900.00	84.59	266	1.9	H	10.86	0.32	10.40	20.94	33	-12.06
1900.00	83.81	243	1.7	V	10.85	0.32	10.40	20.93	33	-12.07

LTE Band 4

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 4 Channel 19957 – 1.4MHz – QPSK										
1710.70	89.12	186	1.7	H	15.01	0.30	9.40	24.11	30	-5.89
1710.70	88.59	118	1.8	V	15.06	0.30	9.40	24.16	30	-5.84
LTE Band 4 Channel 20175 – 1.4MHz – QPSK										
1732.50	89.13	336	1.7	H	15.02	0.30	9.40	24.12	30	-5.88
1732.50	88.60	53	2.0	V	15.07	0.30	9.40	24.17	30	-5.83
LTE Band 4 Channel 20393 – 1.4MHz – QPSK										
1754.30	89.15	113	1.0	H	15.04	0.30	9.40	24.14	30	-5.86
1754.30	88.63	194	1.7	V	15.10	0.30	9.40	24.20	30	-5.80
LTE Band 4 Channel 19957 – 1.4MHz – 16QAM										
1710.70	89.17	62	2.2	H	15.06	0.30	9.40	24.16	30	-5.84
1710.70	88.69	146	1.4	V	15.16	0.30	9.40	24.26	30	-5.74
LTE Band 4 Channel 20175 – 1.4MHz – 16QAM										
1732.50	89.18	329	1.1	H	15.07	0.30	9.40	24.17	30	-5.83
1732.50	88.68	18	1.7	V	15.15	0.30	9.40	24.25	30	-5.75
LTE Band 4 Channel 20393 – 1.4MHz – 16QAM										
1754.30	89.20	132	2.1	H	15.09	0.30	9.40	24.19	30	-5.81
1754.30	88.69	221	2.0	V	15.16	0.30	9.40	24.26	30	-5.74
LTE Band 4 Channel 19965 – 3MHz – QPSK										
1711.50	89.23	280	1.9	H	15.12	0.30	9.40	24.22	30	-5.78
1711.50	88.71	265	1.5	V	15.18	0.30	9.40	24.28	30	-5.72
LTE Band 4 Channel 20175 – 3MHz – QPSK										
1732.50	89.25	330	1.3	H	15.14	0.30	9.40	24.24	30	-5.76
1732.50	88.75	113	1.9	V	15.22	0.30	9.40	24.32	30	-5.68
LTE Band 4 Channel 20385 – 3MHz – QPSK										
1753.50	89.26	207	1.7	H	15.15	0.30	9.40	24.25	30	-5.75
1753.50	88.74	127	1.8	V	15.21	0.30	9.40	24.31	30	-5.69
LTE Band 4 Channel 19965 – 3MHz – 16QAM										
1711.50	89.24	12	1.6	H	15.13	0.30	9.40	24.23	30	-5.77
1711.50	88.75	308	1.8	V	15.22	0.30	9.40	24.32	30	-5.68
LTE Band 4 Channel 20175 – 3MHz – 16QAM										
1732.50	89.30	198	2.2	H	15.19	0.30	9.40	24.29	30	-5.71
1732.50	88.71	111	2.0	V	15.18	0.30	9.40	24.28	30	-5.72
LTE Band 4 Channel 20385 – 3MHz – 16QAM										
1753.50	89.15	36	1.6	H	15.04	0.30	9.40	24.14	30	-5.86
1753.50	88.72	24	1.3	V	15.19	0.30	9.40	24.29	30	-5.71
LTE Band 4 Channel 19975 – 5MHz – QPSK										
1712.50	89.10	27	1.1	H	14.99	0.30	9.40	24.09	30	-5.91
1712.50	88.79	255	1.5	V	15.26	0.30	9.40	24.36	30	-5.64
LTE Band 4 Channel 20175 – 5MHz – QPSK										
1732.50	89.19	42	1.5	H	15.08	0.30	9.40	24.18	30	-5.82

1732.50	88.76	113	2.0	V	15.23	0.30	9.40	24.33	30	-5.67
LTE Band 4 Channel 20375 – 5MHz – QPSK										
1752.50	89.16	180	1.8	H	15.05	0.30	9.40	24.15	30	-5.85
1752.50	88.73	247	1.9	V	15.20	0.30	9.40	24.30	30	-5.70
LTE Band 4 Channel 19975 – 5MHz – 16QAM										
1712.50	89.12	98	2.3	H	15.01	0.30	9.40	24.11	30	-5.89
1712.50	88.49	184	2.0	V	14.96	0.30	9.40	24.06	30	-5.94
LTE Band 4 Channel 20175 – 5MHz – 16QAM										
1732.50	89.15	107	1.5	H	15.04	0.30	9.40	24.14	30	-5.86
1732.50	88.54	137	1.9	V	15.01	0.30	9.40	24.11	30	-5.89
LTE Band 4 Channel 20375 – 5MHz – 16QAM										
1752.50	89.24	119	2.4	H	15.13	0.30	9.40	24.23	30	-5.77
1752.50	88.53	307	1.8	V	15.00	0.30	9.40	24.10	30	-5.90
LTE Band 4 Channel 20000 – 10MHz – QPSK										
1715.00	89.28	184	1.6	H	15.17	0.30	9.40	24.27	30	-5.73
1715.00	88.56	197	1.6	V	15.03	0.30	9.40	24.13	30	-5.87
LTE Band 4 Channel 20175 – 10MHz – QPSK										
1732.50	89.24	286	1.4	H	15.13	0.30	9.40	24.23	30	-5.77
1732.50	88.57	50	1.3	V	15.04	0.30	9.40	24.14	30	-5.86
LTE Band 4 Channel 20350 – 10MHz – QPSK										
1750.00	89.31	130	2.5	H	15.20	0.30	9.40	24.30	30	-5.70
1750.00	88.52	93	2.2	V	14.99	0.30	9.40	24.09	30	-5.91
LTE Band 4 Channel 20000 – 10MHz – 16QAM										
1715.00	89.32	299	2.1	H	15.21	0.30	9.40	24.31	30	-5.69
1715.00	88.62	271	1.0	V	15.09	0.30	9.40	24.19	30	-5.81
LTE Band 4 Channel 20175 – 10MHz – 16QAM										
1732.50	89.34	261	1.5	H	15.23	0.30	9.40	24.33	30	-5.67
1732.50	88.61	224	1.8	V	15.08	0.30	9.40	24.18	30	-5.82
LTE Band 4 Channel 20350 – 10MHz – 16QAM										
1750.00	89.36	295	1.5	H	15.25	0.30	9.40	24.35	30	-5.65
1750.00	88.64	287	2.4	V	15.11	0.30	9.40	24.21	30	-5.79
LTE Band 4 Channel 20025 – 15MHz – QPSK										
1717.50	89.39	292	2.2	H	15.28	0.30	9.40	24.38	30	-5.62
1717.50	88.65	117	1.4	V	15.12	0.30	9.40	24.22	30	-5.78
LTE Band 4 Channel 20175 – 15MHz – QPSK										
1732.50	89.40	184	1.1	H	15.29	0.30	9.40	24.39	30	-5.61
1732.50	88.59	6	1.4	V	15.06	0.30	9.40	24.16	30	-5.84
LTE Band 4 Channel 20325 – 15MHz – QPSK										
1747.50	89.38	233	2.2	H	15.27	0.30	9.40	24.37	30	-5.63
1747.50	88.60	313	2.2	V	15.07	0.30	9.40	24.17	30	-5.83
LTE Band 4 Channel 20025 – 15MHz – 16QAM										
1717.50	89.45	164	2.0	H	15.34	0.30	9.40	24.44	30	-5.56
1717.50	88.68	311	1.0	V	15.15	0.30	9.40	24.25	30	-5.75
LTE Band 4 Channel 20175 – 15MHz – 16QAM										
1732.50	89.44	233	2.3	H	15.33	0.30	9.40	24.43	30	-5.57
1732.50	88.67	90	2.2	V	15.14	0.30	9.40	24.24	30	-5.76
LTE Band 4 Channel 20325 – 15MHz – 16QAM										

1747.50	89.46	83	1.9	H	15.35	0.30	9.40	24.45	30	-5.55
1747.50	88.69	64	2.5	V	15.16	0.30	9.40	24.26	30	-5.74
LTE Band 4 Channel 20050 – 20MHz – QPSK										
1720.00	89.56	142	1.7	H	15.45	0.30	9.40	24.55	30	-5.45
1720.00	88.99	344	1.1	V	15.46	0.30	9.40	24.56	30	-5.44
LTE Band 4 Channel 20175 – 20MHz – QPSK										
1732.50	89.52	99	1.6	H	15.41	0.30	9.40	24.51	30	-5.49
1732.50	88.98	79	1.3	V	15.45	0.30	9.40	24.55	30	-5.45
LTE Band 4 Channel 20300 – 20MHz – QPSK										
1745.00	89.68	323	2.2	H	15.57	0.30	9.40	24.67	30	-5.33
1745.00	88.93	100	2.2	V	15.40	0.30	9.40	24.50	30	-5.50
LTE Band 4 Channel 20050 – 20MHz – 16QAM										
1720.00	89.75	237	2.4	H	15.64	0.30	9.40	24.74	30	-5.26
1720.00	89.01	189	1.5	V	15.48	0.30	9.40	24.58	30	-5.42
LTE Band 4 Channel 20175 – 20MHz – 16QAM										
1732.50	89.76	236	2.4	H	15.65	0.30	9.40	24.75	30	-5.25
1732.50	89.02	334	1.0	V	15.49	0.30	9.40	24.59	30	-5.41
LTE Band 4 Channel 20300 – 20MHz – 16QAM										
1745.00	89.71	188	2.2	H	15.60	0.30	9.40	24.70	30	-5.30
1745.00	89.06	110	1.8	V	15.53	0.30	9.40	24.63	30	-5.37

LTE Band 5

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 22H	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 5 Channel 20407 – 1.4MHz – QPSK										
824.70	77.89	51	1.1	H	10.78	0.30	9.40	19.88	38.45	-18.57
824.70	78.29	66	2.0	V	10.76	0.30	9.40	19.86	38.45	-18.59
LTE Band 5 Channel 20525 – 1.4MHz – QPSK										
836.50	77.88	263	1.7	H	10.77	0.30	9.40	19.87	38.45	-18.58
836.50	78.24	134	1.7	V	10.71	0.30	9.40	19.81	38.45	-18.64
LTE Band 5 Channel 20643 – 1.4MHz – QPSK										
848.30	77.86	331	2.3	H	10.75	0.30	9.40	19.85	38.45	-18.60
848.30	78.26	259	1.5	V	10.73	0.30	9.40	19.83	38.45	-18.62
LTE Band 5 Channel 20407 – 1.4MHz – 16QAM										
824.70	77.91	118	1.9	H	10.80	0.30	9.40	19.90	38.45	-18.55
824.70	78.28	170	1.5	V	10.75	0.30	9.40	19.85	38.45	-18.60
LTE Band 5 Channel 20525 – 1.4MHz – 16QAM										
836.50	77.92	179	2.0	H	10.81	0.30	9.40	19.91	38.45	-18.54
836.50	78.31	215	2.1	V	10.78	0.30	9.40	19.88	38.45	-18.57
LTE Band 5 Channel 20643 – 1.4MHz – 16QAM										
848.30	77.93	119	1.7	H	10.82	0.30	9.40	19.92	38.45	-18.53
848.30	78.34	294	2.1	V	10.81	0.30	9.40	19.91	38.45	-18.54
LTE Band 5 Channel 20415 – 3MHz – QPSK										
825.50	77.94	103	1.1	H	10.83	0.30	9.40	19.93	38.45	-18.52
825.50	78.36	75	2.0	V	10.83	0.30	9.40	19.93	38.45	-18.52
LTE Band 5 Channel 20525 – 3MHz – QPSK										
836.50	77.95	189	1.6	H	10.84	0.30	9.40	19.94	38.45	-18.51
836.50	78.39	82	1.8	V	10.86	0.30	9.40	19.96	38.45	-18.49
LTE Band 5 Channel 20635 – 3MHz – QPSK										
847.50	77.96	327	1.5	H	10.85	0.30	9.40	19.95	38.45	-18.50
847.50	78.41	115	1.6	V	10.88	0.30	9.40	19.98	38.45	-18.47
LTE Band 5 Channel 20415 – 3MHz – 16QAM										
825.50	77.97	209	1.3	H	10.86	0.30	9.40	19.96	38.45	-18.49
825.50	78.42	202	2.0	V	10.89	0.30	9.40	19.99	38.45	-18.46
LTE Band 5 Channel 20525 – 3MHz – 16QAM										
836.50	77.98	113	1.4	H	10.87	0.30	9.40	19.97	38.45	-18.48
836.50	78.46	38	1.3	V	10.93	0.30	9.40	20.03	38.45	-18.42
LTE Band 5 Channel 20635 – 3MHz – 16QAM										
847.50	77.99	15	1.3	H	10.88	0.30	9.40	19.98	38.45	-18.47
847.50	78.47	313	1.2	V	10.94	0.30	9.40	20.04	38.45	-18.41
LTE Band 5 Channel 20425 – 5MHz – QPSK										
826.50	78.01	131	1.2	H	10.90	0.30	9.40	20.00	38.45	-18.45
826.50	78.48	91	1.1	V	10.95	0.30	9.40	20.05	38.45	-18.40
LTE Band 5 Channel 20525 – 5MHz – QPSK										
836.50	78.03	90	1.7	H	10.92	0.30	9.40	20.02	38.45	-18.43

836.50	78.49	281	1.6	V	10.96	0.30	9.40	20.06	38.45	-18.39
LTE Band 5 Channel 20625 – 5MHz – QPSK										
846.50	78.05	150	2.0	H	10.94	0.30	9.40	20.04	38.45	-18.41
846.50	78.51	37	2.3	V	10.98	0.30	9.40	20.08	38.45	-18.37
LTE Band 5 Channel 20425 – 5MHz – 16QAM										
826.50	78.06	101	1.3	H	10.95	0.30	9.40	20.05	38.45	-18.40
826.50	78.53	198	1.2	V	11.00	0.30	9.40	20.10	38.45	-18.35
LTE Band 5 Channel 20525 – 5MHz – 16QAM										
836.50	78.07	244	1.0	H	10.96	0.30	9.40	20.06	38.45	-18.39
836.50	78.54	159	1.8	V	11.01	0.30	9.40	20.11	38.45	-18.34
LTE Band 5 Channel 20625 – 5MHz – 16QAM										
846.50	78.09	150	1.8	H	10.98	0.30	9.40	20.08	38.45	-18.37
846.50	78.55	356	2.4	V	11.02	0.30	9.40	20.12	38.45	-18.33
LTE Band 5 Channel 20450 – 10MHz – QPSK										
829.00	78.25	113	1.3	H	11.14	0.30	9.40	20.24	38.45	-18.21
829.00	78.64	125	1.1	V	11.11	0.30	9.40	20.21	38.45	-18.24
LTE Band 5 Channel 20525 – 10MHz – QPSK										
836.50	78.26	214	2.4	H	11.15	0.30	9.40	20.25	38.45	-18.20
836.50	78.65	344	2.2	V	11.12	0.30	9.40	20.22	38.45	-18.23
LTE Band 5 Channel 20600 – 10MHz – QPSK										
844.00	78.27	87	1.1	H	11.16	0.30	9.40	20.26	38.45	-18.19
844.00	78.66	221	2.3	V	11.13	0.30	9.40	20.23	38.45	-18.22
LTE Band 5 Channel 20450 – 10MHz – 16QAM										
829.00	78.29	231	2.2	H	11.18	0.30	9.40	20.28	38.45	-18.17
829.00	78.68	319	1.5	V	11.15	0.30	9.40	20.25	38.45	-18.20
LTE Band 5 Channel 20525 – 10MHz – 16QAM										
836.50	78.30	300	1.5	H	11.19	0.30	9.40	20.29	38.45	-18.16
836.50	78.71	290	2.0	V	11.18	0.30	9.40	20.28	38.45	-18.17
LTE Band 5 Channel 20600 – 10MHz – 16QAM										
844.00	78.35	127	1.5	H	11.24	0.30	9.40	20.34	38.45	-18.11
844.00	78.70	88	1.0	V	11.17	0.30	9.40	20.27	38.45	-18.18

LTE Band 7

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 7 Channel 20775 – 5MHz – QPSK										
2502.50	84.57	6	1.1	H	10.57	0.43	10.60	20.74	33	-12.26
2502.50	80.89	357	2.0	V	10.61	0.43	10.60	20.78	33	-12.22
LTE Band 7 Channel 21100 – 5MHz – QPSK										
2535.00	84.58	275	1.1	H	10.58	0.43	10.60	20.75	33	-12.25
2535.00	80.91	351	1.4	V	10.63	0.43	10.60	20.80	33	-12.20
LTE Band 7 Channel 21425 – 5MHz – QPSK										
2567.50	84.59	348	1.2	H	10.48	0.43	10.60	20.65	33	-12.35
2567.50	80.81	71	1.9	V	10.62	0.43	10.60	20.79	33	-12.21
LTE Band 7 Channel 20775 – 5MHz – 16QAM										
2502.50	84.61	4	2.4	H	10.61	0.43	10.60	20.78	33	-12.22
2502.50	80.82	85	2.3	V	10.54	0.43	10.60	20.71	33	-12.29
LTE Band 7 Channel 21100 – 5MHz – 16QAM										
2535.00	84.63	244	2.5	H	10.63	0.43	10.60	20.80	33	-12.20
2535.00	80.84	56	2.0	V	10.56	0.43	10.60	20.73	33	-12.27
LTE Band 7 Channel 21425 – 5MHz – 16QAM										
2567.50	84.67	296	2.2	H	10.56	0.43	10.60	20.73	33	-12.27
2567.50	80.85	162	1.0	V	10.66	0.43	10.60	20.83	33	-12.17
LTE Band 7 Channel 20800 – 10MHz – QPSK										
2505.00	84.69	277	2.0	H	10.69	0.43	10.60	20.86	33	-12.14
2505.00	80.86	81	2.0	V	10.58	0.43	10.60	20.75	33	-12.25
LTE Band 7 Channel 21100 – 10MHz – QPSK										
2535.00	84.71	200	2.3	H	10.71	0.43	10.60	20.88	33	-12.12
2535.00	80.89	176	1.2	V	10.61	0.43	10.60	20.78	33	-12.22
LTE Band 7 Channel 21400 – 10MHz – QPSK										
2565.00	84.73	124	1.4	H	10.62	0.43	10.60	20.79	33	-12.21
2565.00	80.82	179	2.4	V	10.63	0.43	10.60	20.80	33	-12.20
LTE Band 7 Channel 20800 – 10MHz – 16QAM										
2505.00	84.78	207	1.9	H	10.78	0.43	10.60	20.95	33	-12.05
2505.00	80.96	111	2.0	V	10.68	0.43	10.60	20.85	33	-12.15
LTE Band 7 Channel 21100 – 10MHz – 16QAM										
2535.00	84.81	79	2.0	H	10.81	0.43	10.60	20.98	33	-12.02
2535.00	80.98	38	1.2	V	10.70	0.43	10.60	20.87	33	-12.13
LTE Band 7 Channel 21400 – 10MHz – 16QAM										
2565.00	84.86	73	1.4	H	10.75	0.43	10.60	20.92	33	-12.08
2565.00	80.99	280	2.3	V	10.80	0.43	10.60	20.97	33	-12.03
LTE Band 7 Channel 20825 – 15MHz – QPSK										
2507.50	84.75	132	1.8	H	10.75	0.43	10.60	20.92	33	-12.08
2507.50	81.05	302	1.9	V	10.77	0.43	10.60	20.94	33	-12.06
LTE Band 7 Channel 21100 – 15MHz – QPSK										
2535.00	84.79	157	1.1	H	10.79	0.43	10.60	20.96	33	-12.04

2535.00	81.06	39	2.3	V	10.78	0.43	10.60	20.95	33	-12.05
LTE Band 7 Channel 21375 – 15MHz – QPSK										
2562.50	84.85	197	1.5	H	10.74	0.43	10.60	20.91	33	-12.09
2562.50	81.01	170	1.9	V	10.82	0.43	10.60	20.99	33	-12.01
LTE Band 7 Channel 20825 – 15MHz – 16QAM										
2507.50	84.81	17	1.8	H	10.81	0.43	10.60	20.98	33	-12.02
2507.50	81.06	266	1.1	V	10.78	0.43	10.60	20.95	33	-12.05
LTE Band 7 Channel 21100 – 15MHz – 16QAM										
2535.00	84.78	297	1.2	H	10.78	0.43	10.60	20.95	33	-12.05
2535.00	81.10	147	1.5	V	10.82	0.43	10.60	20.99	33	-12.01
LTE Band 7 Channel 21375 – 15MHz – 16QAM										
2562.50	84.88	125	2.0	H	10.77	0.43	10.60	20.94	33	-12.06
2562.50	81.00	317	1.6	V	10.81	0.43	10.60	20.98	33	-12.02
LTE Band 7 Channel 20850 – 20MHz – QPSK										
2510.00	84.85	182	1.9	H	10.85	0.43	10.60	21.02	33	-11.98
2510.00	81.15	158	2.4	V	10.87	0.43	10.60	21.04	33	-11.96
LTE Band 7 Channel 21100 – 20MHz – QPSK										
2535.00	84.86	294	2.2	H	10.86	0.43	10.60	21.03	33	-11.97
2535.00	81.29	92	1.1	V	11.01	0.43	10.60	21.18	33	-11.82
LTE Band 7 Channel 21350 – 20MHz – QPSK										
2560.00	84.99	222	1.3	H	10.88	0.43	10.60	21.05	33	-11.95
2560.00	81.18	10	1.7	V	10.99	0.43	10.60	21.16	33	-11.84
LTE Band 7 Channel 20850 – 20MHz – 16QAM										
2510.00	84.98	217	2.4	H	10.98	0.43	10.60	21.15	33	-11.85
2510.00	81.25	238	2.1	V	10.97	0.43	10.60	21.14	33	-11.86
LTE Band 7 Channel 21100 – 20MHz – 16QAM										
2535.00	84.95	336	1.3	H	10.95	0.43	10.60	21.12	33	-11.88
2535.00	81.26	49	2.2	V	10.98	0.43	10.60	21.15	33	-11.85
LTE Band 7 Channel 21350 – 20MHz – 16QAM										
2560.00	84.97	118	1.9	H	10.86	0.43	10.60	21.03	33	-11.97
2560.00	81.12	336	1.4	V	10.93	0.43	10.60	21.10	33	-11.90

LTE Band 12

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 12 Channel 23017 – 1.4MHz – QPSK										
699.70	90.10	280	2.1	H	19.10	0.20	0.00	18.90	34.77	-15.87
699.70	91.25	295	1.8	V	18.97	0.20	0.00	18.77	34.77	-16.00
LTE Band 12 Channel 23095 – 1.4MHz – QPSK										
707.50	90.12	22	1.9	H	19.12	0.20	0.00	18.92	34.77	-15.85
707.50	91.26	180	2.3	V	18.98	0.20	0.00	18.78	34.77	-15.99
LTE Band 12 Channel 23173 – 1.4MHz – QPSK										
715.30	90.14	228	2.3	H	19.14	0.20	0.00	18.94	34.77	-15.83
715.30	91.28	79	1.0	V	19.00	0.20	0.00	18.80	34.77	-15.97
LTE Band 12 Channel 23017 – 1.4MHz – 16QAM										
699.70	90.16	226	2.4	H	19.16	0.20	0.00	18.96	34.77	-15.81
699.70	91.30	65	2.3	V	19.02	0.20	0.00	18.82	34.77	-15.95
LTE Band 12 Channel 23095 – 1.4MHz – 16QAM										
707.50	90.19	290	1.1	H	19.19	0.20	0.00	18.99	34.77	-15.78
707.50	91.36	155	2.0	V	19.08	0.20	0.00	18.88	34.77	-15.89
LTE Band 12 Channel 23173 – 1.4MHz – 16QAM										
715.30	90.21	278	2.0	H	19.21	0.20	0.00	19.01	34.77	-15.76
715.30	91.37	238	1.4	V	19.09	0.20	0.00	18.89	34.77	-15.88
LTE Band 12 Channel 23025 – 3MHz – QPSK										
700.50	90.25	320	1.5	H	19.25	0.20	0.00	19.05	34.77	-15.72
700.50	91.39	355	2.4	V	19.11	0.20	0.00	18.91	34.77	-15.86
LTE Band 12 Channel 23095 – 3MHz – QPSK										
707.50	90.29	61	2.3	H	19.29	0.20	0.00	19.09	34.77	-15.68
707.50	91.41	169	1.4	V	19.13	0.20	0.00	18.93	34.77	-15.84
LTE Band 12 Channel 23165 – 3MHz – QPSK										
714.50	90.31	287	2.4	H	19.31	0.20	0.00	19.11	34.77	-15.66
714.50	91.45	320	1.1	V	19.17	0.20	0.00	18.97	34.77	-15.80
LTE Band 12 Channel 23025 – 3MHz – 16QAM										
700.50	90.35	82	2.0	H	19.35	0.20	0.00	19.15	34.77	-15.62
700.50	91.48	152	1.5	V	19.20	0.20	0.00	19.00	34.77	-15.77
LTE Band 12 Channel 23095 – 3MHz – 16QAM										
707.50	90.36	43	1.6	H	19.36	0.20	0.00	19.16	34.77	-15.61
707.50	91.46	20	1.3	V	19.18	0.20	0.00	18.98	34.77	-15.79
LTE Band 12 Channel 23165 – 3MHz – 16QAM										
714.50	90.38	314	2.3	H	19.38	0.20	0.00	19.18	34.77	-15.59
714.50	91.49	311	2.1	V	19.21	0.20	0.00	19.01	34.77	-15.76
LTE Band 12 Channel 23035 – 5MHz – QPSK										
701.50	90.39	125	1.1	H	19.39	0.20	0.00	19.19	34.77	-15.58
701.50	91.48	69	1.5	V	19.20	0.20	0.00	19.00	34.77	-15.77
LTE Band 12 Channel 23095 – 5MHz – QPSK										
707.50	90.36	139	1.5	H	19.36	0.20	0.00	19.16	34.77	-15.61

707.50	91.47	249	2.2	V	19.19	0.20	0.00	18.99	34.77	-15.78
LTE Band 12 Channel 23155 – 5MHz – QPSK										
713.50	90.34	164	1.8	H	19.34	0.20	0.00	19.14	34.77	-15.63
713.50	91.48	259	2.3	V	19.20	0.20	0.00	19.00	34.77	-15.77
LTE Band 12 Channel 23035 – 5MHz – 16QAM										
701.50	90.33	129	1.4	H	19.33	0.20	0.00	19.13	34.77	-15.64
701.50	91.42	185	1.1	V	19.14	0.20	0.00	18.94	34.77	-15.83
LTE Band 12 Channel 23095 – 5MHz – 16QAM										
707.50	90.48	189	1.4	H	19.48	0.20	0.00	19.28	34.77	-15.49
707.50	91.46	297	1.4	V	19.18	0.20	0.00	18.98	34.77	-15.79
LTE Band 12 Channel 23155 – 5MHz – 16QAM										
713.50	90.50	108	1.3	H	19.50	0.20	0.00	19.30	34.77	-15.47
713.50	91.47	103	1.9	V	19.19	0.20	0.00	18.99	34.77	-15.78
LTE Band 12 Channel 23060 – 10MHz – QPSK										
704.00	90.60	236	2.1	H	19.60	0.20	0.00	19.40	34.77	-15.37
704.00	91.68	143	1.6	V	19.40	0.20	0.00	19.20	34.77	-15.57
LTE Band 12 Channel 23095 – 10MHz – QPSK										
707.50	90.69	105	1.0	H	19.69	0.20	0.00	19.49	34.77	-15.28
707.50	91.75	3	2.1	V	19.47	0.20	0.00	19.27	34.77	-15.50
LTE Band 12 Channel 23130 – 10MHz – QPSK										
711.00	90.68	276	2.3	H	19.68	0.20	0.00	19.48	34.77	-15.29
711.00	91.78	284	1.3	V	19.50	0.20	0.00	19.30	34.77	-15.47
LTE Band 12 Channel 23060 – 10MHz – 16QAM										
704.00	90.76	207	1.4	H	19.76	0.20	0.00	19.56	34.77	-15.21
704.00	91.79	297	2.1	V	19.51	0.20	0.00	19.31	34.77	-15.46
LTE Band 12 Channel 23095 – 10MHz – 16QAM										
707.50	90.75	344	1.8	H	19.75	0.20	0.00	19.55	34.77	-15.22
707.50	91.80	336	1.8	V	19.52	0.20	0.00	19.32	34.77	-15.45
LTE Band 12 Channel 23130 – 10MHz – 16QAM										
711.00	90.79	209	1.2	H	19.79	0.20	0.00	19.59	34.77	-15.18
711.00	91.92	24	2.4	V	19.64	0.20	0.00	19.44	34.77	-15.33

LTE Band 13

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 13 Channel 23205 – 5MHz – QPSK										
779.50	91.82	56	2.0	H	20.82	0.20	0.00	20.62	34.77	-14.15
779.50	92.93	247	1.2	V	20.65	0.20	0.00	20.45	34.77	-14.32
LTE Band 13 Channel 23230 – 5MHz – QPSK										
782.00	91.89	215	1.7	H	20.89	0.20	0.00	20.69	34.77	-14.08
782.00	92.98	61	2.3	V	20.70	0.20	0.00	20.50	34.77	-14.27
LTE Band 13 Channel 23255 – 5MHz – QPSK										
784.50	91.92	21	1.1	H	20.92	0.20	0.00	20.72	34.77	-14.05
784.50	93.15	95	1.8	V	20.87	0.20	0.00	20.67	34.77	-14.10
LTE Band 13 Channel 23205 – 5MHz – 16QAM										
779.50	91.99	146	1.1	H	20.99	0.20	0.00	20.79	34.77	-13.98
779.50	93.20	37	1.9	V	20.92	0.20	0.00	20.72	34.77	-14.05
LTE Band 13 Channel 23230 – 5MHz – 16QAM										
782.00	92.02	324	1.0	H	21.02	0.20	0.00	20.82	34.77	-13.95
782.00	93.26	143	1.1	V	20.98	0.20	0.00	20.78	34.77	-13.99
LTE Band 13 Channel 23255 – 5MHz – 16QAM										
784.50	92.05	222	2.5	H	21.05	0.20	0.00	20.85	34.77	-13.92
784.50	93.28	237	1.1	V	21.00	0.20	0.00	20.80	34.77	-13.97
LTE Band 13 Channel 23230 – 10MHz – QPSK										
782.00	92.08	146	1.4	H	21.08	0.20	0.00	20.88	34.77	-13.89
782.00	93.45	167	1.8	V	21.17	0.20	0.00	20.97	34.77	-13.80
LTE Band 13 Channel 23230 – 10MHz – 16QAM										
782.00	92.09	41	1.2	H	21.09	0.20	0.00	20.89	34.77	-13.88
782.00	93.47	103	1.1	V	21.19	0.20	0.00	20.99	34.77	-13.78

LTE Band 17

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 17 Channel 23755 – 5MHz – QPSK										
706.50	90.25	258	1.4	H	19.25	0.20	0.00	19.05	34.77	-15.72
706.50	91.54	1	1.1	V	19.26	0.20	0.00	19.06	34.77	-15.71
LTE Band 17 Channel 23790 – 5MHz – QPSK										
710.00	90.29	249	1.1	H	19.29	0.20	0.00	19.09	34.77	-15.68
710.00	91.58	84	2.0	V	19.30	0.20	0.00	19.10	34.77	-15.67
LTE Band 17 Channel 23825 – 5MHz – QPSK										
713.50	90.35	181	1.8	H	19.35	0.20	0.00	19.15	34.77	-15.62
713.50	91.68	350	1.4	V	19.40	0.20	0.00	19.20	34.77	-15.57
LTE Band 17 Channel 23755 – 5MHz – 16QAM										
706.50	90.38	81	2.4	H	19.38	0.20	0.00	19.18	34.77	-15.59
706.50	91.75	302	1.2	V	19.47	0.20	0.00	19.27	34.77	-15.50
LTE Band 17 Channel 23790 – 5MHz – 16QAM										
710.00	90.41	179	1.4	H	19.41	0.20	0.00	19.21	34.77	-15.56
710.00	91.79	285	2.4	V	19.51	0.20	0.00	19.31	34.77	-15.46
LTE Band 17 Channel 23825 – 5MHz – 16QAM										
713.50	90.46	135	1.8	H	19.46	0.20	0.00	19.26	34.77	-15.51
713.50	91.82	53	2.0	V	19.54	0.20	0.00	19.34	34.77	-15.43
LTE Band 17 Channel 23780 – 10MHz – QPSK										
709.00	90.49	38	1.7	H	19.49	0.20	0.00	19.29	34.77	-15.48
709.00	91.86	200	2.5	V	19.58	0.20	0.00	19.38	34.77	-15.39
LTE Band 17 Channel 23790 – 10MHz – QPSK										
710.00	90.56	85	2.4	H	19.56	0.20	0.00	19.36	34.77	-15.41
710.00	91.89	298	1.7	V	19.61	0.20	0.00	19.41	34.77	-15.36
LTE Band 17 Channel 23800 – 10MHz – QPSK										
711.00	90.63	20	2.3	H	19.63	0.20	0.00	19.43	34.77	-15.34
711.00	91.93	14	2.0	V	19.65	0.20	0.00	19.45	34.77	-15.32
LTE Band 17 Channel 23780 – 10MHz – 16QAM										
709.00	90.68	355	1.5	H	19.68	0.20	0.00	19.48	34.77	-15.29
709.00	91.97	129	1.6	V	19.69	0.20	0.00	19.49	34.77	-15.28
LTE Band 17 Channel 23790 – 10MHz – 16QAM										
710.00	90.71	210	1.8	H	19.71	0.20	0.00	19.51	34.77	-15.26
710.00	91.98	181	1.5	V	19.70	0.20	0.00	19.50	34.77	-15.27
LTE Band 17 Channel 23800 – 10MHz – 16QAM										
711.00	90.76	20	1.3	H	19.76	0.20	0.00	19.56	34.77	-15.21
711.00	92.10	258	1.3	V	19.82	0.20	0.00	19.62	34.77	-15.15

LTE Band 26**Remark: (Uplink: 814-824MHz is for FCC Part 90; 824-849MHz is for FCC Part 22)****Part 90:**

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Result	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 26 Channel 26697 – 1.4MHz – QPSK										
814.70	77.89	311	2.5	H	10.78	0.30	9.40	19.88	38.45	-18.57
814.70	78.25	186	2.4	V	10.72	0.30	9.40	19.82	38.45	-18.63
LTE Band 26 Channel 26783 – 1.4MHz – QPSK										
823.30	77.91	205	2.1	H	10.80	0.30	9.40	19.90	38.45	-18.55
823.30	78.26	191	1.0	V	10.73	0.30	9.40	19.83	38.45	-18.62
LTE Band 26 Channel 26697 – 1.4MHz – 16QAM										
814.70	77.93	173	1.3	H	10.82	0.30	9.40	19.92	38.45	-18.53
814.70	78.29	113	2.4	V	10.76	0.30	9.40	19.86	38.45	-18.59
LTE Band 26 Channel 26783 – 1.4MHz – 16QAM										
823.30	77.95	262	2.3	H	10.84	0.30	9.40	19.94	38.45	-18.51
823.30	78.31	40	1.4	V	10.78	0.30	9.40	19.88	38.45	-18.57
LTE Band 26 Channel 26705 – 3MHz – QPSK										
815.50	77.95	194	1.8	H	10.84	0.30	9.40	19.94	38.45	-18.51
815.50	78.35	246	1.5	V	10.82	0.30	9.40	19.92	38.45	-18.53
LTE Band 26 Channel 26775 – 3MHz – QPSK										
822.50	77.96	284	2.4	H	10.85	0.30	9.40	19.95	38.45	-18.50
822.50	78.39	264	1.8	V	10.86	0.30	9.40	19.96	38.45	-18.49
LTE Band 26 Channel 26705 – 3MHz – 16QAM										
815.50	77.96	95	1.6	H	10.85	0.30	9.40	19.95	38.45	-18.50
815.50	78.41	229	1.2	V	10.88	0.30	9.40	19.98	38.45	-18.47
LTE Band 26 Channel 26775 – 3MHz – 16QAM										
822.50	77.97	154	2.4	H	10.86	0.30	9.40	19.96	38.45	-18.49
822.50	78.42	61	1.3	V	10.89	0.30	9.40	19.99	38.45	-18.46
LTE Band 26 Channel 26715 – 5MHz – QPSK										
816.50	77.97	168	2.2	H	10.86	0.30	9.40	19.96	38.45	-18.49
816.50	78.47	47	1.2	V	10.94	0.30	9.40	20.04	38.45	-18.41
LTE Band 26 Channel 26765 – 5MHz – QPSK										
821.50	77.99	53	1.6	H	10.88	0.30	9.40	19.98	38.45	-18.47
821.50	78.49	7	1.6	V	10.96	0.30	9.40	20.06	38.45	-18.39
LTE Band 26 Channel 26715 – 5MHz – 16QAM										
816.50	78.02	208	1.3	H	10.91	0.30	9.40	20.01	38.45	-18.44
816.50	78.51	21	1.7	V	10.98	0.30	9.40	20.08	38.45	-18.37
LTE Band 26 Channel 26765 – 5MHz – 16QAM										
821.50	78.05	119	2.0	H	10.94	0.30	9.40	20.04	38.45	-18.41
821.50	78.53	89	2.3	V	11.00	0.30	9.40	20.10	38.45	-18.35
LTE Band 26 Channel 26740 – 10MHz – QPSK										
819.00	78.09	183	2.5	H	10.98	0.30	9.40	20.08	38.45	-18.37
819.00	78.61	65	1.7	V	11.08	0.30	9.40	20.18	38.45	-18.27

LTE Band 26 Channel 26740 – 10MHz – 16QAM										
819.00	78.15	164	2.5	H	11.04	0.30	9.40	20.14	38.45	-18.31
819.00	78.69	119	2.3	V	11.16	0.30	9.40	20.26	38.45	-18.19

Part 22:

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Result	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 26 Channel 26797 – 1.4MHz – QPSK										
824.70	77.25	358	2.1	H	10.14	0.30	9.40	19.24	38.45	-19.21
824.70	77.86	136	1.8	V	10.33	0.30	9.40	19.43	38.45	-19.02
LTE Band 26 Channel 26915 – 1.4MHz – QPSK										
836.50	77.29	123	2.2	H	10.18	0.30	9.40	19.28	38.45	-19.17
836.50	77.83	138	2.5	V	10.30	0.30	9.40	19.40	38.45	-19.05
LTE Band 26 Channel 27033 – 1.4MHz – QPSK										
848.30	77.31	180	2.5	H	10.20	0.30	9.40	19.30	38.45	-19.15
848.30	77.84	25	2.4	V	10.31	0.30	9.40	19.41	38.45	-19.04
LTE Band 26 Channel 26797 – 1.4MHz – 16QAM										
824.70	77.30	340	1.9	H	10.19	0.30	9.40	19.29	38.45	-19.16
824.70	77.85	158	1.3	V	10.32	0.30	9.40	19.42	38.45	-19.03
LTE Band 26 Channel 26915 – 1.4MHz – 16QAM										
836.50	77.36	236	2.4	H	10.25	0.30	9.40	19.35	38.45	-19.10
836.50	77.82	150	2.0	V	10.29	0.30	9.40	19.39	38.45	-19.06
LTE Band 26 Channel 27033 – 1.4MHz – 16QAM										
848.30	77.35	270	2.0	H	10.24	0.30	9.40	19.34	38.45	-19.11
848.30	77.86	52	2.4	V	10.33	0.30	9.40	19.43	38.45	-19.02
LTE Band 26 Channel 26805 – 3MHz – QPSK										
825.50	77.32	117	2.4	H	10.21	0.30	9.40	19.31	38.45	-19.14
825.50	77.83	344	1.4	V	10.30	0.30	9.40	19.40	38.45	-19.05
LTE Band 26 Channel 26915 – 3MHz – QPSK										
836.50	77.30	125	1.9	H	10.19	0.30	9.40	19.29	38.45	-19.16
836.50	77.87	131	1.6	V	10.34	0.30	9.40	19.44	38.45	-19.01
LTE Band 26 Channel 27025 – 3MHz – QPSK										
847.50	77.39	221	2.0	H	10.28	0.30	9.40	19.38	38.45	-19.07
847.50	77.86	290	1.9	V	10.33	0.30	9.40	19.43	38.45	-19.02
LTE Band 26 Channel 26805 – 3MHz – 16QAM										
825.50	77.33	242	1.8	H	10.22	0.30	9.40	19.32	38.45	-19.13
825.50	77.81	278	1.2	V	10.28	0.30	9.40	19.38	38.45	-19.07
LTE Band 26 Channel 26915 – 3MHz – 16QAM										
836.50	77.30	308	1.7	H	10.19	0.30	9.40	19.29	38.45	-19.16
836.50	77.82	59	1.1	V	10.29	0.30	9.40	19.39	38.45	-19.06
LTE Band 26 Channel 27025 – 3MHz – 16QAM										
847.50	77.36	166	1.6	H	10.25	0.30	9.40	19.35	38.45	-19.10
847.50	77.89	141	1.7	V	10.36	0.30	9.40	19.46	38.45	-18.99
LTE Band 26 Channel 26815 – 5MHz – QPSK										
826.50	77.39	10	1.7	H	10.28	0.30	9.40	19.38	38.45	-19.07

Waltek Services (Shenzhen) Co.,Ltd.

<http://www.waltek.com.cn>

826.50	77.94	255	2.4	V	10.41	0.30	9.40	19.51	38.45	-18.94
LTE Band 26 Channel 26915 – 5MHz – QPSK										
836.50	77.28	329	1.2	H	10.17	0.30	9.40	19.27	38.45	-19.18
836.50	77.90	183	1.8	V	10.37	0.30	9.40	19.47	38.45	-18.98
LTE Band 26 Channel 27015 – 5MHz – QPSK										
846.50	77.30	186	1.8	H	10.19	0.30	9.40	19.29	38.45	-19.16
846.50	77.91	157	1.3	V	10.38	0.30	9.40	19.48	38.45	-18.97
LTE Band 26 Channel 26815 – 5MHz – 16QAM										
826.50	77.40	223	2.1	H	10.29	0.30	9.40	19.39	38.45	-19.06
826.50	77.96	117	1.7	V	10.43	0.30	9.40	19.53	38.45	-18.92
LTE Band 26 Channel 26915 – 5MHz – 16QAM										
836.50	77.48	57	1.2	H	10.37	0.30	9.40	19.47	38.45	-18.98
836.50	77.93	304	1.8	V	10.40	0.30	9.40	19.50	38.45	-18.95
LTE Band 26 Channel 27015 – 5MHz – 16QAM										
846.50	77.51	64	1.1	H	10.40	0.30	9.40	19.50	38.45	-18.95
846.50	77.96	82	2.0	V	10.43	0.30	9.40	19.53	38.45	-18.92
LTE Band 26 Channel 26840 – 10MHz – QPSK										
829.00	77.52	50	1.1	H	10.41	0.30	9.40	19.51	38.45	-18.94
829.00	77.89	216	2.2	V	10.36	0.30	9.40	19.46	38.45	-18.99
LTE Band 26 Channel 26915 – 10MHz – QPSK										
836.50	77.50	138	2.1	H	10.39	0.30	9.40	19.49	38.45	-18.96
836.50	77.88	33	1.2	V	10.35	0.30	9.40	19.45	38.45	-19.00
LTE Band 26 Channel 26990 – 10MHz – QPSK										
844.00	77.40	260	1.5	H	10.29	0.30	9.40	19.39	38.45	-19.06
844.00	77.86	109	1.4	V	10.33	0.30	9.40	19.43	38.45	-19.02
LTE Band 26 Channel 26840 – 10MHz – 16QAM										
829.00	77.45	293	2.3	H	10.34	0.30	9.40	19.44	38.45	-19.01
829.00	77.87	198	1.7	V	10.34	0.30	9.40	19.44	38.45	-19.01
LTE Band 26 Channel 26915 – 10MHz – 16QAM										
836.50	77.46	123	2.2	H	10.35	0.30	9.40	19.45	38.45	-19.00
836.50	77.82	9	2.2	V	10.29	0.30	9.40	19.39	38.45	-19.06
LTE Band 26 Channel 26990 – 10MHz – 16QAM										
844.00	77.49	272	1.7	H	10.38	0.30	9.40	19.48	38.45	-18.97
844.00	77.88	275	1.9	V	10.35	0.30	9.40	19.45	38.45	-19.00
LTE Band 26 Channel 26865 – 15MHz – QPSK										
831.50	77.66	341	1.1	H	10.55	0.30	9.40	19.65	38.45	-18.80
831.50	78.22	341	2.4	V	10.69	0.30	9.40	19.79	38.45	-18.66
LTE Band 26 Channel 26915 – 15MHz – QPSK										
836.50	77.68	15	2.1	H	10.57	0.30	9.40	19.67	38.45	-18.78
836.50	78.05	107	2.2	V	10.52	0.30	9.40	19.62	38.45	-18.83
LTE Band 26 Channel 26965 – 15MHz – QPSK										
841.50	77.69	189	1.8	H	10.58	0.30	9.40	19.68	38.45	-18.77
841.50	78.09	1	2.4	V	10.56	0.30	9.40	19.66	38.45	-18.79
LTE Band 26 Channel 26865 – 15MHz – 16QAM										
831.50	77.71	117	1.7	H	10.60	0.30	9.40	19.70	38.45	-18.75
831.50	78.08	123	2.3	V	10.55	0.30	9.40	19.65	38.45	-18.80
LTE Band 26 Channel 26915 – 15MHz – 16QAM										

836.50	77.75	40	1.2	H	10.64	0.30	9.40	19.74	38.45	-18.71
836.50	78.10	124	1.3	V	10.57	0.30	9.40	19.67	38.45	-18.78
LTE Band 26 Channel 26965 – 15MHz – 16QAM										
841.50	77.79	23	1.8	H	10.68	0.30	9.40	19.78	38.45	-18.67
841.50	78.15	6	1.2	V	10.62	0.30	9.40	19.72	38.45	-18.73

LTE Band 41

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 41 Channel 39675 – 5MHz – QPSK										
2498.50	84.56	334	2.4	H	10.56	0.43	10.60	20.73	33	-12.27
2498.50	85.74	96	1.1	V	10.46	0.43	10.60	20.63	33	-12.37
LTE Band 41 Channel 40620 – 5MHz – QPSK										
2593.00	84.59	113	2.3	H	10.59	0.43	10.60	20.76	33	-12.24
2593.00	85.89	268	1.8	V	10.61	0.43	10.60	20.78	33	-12.22
LTE Band 41 Channel 41565 – 5MHz – QPSK										
2687.50	84.62	242	2.2	H	10.51	0.43	10.60	20.68	33	-12.32
2687.50	85.81	130	1.3	V	10.62	0.43	10.60	20.79	33	-12.21
LTE Band 41 Channel 39675 – 5MHz – 16QAM										
2498.50	84.63	352	1.2	H	10.63	0.43	10.60	20.80	33	-12.20
2498.50	85.86	2	1.5	V	10.58	0.43	10.60	20.75	33	-12.25
LTE Band 41 Channel 40620 – 5MHz – 16QA										
2593.00	84.60	237	2.0	H	10.60	0.43	10.60	20.77	33	-12.23
2593.00	85.84	35	2.3	V	10.56	0.43	10.60	20.73	33	-12.27
LTE Band 41 Channel 41565 – 5MHz – 16QAM										
2687.50	84.63	133	1.5	H	10.52	0.43	10.60	20.69	33	-12.31
2687.50	85.76	35	1.0	V	10.57	0.43	10.60	20.74	33	-12.26
LTE Band 41 Channel 39700 – 10MHz – QPSK										
2501.00	84.69	210	2.0	H	10.69	0.43	10.60	20.86	33	-12.14
2501.00	85.74	328	1.1	V	10.46	0.43	10.60	20.63	33	-12.37
LTE Band 41 Channel 40620 – 10MHz – QPSK										
2593.00	84.68	333	2.3	H	10.68	0.43	10.60	20.85	33	-12.15
2593.00	85.81	136	1.1	V	10.53	0.43	10.60	20.70	33	-12.30
LTE Band 41 Channel 41540 – 10MHz – QPSK										
2685.00	84.67	333	1.0	H	10.56	0.43	10.60	20.73	33	-12.27
2685.00	85.80	348	1.6	V	10.61	0.43	10.60	20.78	33	-12.22
LTE Band 41 Channel 39700 – 10MHz – 16QAM										
2501.00	84.65	112	1.6	H	10.65	0.43	10.60	20.82	33	-12.18
2501.00	85.79	199	1.6	V	10.51	0.43	10.60	20.68	33	-12.32
LTE Band 41 Channel 40620 – 10MHz – 16QAM										
2593.00	84.66	306	1.3	H	10.66	0.43	10.60	20.83	33	-12.17
2593.00	85.73	41	1.1	V	10.45	0.43	10.60	20.62	33	-12.38
LTE Band 41 Channel 41540 – 10MHz – 16QAM										
2685.00	84.67	71	2.1	H	10.56	0.43	10.60	20.73	33	-12.27
2685.00	85.78	157	1.9	V	10.59	0.43	10.60	20.76	33	-12.24

Waltek Services (Shenzhen) Co.,Ltd.

<http://www.waltek.com.cn>

LTE Band 41 Channel 39725 – 15MHz – QPSK										
2503.50	84.69	100	2.0	H	10.69	0.43	10.60	20.86	33	-12.14
2503.50	85.79	253	2.0	V	10.51	0.43	10.60	20.68	33	-12.32
LTE Band 41 Channel 40620 – 15MHz – QPSK										
2593.00	84.72	174	1.0	H	10.72	0.43	10.60	20.89	33	-12.11
2593.00	85.91	112	2.3	V	10.63	0.43	10.60	20.80	33	-12.20
LTE Band 41 Channel 41515 – 15MHz – QPSK										
2682.50	84.76	328	1.1	H	10.65	0.43	10.60	20.82	33	-12.18
2682.50	85.90	318	2.5	V	10.71	0.43	10.60	20.88	33	-12.12
LTE Band 41 Channel 39725 – 15MHz – 16QAM										
2503.50	84.63	335	1.0	H	10.63	0.43	10.60	20.80	33	-12.20
2503.50	85.93	359	1.2	V	10.65	0.43	10.60	20.82	33	-12.18
LTE Band 41 Channel 40620 – 15MHz – 16QAM										
2593.00	84.62	334	1.7	H	10.62	0.43	10.60	20.79	33	-12.21
2593.00	85.91	303	1.7	V	10.63	0.43	10.60	20.80	33	-12.20
LTE Band 41 Channel 41515 – 15MHz – 16QAM										
2682.50	84.59	48	2.2	H	10.48	0.43	10.60	20.65	33	-12.35
2682.50	85.76	5	1.5	V	10.57	0.43	10.60	20.74	33	-12.26
LTE Band 41 Channel 39750 – 20MHz – QPSK										
2506.00	84.79	170	2.3	H	10.79	0.43	10.60	20.96	33	-12.04
2506.00	86.12	171	1.3	V	10.84	0.43	10.60	21.01	33	-11.99
LTE Band 41 Channel 40620 – 20MHz – QPSK										
2593.00	84.85	154	2.5	H	10.85	0.43	10.60	21.02	33	-11.98
2593.00	86.10	62	2.4	V	10.82	0.43	10.60	20.99	33	-12.01
LTE Band 41 Channel 41490 – 20MHz – QPSK										
2680.00	84.87	104	1.8	H	10.76	0.43	10.60	20.93	33	-12.07
2680.00	86.03	247	2.4	V	10.84	0.43	10.60	21.01	33	-11.99
LTE Band 41 Channel 39750 – 20MHz – 16QAM										
2506.00	84.88	350	1.5	H	10.88	0.43	10.60	21.05	33	-11.95
2506.00	86.04	239	1.7	V	10.76	0.43	10.60	20.93	33	-12.07
LTE Band 41 Channel 40620 – 20MHz – 16QAM										
2593.00	84.89	170	1.3	H	10.89	0.43	10.60	21.06	33	-11.94
2593.00	86.07	246	1.5	V	10.79	0.43	10.60	20.96	33	-12.04
LTE Band 41 Channel 41490 – 20MHz – 16QAM										
2680.00	84.92	126	1.6	H	10.81	0.43	10.60	20.98	33	-12.02
2680.00	86.08	123	1.8	V	10.89	0.43	10.60	21.06	33	-11.94

9 Peak-to-Average Ratio

Test Requirement:	24.232 (d), 27.50(d)
Test Method:	N/A
Test Mode:	TX transmitting


9.1 EUT Operation

Operating Environment :

Temperature:	22.5 °C
Humidity:	52.3% RH
Atmospheric Pressure:	101.2kPa

9.2 Test Procedure

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. Set EUT to transmit at maximum output power.
3. When the duty cycle is less than 98%, then signal gating will be implemented on the spectrum analyzer by triggering from the system simulator.
4. Set the CCDF (Complementary Cumulative Distribution Function) option of the spectrum analyzer. Record the maximum PAPR level associated with a probability of 0.1%.



9.3 Test Result

PASS

LTE Band

Please refer to the Annex B. LTE Peak to Average Ratio for LTE Band 2/4/5/12/13/17/26/41.

10 BANDWIDTH

Test Requirement:	FCC Part 2.1049, 22.917, 22.905, 24.238, 27.53(a); 90.691
Test Method:	ANSI C63.26:2015 TIA/EIA-603-E:2016
Test Mode:	TX transmitting

10.1 EUT Operation


Operating Environment :

Temperature:	22.5 °C
Humidity:	52.3% RH
Atmospheric Pressure:	101.2kPa

10.2 Test Procedure

The RF output of the transmitter was connected to the wireless test set and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set in the range of 1 to 5 % of the anticipated OBW and the 26 dB & 99%bandwidth was recorded.



10.3 Test Result

LTE Band 2 (Part 24E):

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	18607	1850.7	QPSK	1.09	1.24
			16QAM	1.1	1.24
1.4	18900	1880	QPSK	1.09	1.24
			16QAM	1.09	1.23
1.4	19193	1909.3	QPSK	1.09	1.24
			16QAM	1.09	1.26
3	18615	1851.5	QPSK	2.69	2.93
			16QAM	2.69	2.95
3	18900	1880	QPSK	2.68	2.95
			16QAM	2.68	2.93
3	19185	1908.5	QPSK	2.68	2.94
			16QAM	2.69	2.94
5	18625	1852.5	QPSK	4.52	4.95
			16QAM	4.51	4.96
5	18900	1880	QPSK	4.51	4.95
			16QAM	4.52	4.97
5	19175	1907.5	QPSK	4.51	4.95
			16QAM	4.52	4.97
10	18650	1855	QPSK	8.94	9.73
			16QAM	8.94	9.58
10	18900	1880	QPSK	8.93	9.64
			16QAM	8.95	9.61
10	19150	1905	QPSK	8.94	9.64
			16QAM	8.94	9.59
15	18675	1857.5	QPSK	13.47	14.82
			16QAM	13.46	14.69
15	18900	1880	QPSK	13.44	14.66
			16QAM	13.47	14.72
15	19125	1902.5	QPSK	13.44	14.75
			16QAM	13.47	14.69
20	18700	1860	QPSK	17.88	19.21

			16QAM	17.94	19.29
20	18900	1880	QPSK	17.9	19.36
			16QAM	17.92	19.37
20	19100	1900	QPSK	17.88	19.53
			16QAM	17.85	19.33

LTE Band 4 (Part 27):

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	19957	1710.7	QPSK	1.1	1.23
			16QAM	1.09	1.24
1.4	2.175	1732.5	QPSK	1.09	1.24
			16QAM	1.1	1.25
1.4	20393	1754.3	QPSK	1.09	1.23
			16QAM	1.09	1.23
3	19965	1711.5	QPSK	2.69	2.95
			16QAM	2.68	2.93
3	2.175	1732.5	QPSK	2.69	2.95
			16QAM	2.69	2.92
3	2.385	1753.5	QPSK	2.68	2.92
			16QAM	2.69	2.95
5	19975	1712.5	QPSK	4.5	4.99
			16QAM	4.52	4.94
5	20175	1732.5	QPSK	4.53	4.99
			16QAM	4.51	4.97
5	20375	1752.5	QPSK	4.51	4.96
			16QAM	4.52	4.99
10	2000	1715	QPSK	8.94	9.64
			16QAM	8.93	9.65
10	20175	1732.5	QPSK	8.96	9.65
			16QAM	8.94	9.64
10	20350	1750	QPSK	8.93	9.64
			16QAM	8.94	9.63
15	20025	1717.5	QPSK	13.41	14.6
			16QAM	13.45	14.7
15	20175	1732.5	QPSK	13.47	14.7

			16QAM	13.49	14.66
15	20325	1747.5	QPSK	13.47	14.79
			16QAM	13.47	14.72
20	20050	1720	QPSK	17.83	19.24
			16QAM	17.86	19.27
20	20175	1732.5	QPSK	17.91	19.24
			16QAM	17.92	19.44
20	20300	1745	QPSK	17.92	19.37
			16QAM	17.89	19.37

LTE Band 5 (Part 22H):

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	20407	824.7	QPSK	1.1	1.23
			16QAM	1.09	1.24
1.4	20525	836.5	QPSK	1.09	1.25
			16QAM	1.09	1.24
1.4	20643	848.3	QPSK	1.09	1.24
			16QAM	1.09	1.23
3	20415	825.5	QPSK	2.68	2.93
			16QAM	2.68	2.93
3	20525	836.5	QPSK	2.69	2.91
			16QAM	2.68	2.95
3	20635	847.5	QPSK	2.69	2.94
			16QAM	2.69	2.95
5	20425	826.5	QPSK	4.5	4.94
			16QAM	4.52	4.96
5	20525	836.5	QPSK	4.53	4.99
			16QAM	4.51	4.96
5	20625	846.5	QPSK	4.5	4.99
			16QAM	4.52	4.96
10	20450	829.0	QPSK	8.93	9.62
			16QAM	8.93	9.68
10	20525	836.5	QPSK	8.96	9.68
			16QAM	8.94	9.6
10	20600	844.0	QPSK	8.92	9.61

			16QAM	8.93	9.59
--	--	--	-------	------	------

LTE Band 7 (Part 27):

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
5	20775	2502.5	QPSK	4.51	4.97
			16QAM	4.52	4.99
5	21100	2535	QPSK	4.5	4.96
			16QAM	4.51	5
5	21425	2567.5	QPSK	4.52	4.97
			16QAM	4.51	4.97
10	20850	2510	QPSK	8.95	9.72
			16QAM	8.94	9.62
10	21100	2535	QPSK	8.94	9.69
			16QAM	8.95	9.64
10	21400	2565	QPSK	8.93	9.64
			16QAM	8.94	9.63
15	20800	2505	QPSK	13.46	14.76
			16QAM	13.48	14.69
15	21100	2535	QPSK	13.44	14.78
			16QAM	13.48	14.74
15	21375	2562.5	QPSK	13.43	14.71
			16QAM	13.46	14.64
20	20825	2507.5	QPSK	17.84	19.24
			16QAM	17.88	19.43
20	21100	2535	QPSK	17.87	19.29
			16QAM	17.92	19.43
20	21350	2560	QPSK	17.86	19.55
			16QAM	17.86	19.28

LTE Band 12 (Part 27):

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	23017	699.7	QPSK	1.09	1.24
			16QAM	1.1	1.25
1.4	23095	707.5	QPSK	1.09	1.23
			16QAM	1.09	1.23
1.4	23173	715.3	QPSK	1.1	1.23
			16QAM	1.1	1.24
3	23025	700.5	QPSK	2.69	2.93
			16QAM	2.68	2.95
3	23095	707.5	QPSK	2.69	2.93
			16QAM	2.69	2.95
3	23165	714.5	QPSK	2.69	2.96
			16QAM	2.69	2.94
5	23035	701.5	QPSK	4.52	4.99
			16QAM	4.51	4.98
5	23095	707.5	QPSK	4.51	4.98
			16QAM	4.52	4.98
5	23155	713.5	QPSK	4.51	4.95
			16QAM	4.53	4.99
10	23060	704	QPSK	8.97	9.75
			16QAM	8.96	9.66
10	23095	707.5	QPSK	8.93	9.59
			16QAM	8.94	9.63
10	23130	711	QPSK	8.92	9.63
			16QAM	8.93	9.63

LTE Band 13 (Part 27)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
5	23205	779.5	QPSK	4.53	4.98
			16QAM	4.51	4.89
5	23230	782.0	QPSK	4.51	4.98
			16QAM	4.51	4.98
5	23255	784.5	QPSK	4.5	4.93
			16QAM	4.52	4.97
10	23230	782.0	QPSK	8.94	9.71
			16QAM	8.93	9.61

LTE Band 17 (Part 27)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
5	23755	706.5	QPSK	4.51	4.91
			16QAM	4.51	4.96
5	23790	710	QPSK	4.51	4.95
			16QAM	4.5	4.98
5	23825	713.5	QPSK	4.52	4.96
			16QAM	4.54	4.96
10	23780	709	QPSK	8.92	9.54
			16QAM	8.93	9.58
10	23790	710	QPSK	8.92	9.56
			16QAM	8.94	9.55
10	23800	711	QPSK	8.93	9.58
			16QAM	8.93	9.53

LTE Band 26

(Remark: Uplink: 814-824MHz is for FCC Part 90; 824-849MHz is for FCC Part 22.)

Part 90:

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	26697	814.7	QPSK	1.08	1.23
			16QAM	1.09	1.22
1.4	26740	819.0	QPSK	1.09	1.23
			16QAM	1.08	1.22
1.4	26783	823.3	QPSK	1.09	1.23
			16QAM	1.09	1.23
3	26705	815.5	QPSK	2.7	2.99
			16QAM	2.7	2.99
3	26740	819.0	QPSK	2.7	2.98
			16QAM	2.7	2.99
3	26775	822.5	QPSK	2.71	2.98
			16QAM	2.7	3
5	26715	816.5	QPSK	4.52	4.98
			16QAM	4.5	4.93
5	26740	819.0	QPSK	4.51	5
			16QAM	4.52	4.97
5	26765	821.5	QPSK	4.51	4.91
			16QAM	4.51	4.97
10	26740	819.0	QPSK	8.99	9.91
			16QAM	8.97	9.84

Part 22:

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	26797	824.7	QPSK	1.09	1.24
			16QAM	1.09	1.23
1.4	26915	836.5	QPSK	1.09	1.25
			16QAM	1.09	1.22
1.4	27033	848.3	QPSK	1.09	1.23
			16QAM	1.09	1.24
3	26805	825.5	QPSK	2.69	2.92


			16QAM	2.68	2.96
3	26915	836.5	QPSK	2.69	2.93
			16QAM	2.68	2.96
3	27025	847.5	QPSK	2.69	2.95
			16QAM	2.68	2.94
5	26915	826.5	QPSK	4.52	4.98
			16QAM	4.51	4.95
5	26865	836.5	QPSK	4.5	4.99
			16QAM	4.52	4.99
5	27015	846.5	QPSK	4.5	4.95
			16QAM	4.51	4.98
10	26840	829.0	QPSK	8.94	9.65
			16QAM	8.94	9.59
10	26915	836..5	QPSK	8.94	9.67
			16QAM	8.93	9.67
10	26990	844.0	QPSK	8.92	9.6
			16QAM	8.9	9.22
15	26865	831.5	QPSK	13.46	14.82
			16QAM	13.46	14.65
15	26915	836.5	QPSK	13.45	14.81
			16QAM	13.49	14.73
15	26965	841.5	QPSK	13.4	14.72
			16QAM	13.44	14.64


LTE Band 41 (Part 27)


BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
5	40265	2557.5	QPSK	4.51	5
			16QAM	4.51	4.99
5	40740	2605.0	QPSK	4.51	4.92
			16QAM	4.5	4.93
5	41215	2652.5	QPSK	4.52	4.98
			16QAM	4.51	4.99
10	40290	2560.0	QPSK	8.95	9.84
			16QAM	8.94	9.5
10	40740	2605.0	QPSK	8.93	9.75
			16QAM	8.92	9.53
10	41190	2650.0	QPSK	8.97	9.83
			16QAM	8.95	9.78
15	40315	2562.5	QPSK	13.51	14.98
			16QAM	13.49	14.73
15	40740	2605.0	QPSK	13.45	14.68
			16QAM	13.49	14.76
15	41165	2647.5	QPSK	13.47	14.99
			16QAM	13.51	14.99
20	40340	2565.0	QPSK	17.88	19.46
			16QAM	17.93	19.49
20	40740	2605.0	QPSK	17.85	19.3
			16QAM	17.86	19.24
20	41140	2645.0	QPSK	17.89	19.64
			16QAM	17.87	19.15

Test Plots


LTE Band 2 (Part 24E)









LTE band 2 - Low CH QPSK-5




LTE band 2 - Low CH 16QAM-5




LTE band 2 - Middle CH QPSK-5




LTE band 2 - Middle CH 16QAM-5





LTE band 2 - High CH QPSK-5




LTE band 2 - High CH 16QAM-5









LTE Band 4 (Part 27)







LTE band 4 - Low CH QPSK-3




LTE band 4 - Low CH 16QAM-3




LTE band 4 - Middle CH QPSK-3




LTE band 4 - Middle CH 16QAM-3





LTE band 4 - High CH QPSK-3




LTE band 4 - High CH 16QAM-3











LTE Band 5 (Part 22H)






LTE band 5 - Low CH QPSK-3




LTE band 5 - Low CH 16QAM-3




LTE band 5 - Middle CH QPSK-3



LTE band 5 - Middle CH 16QAM-3




LTE band 5 - High CH QPSK-3



LTE band 5 - High CH 16QAM-3




LTE band 5 - Low CH QPSK-5



LTE band 5 - Low CH 16QAM-5




LTE band 5 - Middle CH QPSK-5



LTE band 5 - Middle CH 16QAM-5




LTE band 5 - High CH QPSK-5




LTE band 5 - High CH 16QAM-5




LTE band 5 - Low CH QPSK-10




LTE band 5 - Low CH 16QAM-10




LTE band 5 - Middle CH QPSK-10



LTE band 5 - Middle CH 16QAM-10





LTE band 5 - High CH QPSK-10




LTE band 5 - High CH 16QAM-10


LTE Band 7 (Part 27)




LTE band 7 - Low CH QPSK-5




LTE band 7 - Low CH 16QAM-5



LTE band 7 - Middle CH QPSK-5



LTE band 7 - Middle CH 16QAM-5



LTE band 7 - High CH QPSK-5

LTE band 7 - High CH 16QAM-5

