

The Photos of SAR test

No. I14Z49111-SEM01

For

TCL Communication Ltd.

UMTS Triband / GSM Quadband mobile phone

Model Name: 2067X

With

Hardware Version:01

Software Version: C97

FCC ID: 2ACCJA003

Issued Date: 2015-1-15



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:


CTTL, Telecommunication Technology Labs, Academy of Telecommunication Research, MIIT No. 51 Shouxiang Science Building, Xueyuan Road, Haidian District, Beijing, P. R. China100191 Tel:+86(0)10-62304633-2512,Fax:+86(0)10-62304633-2504

Email: cttl terminals@catr.cn, website: www.chinattl.com







Picture 1: Constituents of the sample




Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position




Picture4: Right Hand Touch Cheek Position



Picture 5: Right Hand Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 3 test positions all with the distance =10mm between the EUT and the phantom bottom:




Picture 6: Front - Fold



Picture 7: Rear- Fold



Picture 7-1: Rear – Fold with Headset



Picture 8: Rear - Unfold