



# TEST REPORT

No.I22N01585-SAR

For

**TCL Communication Ltd.**

**Mobile Phone**

**Model Name: T506A**

**With**

**Hardware Version: V01**

**Software Version: vVJ52**

**FCC ID: 2ACCJB186**

**Issued Date: 2022-09-08**

**Designation Number: CN1210**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

**Test Laboratory:**

**SAICT, Shenzhen Academy of Information and Communications Technology**

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@saict.ac.cn. www.saict.ac.cn




**Picture 1: Front side of the sample**



**Picture 2: Back side of the sample**


**Test positions for Head:**



**Picture 3: Left Cheek Position**



**Picture 4: Left Tilt 15° Position**




**Picture 5: Right Cheek Position**




**Picture 6: Right Tilt 15° Position**

**Test positions for Body:**




**Picture 7: Front Side (10mm)**



**Picture 8: Rear Side (10mm)**



**Picture 9: Left Side (10mm)**



**Picture 10: Right Side (10mm)**



**Picture 11: Top Side (10mm)**



**Picture 12: Bottom Side (10mm)**




**Picture 13: Front Side (15mm)**




**Picture 14: Rear Side (15mm)**


**Test positions for Extremity:**



**Picture 15: Front Side (0mm)**



**Picture 16: Rear Side (0mm)**



**Picture 17: Left Side (0mm)**



**Picture 18: Right Side (0mm)**



**Picture 19: Top Side (0mm)**



**Picture 20: Bottom Side (0mm)**