



No. 23T04Z80001-09

For

TCL Communication Ltd.

Tablet PC

Model Name: 9136R, 9136K

with

Hardware Version: 05

Software Version: 7WS2

FCC ID: 2ACCJB210

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: cttl_terminals@caict.ac.cn, website: www.caict.ac.cn



Picture 1: Constituents of the sample

Test positions for body:


The Body SAR is tested at the following test positions with the distance = 0mm/9mm/10mm/11mm/13mm/14mm between the EUT and the phantom bottom:




Picture 2 Rear 0mm



Picture 3 Top 0mm



Picture 4 Left 0mm




Picture 5 Right 0mm




Picture 6 Rear 13mm




Picture 7 Rear 14mm



Picture 8 Top 11mm




Picture 9 Top 14mm



Picture 10 Right 9mm



Picture 11 Left 10mm



Picture 12 Rear 0mm with cover