

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.97	-0.83	22.14	<=33.01	Pass
			2	23.00	-0.83	22.17	<=33.01	Pass
			5	23.01	-0.83	22.18	<=33.01	Pass
		3	0	22.91	-0.83	22.08	<=33.01	Pass
			2	22.95	-0.83	22.12	<=33.01	Pass
			3	22.89	-0.83	22.06	<=33.01	Pass
		6	0	21.89	-0.83	21.06	<=33.01	Pass
	1880	1	0	23.18	-0.83	22.35	<=33.01	Pass
			2	23.09	-0.83	22.26	<=33.01	Pass
			5	23.13	-0.83	22.30	<=33.01	Pass
		3	0	23.33	-0.83	22.50	<=33.01	Pass
			2	23.26	-0.83	22.43	<=33.01	Pass
			3	23.29	-0.83	22.46	<=33.01	Pass
		6	0	22.12	-0.83	21.29	<=33.01	Pass
	1909.3	1	0	23.41	-0.83	22.58	<=33.01	Pass
			2	23.56	-0.83	22.73	<=33.01	Pass
			5	23.55	-0.83	22.72	<=33.01	Pass
		3	0	23.53	-0.83	22.70	<=33.01	Pass
			2	23.53	-0.83	22.70	<=33.01	Pass
			3	23.56	-0.83	22.73	<=33.01	Pass
		6	0	22.46	-0.83	21.63	<=33.01	Pass
16QAM	1850.7	1	0	21.98	-0.83	21.15	<=33.01	Pass
			2	22.00	-0.83	21.17	<=33.01	Pass
			5	22.02	-0.83	21.19	<=33.01	Pass
		3	0	21.83	-0.83	21.00	<=33.01	Pass
			2	21.84	-0.83	21.01	<=33.01	Pass
			3	21.79	-0.83	20.96	<=33.01	Pass
		6	0	21.05	-0.83	20.22	<=33.01	Pass
	1880	1	0	23.04	-0.83	22.21	<=33.01	Pass
			2	23.04	-0.83	22.21	<=33.01	Pass
			5	23.08	-0.83	22.25	<=33.01	Pass
		3	0	22.37	-0.83	21.54	<=33.01	Pass
			2	22.35	-0.83	21.52	<=33.01	Pass
			3	22.46	-0.83	21.63	<=33.01	Pass
		6	0	21.29	-0.83	20.46	<=33.01	Pass
	1909.3	1	0	23.26	-0.83	22.43	<=33.01	Pass
			2	23.21	-0.83	22.38	<=33.01	Pass
			5	23.20	-0.83	22.37	<=33.01	Pass
		3	0	22.76	-0.83	21.93	<=33.01	Pass
			2	22.75	-0.83	21.92	<=33.01	Pass
			3	22.73	-0.83	21.90	<=33.01	Pass
		6	0	21.72	-0.83	20.89	<=33.01	Pass
64QAM	1850.7	1	0	21.78	-0.83	20.95	<=33.01	Pass
			2	22.38	-0.83	21.55	<=33.01	Pass
			5	21.84	-0.83	21.01	<=33.01	Pass
		3	0	21.61	-0.83	20.78	<=33.01	Pass
			2	21.62	-0.83	20.79	<=33.01	Pass
			3	21.64	-0.83	20.81	<=33.01	Pass
		6	0	20.84	-0.83	20.01	<=33.01	Pass

	1880	1	0	21.23	-0.83	20.40	<=33.01	Pass
			2	22.59	-0.83	21.76	<=33.01	Pass
			5	22.00	-0.83	21.17	<=33.01	Pass
		3	0	22.13	-0.83	21.30	<=33.01	Pass
			2	22.11	-0.83	21.28	<=33.01	Pass
			3	22.15	-0.83	21.32	<=33.01	Pass
	1909.3	6	0	20.78	-0.83	19.95	<=33.01	Pass
			0	21.71	-0.83	20.88	<=33.01	Pass
			2	22.90	-0.83	22.07	<=33.01	Pass
		1	5	22.37	-0.83	21.54	<=33.01	Pass
			0	22.17	-0.83	21.34	<=33.01	Pass
			2	22.20	-0.83	21.37	<=33.01	Pass
		3	3	22.16	-0.83	21.33	<=33.01	Pass
			0	21.37	-0.83	20.54	<=33.01	Pass
			0					

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.84	-0.83	22.01	<=33.01	Pass
			7	22.90	-0.83	22.07	<=33.01	Pass
			14	22.94	-0.83	22.11	<=33.01	Pass
		8	0	21.98	-0.83	21.15	<=33.01	Pass
			4	21.94	-0.83	21.11	<=33.01	Pass
			7	22.02	-0.83	21.19	<=33.01	Pass
		15	0	21.87	-0.83	21.04	<=33.01	Pass
	1880	1	0	23.13	-0.83	22.30	<=33.01	Pass
			7	23.05	-0.83	22.22	<=33.01	Pass
			14	23.07	-0.83	22.24	<=33.01	Pass
		8	0	22.13	-0.83	21.30	<=33.01	Pass
			4	22.18	-0.83	21.35	<=33.01	Pass
			7	22.13	-0.83	21.30	<=33.01	Pass
		15	0	22.12	-0.83	21.29	<=33.01	Pass
	1908.5	1	0	23.36	-0.83	22.53	<=33.01	Pass
			7	23.41	-0.83	22.58	<=33.01	Pass
			14	23.33	-0.83	22.50	<=33.01	Pass
		8	0	22.40	-0.83	21.57	<=33.01	Pass
			4	22.34	-0.83	21.51	<=33.01	Pass
			7	22.36	-0.83	21.53	<=33.01	Pass
		15	0	22.44	-0.83	21.61	<=33.01	Pass
16QAM	1851.5	1	0	23.24	-0.83	22.41	<=33.01	Pass
			7	23.13	-0.83	22.30	<=33.01	Pass
			14	23.16	-0.83	22.33	<=33.01	Pass
		8	0	21.15	-0.83	20.32	<=33.01	Pass
			4	21.13	-0.83	20.30	<=33.01	Pass
			7	21.23	-0.83	20.40	<=33.01	Pass
		15	0	21.00	-0.83	20.17	<=33.01	Pass
	1880	1	0	22.28	-0.83	21.45	<=33.01	Pass
			7	22.31	-0.83	21.48	<=33.01	Pass
			14	22.38	-0.83	21.55	<=33.01	Pass
		8	0	21.46	-0.83	20.63	<=33.01	Pass
			4	21.48	-0.83	20.65	<=33.01	Pass
			7	21.44	-0.83	20.61	<=33.01	Pass
		15	0	21.32	-0.83	20.49	<=33.01	Pass
	1908.5	1	0	23.24	-0.83	22.41	<=33.01	Pass

			7	23.23	-0.83	22.40	<=33.01	Pass	
			14	23.17	-0.83	22.34	<=33.01	Pass	
		8	0	21.71	-0.83	20.88	<=33.01	Pass	
			4	21.80	-0.83	20.97	<=33.01	Pass	
			7	21.71	-0.83	20.88	<=33.01	Pass	
		15	0	21.58	-0.83	20.75	<=33.01	Pass	
64QAM	1851.5	1	0	21.54	-0.83	20.71	<=33.01	Pass	
			7	21.52	-0.83	20.69	<=33.01	Pass	
			14	21.54	-0.83	20.71	<=33.01	Pass	
		8	0	20.44	-0.83	19.61	<=33.01	Pass	
			4	20.40	-0.83	19.57	<=33.01	Pass	
			7	20.42	-0.83	19.59	<=33.01	Pass	
	15	0	20.61	-0.83	19.78	<=33.01	Pass		
	1880	1	0	21.58	-0.83	20.75	<=33.01	Pass	
			7	21.55	-0.83	20.72	<=33.01	Pass	
			14	21.63	-0.83	20.80	<=33.01	Pass	
		8	0	20.62	-0.83	19.79	<=33.01	Pass	
			4	20.70	-0.83	19.87	<=33.01	Pass	
			7	20.68	-0.83	19.85	<=33.01	Pass	
	15	0	20.76	-0.83	19.93	<=33.01	Pass		
	1908.5	1	0	22.72	-0.83	21.89	<=33.01	Pass	
			7	22.76	-0.83	21.93	<=33.01	Pass	
			14	22.72	-0.83	21.89	<=33.01	Pass	
		8	0	21.10	-0.83	20.27	<=33.01	Pass	
			4	21.11	-0.83	20.28	<=33.01	Pass	
			7	21.05	-0.83	20.22	<=33.01	Pass	
		15	0	21.10	-0.83	20.27	<=33.01	Pass	
		Note1: EIRP=Conducted Power+Antenna Gain							

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.84	-0.83	22.01	<=33.01	Pass
			13	22.88	-0.83	22.05	<=33.01	Pass
			24	22.85	-0.83	22.02	<=33.01	Pass
		12	0	21.91	-0.83	21.08	<=33.01	Pass
			6	22.00	-0.83	21.17	<=33.01	Pass
			13	22.00	-0.83	21.17	<=33.01	Pass
		25	0	21.98	-0.83	21.15	<=33.01	Pass
	1880	1	0	23.18	-0.83	22.35	<=33.01	Pass
			13	23.25	-0.83	22.42	<=33.01	Pass
			24	23.30	-0.83	22.47	<=33.01	Pass
		12	0	22.06	-0.83	21.23	<=33.01	Pass
			6	22.12	-0.83	21.29	<=33.01	Pass
			13	22.22	-0.83	21.39	<=33.01	Pass
		25	0	22.07	-0.83	21.24	<=33.01	Pass
	1907.5	1	0	23.29	-0.83	22.46	<=33.01	Pass
			13	23.25	-0.83	22.42	<=33.01	Pass
			24	23.21	-0.83	22.38	<=33.01	Pass
		12	0	22.40	-0.83	21.57	<=33.01	Pass
			6	22.31	-0.83	21.48	<=33.01	Pass
			13	22.38	-0.83	21.55	<=33.01	Pass
		25	0	22.45	-0.83	21.62	<=33.01	Pass
16QAM	1852.5	1	0	21.59	-0.83	20.76	<=33.01	Pass
			13	21.67	-0.83	20.84	<=33.01	Pass

			24	21.66	-0.83	20.83	<=33.01	Pass	
			12	0	21.02	-0.83	20.19	<=33.01	Pass
				6	21.03	-0.83	20.20	<=33.01	Pass
				13	21.05	-0.83	20.22	<=33.01	Pass
		25	0	21.18	-0.83	20.35	<=33.01	Pass	
		1880	1	0	22.60	-0.83	21.77	<=33.01	Pass
				13	22.70	-0.83	21.87	<=33.01	Pass
				24	22.69	-0.83	21.86	<=33.01	Pass
			12	0	21.15	-0.83	20.32	<=33.01	Pass
	6			21.10	-0.83	20.27	<=33.01	Pass	
	13			21.17	-0.83	20.34	<=33.01	Pass	
	25		0	21.15	-0.83	20.32	<=33.01	Pass	
	1907.5	1	0	23.04	-0.83	22.21	<=33.01	Pass	
			13	23.08	-0.83	22.25	<=33.01	Pass	
			24	23.07	-0.83	22.24	<=33.01	Pass	
		12	0	21.58	-0.83	20.75	<=33.01	Pass	
			6	21.53	-0.83	20.70	<=33.01	Pass	
			13	21.55	-0.83	20.72	<=33.01	Pass	
		25	0	21.63	-0.83	20.80	<=33.01	Pass	

64QAM	1852.5	1	0	21.46	-0.83	20.63	<=33.01	Pass	
			13	21.52	-0.83	20.69	<=33.01	Pass	
			24	21.51	-0.83	20.68	<=33.01	Pass	
		12	0	20.43	-0.83	19.60	<=33.01	Pass	
			6	20.45	-0.83	19.62	<=33.01	Pass	
			13	20.37	-0.83	19.54	<=33.01	Pass	
		25	0	20.74	-0.83	19.91	<=33.01	Pass	
		1880	1	0	21.87	-0.83	21.04	<=33.01	Pass
				13	21.93	-0.83	21.10	<=33.01	Pass
	24			21.97	-0.83	21.14	<=33.01	Pass	
	12		0	20.77	-0.83	19.94	<=33.01	Pass	
			6	20.77	-0.83	19.94	<=33.01	Pass	
			13	20.96	-0.83	20.13	<=33.01	Pass	
	25		0	20.80	-0.83	19.97	<=33.01	Pass	
	1907.5	1	0	21.53	-0.83	20.70	<=33.01	Pass	
			13	21.48	-0.83	20.65	<=33.01	Pass	
			24	21.53	-0.83	20.70	<=33.01	Pass	
		12	0	21.02	-0.83	20.19	<=33.01	Pass	
			6	20.98	-0.83	20.15	<=33.01	Pass	
			13	21.01	-0.83	20.18	<=33.01	Pass	
		25	0	21.15	-0.83	20.32	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain								
--	--	--	--	--	--	--	--	--

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.80	-0.83	21.97	<=33.01	Pass
			25	22.80	-0.83	21.97	<=33.01	Pass
			49	22.90	-0.83	22.07	<=33.01	Pass
		25	0	21.91	-0.83	21.08	<=33.01	Pass
			13	21.85	-0.83	21.02	<=33.01	Pass
			25	21.95	-0.83	21.12	<=33.01	Pass
		50	0	21.87	-0.83	21.04	<=33.01	Pass
	1880	1	0	22.98	-0.83	22.15	<=33.01	Pass
			25	22.99	-0.83	22.16	<=33.01	Pass
			49	23.17	-0.83	22.34	<=33.01	Pass

		25	0	21.98	-0.83	21.15	<=33.01	Pass
			13	22.00	-0.83	21.17	<=33.01	Pass
			25	22.11	-0.83	21.28	<=33.01	Pass
		50	0	22.11	-0.83	21.28	<=33.01	Pass
	1905	1	0	23.40	-0.83	22.57	<=33.01	Pass
			25	23.34	-0.83	22.51	<=33.01	Pass
			49	23.37	-0.83	22.54	<=33.01	Pass
		25	0	22.50	-0.83	21.67	<=33.01	Pass
			13	22.33	-0.83	21.50	<=33.01	Pass
			25	22.43	-0.83	21.60	<=33.01	Pass
		50	0	22.37	-0.83	21.54	<=33.01	Pass
16QAM	1855	1	0	22.69	-0.83	21.86	<=33.01	Pass
			25	22.71	-0.83	21.88	<=33.01	Pass
			49	22.77	-0.83	21.94	<=33.01	Pass
		25	0	21.03	-0.83	20.20	<=33.01	Pass
			13	21.10	-0.83	20.27	<=33.01	Pass
			25	21.15	-0.83	20.32	<=33.01	Pass
		50	0	21.13	-0.83	20.30	<=33.01	Pass
	1880	1	0	23.43	-0.83	22.60	<=33.01	Pass
			25	23.28	-0.83	22.45	<=33.01	Pass
			49	23.33	-0.83	22.50	<=33.01	Pass
		25	0	21.19	-0.83	20.36	<=33.01	Pass
			13	21.23	-0.83	20.40	<=33.01	Pass
			25	21.26	-0.83	20.43	<=33.01	Pass
		50	0	21.25	-0.83	20.42	<=33.01	Pass
	1905	1	0	22.86	-0.83	22.03	<=33.01	Pass
			25	22.81	-0.83	21.98	<=33.01	Pass
			49	22.82	-0.83	21.99	<=33.01	Pass
		25	0	21.75	-0.83	20.92	<=33.01	Pass
			13	21.71	-0.83	20.88	<=33.01	Pass
			25	21.70	-0.83	20.87	<=33.01	Pass
		50	0	21.66	-0.83	20.83	<=33.01	Pass
64QAM	1855	1	0	22.12	-0.83	21.29	<=33.01	Pass
			25	22.20	-0.83	21.37	<=33.01	Pass
			49	22.21	-0.83	21.38	<=33.01	Pass
		25	0	20.77	-0.83	19.94	<=33.01	Pass
			13	20.61	-0.83	19.78	<=33.01	Pass
			25	20.99	-0.83	20.16	<=33.01	Pass
		50	0	20.67	-0.83	19.84	<=33.01	Pass
	1880	1	0	21.74	-0.83	20.91	<=33.01	Pass
			25	21.76	-0.83	20.93	<=33.01	Pass
			49	21.84	-0.83	21.01	<=33.01	Pass
		25	0	20.74	-0.83	19.91	<=33.01	Pass
			13	20.75	-0.83	19.92	<=33.01	Pass
			25	20.87	-0.83	20.04	<=33.01	Pass
		50	0	20.74	-0.83	19.91	<=33.01	Pass
	1905	1	0	22.53	-0.83	21.70	<=33.01	Pass
			25	22.57	-0.83	21.74	<=33.01	Pass
			49	22.54	-0.83	21.71	<=33.01	Pass
		25	0	21.11	-0.83	20.28	<=33.01	Pass
			13	21.18	-0.83	20.35	<=33.01	Pass
			25	21.14	-0.83	20.31	<=33.01	Pass
		50	0	21.27	-0.83	20.44	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.80	-0.83	21.97	<=33.01	Pass
			38	22.91	-0.83	22.08	<=33.01	Pass
			74	22.94	-0.83	22.11	<=33.01	Pass
		36	0	21.91	-0.83	21.08	<=33.01	Pass
			18	21.93	-0.83	21.10	<=33.01	Pass
			39	22.02	-0.83	21.19	<=33.01	Pass
		75	0	21.94	-0.83	21.11	<=33.01	Pass
	1880	1	0	23.05	-0.83	22.22	<=33.01	Pass
			38	23.03	-0.83	22.20	<=33.01	Pass
			74	23.13	-0.83	22.30	<=33.01	Pass
		36	0	22.19	-0.83	21.36	<=33.01	Pass
			18	22.15	-0.83	21.32	<=33.01	Pass
			39	22.15	-0.83	21.32	<=33.01	Pass
		75	0	22.06	-0.83	21.23	<=33.01	Pass
	1902.5	1	0	23.17	-0.83	22.34	<=33.01	Pass
			38	23.22	-0.83	22.39	<=33.01	Pass
			74	23.27	-0.83	22.44	<=33.01	Pass
		36	0	22.43	-0.83	21.60	<=33.01	Pass
			18	22.31	-0.83	21.48	<=33.01	Pass
			39	22.55	-0.83	21.72	<=33.01	Pass
		75	0	22.38	-0.83	21.55	<=33.01	Pass
16QAM	1857.5	1	0	22.71	-0.83	21.88	<=33.01	Pass
			38	22.80	-0.83	21.97	<=33.01	Pass
			74	22.85	-0.83	22.02	<=33.01	Pass
		36	0	21.22	-0.83	20.39	<=33.01	Pass
			18	21.24	-0.83	20.41	<=33.01	Pass
			39	21.21	-0.83	20.38	<=33.01	Pass
		75	0	21.14	-0.83	20.31	<=33.01	Pass
	1880	1	0	23.51	-0.83	22.68	<=33.01	Pass
			38	23.46	-0.83	22.63	<=33.01	Pass
			74	23.37	-0.83	22.54	<=33.01	Pass
		36	0	21.21	-0.83	20.38	<=33.01	Pass
			18	21.20	-0.83	20.37	<=33.01	Pass
			39	21.20	-0.83	20.37	<=33.01	Pass
		75	0	21.23	-0.83	20.40	<=33.01	Pass
	1902.5	1	0	23.11	-0.83	22.28	<=33.01	Pass
			38	23.14	-0.83	22.31	<=33.01	Pass
			74	23.14	-0.83	22.31	<=33.01	Pass
		36	0	21.58	-0.83	20.75	<=33.01	Pass
			18	21.61	-0.83	20.78	<=33.01	Pass
			39	21.66	-0.83	20.83	<=33.01	Pass
		75	0	21.61	-0.83	20.78	<=33.01	Pass
64QAM	1857.5	1	0	22.23	-0.83	21.40	<=33.01	Pass
			38	22.28	-0.83	21.45	<=33.01	Pass
			74	22.36	-0.83	21.53	<=33.01	Pass
		36	0	20.66	-0.83	19.83	<=33.01	Pass
			18	21.04	-0.83	20.21	<=33.01	Pass
			39	20.73	-0.83	19.90	<=33.01	Pass
		75	0	20.93	-0.83	20.10	<=33.01	Pass
	1880	1	0	21.87	-0.83	21.04	<=33.01	Pass
			38	21.86	-0.83	21.03	<=33.01	Pass
			74	21.89	-0.83	21.06	<=33.01	Pass
		36	0	20.72	-0.83	19.89	<=33.01	Pass
			18	20.76	-0.83	19.93	<=33.01	Pass
			39	20.85	-0.83	20.02	<=33.01	Pass
		75	0	20.70	-0.83	19.87	<=33.01	Pass

	1902.5	1	0	22.30	-0.83	21.47	<=33.01	Pass
			38	22.40	-0.83	21.57	<=33.01	Pass
			74	22.33	-0.83	21.50	<=33.01	Pass
		36	0	21.13	-0.83	20.30	<=33.01	Pass
			18	21.13	-0.83	20.30	<=33.01	Pass
			39	21.18	-0.83	20.35	<=33.01	Pass
		75	0	21.15	-0.83	20.32	<=33.01	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.02	-0.83	22.19	<=33.01	Pass
			50	23.11	-0.83	22.28	<=33.01	Pass
			99	23.17	-0.83	22.34	<=33.01	Pass
		50	0	21.93	-0.83	21.10	<=33.01	Pass
			25	21.90	-0.83	21.07	<=33.01	Pass
			50	22.03	-0.83	21.20	<=33.01	Pass
		100	0	21.93	-0.83	21.10	<=33.01	Pass
	1880	1	0	23.25	-0.83	22.42	<=33.01	Pass
			50	23.34	-0.83	22.51	<=33.01	Pass
			99	23.43	-0.83	22.60	<=33.01	Pass
		50	0	22.12	-0.83	21.29	<=33.01	Pass
			25	22.05	-0.83	21.22	<=33.01	Pass
			50	22.24	-0.83	21.41	<=33.01	Pass
		100	0	22.06	-0.83	21.23	<=33.01	Pass
	1900	1	0	23.31	-0.83	22.48	<=33.01	Pass
			50	23.38	-0.83	22.55	<=33.01	Pass
			99	23.39	-0.83	22.56	<=33.01	Pass
		50	0	22.23	-0.83	21.40	<=33.01	Pass
			25	22.39	-0.83	21.56	<=33.01	Pass
			50	22.47	-0.83	21.64	<=33.01	Pass
		100	0	22.26	-0.83	21.43	<=33.01	Pass
16QAM	1860	1	0	22.54	-0.83	21.71	<=33.01	Pass
			50	22.61	-0.83	21.78	<=33.01	Pass
			99	22.62	-0.83	21.79	<=33.01	Pass
		50	0	21.23	-0.83	20.40	<=33.01	Pass
			25	21.25	-0.83	20.42	<=33.01	Pass
			50	21.20	-0.83	20.37	<=33.01	Pass
		100	0	21.10	-0.83	20.27	<=33.01	Pass
	1880	1	0	22.54	-0.83	21.71	<=33.01	Pass
			50	22.51	-0.83	21.68	<=33.01	Pass
			99	22.76	-0.83	21.93	<=33.01	Pass
		50	0	21.31	-0.83	20.48	<=33.01	Pass
			25	21.22	-0.83	20.39	<=33.01	Pass
			50	21.28	-0.83	20.45	<=33.01	Pass
		100	0	21.17	-0.83	20.34	<=33.01	Pass
	1900	1	0	23.55	-0.83	22.72	<=33.01	Pass
			50	23.64	-0.83	22.81	<=33.01	Pass
			99	23.74	-0.83	22.91	<=33.01	Pass
		50	0	21.41	-0.83	20.58	<=33.01	Pass
			25	21.43	-0.83	20.60	<=33.01	Pass
			50	21.53	-0.83	20.70	<=33.01	Pass
		100	0	21.47	-0.83	20.64	<=33.01	Pass
64QAM	1860	1	0	21.70	-0.83	20.87	<=33.01	Pass

			50	21.74	-0.83	20.91	<=33.01	Pass
			99	22.05	-0.83	21.22	<=33.01	Pass
		50	0	20.55	-0.83	19.72	<=33.01	Pass
			25	20.68	-0.83	19.85	<=33.01	Pass
			50	20.62	-0.83	19.79	<=33.01	Pass
			100	0	20.64	-0.83	19.81	<=33.01
	1880	1	0	22.13	-0.83	21.30	<=33.01	Pass
			50	22.19	-0.83	21.36	<=33.01	Pass
			99	22.42	-0.83	21.59	<=33.01	Pass
		50	0	20.80	-0.83	19.97	<=33.01	Pass
			25	20.67	-0.83	19.84	<=33.01	Pass
			50	20.72	-0.83	19.89	<=33.01	Pass
	100	0	20.76	-0.83	19.93	<=33.01	Pass	
	1900	1	0	22.36	-0.83	21.53	<=33.01	Pass
			50	22.48	-0.83	21.65	<=33.01	Pass
			99	22.52	-0.83	21.69	<=33.01	Pass
		50	0	20.91	-0.83	20.08	<=33.01	Pass
			25	20.91	-0.83	20.08	<=33.01	Pass
			50	21.04	-0.83	20.21	<=33.01	Pass
		100	0	20.98	-0.83	20.15	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								