

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.5	-13	Pass	401
0.15	30	0.01	Peak	0.17	-43.38	-13	Pass	2986
30	500	0.1	Peak	340.7	-42.18	-13	Pass	4701
500	1000	0.1	Peak	824.3	31.84	-13	N/A	5001
1000	10000	1	Peak	9405	-37.89	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.27	-13	Pass	2986
30	500	0.1	Peak	483.1	-42.03	-13	Pass	4701
500	1000	0.1	Peak	836.6	31.74	-13	N/A	5001
1000	10000	1	Peak	9478	-38.34	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.02	-13	Pass	2986
30	500	0.1	Peak	403.8	-41.84	-13	Pass	4701
500	1000	0.1	Peak	848.7	32	-13	N/A	5001
1000	10000	1	Peak	9412	-38.49	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.74	-13	Pass	2986
30	1000	0.1	Peak	976	-46.46	-13	Pass	9701
1000	3000	1	Peak	1851	28.02	-13	N/A	2001
3000	20000	1	Peak	19127	-36.28	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.82	-13	Pass	2986
30	1000	0.1	Peak	859.8	-46.3	-13	Pass	9701
1000	3000	1	Peak	1881	26.37	-13	N/A	2001
3000	20000	1	Peak	19070	-35.52	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-45.02	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.07	-13	Pass	2986
30	1000	0.1	Peak	754.9	-46.1	-13	Pass	9701
1000	3000	1	Peak	1910	28.47	-13	N/A	2001
3000	20000	1	Peak	19691	-35.54	-13	Pass	17001



1. EGPRS_PCS


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.77	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.99	-13	Pass	2986
30	1000	0.1	Peak	890.6	-45.43	-13	Pass	9701
1000	3000	1	Peak	1850	27.58	-13	N/A	2001
3000	20000	1	Peak	19116	-35.69	-13	Pass	17001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.39	-13	Pass	2986
30	1000	0.1	Peak	969.5	-45.84	-13	Pass	9701
1000	3000	1	Peak	1880	27.49	-13	N/A	2001
3000	20000	1	Peak	19137	-35.89	-13	Pass	17001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-46.41	-13	Pass	401
0.15	30	0.01	Peak	0.16	-47.53	-13	Pass	2986
30	1000	0.1	Peak	906.6	-45.8	-13	Pass	9701
1000	3000	1	Peak	1910	28.83	-13	N/A	2001
3000	20000	1	Peak	19101	-35.68	-13	Pass	17001



2. EGPRS_GSM850


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-41.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.23	-13	Pass	2986
30	500	0.1	Peak	364.9	-41.33	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.7	-13	N/A	5001
1000	10000	1	Peak	9404	-37.67	-13	Pass	9001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.2	-13	Pass	2986
30	500	0.1	Peak	481.3	-41.88	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.89	-13	N/A	5001
1000	10000	1	Peak	9954	-37.59	-13	Pass	9001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.68	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.1	-13	Pass	2986
30	500	0.1	Peak	468.8	-41.99	-13	Pass	4701
500	1000	0.1	Peak	848.8	28	-13	N/A	5001
1000	10000	1	Peak	9400	-38.54	-13	Pass	9001



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-50.16	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.99	-13	Pass	2986
30	1000	0.1	Peak	894.5	-50.33	-13	Pass	9701
1000	3000	1	Peak	1854	23.12	-13	N/A	2001
3000	20000	1	Peak	19920	-22.39	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.82	-13	Pass	2986
30	1000	0.1	Peak	854.8	-50.27	-13	Pass	9701
1000	3000	1	Peak	1881	22.96	-13	N/A	2001
3000	20000	1	Peak	19618	-21.83	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-48.19	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.09	-13	Pass	2986
30	1000	0.1	Peak	983.4	-50.54	-13	Pass	9701
1000	3000	1	Peak	1907	23.04	-13	N/A	2001
3000	20000	1	Peak	19963	-21.71	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.07	-13	Pass	2986
30	1000	0.1	Peak	820.7	-50.16	-13	Pass	9701
1000	3000	1	Peak	1714	24.03	-13	N/A	2001
3000	20000	1	Peak	19681	-22.21	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.58	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.94	-13	Pass	2986
30	1000	0.1	Peak	786.9	-50.6	-13	Pass	9701
1000	3000	1	Peak	1731	23.05	-13	N/A	2001
3000	20000	1	Peak	19061	-21.2	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.18	-13	Pass	2986
30	1000	0.1	Peak	955.8	-50.7	-13	Pass	9701
1000	3000	1	Peak	1751	23.17	-13	N/A	2001
3000	20000	1	Peak	19000	-22.3	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.76	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.04	-13	Pass	2986
30	500	0.1	Peak	488.7	-51.97	-13	Pass	4701
500	1000	0.1	Peak	827	18.37	-13	N/A	5001
1000	10000	1	Peak	9405	-28.76	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-48.15	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.42	-13	Pass	2986
30	500	0.1	Peak	427	-52.05	-13	Pass	4701
500	1000	0.1	Peak	835.9	16.74	-13	N/A	5001
1000	10000	1	Peak	9924	-29.4	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.07	-13	Pass	2986
30	500	0.1	Peak	416.9	-51.9	-13	Pass	4701
500	1000	0.1	Peak	847.3	17.18	-13	N/A	5001
1000	10000	1	Peak	9978	-28.97	-13	Pass	9001



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.23	-13	Pass	2986
30	1000	0.1	RMS	930.9	-61.3	-13	Pass	9701
1000	1840	1	RMS	1840	-50.82	-13	Pass	841
1840	1920	1	RMS	1850.2	22.21	60	Pass	401
1920	3000	1	RMS	2643	-47.52	-13	Pass	1081
3000	12000	1	RMS	11843	-36.94	-13	Pass	9001
12000	20000	1	RMS	19062	-24.33	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.05	-13	Pass	2986
30	1000	0.1	RMS	909.2	-61.31	-13	Pass	9701
1000	1840	1	RMS	1840	-50.83	-13	Pass	841
1840	1920	1	RMS	1850.2	21.28	60	Pass	401
1920	3000	1	RMS	2647	-47.53	-13	Pass	1081
3000	12000	1	RMS	11887	-36.94	-13	Pass	9001
12000	20000	1	RMS	19991	-24.31	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-55.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59	-13	Pass	2986
30	1000	0.1	RMS	968.7	-61.28	-13	Pass	9701
1000	1840	1	RMS	1838	-50.94	-13	Pass	841
1840	1920	1	RMS	1879.6	22.09	60	Pass	401
1920	3000	1	RMS	2641	-47.52	-13	Pass	1081
3000	12000	1	RMS	11848	-37	-13	Pass	9001
12000	20000	1	RMS	19981	-24.3	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.81	-13	Pass	2986
30	1000	0.1	RMS	931.5	-61.4	-13	Pass	9701
1000	1840	1	RMS	1832	-50.99	-13	Pass	841
1840	1920	1	RMS	1879.6	21.18	60	Pass	401
1920	3000	1	RMS	2647	-47.52	-13	Pass	1081
3000	12000	1	RMS	11852	-36.9	-13	Pass	9001
12000	20000	1	RMS	19073	-24.3	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.91	-13	Pass	2986
30	1000	0.1	RMS	957.5	-61.3	-13	Pass	9701
1000	1840	1	RMS	1840	-50.98	-13	Pass	841
1840	1920	1	RMS	1908.8	22.1	60	Pass	401
1920	3000	1	RMS	2639	-47.55	-13	Pass	1081
3000	12000	1	RMS	11874	-37.01	-13	Pass	9001
12000	20000	1	RMS	19989	-24.29	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.95	-13	Pass	2986
30	1000	0.1	RMS	985.7	-61.38	-13	Pass	9701
1000	1840	1	RMS	1838	-50.98	-13	Pass	841
1840	1920	1	RMS	1908.8	21.22	60	Pass	401
1920	3000	1	RMS	2641	-47.55	-13	Pass	1081
3000	12000	1	RMS	11849	-37	-13	Pass	9001
12000	20000	1	RMS	19999	-24.29	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.49	-13	Pass	2986
30	1000	0.1	RMS	985.6	-61.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1920	1	RMS	1850.2	22.33	60	Pass	401
1920	3000	1	RMS	2642	-47.54	-13	Pass	1081
3000	12000	1	RMS	11855	-36.95	-13	Pass	9001
12000	20000	1	RMS	19058	-24.28	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.12	-13	Pass	2986
30	1000	0.1	RMS	987.5	-61.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1920	1	RMS	1850.2	21.5	60	Pass	401
1920	3000	1	RMS	2649	-47.56	-13	Pass	1081
3000	12000	1	RMS	11847	-36.97	-13	Pass	9001
12000	20000	1	RMS	19069	-24.31	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.12	-13	Pass	2986
30	1000	0.1	RMS	961.7	-61.35	-13	Pass	9701
1000	1840	1	RMS	1840	-50.92	-13	Pass	841
1840	1920	1	RMS	1878.8	22.18	60	Pass	401
1920	3000	1	RMS	2641	-47.54	-13	Pass	1081
3000	12000	1	RMS	11857	-37	-13	Pass	9001
12000	20000	1	RMS	19072	-24.33	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.06	-13	Pass	2986
30	1000	0.1	RMS	912	-61.33	-13	Pass	9701
1000	1840	1	RMS	1838	-50.97	-13	Pass	841
1840	1920	1	RMS	1878.8	21.24	60	Pass	401
1920	3000	1	RMS	2649	-47.57	-13	Pass	1081
3000	12000	1	RMS	11873	-37	-13	Pass	9001
12000	20000	1	RMS	19975	-24.35	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.91	-13	Pass	2986
30	1000	0.1	RMS	968.6	-61.2	-13	Pass	9701
1000	1840	1	RMS	1839	-50.95	-13	Pass	841
1840	1920	1	RMS	1907.2	22.21	60	Pass	401
1920	3000	1	RMS	2644	-47.55	-13	Pass	1081
3000	12000	1	RMS	11851	-36.95	-13	Pass	9001
12000	20000	1	RMS	19998	-24.29	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.27	-13	Pass	2986
30	1000	0.1	RMS	968	-61.32	-13	Pass	9701
1000	1840	1	RMS	1827	-50.99	-13	Pass	841
1840	1920	1	RMS	1907.2	21.33	60	Pass	401
1920	3000	1	RMS	2643	-47.52	-13	Pass	1081
3000	12000	1	RMS	11850	-36.93	-13	Pass	9001
12000	20000	1	RMS	19072	-24.33	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.03	-13	Pass	2986
30	1000	0.1	RMS	933.1	-61.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.77	-13	Pass	841
1840	1920	1	RMS	1850.4	22.17	60	Pass	401
1920	3000	1	RMS	2645	-47.53	-13	Pass	1081
3000	12000	1	RMS	11880	-36.97	-13	Pass	9001
12000	20000	1	RMS	19983	-24.32	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.79	-13	Pass	2986
30	1000	0.1	RMS	941.5	-61.38	-13	Pass	9701
1000	1840	1	RMS	1840	-50.81	-13	Pass	841
1840	1920	1	RMS	1850.4	21.31	60	Pass	401
1920	3000	1	RMS	2648	-47.52	-13	Pass	1081
3000	12000	1	RMS	11860	-36.98	-13	Pass	9001
12000	20000	1	RMS	19087	-24.29	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.94	-13	Pass	2986
30	1000	0.1	RMS	891.6	-61.34	-13	Pass	9701
1000	1840	1	RMS	1839	-50.93	-13	Pass	841
1840	1920	1	RMS	1877.8	22.11	60	Pass	401
1920	3000	1	RMS	2645	-47.52	-13	Pass	1081
3000	12000	1	RMS	11868	-37	-13	Pass	9001
12000	20000	1	RMS	19080	-24.32	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.53	-13	Pass	2986
30	1000	0.1	RMS	929.7	-61.19	-13	Pass	9701
1000	1840	1	RMS	1837	-50.99	-13	Pass	841
1840	1920	1	RMS	1877.8	21.3	60	Pass	401
1920	3000	1	RMS	2642	-47.58	-13	Pass	1081
3000	12000	1	RMS	11853	-37.01	-13	Pass	9001
12000	20000	1	RMS	19074	-24.25	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.93	-13	Pass	2986
30	1000	0.1	RMS	928.9	-61.35	-13	Pass	9701
1000	1840	1	RMS	1839	-50.92	-13	Pass	841
1840	1920	1	RMS	1905.4	22.06	60	Pass	401
1920	3000	1	RMS	2642	-47.5	-13	Pass	1081
3000	12000	1	RMS	11847	-36.97	-13	Pass	9001
12000	20000	1	RMS	19994	-24.33	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.14	-13	Pass	2986
30	1000	0.1	RMS	932.9	-61.31	-13	Pass	9701
1000	1840	1	RMS	1839	-50.97	-13	Pass	841
1840	1920	1	RMS	1905.4	21.32	60	Pass	401
1920	3000	1	RMS	2645	-47.51	-13	Pass	1081
3000	12000	1	RMS	11842	-36.99	-13	Pass	9001
12000	20000	1	RMS	19983	-24.29	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.8	-13	Pass	2986
30	1000	0.1	RMS	943.7	-61.36	-13	Pass	9701
1000	1840	1	RMS	1840	-49.87	-13	Pass	841
1840	1920	1	RMS	1850.6	22.34	60	Pass	401
1920	3000	1	RMS	2640	-47.52	-13	Pass	1081
3000	12000	1	RMS	11851	-37.01	-13	Pass	9001
12000	20000	1	RMS	19987	-24.34	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.83	-13	Pass	2986
30	1000	0.1	RMS	995.7	-61.26	-13	Pass	9701
1000	1840	1	RMS	1840	-49.94	-13	Pass	841
1840	1920	1	RMS	1850.6	21.59	60	Pass	401
1920	3000	1	RMS	2666	-47.5	-13	Pass	1081
3000	12000	1	RMS	11893	-36.99	-13	Pass	9001
12000	20000	1	RMS	19059	-24.34	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.43	-13	Pass	2986
30	1000	0.1	RMS	920.3	-61.28	-13	Pass	9701
1000	1840	1	RMS	1836	-50.9	-13	Pass	841
1840	1920	1	RMS	1875.6	22.28	60	Pass	401
1920	3000	1	RMS	2644	-47.54	-13	Pass	1081
3000	12000	1	RMS	11844	-37	-13	Pass	9001
12000	20000	1	RMS	19998	-24.28	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.79	-13	Pass	2986
30	1000	0.1	RMS	957.1	-61.27	-13	Pass	9701
1000	1840	1	RMS	1835	-50.99	-13	Pass	841
1840	1920	1	RMS	1875.6	21.33	60	Pass	401
1920	3000	1	RMS	2642	-47.49	-13	Pass	1081
3000	12000	1	RMS	11851	-37.01	-13	Pass	9001
12000	20000	1	RMS	19054	-24.3	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.82	-13	Pass	2986
30	1000	0.1	RMS	964.1	-61.29	-13	Pass	9701
1000	1840	1	RMS	1839	-50.95	-13	Pass	841
1840	1920	1	RMS	1900.6	22.25	60	Pass	401
1920	3000	1	RMS	2644	-47.48	-13	Pass	1081
3000	12000	1	RMS	11851	-36.96	-13	Pass	9001
12000	20000	1	RMS	19086	-24.25	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-60.41	-13	Pass	2986
30	1000	0.1	RMS	928.7	-61.19	-13	Pass	9701
1000	1840	1	RMS	1838	-50.93	-13	Pass	841
1840	1920	1	RMS	1900.6	21.38	60	Pass	401
1920	3000	1	RMS	2642	-47.52	-13	Pass	1081
3000	12000	1	RMS	11856	-37.02	-13	Pass	9001
12000	20000	1	RMS	19998	-24.28	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.96	-13	Pass	2986
30	1000	0.1	RMS	929.5	-61.33	-13	Pass	9701
1000	1840	1	RMS	1838	-48.04	-13	Pass	841
1840	1920	1	RMS	1850.8	22.25	60	Pass	401
1920	3000	1	RMS	2642	-47.47	-13	Pass	1081
3000	12000	1	RMS	11848	-36.95	-13	Pass	9001
12000	20000	1	RMS	19064	-24.31	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.2	-13	Pass	2986
30	1000	0.1	RMS	932.1	-61.32	-13	Pass	9701
1000	1840	1	RMS	1838	-48.01	-13	Pass	841
1840	1920	1	RMS	1850.8	21.42	60	Pass	401
1920	3000	1	RMS	2653	-47.56	-13	Pass	1081
3000	12000	1	RMS	11857	-36.99	-13	Pass	9001
12000	20000	1	RMS	19079	-24.3	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.08	-13	Pass	2986
30	1000	0.1	RMS	967	-61.34	-13	Pass	9701
1000	1840	1	RMS	1837	-50.99	-13	Pass	841
1840	1920	1	RMS	1873.4	22.16	60	Pass	401
1920	3000	1	RMS	2649	-47.48	-13	Pass	1081
3000	12000	1	RMS	11859	-37.04	-13	Pass	9001
12000	20000	1	RMS	19069	-24.29	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.04	-13	Pass	2986
30	1000	0.1	RMS	924.4	-61.25	-13	Pass	9701
1000	1840	1	RMS	1839	-51.02	-13	Pass	841
1840	1920	1	RMS	1873.4	21.22	60	Pass	401
1920	3000	1	RMS	2645	-47.53	-13	Pass	1081
3000	12000	1	RMS	11846	-36.99	-13	Pass	9001
12000	20000	1	RMS	19075	-24.27	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.06	-13	Pass	2986
30	1000	0.1	RMS	930.8	-61.23	-13	Pass	9701
1000	1840	1	RMS	1837	-50.99	-13	Pass	841
1840	1920	1	RMS	1895.8	22.15	60	Pass	401
1920	3000	1	RMS	1922	-42.33	-13	Pass	1081
3000	12000	1	RMS	11853	-37	-13	Pass	9001
12000	20000	1	RMS	19978	-24.29	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.02	-13	Pass	2986
30	1000	0.1	RMS	941.4	-61.28	-13	Pass	9701
1000	1840	1	RMS	1838	-50.98	-13	Pass	841
1840	1920	1	RMS	1895.8	21.4	60	Pass	401
1920	3000	1	RMS	1922	-43.06	-13	Pass	1081
3000	12000	1	RMS	11850	-37.01	-13	Pass	9001
12000	20000	1	RMS	19089	-24.3	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.83	-13	Pass	2986
30	1000	0.1	RMS	972.1	-61.34	-13	Pass	9701
1000	1840	1	RMS	1839	-48.2	-13	Pass	841
1840	1920	1	RMS	1851	21.99	60	Pass	401
1920	3000	1	RMS	2641	-47.54	-13	Pass	1081
3000	12000	1	RMS	11877	-37.02	-13	Pass	9001
12000	20000	1	RMS	19984	-24.34	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.17	-13	Pass	2986
30	1000	0.1	RMS	973.8	-61.31	-13	Pass	9701
1000	1840	1	RMS	1840	-48.28	-13	Pass	841
1840	1920	1	RMS	1851	21.17	60	Pass	401
1920	3000	1	RMS	2648	-47.53	-13	Pass	1081
3000	12000	1	RMS	11845	-36.99	-13	Pass	9001
12000	20000	1	RMS	19083	-24.35	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.57	-13	Pass	2986
30	1000	0.1	RMS	922.9	-61.2	-13	Pass	9701
1000	1840	1	RMS	1835	-49.56	-13	Pass	841
1840	1920	1	RMS	1871	21.96	60	Pass	401
1920	3000	1	RMS	2645	-47.53	-13	Pass	1081
3000	12000	1	RMS	11879	-36.99	-13	Pass	9001
12000	20000	1	RMS	19984	-24.31	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.29	-13	Pass	2986
30	1000	0.1	RMS	959.8	-61.28	-13	Pass	9701
1000	1840	1	RMS	1836	-50.18	-13	Pass	841
1840	1920	1	RMS	1871	21.08	60	Pass	401
1920	3000	1	RMS	2643	-47.48	-13	Pass	1081
3000	12000	1	RMS	11872	-37.05	-13	Pass	9001
12000	20000	1	RMS	19089	-24.24	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-61.01	-13	Pass	2986
30	1000	0.1	RMS	940.7	-61.39	-13	Pass	9701
1000	1840	1	RMS	1837	-50.95	-13	Pass	841
1840	1920	1	RMS	1891	21.83	60	Pass	401
1920	3000	1	RMS	2646	-47.42	-13	Pass	1081
3000	12000	1	RMS	11873	-36.99	-13	Pass	9001
12000	20000	1	RMS	19998	-24.32	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.29	-13	Pass	2986
30	1000	0.1	RMS	952.1	-61.31	-13	Pass	9701
1000	1840	1	RMS	1840	-50.97	-13	Pass	841
1840	1920	1	RMS	1891	20.87	60	Pass	401
1920	3000	1	RMS	2644	-47.54	-13	Pass	1081
3000	12000	1	RMS	11861	-36.89	-13	Pass	9001
12000	20000	1	RMS	19979	-24.29	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.5	-13	Pass	2986
30	1000	0.1	RMS	908.6	-61.29	-13	Pass	9701
1000	1700	1	RMS	1700	-51.33	-13	Pass	701
1700	1765	1	RMS	1710.238	22.27	60	Pass	401
1765	3000	1	RMS	2996	-47.53	-13	Pass	1236
3000	12000	1	RMS	11849	-37	-13	Pass	9001
12000	20000	1	RMS	19074	-24.32	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.94	-13	Pass	2986
30	1000	0.1	RMS	961.4	-61.27	-13	Pass	9701
1000	1700	1	RMS	1700	-51.3	-13	Pass	701
1700	1765	1	RMS	1710.238	21.29	60	Pass	401
1765	3000	1	RMS	2656	-47.54	-13	Pass	1236
3000	12000	1	RMS	11873	-36.99	-13	Pass	9001
12000	20000	1	RMS	19071	-24.32	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-58.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.78	-13	Pass	2986
30	1000	0.1	RMS	935.5	-61.2	-13	Pass	9701
1000	1700	1	RMS	1699	-51.49	-13	Pass	701
1700	1765	1	RMS	1732.013	22.28	60	Pass	401
1765	3000	1	RMS	2643	-47.47	-13	Pass	1236
3000	12000	1	RMS	11866	-36.97	-13	Pass	9001
12000	20000	1	RMS	19091	-24.32	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.24	-13	Pass	2986
30	1000	0.1	RMS	929.6	-61.34	-13	Pass	9701
1000	1700	1	RMS	1700	-51.43	-13	Pass	701
1700	1765	1	RMS	1732.013	21.36	60	Pass	401
1765	3000	1	RMS	2644	-47.52	-13	Pass	1236
3000	12000	1	RMS	11867	-36.93	-13	Pass	9001
12000	20000	1	RMS	19998	-24.35	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.51	-13	Pass	2986
30	1000	0.1	RMS	900	-61.34	-13	Pass	9701
1000	1700	1	RMS	1699	-51.46	-13	Pass	701
1700	1765	1	RMS	1753.788	22.29	60	Pass	401
1765	3000	1	RMS	2645	-47.47	-13	Pass	1236
3000	12000	1	RMS	11892	-36.91	-13	Pass	9001
12000	20000	1	RMS	19061	-24.31	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.76	-13	Pass	2986
30	1000	0.1	RMS	931.1	-61.32	-13	Pass	9701
1000	1700	1	RMS	1695	-51.47	-13	Pass	701
1700	1765	1	RMS	1753.788	21.39	60	Pass	401
1765	3000	1	RMS	2649	-47.51	-13	Pass	1236
3000	12000	1	RMS	11853	-36.9	-13	Pass	9001
12000	20000	1	RMS	19074	-24.29	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.32	-13	Pass	2986
30	1000	0.1	RMS	937.3	-61.29	-13	Pass	9701
1000	1700	1	RMS	1700	-51.03	-13	Pass	701
1700	1765	1	RMS	1710.238	22.43	60	Pass	401
1765	3000	1	RMS	2644	-47.5	-13	Pass	1236
3000	12000	1	RMS	11852	-36.95	-13	Pass	9001
12000	20000	1	RMS	19992	-24.35	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.33	-13	Pass	2986
30	1000	0.1	RMS	951.9	-61.31	-13	Pass	9701
1000	1700	1	RMS	1700	-51.2	-13	Pass	701
1700	1765	1	RMS	1710.238	21.64	60	Pass	401
1765	3000	1	RMS	2644	-47.52	-13	Pass	1236
3000	12000	1	RMS	11869	-36.94	-13	Pass	9001
12000	20000	1	RMS	19992	-24.29	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.08	-13	Pass	2986
30	1000	0.1	RMS	972.9	-61.26	-13	Pass	9701
1000	1700	1	RMS	1695	-51.49	-13	Pass	701
1700	1765	1	RMS	1731.2	22.38	60	Pass	401
1765	3000	1	RMS	2647	-47.53	-13	Pass	1236
3000	12000	1	RMS	11866	-36.92	-13	Pass	9001
12000	20000	1	RMS	19965	-24.36	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.55	-13	Pass	2986
30	1000	0.1	RMS	936.2	-61.28	-13	Pass	9701
1000	1700	1	RMS	1700	-51.49	-13	Pass	701
1700	1765	1	RMS	1731.2	21.49	60	Pass	401
1765	3000	1	RMS	2645	-47.51	-13	Pass	1236
3000	12000	1	RMS	11847	-36.94	-13	Pass	9001
12000	20000	1	RMS	19979	-24.29	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.03	-13	Pass	2986
30	1000	0.1	RMS	934.7	-61.38	-13	Pass	9701
1000	1700	1	RMS	1698	-51.47	-13	Pass	701
1700	1765	1	RMS	1752.163	22.31	60	Pass	401
1765	3000	1	RMS	2641	-47.5	-13	Pass	1236
3000	12000	1	RMS	11849	-37	-13	Pass	9001
12000	20000	1	RMS	19081	-24.27	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.58	-13	Pass	2986
30	1000	0.1	RMS	935	-61.16	-13	Pass	9701
1000	1700	1	RMS	1689	-51.5	-13	Pass	701
1700	1765	1	RMS	1752.325	21.49	60	Pass	401
1765	3000	1	RMS	2642	-47.53	-13	Pass	1236
3000	12000	1	RMS	11855	-36.91	-13	Pass	9001
12000	20000	1	RMS	19074	-24.29	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.31	-13	Pass	2986
30	1000	0.1	RMS	964.8	-61.29	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1765	1	RMS	1710.4	22.25	60	Pass	401
1765	3000	1	RMS	2647	-47.46	-13	Pass	1236
3000	12000	1	RMS	11857	-36.97	-13	Pass	9001
12000	20000	1	RMS	19089	-24.24	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.52	-13	Pass	2986
30	1000	0.1	RMS	891.4	-61.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1765	1	RMS	1710.4	21.36	60	Pass	401
1765	3000	1	RMS	2664	-47.58	-13	Pass	1236
3000	12000	1	RMS	11857	-36.98	-13	Pass	9001
12000	20000	1	RMS	19067	-24.34	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.94	-13	Pass	2986
30	1000	0.1	RMS	970	-61.16	-13	Pass	9701
1000	1700	1	RMS	1698	-51.53	-13	Pass	701
1700	1765	1	RMS	1730.388	22.3	60	Pass	401
1765	3000	1	RMS	2640	-47.5	-13	Pass	1236
3000	12000	1	RMS	11856	-37.02	-13	Pass	9001
12000	20000	1	RMS	19989	-24.33	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.68	-13	Pass	2986
30	1000	0.1	RMS	955.9	-61.24	-13	Pass	9701
1000	1700	1	RMS	1692	-51.5	-13	Pass	701
1700	1765	1	RMS	1730.388	21.57	60	Pass	401
1765	3000	1	RMS	2644	-47.53	-13	Pass	1236
3000	12000	1	RMS	11852	-37.04	-13	Pass	9001
12000	20000	1	RMS	19980	-24.31	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.48	-13	Pass	2986
30	1000	0.1	RMS	916.8	-61.3	-13	Pass	9701
1000	1700	1	RMS	1698	-51.48	-13	Pass	701
1700	1765	1	RMS	1750.375	22.26	60	Pass	401
1765	3000	1	RMS	2640	-47.48	-13	Pass	1236
3000	12000	1	RMS	11870	-37	-13	Pass	9001
12000	20000	1	RMS	19077	-24.35	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.39	-13	Pass	2986
30	1000	0.1	RMS	902.9	-61.29	-13	Pass	9701
1000	1700	1	RMS	1600	-51.51	-13	Pass	701
1700	1765	1	RMS	1750.375	21.58	60	Pass	401
1765	3000	1	RMS	2641	-47.53	-13	Pass	1236
3000	12000	1	RMS	11850	-37	-13	Pass	9001
12000	20000	1	RMS	19971	-24.27	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.54	-13	Pass	2986
30	1000	0.1	RMS	972.9	-61.34	-13	Pass	9701
1000	1700	1	RMS	1693	-49.68	-13	Pass	701
1700	1765	1	RMS	1710.563	22.42	60	Pass	401
1765	3000	1	RMS	2647	-47.47	-13	Pass	1236
3000	12000	1	RMS	11846	-36.97	-13	Pass	9001
12000	20000	1	RMS	19072	-24.29	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.06	-13	Pass	2986
30	1000	0.1	RMS	968.6	-61.25	-13	Pass	9701
1000	1700	1	RMS	1700	-49.99	-13	Pass	701
1700	1765	1	RMS	1710.563	21.6	60	Pass	401
1765	3000	1	RMS	2639	-47.57	-13	Pass	1236
3000	12000	1	RMS	11856	-37	-13	Pass	9001
12000	20000	1	RMS	20000	-24.31	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.26	-13	Pass	2986
30	1000	0.1	RMS	910	-61.3	-13	Pass	9701
1000	1700	1	RMS	1692	-51.48	-13	Pass	701
1700	1765	1	RMS	1728.113	22.43	60	Pass	401
1765	3000	1	RMS	2640	-47.46	-13	Pass	1236
3000	12000	1	RMS	11866	-36.97	-13	Pass	9001
12000	20000	1	RMS	19983	-24.33	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60	-13	Pass	2986
30	1000	0.1	RMS	971.3	-61.37	-13	Pass	9701
1000	1700	1	RMS	1698	-51.48	-13	Pass	701
1700	1765	1	RMS	1728.113	21.51	60	Pass	401
1765	3000	1	RMS	2642	-47.54	-13	Pass	1236
3000	12000	1	RMS	11854	-37.01	-13	Pass	9001
12000	20000	1	RMS	19075	-24.32	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.27	-13	Pass	2986
30	1000	0.1	RMS	936.6	-61.4	-13	Pass	9701
1000	1700	1	RMS	1700	-51.48	-13	Pass	701
1700	1765	1	RMS	1745.663	22.34	60	Pass	401
1765	3000	1	RMS	2642	-47.44	-13	Pass	1236
3000	12000	1	RMS	11851	-36.98	-13	Pass	9001
12000	20000	1	RMS	19073	-24.34	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.12	-13	Pass	2986
30	1000	0.1	RMS	908.4	-61.22	-13	Pass	9701
1000	1700	1	RMS	1698	-51.46	-13	Pass	701
1700	1765	1	RMS	1745.663	21.49	60	Pass	401
1765	3000	1	RMS	2640	-47.51	-13	Pass	1236
3000	12000	1	RMS	11857	-36.93	-13	Pass	9001
12000	20000	1	RMS	19085	-24.34	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.3	-13	Pass	2986
30	1000	0.1	RMS	973.2	-61.23	-13	Pass	9701
1000	1700	1	RMS	1698	-45.73	-13	Pass	701
1700	1765	1	RMS	1710.888	22.33	60	Pass	401
1765	3000	1	RMS	2650	-47.51	-13	Pass	1236
3000	12000	1	RMS	11892	-36.98	-13	Pass	9001
12000	20000	1	RMS	19981	-24.26	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.7	-13	Pass	2986
30	1000	0.1	RMS	929.2	-61.35	-13	Pass	9701
1000	1700	1	RMS	1698	-46.24	-13	Pass	701
1700	1765	1	RMS	1710.888	21.51	60	Pass	401
1765	3000	1	RMS	2639	-47.57	-13	Pass	1236
3000	12000	1	RMS	11852	-37.02	-13	Pass	9001
12000	20000	1	RMS	19995	-24.31	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.35	-13	Pass	2986
30	1000	0.1	RMS	898.3	-61.15	-13	Pass	9701
1000	1700	1	RMS	1699	-48.24	-13	Pass	701
1700	1765	1	RMS	1725.838	22.39	60	Pass	401
1765	3000	1	RMS	2644	-47.52	-13	Pass	1236
3000	12000	1	RMS	11861	-37.02	-13	Pass	9001
12000	20000	1	RMS	19074	-24.27	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.57	-13	Pass	2986
30	1000	0.1	RMS	927.8	-61.29	-13	Pass	9701
1000	1700	1	RMS	1699	-49.01	-13	Pass	701
1700	1765	1	RMS	1725.838	21.43	60	Pass	401
1765	3000	1	RMS	2647	-47.5	-13	Pass	1236
3000	12000	1	RMS	11890	-36.98	-13	Pass	9001
12000	20000	1	RMS	19091	-24.32	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.72	-13	Pass	2986
30	1000	0.1	RMS	956.7	-61.25	-13	Pass	9701
1000	1700	1	RMS	1697	-51.42	-13	Pass	701
1700	1765	1	RMS	1740.788	22.24	60	Pass	401
1765	3000	1	RMS	1767	-29.7	-13	Pass	1236
3000	12000	1	RMS	11886	-36.99	-13	Pass	9001
12000	20000	1	RMS	19074	-24.2	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.96	-13	Pass	2986
30	1000	0.1	RMS	971.2	-61.3	-13	Pass	9701
1000	1700	1	RMS	1695	-51.46	-13	Pass	701
1700	1765	1	RMS	1740.788	21.45	60	Pass	401
1765	3000	1	RMS	1767	-30.48	-13	Pass	1236
3000	12000	1	RMS	11857	-36.98	-13	Pass	9001
12000	20000	1	RMS	19063	-24.32	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60	-13	Pass	2986
30	1000	0.1	RMS	930.6	-61.19	-13	Pass	9701
1000	1700	1	RMS	1700	-48.29	-13	Pass	701
1700	1765	1	RMS	1711.05	22.2	60	Pass	401
1765	3000	1	RMS	2646	-47.48	-13	Pass	1236
3000	12000	1	RMS	11841	-36.98	-13	Pass	9001
12000	20000	1	RMS	19071	-24.32	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.53	-13	Pass	2986
30	1000	0.1	RMS	994.4	-61.42	-13	Pass	9701
1000	1700	1	RMS	1700	-48.42	-13	Pass	701
1700	1765	1	RMS	1711.05	21.39	60	Pass	401
1765	3000	1	RMS	2998	-47.48	-13	Pass	1236
3000	12000	1	RMS	11865	-37.02	-13	Pass	9001
12000	20000	1	RMS	19069	-24.34	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.89	-13	Pass	2986
30	1000	0.1	RMS	910.6	-61.33	-13	Pass	9701
1000	1700	1	RMS	1699	-48.77	-13	Pass	701
1700	1765	1	RMS	1723.563	22.22	60	Pass	401
1765	3000	1	RMS	2640	-47.5	-13	Pass	1236
3000	12000	1	RMS	11865	-37.02	-13	Pass	9001
12000	20000	1	RMS	19073	-24.34	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.69	-13	Pass	2986
30	1000	0.1	RMS	931.1	-61.27	-13	Pass	9701
1000	1700	1	RMS	1698	-49.12	-13	Pass	701
1700	1765	1	RMS	1723.563	21.25	60	Pass	401
1765	3000	1	RMS	2647	-47.56	-13	Pass	1236
3000	12000	1	RMS	11845	-36.9	-13	Pass	9001
12000	20000	1	RMS	19085	-24.25	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.68	-13	Pass	2986
30	1000	0.1	RMS	948.5	-61.33	-13	Pass	9701
1000	1700	1	RMS	1700	-48.83	-13	Pass	701
1700	1765	1	RMS	1736.075	22.08	60	Pass	401
1765	3000	1	RMS	1772	-28.46	-13	Pass	1236
3000	12000	1	RMS	11862	-37	-13	Pass	9001
12000	20000	1	RMS	19084	-24.31	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-57.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.63	-13	Pass	2986
30	1000	0.1	RMS	934.8	-61.3	-13	Pass	9701
1000	1700	1	RMS	1700	-48.86	-13	Pass	701
1700	1765	1	RMS	1736.075	21.17	60	Pass	401
1765	3000	1	RMS	1772	-30.8	-13	Pass	1236
3000	12000	1	RMS	11855	-36.98	-13	Pass	9001
12000	20000	1	RMS	19071	-24.34	-13	Pass	8001



1. LTE_Band5


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2986
30	814	0.1	RMS	812	-61.12	-13	Pass	7841
814	860	0.1	RMS	824.2	19.71	60	Pass	461
860	1000	0.1	RMS	928.8	-62.02	-13	Pass	1401
1000	3000	1	RMS	2998	-46.91	-13	Pass	2001
3000	10000	1	RMS	9735	-39.93	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.1	-13	Pass	7841
814	860	0.1	RMS	824.3	18.69	60	Pass	461
860	1000	0.1	RMS	953.3	-62.17	-13	Pass	1401
1000	3000	1	RMS	2998	-46.91	-13	Pass	2001
3000	10000	1	RMS	9748	-39.94	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.44	-13	Pass	2986
30	814	0.1	RMS	811.8	-61.05	-13	Pass	7841
814	860	0.1	RMS	836.1	19.7	60	Pass	461
860	1000	0.1	RMS	902.6	-62.07	-13	Pass	1401
1000	3000	1	RMS	2998	-46.93	-13	Pass	2001
3000	10000	1	RMS	9751	-39.9	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	814	0.1	RMS	797.4	-61.03	-13	Pass	7841
814	860	0.1	RMS	836.1	18.74	60	Pass	461
860	1000	0.1	RMS	930.1	-62.21	-13	Pass	1401
1000	3000	1	RMS	2998	-46.95	-13	Pass	2001
3000	10000	1	RMS	9752	-39.9	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2986
30	814	0.1	RMS	799.3	-61.16	-13	Pass	7841
814	860	0.1	RMS	847.9	19.73	60	Pass	461
860	1000	0.1	RMS	919.8	-62.18	-13	Pass	1401
1000	3000	1	RMS	2999	-46.93	-13	Pass	2001
3000	10000	1	RMS	9715	-39.92	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.83	-13	Pass	2986
30	814	0.1	RMS	798.4	-61.01	-13	Pass	7841
814	860	0.1	RMS	847.8	18.79	60	Pass	461
860	1000	0.1	RMS	933.9	-62.18	-13	Pass	1401
1000	3000	1	RMS	2798	-46.94	-13	Pass	2001
3000	10000	1	RMS	9743	-39.86	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.01	-13	Pass	7841
814	860	0.1	RMS	824.2	20.03	60	Pass	461
860	1000	0.1	RMS	938.1	-62.24	-13	Pass	1401
1000	3000	1	RMS	2999	-46.93	-13	Pass	2001
3000	10000	1	RMS	9727	-39.92	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.38	-13	Pass	2986
30	814	0.1	RMS	813.2	-61	-13	Pass	7841
814	860	0.1	RMS	824.2	19.05	60	Pass	461
860	1000	0.1	RMS	926.4	-62.2	-13	Pass	1401
1000	3000	1	RMS	2999	-46.95	-13	Pass	2001
3000	10000	1	RMS	9737	-39.98	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.03	-13	Pass	7841
814	860	0.1	RMS	835.2	20.02	60	Pass	461
860	1000	0.1	RMS	993.6	-62.19	-13	Pass	1401
1000	3000	1	RMS	2799	-46.93	-13	Pass	2001
3000	10000	1	RMS	9733	-39.96	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.92	-13	Pass	2986
30	814	0.1	RMS	786.6	-61.18	-13	Pass	7841
814	860	0.1	RMS	835.2	18.97	60	Pass	461
860	1000	0.1	RMS	931.6	-62.09	-13	Pass	1401
1000	3000	1	RMS	2999	-46.93	-13	Pass	2001
3000	10000	1	RMS	9721	-39.93	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57	-13	Pass	2986
30	814	0.1	RMS	794.8	-61.22	-13	Pass	7841
814	860	0.1	RMS	846.2	19.98	60	Pass	461
860	1000	0.1	RMS	934	-62.18	-13	Pass	1401
1000	3000	1	RMS	3000	-46.93	-13	Pass	2001
3000	10000	1	RMS	9748	-39.95	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2986
30	814	0.1	RMS	812.2	-61.09	-13	Pass	7841
814	860	0.1	RMS	846.2	19.1	60	Pass	461
860	1000	0.1	RMS	958.3	-62.26	-13	Pass	1401
1000	3000	1	RMS	2795	-46.91	-13	Pass	2001
3000	10000	1	RMS	9751	-39.91	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2986
30	814	0.1	RMS	812.5	-61.05	-13	Pass	7841
814	860	0.1	RMS	824.3	19.92	60	Pass	461
860	1000	0.1	RMS	929.4	-62.14	-13	Pass	1401
1000	3000	1	RMS	2999	-46.92	-13	Pass	2001
3000	10000	1	RMS	9740	-39.96	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-13	Pass	2986
30	814	0.1	RMS	813.7	-60.91	-13	Pass	7841
814	860	0.1	RMS	824.3	18.84	60	Pass	461
860	1000	0.1	RMS	963.5	-62.17	-13	Pass	1401
1000	3000	1	RMS	2997	-46.96	-13	Pass	2001
3000	10000	1	RMS	9748	-39.87	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2986
30	814	0.1	RMS	787	-61.11	-13	Pass	7841
814	860	0.1	RMS	834.3	19.89	60	Pass	461
860	1000	0.1	RMS	974.5	-62.08	-13	Pass	1401
1000	3000	1	RMS	2996	-46.92	-13	Pass	2001
3000	10000	1	RMS	9749	-39.94	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.83	-13	Pass	2986
30	814	0.1	RMS	799.5	-61.21	-13	Pass	7841
814	860	0.1	RMS	834.3	19.07	60	Pass	461
860	1000	0.1	RMS	900.2	-61.99	-13	Pass	1401
1000	3000	1	RMS	3000	-46.96	-13	Pass	2001
3000	10000	1	RMS	9754	-39.89	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2986
30	814	0.1	RMS	801.1	-61.13	-13	Pass	7841
814	860	0.1	RMS	844.3	19.92	60	Pass	461
860	1000	0.1	RMS	937.7	-62.16	-13	Pass	1401
1000	3000	1	RMS	2795	-46.94	-13	Pass	2001
3000	10000	1	RMS	9751	-39.82	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2986
30	814	0.1	RMS	800.7	-61.22	-13	Pass	7841
814	860	0.1	RMS	844.3	19.1	60	Pass	461
860	1000	0.1	RMS	946.5	-62.23	-13	Pass	1401
1000	3000	1	RMS	2796	-46.97	-13	Pass	2001
3000	10000	1	RMS	9688	-39.94	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-13	Pass	2986
30	814	0.1	RMS	807	-59.18	-13	Pass	7841
814	860	0.1	RMS	824.6	20.38	60	Pass	461
860	1000	0.1	RMS	914.5	-62.13	-13	Pass	1401
1000	3000	1	RMS	3000	-46.97	-13	Pass	2001
3000	10000	1	RMS	9701	-39.94	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.34	-13	Pass	7841
814	860	0.1	RMS	824.6	19.63	60	Pass	461
860	1000	0.1	RMS	947.9	-62.15	-13	Pass	1401
1000	3000	1	RMS	2998	-46.97	-13	Pass	2001
3000	10000	1	RMS	9750	-39.88	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2986
30	814	0.1	RMS	789.8	-60.96	-13	Pass	7841
814	860	0.1	RMS	832.1	20.43	60	Pass	461
860	1000	0.1	RMS	927.2	-62.08	-13	Pass	1401
1000	3000	1	RMS	3000	-46.94	-13	Pass	2001
3000	10000	1	RMS	9746	-39.89	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2986
30	814	0.1	RMS	812.3	-61.2	-13	Pass	7841
814	860	0.1	RMS	832.1	19.33	60	Pass	461
860	1000	0.1	RMS	937.3	-62.14	-13	Pass	1401
1000	3000	1	RMS	2999	-46.95	-13	Pass	2001
3000	10000	1	RMS	9750	-39.93	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.22	-13	Pass	2986
30	814	0.1	RMS	810.2	-61.15	-13	Pass	7841
814	860	0.1	RMS	839.6	20.54	60	Pass	461
860	1000	0.1	RMS	933.8	-62.08	-13	Pass	1401
1000	3000	1	RMS	3000	-46.97	-13	Pass	2001
3000	10000	1	RMS	9744	-39.94	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.96	-13	Pass	2986
30	814	0.1	RMS	811.9	-61.12	-13	Pass	7841
814	860	0.1	RMS	839.6	19.59	60	Pass	461
860	1000	0.1	RMS	932.6	-62.15	-13	Pass	1401
1000	3000	1	RMS	3000	-46.93	-13	Pass	2001
3000	10000	1	RMS	9731	-39.87	-13	Pass	7001



3. LTE_Band7


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.13	-25	Pass	2986
30	1000	0.1	RMS	962.1	-61.3	-25	Pass	9701
1000	2490	1	RMS	2490	-47.89	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.32	60	Pass	401
2580	3000	1	RMS	2645	-48.25	-25	Pass	421
3000	12000	1	RMS	11848	-60.74	-25	Pass	9001
12000	26000	1	RMS	25633	-37.9	-25	Pass	14001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.29	-25	Pass	2986
30	1000	0.1	RMS	924.4	-61.33	-25	Pass	9701
1000	2490	1	RMS	2490	-48.01	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.46	60	Pass	401
2580	3000	1	RMS	2641	-48.27	-25	Pass	421
3000	12000	1	RMS	11838	-60.7	-25	Pass	9001
12000	26000	1	RMS	25625	-38.71	-25	Pass	14001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.03	-25	Pass	2986
30	1000	0.1	RMS	962.4	-61.26	-25	Pass	9701
1000	2490	1	RMS	2488	-48.05	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.14	60	Pass	401
2580	3000	1	RMS	2641	-48.23	-25	Pass	421
3000	12000	1	RMS	11879	-60.71	-25	Pass	9001
12000	26000	1	RMS	25624	-38.73	-25	Pass	14001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.73	-25	Pass	2986
30	1000	0.1	RMS	988	-61.34	-25	Pass	9701
1000	2490	1	RMS	2490	-48.08	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.35	60	Pass	401
2580	3000	1	RMS	2645	-48.25	-25	Pass	421
3000	12000	1	RMS	11850	-60.75	-25	Pass	9001
12000	26000	1	RMS	25651	-38.69	-25	Pass	14001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.21	-25	Pass	2986
30	1000	0.1	RMS	923	-61.16	-25	Pass	9701
1000	2490	1	RMS	2488	-48.03	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.23	60	Pass	401
2580	3000	1	RMS	2580	-48.18	-25	Pass	421
3000	12000	1	RMS	11863	-60.77	-25	Pass	9001
12000	26000	1	RMS	25643	-38.67	-25	Pass	14001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.72	-25	Pass	2986
30	1000	0.1	RMS	938.5	-61.12	-25	Pass	9701
1000	2490	1	RMS	2490	-48.09	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.53	60	Pass	401
2580	3000	1	RMS	2642	-48.27	-25	Pass	421
3000	12000	1	RMS	11884	-60.65	-25	Pass	9001
12000	26000	1	RMS	25636	-38.66	-25	Pass	14001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60	-25	Pass	2986
30	1000	0.1	RMS	944.6	-61.24	-25	Pass	9701
1000	2490	1	RMS	2483	-44.21	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.43	60	Pass	401
2580	3000	1	RMS	2640	-48.26	-25	Pass	421
3000	12000	1	RMS	11896	-60.79	-25	Pass	9001
12000	26000	1	RMS	25617	-38.79	-25	Pass	14001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.91	-25	Pass	2986
30	1000	0.1	RMS	938.4	-61.28	-25	Pass	9701
1000	2490	1	RMS	2483	-44.91	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.63	60	Pass	401
2580	3000	1	RMS	2642	-48.24	-25	Pass	421
3000	12000	1	RMS	11892	-60.75	-25	Pass	9001
12000	26000	1	RMS	25641	-38.69	-25	Pass	14001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.37	-25	Pass	2986
30	1000	0.1	RMS	968.3	-61.32	-25	Pass	9701
1000	2490	1	RMS	2490	-48.04	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.29	60	Pass	401
2580	3000	1	RMS	2649	-48.24	-25	Pass	421
3000	12000	1	RMS	11880	-60.78	-25	Pass	9001
12000	26000	1	RMS	25620	-38.72	-25	Pass	14001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.14	-25	Pass	2986
30	1000	0.1	RMS	965.7	-61.22	-25	Pass	9701
1000	2490	1	RMS	2489	-48.06	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.35	60	Pass	401
2580	3000	1	RMS	2641	-48.26	-25	Pass	421
3000	12000	1	RMS	11886	-60.76	-25	Pass	9001
12000	26000	1	RMS	25613	-38.69	-25	Pass	14001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.06	-25	Pass	2986
30	1000	0.1	RMS	962.3	-61.28	-25	Pass	9701
1000	2490	1	RMS	2490	-48.05	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.37	60	Pass	401
2580	3000	1	RMS	2580	-47.69	-25	Pass	421
3000	12000	1	RMS	11879	-60.71	-25	Pass	9001
12000	26000	1	RMS	25641	-38.65	-25	Pass	14001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.2	-25	Pass	2986
30	1000	0.1	RMS	944.8	-61.23	-25	Pass	9701
1000	2490	1	RMS	2486	-48.09	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.49	60	Pass	401
2580	3000	1	RMS	2580	-47.91	-25	Pass	421
3000	12000	1	RMS	11860	-60.72	-25	Pass	9001
12000	26000	1	RMS	25643	-38.71	-25	Pass	14001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.71	-25	Pass	2986
30	1000	0.1	RMS	993.2	-61.31	-25	Pass	9701
1000	2490	1	RMS	2488	-44	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.33	60	Pass	401
2580	3000	1	RMS	2640	-48.25	-25	Pass	421
3000	12000	1	RMS	11889	-60.71	-25	Pass	9001
12000	26000	1	RMS	25627	-38.68	-25	Pass	14001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.08	-25	Pass	2986
30	1000	0.1	RMS	955.2	-61.32	-25	Pass	9701
1000	2490	1	RMS	2488	-44.31	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.51	60	Pass	401
2580	3000	1	RMS	2642	-48.27	-25	Pass	421
3000	12000	1	RMS	11881	-60.69	-25	Pass	9001
12000	26000	1	RMS	25621	-38.71	-25	Pass	14001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.36	-25	Pass	2986
30	1000	0.1	RMS	961.7	-61.18	-25	Pass	9701
1000	2490	1	RMS	2488	-48.01	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.12	60	Pass	401
2580	3000	1	RMS	2641	-48.26	-25	Pass	421
3000	12000	1	RMS	11851	-60.69	-25	Pass	9001
12000	26000	1	RMS	25625	-38.69	-25	Pass	14001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.32	-25	Pass	2986
30	1000	0.1	RMS	950	-61.37	-25	Pass	9701
1000	2490	1	RMS	2490	-48.06	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.21	60	Pass	401
2580	3000	1	RMS	2649	-48.26	-25	Pass	421
3000	12000	1	RMS	11895	-60.75	-25	Pass	9001
12000	26000	1	RMS	25638	-38.73	-25	Pass	14001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.07	-25	Pass	2986
30	1000	0.1	RMS	983.5	-61.33	-25	Pass	9701
1000	2490	1	RMS	2489	-48.08	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.31	60	Pass	401
2595	3000	1	RMS	2644	-48.26	-25	Pass	406
3000	12000	1	RMS	11882	-60.77	-25	Pass	9001
12000	26000	1	RMS	25624	-38.69	-25	Pass	14001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.76	-25	Pass	2986
30	1000	0.1	RMS	954.5	-61.31	-25	Pass	9701
1000	2490	1	RMS	2488	-48.06	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.54	60	Pass	401
2595	3000	1	RMS	2638	-48.28	-25	Pass	406
3000	12000	1	RMS	11848	-60.71	-25	Pass	9001
12000	26000	1	RMS	25631	-38.78	-25	Pass	14001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.97	-25	Pass	2986
30	1000	0.1	RMS	926.3	-61.28	-25	Pass	9701
1000	2490	1	RMS	2483	-45.78	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.08	60	Pass	401
2580	3000	1	RMS	2645	-48.22	-25	Pass	421
3000	12000	1	RMS	11886	-60.73	-25	Pass	9001
12000	26000	1	RMS	25625	-38.76	-25	Pass	14001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.85	-25	Pass	2986
30	1000	0.1	RMS	933.6	-61.21	-25	Pass	9701
1000	2490	1	RMS	2483	-45.96	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.34	60	Pass	401
2580	3000	1	RMS	2640	-48.23	-25	Pass	421
3000	12000	1	RMS	11871	-60.77	-25	Pass	9001
12000	26000	1	RMS	25630	-38.68	-25	Pass	14001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.05	-25	Pass	2986
30	1000	0.1	RMS	951.6	-61.37	-25	Pass	9701
1000	2490	1	RMS	2490	-45.25	-25	Pass	1491
2490	2580	1	RMS	2526	21.96	60	Pass	401
2580	3000	1	RMS	2642	-48.24	-25	Pass	421
3000	12000	1	RMS	11874	-60.75	-25	Pass	9001
12000	26000	1	RMS	25637	-38.61	-25	Pass	14001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.1	-25	Pass	2986
30	1000	0.1	RMS	936.4	-61.28	-25	Pass	9701
1000	2490	1	RMS	2490	-46.61	-25	Pass	1491
2490	2580	1	RMS	2526	21.04	60	Pass	401
2580	3000	1	RMS	2644	-48.26	-25	Pass	421
3000	12000	1	RMS	11853	-60.7	-25	Pass	9001
12000	26000	1	RMS	25621	-38.66	-25	Pass	14001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.18	-25	Pass	2986
30	1000	0.1	RMS	936.4	-61.36	-25	Pass	9701
1000	2490	1	RMS	2490	-47.88	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.16	60	Pass	401
2595	3000	1	RMS	2646	-48.17	-25	Pass	406
3000	12000	1	RMS	11855	-60.76	-25	Pass	9001
12000	26000	1	RMS	25634	-38.68	-25	Pass	14001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.25	-25	Pass	2986
30	1000	0.1	RMS	946.6	-61.37	-25	Pass	9701
1000	2490	1	RMS	2489	-47.94	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.23	60	Pass	401
2595	3000	1	RMS	2641	-48.18	-25	Pass	406
3000	12000	1	RMS	11887	-60.69	-25	Pass	9001
12000	26000	1	RMS	25634	-38.7	-25	Pass	14001



4. LTE_Band12


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.88	-13	Pass	2986
30	689	0.1	RMS	688.3	-62.34	-13	Pass	6591
689	726	0.1	RMS	699.268	19.69	60	Pass	401
726	1000	0.1	RMS	936.1	-61.57	-13	Pass	2741
1000	3000	1	RMS	2641	-47.06	-13	Pass	2001
3000	10000	1	RMS	9974	-40.53	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.45	-13	Pass	2986
30	689	0.1	RMS	688.1	-62.4	-13	Pass	6591
689	726	0.1	RMS	699.268	18.69	60	Pass	401
726	1000	0.1	RMS	913.3	-61.5	-13	Pass	2741
1000	3000	1	RMS	2640	-47.09	-13	Pass	2001
3000	10000	1	RMS	9999	-40.56	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.28	-13	Pass	2986
30	689	0.1	RMS	669.9	-62.32	-13	Pass	6591
689	726	0.1	RMS	707.038	19.71	60	Pass	401
726	1000	0.1	RMS	931.2	-61.47	-13	Pass	2741
1000	3000	1	RMS	2640	-47.09	-13	Pass	2001
3000	10000	1	RMS	9964	-40.55	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.09	-13	Pass	2986
30	689	0.1	RMS	679.4	-62.27	-13	Pass	6591
689	726	0.1	RMS	707.038	18.72	60	Pass	401
726	1000	0.1	RMS	953.8	-61.45	-13	Pass	2741
1000	3000	1	RMS	2644	-47.09	-13	Pass	2001
3000	10000	1	RMS	9975	-40.57	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.04	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.36	-13	Pass	6591
689	726	0.1	RMS	714.808	19.22	60	Pass	401
726	1000	0.1	RMS	980.4	-61.39	-13	Pass	2741
1000	3000	1	RMS	2643	-47.07	-13	Pass	2001
3000	10000	1	RMS	9982	-40.51	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.55	-13	Pass	2986
30	689	0.1	RMS	674.5	-62.43	-13	Pass	6591
689	726	0.1	RMS	714.808	18.3	60	Pass	401
726	1000	0.1	RMS	959.2	-61.62	-13	Pass	2741
1000	3000	1	RMS	2641	-47.1	-13	Pass	2001
3000	10000	1	RMS	9995	-40.48	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.74	-13	Pass	2986
30	689	0.1	RMS	669.2	-62.38	-13	Pass	6591
689	726	0.1	RMS	699.268	19.6	60	Pass	401
726	1000	0.1	RMS	951.3	-61.42	-13	Pass	2741
1000	3000	1	RMS	2640	-47.03	-13	Pass	2001
3000	10000	1	RMS	9994	-40.43	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.12	-13	Pass	2986
30	689	0.1	RMS	687.6	-62.29	-13	Pass	6591
689	726	0.1	RMS	699.268	18.89	60	Pass	401
726	1000	0.1	RMS	916.5	-61.55	-13	Pass	2741
1000	3000	1	RMS	2641	-47.1	-13	Pass	2001
3000	10000	1	RMS	9981	-40.57	-13	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.64	-13	Pass	2986
30	689	0.1	RMS	687.5	-62.39	-13	Pass	6591
689	726	0.1	RMS	706.205	19.43	60	Pass	401
726	1000	0.1	RMS	937.4	-61.6	-13	Pass	2741
1000	3000	1	RMS	2641	-47.06	-13	Pass	2001
3000	10000	1	RMS	10000	-40.55	-13	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.96	-13	Pass	2986
30	689	0.1	RMS	685.8	-62.32	-13	Pass	6591
689	726	0.1	RMS	706.205	18.49	60	Pass	401
726	1000	0.1	RMS	876	-61.44	-13	Pass	2741
1000	3000	1	RMS	2640	-47.1	-13	Pass	2001
3000	10000	1	RMS	9977	-40.53	-13	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.69	-13	Pass	2986
30	689	0.1	RMS	687.1	-62.35	-13	Pass	6591
689	726	0.1	RMS	713.235	19.83	60	Pass	401
726	1000	0.1	RMS	929.2	-61.56	-13	Pass	2741
1000	3000	1	RMS	2641	-47.09	-13	Pass	2001
3000	10000	1	RMS	9967	-40.5	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.08	-13	Pass	2986
30	689	0.1	RMS	688.8	-62.36	-13	Pass	6591
689	726	0.1	RMS	713.235	18.98	60	Pass	401
726	1000	0.1	RMS	895.2	-61.54	-13	Pass	2741
1000	3000	1	RMS	2647	-47.1	-13	Pass	2001
3000	10000	1	RMS	9994	-40.5	-13	Pass	7001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.84	-13	Pass	2986
30	689	0.1	RMS	680.6	-62.42	-13	Pass	6591
689	726	0.1	RMS	699.36	19.42	60	Pass	401
726	1000	0.1	RMS	894.1	-61.39	-13	Pass	2741
1000	3000	1	RMS	2638	-47.1	-13	Pass	2001
3000	10000	1	RMS	9985	-40.53	-13	Pass	7001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.28	-13	Pass	2986
30	689	0.1	RMS	679.8	-62.45	-13	Pass	6591
689	726	0.1	RMS	699.36	18.79	60	Pass	401
726	1000	0.1	RMS	908.8	-61.57	-13	Pass	2741
1000	3000	1	RMS	2643	-47.07	-13	Pass	2001
3000	10000	1	RMS	9983	-40.49	-13	Pass	7001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.8	-13	Pass	2986
30	689	0.1	RMS	675.8	-62.46	-13	Pass	6591
689	726	0.1	RMS	705.373	19.33	60	Pass	401
726	1000	0.1	RMS	968.7	-61.59	-13	Pass	2741
1000	3000	1	RMS	2643	-47.04	-13	Pass	2001
3000	10000	1	RMS	9962	-40.53	-13	Pass	7001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.57	-13	Pass	2986
30	689	0.1	RMS	670.8	-62.4	-13	Pass	6591
689	726	0.1	RMS	705.373	18.61	60	Pass	401
726	1000	0.1	RMS	954.9	-61.59	-13	Pass	2741
1000	3000	1	RMS	2644	-47.09	-13	Pass	2001
3000	10000	1	RMS	9963	-40.46	-13	Pass	7001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.45	-13	Pass	2986
30	689	0.1	RMS	674.7	-62.45	-13	Pass	6591
689	726	0.1	RMS	711.293	19.08	60	Pass	401
726	1000	0.1	RMS	917.3	-61.36	-13	Pass	2741
1000	3000	1	RMS	2641	-47.1	-13	Pass	2001
3000	10000	1	RMS	9968	-40.47	-13	Pass	7001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.59	-13	Pass	2986
30	689	0.1	RMS	680.5	-62.44	-13	Pass	6591
689	726	0.1	RMS	711.385	18.34	60	Pass	401
726	1000	0.1	RMS	920.9	-61.61	-13	Pass	2741
1000	3000	1	RMS	2640	-47.11	-13	Pass	2001
3000	10000	1	RMS	9984	-40.54	-13	Pass	7001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.66	-13	Pass	2986
30	689	0.1	RMS	681.4	-62.44	-13	Pass	6591
689	726	0.1	RMS	699.545	19.19	60	Pass	401
726	1000	0.1	RMS	944.5	-61.35	-13	Pass	2741
1000	3000	1	RMS	2642	-47.08	-13	Pass	2001
3000	10000	1	RMS	9975	-40.52	-13	Pass	7001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.08	-13	Pass	2986
30	689	0.1	RMS	686.7	-62.38	-13	Pass	6591
689	726	0.1	RMS	699.638	18.3	60	Pass	401
726	1000	0.1	RMS	935.6	-61.53	-13	Pass	2741
1000	3000	1	RMS	2648	-47.14	-13	Pass	2001
3000	10000	1	RMS	9997	-40.53	-13	Pass	7001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.24	-13	Pass	2986
30	689	0.1	RMS	666.6	-62.45	-13	Pass	6591
689	726	0.1	RMS	703.06	19.43	60	Pass	401
726	1000	0.1	RMS	934.6	-61.56	-13	Pass	2741
1000	3000	1	RMS	1406	-45.63	-13	Pass	2001
3000	10000	1	RMS	9960	-40.54	-13	Pass	7001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.44	-13	Pass	2986
30	689	0.1	RMS	686.6	-62.41	-13	Pass	6591
689	726	0.1	RMS	703.06	18.56	60	Pass	401
726	1000	0.1	RMS	998.6	-61.61	-13	Pass	2741
1000	3000	1	RMS	1406	-46.87	-13	Pass	2001
3000	10000	1	RMS	9975	-40.47	-13	Pass	7001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.51	-13	Pass	2986
30	689	0.1	RMS	686.8	-62.46	-13	Pass	6591
689	726	0.1	RMS	706.575	19.62	60	Pass	401
726	1000	0.1	RMS	923	-61.46	-13	Pass	2741
1000	3000	1	RMS	2640	-47.1	-13	Pass	2001
3000	10000	1	RMS	9413	-40.53	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.8	-13	Pass	2986
30	689	0.1	RMS	679.5	-62.45	-13	Pass	6591
689	726	0.1	RMS	706.575	18.8	60	Pass	401
726	1000	0.1	RMS	907.2	-61.52	-13	Pass	2741
1000	3000	1	RMS	2643	-47.08	-13	Pass	2001
3000	10000	1	RMS	9996	-40.51	-13	Pass	7001



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.76	-13	Pass	2986
30	767	0.1	RMS	765.4	-61.89	-13	Pass	7371
767	797	0.1	RMS	777.35	19.58	60	Pass	401
797	1000	0.1	RMS	944.6	-62.49	-13	Pass	2031
1000	3000	1	RMS	2637	-47.11	-13	Pass	2001
3000	10000	1	RMS	9991	-40.56	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.95	-13	Pass	2986
30	767	0.1	RMS	764.9	-61.92	-13	Pass	7371
767	797	0.1	RMS	777.35	18.77	60	Pass	401
797	1000	0.1	RMS	954.4	-62.63	-13	Pass	2031
1000	3000	1	RMS	2643	-47.1	-13	Pass	2001
3000	10000	1	RMS	9973	-40.54	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.59	-13	Pass	2986
30	767	0.1	RMS	758.5	-61.91	-13	Pass	7371
767	797	0.1	RMS	779.825	19.62	60	Pass	401
797	1000	0.1	RMS	977.1	-62.54	-13	Pass	2031
1000	3000	1	RMS	2640	-47.1	-13	Pass	2001
3000	10000	1	RMS	9952	-40.55	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.43	-13	Pass	2986
30	767	0.1	RMS	759.5	-61.84	-13	Pass	7371
767	797	0.1	RMS	779.825	18.77	60	Pass	401
797	1000	0.1	RMS	950.2	-62.67	-13	Pass	2031
1000	3000	1	RMS	2640	-47.12	-13	Pass	2001
3000	10000	1	RMS	9987	-40.44	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.68	-13	Pass	2986
30	767	0.1	RMS	759.1	-61.85	-13	Pass	7371
767	797	0.1	RMS	782.3	19.31	60	Pass	401
797	1000	0.1	RMS	970.3	-62.47	-13	Pass	2031
1000	3000	1	RMS	2641	-47.12	-13	Pass	2001
3000	10000	1	RMS	9955	-40.53	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.89	-13	Pass	2986
30	767	0.1	RMS	763.3	-61.93	-13	Pass	7371
767	797	0.1	RMS	782.3	18.49	60	Pass	401
797	1000	0.1	RMS	969.2	-62.68	-13	Pass	2031
1000	3000	1	RMS	2641	-47.07	-13	Pass	2001
3000	10000	1	RMS	9988	-40.47	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.01	-13	Pass	2986
30	767	0.1	RMS	765.4	-61.89	-13	Pass	7371
767	797	0.1	RMS	777.575	19.82	60	Pass	401
797	1000	0.1	RMS	797.7	-62.59	-13	Pass	2031
1000	3000	1	RMS	2645	-47.1	-13	Pass	2001
3000	10000	1	RMS	9978	-40.55	-13	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.5	-13	Pass	2986
30	767	0.1	RMS	756.6	-61.93	-13	Pass	7371
767	797	0.1	RMS	777.575	18.88	60	Pass	401
797	1000	0.1	RMS	797.6	-59.31	-13	Pass	2031
1000	3000	1	RMS	2639	-47.11	-13	Pass	2001
3000	10000	1	RMS	9961	-40.53	-13	Pass	7001



6. LTE_Band17


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.83	-13	Pass	2986
30	694	0.1	RMS	693.2	-62.27	-13	Pass	6641
694	726	0.1	RMS	704.32	19.47	60	Pass	401
726	1000	0.1	RMS	902.2	-61.35	-13	Pass	2741
1000	3000	1	RMS	2640	-47.1	-13	Pass	2001
3000	10000	1	RMS	9965	-40.47	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.22	-13	Pass	2986
30	694	0.1	RMS	679.9	-62.23	-13	Pass	6641
694	726	0.1	RMS	704.32	18.71	60	Pass	401
726	1000	0.1	RMS	952.9	-61.62	-13	Pass	2741
1000	3000	1	RMS	2642	-47.12	-13	Pass	2001
3000	10000	1	RMS	9986	-40.46	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.46	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.02	-13	Pass	6641
694	726	0.1	RMS	707.84	19.65	60	Pass	401
726	1000	0.1	RMS	945.6	-61.48	-13	Pass	2741
1000	3000	1	RMS	2649	-47.07	-13	Pass	2001
3000	10000	1	RMS	9974	-40.54	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.95	-13	Pass	2986
30	694	0.1	RMS	681.2	-62.26	-13	Pass	6641
694	726	0.1	RMS	707.84	18.9	60	Pass	401
726	1000	0.1	RMS	945.5	-61.37	-13	Pass	2741
1000	3000	1	RMS	2639	-47.12	-13	Pass	2001
3000	10000	1	RMS	9972	-40.51	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.66	-13	Pass	2986
30	694	0.1	RMS	683.1	-62.35	-13	Pass	6641
694	726	0.1	RMS	711.36	19.36	60	Pass	401
726	1000	0.1	RMS	929.2	-61.54	-13	Pass	2741
1000	3000	1	RMS	2642	-47.11	-13	Pass	2001
3000	10000	1	RMS	9955	-40.52	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.42	-13	Pass	2986
30	694	0.1	RMS	677.3	-62.38	-13	Pass	6641
694	726	0.1	RMS	711.36	18.86	60	Pass	401
726	1000	0.1	RMS	954.8	-61.54	-13	Pass	2741
1000	3000	1	RMS	2642	-47.1	-13	Pass	2001
3000	10000	1	RMS	9988	-40.48	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.51	-13	Pass	2986
30	694	0.1	RMS	694	-61.59	-13	Pass	6641
694	726	0.1	RMS	704.56	19.5	60	Pass	401
726	1000	0.1	RMS	952.1	-61.57	-13	Pass	2741
1000	3000	1	RMS	2643	-47.1	-13	Pass	2001
3000	10000	1	RMS	9969	-40.53	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.68	-13	Pass	2986
30	694	0.1	RMS	694	-61.93	-13	Pass	6641
694	726	0.1	RMS	704.56	18.73	60	Pass	401
726	1000	0.1	RMS	951.8	-61.61	-13	Pass	2741
1000	3000	1	RMS	2640	-47.1	-13	Pass	2001
3000	10000	1	RMS	9962	-40.51	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.39	-13	Pass	2986
30	694	0.1	RMS	689.5	-62.27	-13	Pass	6641
694	726	0.1	RMS	705.6	19.76	60	Pass	401
726	1000	0.1	RMS	913.9	-61.51	-13	Pass	2741
1000	3000	1	RMS	1411	-46.17	-13	Pass	2001
3000	10000	1	RMS	9980	-40.5	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.33	-13	Pass	2986
30	694	0.1	RMS	692.9	-62.28	-13	Pass	6641
694	726	0.1	RMS	705.6	18.77	60	Pass	401
726	1000	0.1	RMS	886.5	-61.49	-13	Pass	2741
1000	3000	1	RMS	2646	-47.1	-13	Pass	2001
3000	10000	1	RMS	10000	-40.49	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.52	-13	Pass	2986
30	694	0.1	RMS	688.3	-62.27	-13	Pass	6641
694	726	0.1	RMS	706.56	19.56	60	Pass	401
726	1000	0.1	RMS	924	-61.57	-13	Pass	2741
1000	3000	1	RMS	2642	-47.12	-13	Pass	2001
3000	10000	1	RMS	9953	-40.53	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.21	-13	Pass	2986
30	694	0.1	RMS	693	-62.29	-13	Pass	6641
694	726	0.1	RMS	706.56	18.71	60	Pass	401
726	1000	0.1	RMS	848.2	-61.61	-13	Pass	2741
1000	3000	1	RMS	2646	-47.13	-13	Pass	2001
3000	10000	1	RMS	9992	-40.49	-13	Pass	7001



7. LTE_Band26(part22)


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.97	-13	Pass	2986
30	814	0.1	RMS	803.8	-61.59	-13	Pass	7841
814	860	0.1	RMS	824.3	18.89	60	Pass	461
860	1000	0.1	RMS	990.6	-62.73	-13	Pass	1401
1000	3000	1	RMS	2642	-47.1	-13	Pass	2001
3000	10000	1	RMS	9998	-40.54	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.56	-13	Pass	2986
30	814	0.1	RMS	811.7	-61.6	-13	Pass	7841
814	860	0.1	RMS	824.3	17.92	60	Pass	461
860	1000	0.1	RMS	929.2	-62.67	-13	Pass	1401
1000	3000	1	RMS	2648	-47.12	-13	Pass	2001
3000	10000	1	RMS	10000	-40.53	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.38	-13	Pass	2986
30	814	0.1	RMS	811	-61.4	-13	Pass	7841
814	860	0.1	RMS	836.1	18.9	60	Pass	461
860	1000	0.1	RMS	937.3	-62.8	-13	Pass	1401
1000	3000	1	RMS	2641	-47.1	-13	Pass	2001
3000	10000	1	RMS	9998	-40.52	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.43	-13	Pass	2986
30	814	0.1	RMS	810.5	-61.64	-13	Pass	7841
814	860	0.1	RMS	836.1	17.91	60	Pass	461
860	1000	0.1	RMS	950.2	-62.61	-13	Pass	1401
1000	3000	1	RMS	2645	-47.13	-13	Pass	2001
3000	10000	1	RMS	9990	-40.51	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.09	-13	Pass	2986
30	814	0.1	RMS	805.6	-61.59	-13	Pass	7841
814	860	0.1	RMS	847.9	18.91	60	Pass	461
860	1000	0.1	RMS	995.4	-62.74	-13	Pass	1401
1000	3000	1	RMS	2643	-47.11	-13	Pass	2001
3000	10000	1	RMS	9953	-40.52	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.5	-13	Pass	2986
30	814	0.1	RMS	806	-61.61	-13	Pass	7841
814	860	0.1	RMS	847.9	18.02	60	Pass	461
860	1000	0.1	RMS	924.3	-62.7	-13	Pass	1401
1000	3000	1	RMS	2643	-47.16	-13	Pass	2001
3000	10000	1	RMS	9991	-40.44	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.46	-13	Pass	2986
30	814	0.1	RMS	811.9	-61.35	-13	Pass	7841
814	860	0.1	RMS	824.2	19.26	60	Pass	461
860	1000	0.1	RMS	998.8	-62.75	-13	Pass	1401
1000	3000	1	RMS	2640	-47.11	-13	Pass	2001
3000	10000	1	RMS	9961	-40.54	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.32	-13	Pass	2986
30	814	0.1	RMS	813	-61.43	-13	Pass	7841
814	860	0.1	RMS	824.2	18.24	60	Pass	461
860	1000	0.1	RMS	913.9	-62.76	-13	Pass	1401
1000	3000	1	RMS	2642	-47.11	-13	Pass	2001
3000	10000	1	RMS	9976	-40.55	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.59	-13	Pass	2986
30	814	0.1	RMS	811.6	-61.51	-13	Pass	7841
814	860	0.1	RMS	835.2	19.11	60	Pass	461
860	1000	0.1	RMS	915.9	-62.66	-13	Pass	1401
1000	3000	1	RMS	2642	-47.09	-13	Pass	2001
3000	10000	1	RMS	9983	-40.53	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.47	-13	Pass	2986
30	814	0.1	RMS	809.4	-61.6	-13	Pass	7841
814	860	0.1	RMS	835.2	18.17	60	Pass	461
860	1000	0.1	RMS	972.8	-62.63	-13	Pass	1401
1000	3000	1	RMS	2641	-47.13	-13	Pass	2001
3000	10000	1	RMS	9956	-40.52	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.82	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.53	-13	Pass	7841
814	860	0.1	RMS	846.2	19.3	60	Pass	461
860	1000	0.1	RMS	988.9	-62.65	-13	Pass	1401
1000	3000	1	RMS	2643	-47.08	-13	Pass	2001
3000	10000	1	RMS	9954	-40.5	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.85	-13	Pass	2986
30	814	0.1	RMS	813.4	-61.52	-13	Pass	7841
814	860	0.1	RMS	846.2	18.3	60	Pass	461
860	1000	0.1	RMS	997.4	-62.64	-13	Pass	1401
1000	3000	1	RMS	2641	-47.12	-13	Pass	2001
3000	10000	1	RMS	10000	-40.53	-13	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.1	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.33	-13	Pass	7841
814	860	0.1	RMS	824.3	19.07	60	Pass	461
860	1000	0.1	RMS	935.5	-62.71	-13	Pass	1401
1000	3000	1	RMS	2641	-47.11	-13	Pass	2001
3000	10000	1	RMS	9981	-40.55	-13	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.94	-13	Pass	2986
30	814	0.1	RMS	799.1	-61.37	-13	Pass	7841
814	860	0.1	RMS	824.3	18.05	60	Pass	461
860	1000	0.1	RMS	932.1	-62.68	-13	Pass	1401
1000	3000	1	RMS	2643	-47.09	-13	Pass	2001
3000	10000	1	RMS	9979	-40.48	-13	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.02	-13	Pass	2986
30	814	0.1	RMS	809.3	-61.45	-13	Pass	7841
814	860	0.1	RMS	834.3	19.05	60	Pass	461
860	1000	0.1	RMS	891.2	-62.71	-13	Pass	1401
1000	3000	1	RMS	2645	-47.13	-13	Pass	2001
3000	10000	1	RMS	9973	-40.54	-13	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.18	-13	Pass	2986
30	814	0.1	RMS	793	-61.54	-13	Pass	7841
814	860	0.1	RMS	834.3	18.26	60	Pass	461
860	1000	0.1	RMS	947.7	-62.74	-13	Pass	1401
1000	3000	1	RMS	2650	-47.12	-13	Pass	2001
3000	10000	1	RMS	9987	-40.5	-13	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.95	-13	Pass	2986
30	814	0.1	RMS	801.6	-61.48	-13	Pass	7841
814	860	0.1	RMS	844.3	19.07	60	Pass	461
860	1000	0.1	RMS	947.8	-62.72	-13	Pass	1401
1000	3000	1	RMS	2644	-47.15	-13	Pass	2001
3000	10000	1	RMS	9415	-40.54	-13	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.29	-13	Pass	2986
30	814	0.1	RMS	798.1	-61.59	-13	Pass	7841
814	860	0.1	RMS	844.3	18.22	60	Pass	461
860	1000	0.1	RMS	955.3	-62.64	-13	Pass	1401
1000	3000	1	RMS	2644	-47.11	-13	Pass	2001
3000	10000	1	RMS	9960	-40.5	-13	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.92	-13	Pass	2986
30	814	0.1	RMS	814	-60.09	-13	Pass	7841
814	860	0.1	RMS	824.6	19.53	60	Pass	461
860	1000	0.1	RMS	983.3	-62.61	-13	Pass	1401
1000	3000	1	RMS	2642	-47.12	-13	Pass	2001
3000	10000	1	RMS	9427	-40.52	-13	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.96	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.33	-13	Pass	7841
814	860	0.1	RMS	824.6	18.64	60	Pass	461
860	1000	0.1	RMS	930.1	-62.72	-13	Pass	1401
1000	3000	1	RMS	2643	-47.11	-13	Pass	2001
3000	10000	1	RMS	9968	-40.54	-13	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.38	-13	Pass	2986
30	814	0.1	RMS	805.5	-61.5	-13	Pass	7841
814	860	0.1	RMS	832.1	19.65	60	Pass	461
860	1000	0.1	RMS	946.4	-62.77	-13	Pass	1401
1000	3000	1	RMS	2645	-47.11	-13	Pass	2001
3000	10000	1	RMS	9970	-40.52	-13	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.83	-13	Pass	2986
30	814	0.1	RMS	800.4	-61.48	-13	Pass	7841
814	860	0.1	RMS	832.1	18.55	60	Pass	461
860	1000	0.1	RMS	877.4	-62.68	-13	Pass	1401
1000	3000	1	RMS	2649	-47.12	-13	Pass	2001
3000	10000	1	RMS	9966	-40.51	-13	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.75	-13	Pass	2986
30	814	0.1	RMS	810.8	-61.58	-13	Pass	7841
814	860	0.1	RMS	839.6	19.61	60	Pass	461
860	1000	0.1	RMS	923	-62.62	-13	Pass	1401
1000	3000	1	RMS	2641	-47.1	-13	Pass	2001
3000	10000	1	RMS	9999	-40.52	-13	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.77	-13	Pass	2986
30	814	0.1	RMS	787.1	-61.61	-13	Pass	7841
814	860	0.1	RMS	839.6	18.73	60	Pass	461
860	1000	0.1	RMS	927.7	-62.72	-13	Pass	1401
1000	3000	1	RMS	2642	-47.1	-13	Pass	2001
3000	10000	1	RMS	9958	-40.46	-13	Pass	7001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.07	-13	Pass	2986
30	814	0.1	RMS	811.5	-48.23	-13	Pass	7841
814	860	0.1	RMS	824.8	19	60	Pass	461
860	1000	0.1	RMS	934.4	-62.64	-13	Pass	1401
1000	3000	1	RMS	2642	-47.11	-13	Pass	2001
3000	10000	1	RMS	9956	-40.55	-13	Pass	7001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.13	-13	Pass	2986
30	814	0.1	RMS	811.6	-49.95	-13	Pass	7841
814	860	0.1	RMS	824.8	18.17	60	Pass	461
860	1000	0.1	RMS	940.8	-62.71	-13	Pass	1401
1000	3000	1	RMS	2643	-47.13	-13	Pass	2001
3000	10000	1	RMS	9974	-40.52	-13	Pass	7001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.29	-13	Pass	2986
30	814	0.1	RMS	814	-60.64	-13	Pass	7841
814	860	0.1	RMS	829.8	19.04	60	Pass	461
860	1000	0.1	RMS	965	-62.73	-13	Pass	1401
1000	3000	1	RMS	2641	-47.05	-13	Pass	2001
3000	10000	1	RMS	9997	-40.51	-13	Pass	7001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.27	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.63	-13	Pass	7841
814	860	0.1	RMS	829.8	18	60	Pass	461
860	1000	0.1	RMS	954.7	-62.73	-13	Pass	1401
1000	3000	1	RMS	2645	-47.1	-13	Pass	2001
3000	10000	1	RMS	9955	-40.48	-13	Pass	7001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.53	-13	Pass	2986
30	814	0.1	RMS	814	-61.34	-13	Pass	7841
814	860	0.1	RMS	834.8	18.96	60	Pass	461
860	1000	0.1	RMS	980.6	-62.68	-13	Pass	1401
1000	3000	1	RMS	2645	-47.08	-13	Pass	2001
3000	10000	1	RMS	9997	-40.55	-13	Pass	7001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.4	-13	Pass	2986
30	814	0.1	RMS	811.8	-61.13	-13	Pass	7841
814	860	0.1	RMS	834.8	18.09	60	Pass	461
860	1000	0.1	RMS	962.6	-62.74	-13	Pass	1401
1000	3000	1	RMS	2640	-47.11	-13	Pass	2001
3000	10000	1	RMS	9952	-40.46	-13	Pass	7001



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.98	-13	Pass	2986
30	1000	0.1	RMS	874.3	-61.22	-13	Pass	9701
1000	1700	1	RMS	1700	-51.31	-13	Pass	701
1700	1790	1	RMS	1710.35	22.14	60	Pass	401
1790	3000	1	RMS	2649	-47.52	-13	Pass	1211
3000	12000	1	RMS	11850	-36.93	-13	Pass	9001
12000	20000	1	RMS	19055	-24.35	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.74	-13	Pass	2986
30	1000	0.1	RMS	913.2	-61.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.31	-13	Pass	701
1700	1790	1	RMS	1710.35	21.19	60	Pass	401
1790	3000	1	RMS	2640	-47.48	-13	Pass	1211
3000	12000	1	RMS	11851	-36.91	-13	Pass	9001
12000	20000	1	RMS	19053	-24.35	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.4	-13	Pass	2986
30	1000	0.1	RMS	926.9	-61.29	-13	Pass	9701
1000	1700	1	RMS	1699	-51.49	-13	Pass	701
1700	1790	1	RMS	1744.55	22.21	60	Pass	401
1790	3000	1	RMS	2642	-47.52	-13	Pass	1211
3000	12000	1	RMS	11881	-36.97	-13	Pass	9001
12000	20000	1	RMS	19070	-24.34	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.19	-13	Pass	2986
30	1000	0.1	RMS	895.5	-61.32	-13	Pass	9701
1000	1700	1	RMS	1694	-51.48	-13	Pass	701
1700	1790	1	RMS	1744.55	21.24	60	Pass	401
1790	3000	1	RMS	2643	-47.45	-13	Pass	1211
3000	12000	1	RMS	11865	-36.92	-13	Pass	9001
12000	20000	1	RMS	19082	-24.3	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.35	-13	Pass	2986
30	1000	0.1	RMS	952.6	-61.25	-13	Pass	9701
1000	1700	1	RMS	1605	-51.5	-13	Pass	701
1700	1790	1	RMS	1778.75	22.25	60	Pass	401
1790	3000	1	RMS	2643	-47.4	-13	Pass	1211
3000	12000	1	RMS	11888	-36.99	-13	Pass	9001
12000	20000	1	RMS	19076	-24.21	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.14	-13	Pass	2986
30	1000	0.1	RMS	966.6	-61.25	-13	Pass	9701
1000	1700	1	RMS	1700	-51.46	-13	Pass	701
1700	1790	1	RMS	1778.75	21.38	60	Pass	401
1790	3000	1	RMS	2644	-47.49	-13	Pass	1211
3000	12000	1	RMS	11862	-36.92	-13	Pass	9001
12000	20000	1	RMS	19989	-24.31	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.01	-13	Pass	2986
30	1000	0.1	RMS	910.8	-61.23	-13	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	Pass	701
1700	1790	1	RMS	1710.125	22.17	60	Pass	401
1790	3000	1	RMS	2640	-47.5	-13	Pass	1211
3000	12000	1	RMS	11854	-36.95	-13	Pass	9001
12000	20000	1	RMS	19064	-24.3	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.2	-13	Pass	2986
30	1000	0.1	RMS	948.3	-61.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.11	-13	Pass	701
1700	1790	1	RMS	1710.35	21.34	60	Pass	401
1790	3000	1	RMS	2648	-47.55	-13	Pass	1211
3000	12000	1	RMS	11854	-36.83	-13	Pass	9001
12000	20000	1	RMS	19065	-24.33	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.3	-13	Pass	2986
30	1000	0.1	RMS	970.1	-61.11	-13	Pass	9701
1000	1700	1	RMS	1693	-51.48	-13	Pass	701
1700	1790	1	RMS	1743.65	22.13	60	Pass	401
1790	3000	1	RMS	2643	-47.48	-13	Pass	1211
3000	12000	1	RMS	11845	-36.89	-13	Pass	9001
12000	20000	1	RMS	19081	-24.33	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.74	-13	Pass	2986
30	1000	0.1	RMS	978.8	-61.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.48	-13	Pass	701
1700	1790	1	RMS	1743.65	21.17	60	Pass	401
1790	3000	1	RMS	2644	-47.5	-13	Pass	1211
3000	12000	1	RMS	11847	-36.92	-13	Pass	9001
12000	20000	1	RMS	19079	-24.32	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.77	-13	Pass	2986
30	1000	0.1	RMS	921.2	-61.16	-13	Pass	9701
1000	1700	1	RMS	1700	-51.48	-13	Pass	701
1700	1790	1	RMS	1777.175	22.36	60	Pass	401
1790	3000	1	RMS	2642	-47.54	-13	Pass	1211
3000	12000	1	RMS	11886	-36.98	-13	Pass	9001
12000	20000	1	RMS	19994	-24.33	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.45	-13	Pass	2986
30	1000	0.1	RMS	911.5	-61.28	-13	Pass	9701
1000	1700	1	RMS	1700	-51.5	-13	Pass	701
1700	1790	1	RMS	1777.175	21.52	60	Pass	401
1790	3000	1	RMS	2642	-47.48	-13	Pass	1211
3000	12000	1	RMS	11854	-36.97	-13	Pass	9001
12000	20000	1	RMS	19061	-24.37	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.81	-13	Pass	2986
30	1000	0.1	RMS	923.1	-61.16	-13	Pass	9701
1000	1700	1	RMS	1700	-51.01	-13	Pass	701
1700	1790	1	RMS	1710.35	22.2	60	Pass	401
1790	3000	1	RMS	2650	-47.49	-13	Pass	1211
3000	12000	1	RMS	11852	-37	-13	Pass	9001
12000	20000	1	RMS	19067	-24.29	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.15	-13	Pass	2986
30	1000	0.1	RMS	940.9	-61.27	-13	Pass	9701
1000	1700	1	RMS	1699	-51.22	-13	Pass	701
1700	1790	1	RMS	1710.35	21.32	60	Pass	401
1790	3000	1	RMS	2643	-47.54	-13	Pass	1211
3000	12000	1	RMS	11863	-36.97	-13	Pass	9001
12000	20000	1	RMS	19986	-24.32	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.38	-13	Pass	2986
30	1000	0.1	RMS	934	-61.26	-13	Pass	9701
1000	1700	1	RMS	1700	-51.44	-13	Pass	701
1700	1790	1	RMS	1742.75	22.04	60	Pass	401
1790	3000	1	RMS	2641	-47.5	-13	Pass	1211
3000	12000	1	RMS	11857	-36.96	-13	Pass	9001
12000	20000	1	RMS	19064	-24.33	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.61	-13	Pass	2986
30	1000	0.1	RMS	931.2	-61.35	-13	Pass	9701
1000	1700	1	RMS	1700	-51.46	-13	Pass	701
1700	1790	1	RMS	1742.75	21.27	60	Pass	401
1790	3000	1	RMS	2650	-47.47	-13	Pass	1211
3000	12000	1	RMS	11846	-36.99	-13	Pass	9001
12000	20000	1	RMS	19079	-24.33	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.13	-13	Pass	2986
30	1000	0.1	RMS	924.7	-61.18	-13	Pass	9701
1000	1700	1	RMS	1695	-51.51	-13	Pass	701
1700	1790	1	RMS	1775.375	22.21	60	Pass	401
1790	3000	1	RMS	2998	-47.54	-13	Pass	1211
3000	12000	1	RMS	11848	-36.97	-13	Pass	9001
12000	20000	1	RMS	19086	-24.27	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.03	-13	Pass	2986
30	1000	0.1	RMS	972.1	-61.17	-13	Pass	9701
1000	1700	1	RMS	1695	-51.48	-13	Pass	701
1700	1790	1	RMS	1775.375	21.46	60	Pass	401
1790	3000	1	RMS	2647	-47.5	-13	Pass	1211
3000	12000	1	RMS	11860	-36.98	-13	Pass	9001
12000	20000	1	RMS	19976	-24.32	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.47	-13	Pass	2986
30	1000	0.1	RMS	923.5	-61.14	-13	Pass	9701
1000	1700	1	RMS	1693	-49.11	-13	Pass	701
1700	1790	1	RMS	1710.575	22.3	60	Pass	401
1790	3000	1	RMS	2648	-47.51	-13	Pass	1211
3000	12000	1	RMS	11852	-36.96	-13	Pass	9001
12000	20000	1	RMS	19066	-24.33	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.43	-13	Pass	2986
30	1000	0.1	RMS	980.8	-61.24	-13	Pass	9701
1000	1700	1	RMS	1693	-49.43	-13	Pass	701
1700	1790	1	RMS	1710.575	21.55	60	Pass	401
1790	3000	1	RMS	2640	-47.52	-13	Pass	1211
3000	12000	1	RMS	11847	-36.97	-13	Pass	9001
12000	20000	1	RMS	19081	-24.31	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.46	-13	Pass	2986
30	1000	0.1	RMS	939.5	-61.31	-13	Pass	9701
1000	1700	1	RMS	1698	-51.44	-13	Pass	701
1700	1790	1	RMS	1740.5	22.13	60	Pass	401
1790	3000	1	RMS	2642	-47.52	-13	Pass	1211
3000	12000	1	RMS	11853	-36.96	-13	Pass	9001
12000	20000	1	RMS	19076	-24.35	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.83	-13	Pass	2986
30	1000	0.1	RMS	920.8	-61.28	-13	Pass	9701
1000	1700	1	RMS	1700	-51.49	-13	Pass	701
1700	1790	1	RMS	1740.5	21.2	60	Pass	401
1790	3000	1	RMS	2644	-47.54	-13	Pass	1211
3000	12000	1	RMS	11850	-36.92	-13	Pass	9001
12000	20000	1	RMS	19075	-24.36	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-57.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.16	-13	Pass	2986
30	1000	0.1	RMS	954.8	-61.23	-13	Pass	9701
1000	1700	1	RMS	1698	-51.48	-13	Pass	701
1700	1790	1	RMS	1770.65	22.29	60	Pass	401
1790	3000	1	RMS	2641	-47.5	-13	Pass	1211
3000	12000	1	RMS	11888	-36.95	-13	Pass	9001
12000	20000	1	RMS	19066	-24.34	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.3	-13	Pass	2986
30	1000	0.1	RMS	928.8	-61.22	-13	Pass	9701
1000	1700	1	RMS	1690	-51.52	-13	Pass	701
1700	1790	1	RMS	1770.65	21.43	60	Pass	401
1790	3000	1	RMS	2647	-47.48	-13	Pass	1211
3000	12000	1	RMS	11858	-36.97	-13	Pass	9001
12000	20000	1	RMS	19090	-24.35	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.62	-13	Pass	2986
30	1000	0.1	RMS	921.9	-61.14	-13	Pass	9701
1000	1700	1	RMS	1698	-47.43	-13	Pass	701
1700	1790	1	RMS	1710.8	22.16	60	Pass	401
1790	3000	1	RMS	2649	-47.51	-13	Pass	1211
3000	12000	1	RMS	11847	-36.97	-13	Pass	9001
12000	20000	1	RMS	19072	-24.22	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.18	-13	Pass	2986
30	1000	0.1	RMS	928.3	-61.22	-13	Pass	9701
1000	1700	1	RMS	1698	-47.52	-13	Pass	701
1700	1790	1	RMS	1710.8	21.42	60	Pass	401
1790	3000	1	RMS	2642	-47.48	-13	Pass	1211
3000	12000	1	RMS	11882	-36.99	-13	Pass	9001
12000	20000	1	RMS	19997	-24.33	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.5	-13	Pass	2986
30	1000	0.1	RMS	936	-61.14	-13	Pass	9701
1000	1700	1	RMS	1699	-51.44	-13	Pass	701
1700	1790	1	RMS	1738.25	22.06	60	Pass	401
1790	3000	1	RMS	2642	-47.53	-13	Pass	1211
3000	12000	1	RMS	11850	-36.93	-13	Pass	9001
12000	20000	1	RMS	19078	-24.32	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.82	-13	Pass	2986
30	1000	0.1	RMS	925.7	-61.26	-13	Pass	9701
1000	1700	1	RMS	1699	-51.45	-13	Pass	701
1700	1790	1	RMS	1738.25	21.11	60	Pass	401
1790	3000	1	RMS	2641	-47.46	-13	Pass	1211
3000	12000	1	RMS	11894	-36.99	-13	Pass	9001
12000	20000	1	RMS	19988	-24.32	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.88	-13	Pass	2986
30	1000	0.1	RMS	922.7	-61.32	-13	Pass	9701
1000	1700	1	RMS	1699	-51.52	-13	Pass	701
1700	1790	1	RMS	1765.925	22.08	60	Pass	401
1790	3000	1	RMS	1792	-31.49	-13	Pass	1211
3000	12000	1	RMS	11850	-36.98	-13	Pass	9001
12000	20000	1	RMS	19060	-24.31	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.04	-13	Pass	2986
30	1000	0.1	RMS	975.3	-61.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.49	-13	Pass	701
1700	1790	1	RMS	1765.925	21.29	60	Pass	401
1790	3000	1	RMS	1793	-31.96	-13	Pass	1211
3000	12000	1	RMS	11854	-36.96	-13	Pass	9001
12000	20000	1	RMS	19078	-24.34	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.49	-13	Pass	2986
30	1000	0.1	RMS	935.3	-61.14	-13	Pass	9701
1000	1700	1	RMS	1700	-48.4	-13	Pass	701
1700	1790	1	RMS	1711.025	21.99	60	Pass	401
1790	3000	1	RMS	2642	-47.5	-13	Pass	1211
3000	12000	1	RMS	11843	-36.96	-13	Pass	9001
12000	20000	1	RMS	19059	-24.33	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.48	-13	Pass	2986
30	1000	0.1	RMS	936.1	-61.27	-13	Pass	9701
1000	1700	1	RMS	1700	-48.42	-13	Pass	701
1700	1790	1	RMS	1711.025	21.19	60	Pass	401
1790	3000	1	RMS	2641	-47.57	-13	Pass	1211
3000	12000	1	RMS	11883	-36.94	-13	Pass	9001
12000	20000	1	RMS	19070	-24.33	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.41	-13	Pass	2986
30	1000	0.1	RMS	944.8	-61.28	-13	Pass	9701
1000	1700	1	RMS	1700	-48.49	-13	Pass	701
1700	1790	1	RMS	1736	21.89	60	Pass	401
1790	3000	1	RMS	2644	-47.49	-13	Pass	1211
3000	12000	1	RMS	11864	-36.88	-13	Pass	9001
12000	20000	1	RMS	19054	-24.26	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.63	-13	Pass	2986
30	1000	0.1	RMS	924.9	-61.38	-13	Pass	9701
1000	1700	1	RMS	1700	-49.48	-13	Pass	701
1700	1790	1	RMS	1736	20.95	60	Pass	401
1790	3000	1	RMS	2646	-47.53	-13	Pass	1211
3000	12000	1	RMS	11850	-36.97	-13	Pass	9001
12000	20000	1	RMS	19076	-24.27	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.17	-13	Pass	2986
30	1000	0.1	RMS	949.9	-61.18	-13	Pass	9701
1000	1700	1	RMS	1700	-51.45	-13	Pass	701
1700	1790	1	RMS	1760.975	21.83	60	Pass	401
1790	3000	1	RMS	1797	-31.36	-13	Pass	1211
3000	12000	1	RMS	11859	-36.97	-13	Pass	9001
12000	20000	1	RMS	19087	-24.34	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.03	-13	Pass	2986
30	1000	0.1	RMS	928.2	-61.17	-13	Pass	9701
1000	1700	1	RMS	1698	-51.48	-13	Pass	701
1700	1790	1	RMS	1761.2	20.92	60	Pass	401
1790	3000	1	RMS	1797	-32.66	-13	Pass	1211
3000	12000	1	RMS	11859	-36.82	-13	Pass	9001
12000	20000	1	RMS	19077	-24.25	-13	Pass	8001



9. LTE_Band38


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-25	Pass	2986
30	1000	0.1	RMS	932.1	-57.3	-25	Pass	9701
1000	2560	1	RMS	2556	-43.59	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.63	60	Pass	401
2630	3000	1	RMS	2642.025	-44.27	-25	Pass	401
3000	12000	1	RMS	11874	-56.74	-25	Pass	9001
12000	26500	1	RMS	25641	-33.89	-25	Pass	14501




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-25	Pass	2986
30	1000	0.1	RMS	895.2	-57.22	-25	Pass	9701
1000	2560	1	RMS	2557	-43.62	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.9	60	Pass	401
2630	3000	1	RMS	2642.95	-44.26	-25	Pass	401
3000	12000	1	RMS	11893	-56.7	-25	Pass	9001
12000	26500	1	RMS	25627	-33.89	-25	Pass	14501




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-25	Pass	2986
30	1000	0.1	RMS	950.2	-57.34	-25	Pass	9701
1000	2560	1	RMS	2553	-43.75	-25	Pass	1561
2560	2630	1	RMS	2592.725	22.49	60	Pass	401
2630	3000	1	RMS	2644.8	-44.28	-25	Pass	401
3000	12000	1	RMS	11847	-56.75	-25	Pass	9001
12000	26500	1	RMS	25631	-33.83	-25	Pass	14501




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-53.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-25	Pass	2986
30	1000	0.1	RMS	955.3	-57.17	-25	Pass	9701
1000	2560	1	RMS	2549	-43.78	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.92	60	Pass	401
2630	3000	1	RMS	2642.95	-44.3	-25	Pass	401
3000	12000	1	RMS	11882	-57.06	-25	Pass	9001
12000	26500	1	RMS	25642	-33.86	-25	Pass	14501




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-25	Pass	2986
30	1000	0.1	RMS	932.2	-57.15	-25	Pass	9701
1000	2560	1	RMS	2554	-43.82	-25	Pass	1561
2560	2630	1	RMS	2615.475	22.34	60	Pass	401
2630	3000	1	RMS	2643.875	-44.3	-25	Pass	401
3000	12000	1	RMS	11856	-57.18	-25	Pass	9001
12000	26500	1	RMS	25628	-33.88	-25	Pass	14501




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-25	Pass	2986
30	1000	0.1	RMS	955.4	-57.17	-25	Pass	9701
1000	2560	1	RMS	2556	-43.82	-25	Pass	1561
2560	2630	1	RMS	2615.475	21.22	60	Pass	401
2630	3000	1	RMS	2642.025	-44.25	-25	Pass	401
3000	12000	1	RMS	11882	-57.18	-25	Pass	9001
12000	26500	1	RMS	25629	-33.89	-25	Pass	14501




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-25	Pass	2986
30	1000	0.1	RMS	957.9	-57.28	-25	Pass	9701
1000	2560	1	RMS	2553	-37.88	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.46	60	Pass	401
2630	3000	1	RMS	2642.95	-44.28	-25	Pass	401
3000	12000	1	RMS	11879	-57.1	-25	Pass	9001
12000	26500	1	RMS	25619	-33.84	-25	Pass	14501




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-25	Pass	2986
30	1000	0.1	RMS	966.6	-57.3	-25	Pass	9701
1000	2560	1	RMS	2553	-37.22	-25	Pass	1561
2560	2630	1	RMS	2570.675	21.48	60	Pass	401
2630	3000	1	RMS	2640.175	-44.31	-25	Pass	401
3000	12000	1	RMS	11859	-57.12	-25	Pass	9001
12000	26500	1	RMS	25626	-33.81	-25	Pass	14501



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-25	Pass	2986
30	1000	0.1	RMS	975.3	-57.33	-25	Pass	9701
1000	2560	1	RMS	2542	-43.81	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.31	60	Pass	401
2630	3000	1	RMS	2642.025	-44.24	-25	Pass	401
3000	12000	1	RMS	11882	-57.14	-25	Pass	9001
12000	26500	1	RMS	25648	-33.78	-25	Pass	14501



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-25	Pass	2986
30	1000	0.1	RMS	929.3	-57.15	-25	Pass	9701
1000	2560	1	RMS	2534	-43.82	-25	Pass	1561
2560	2630	1	RMS	2590.45	21.52	60	Pass	401
2630	3000	1	RMS	2645.725	-44.28	-25	Pass	401
3000	12000	1	RMS	11860	-57.14	-25	Pass	9001
12000	26500	1	RMS	25638	-33.82	-25	Pass	14501



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.39	-25	Pass	2986
30	1000	0.1	RMS	975	-57.25	-25	Pass	9701
1000	2560	1	RMS	2557	-43.83	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.93	60	Pass	401
2630	3000	1	RMS	2630	-43.39	-25	Pass	401
3000	12000	1	RMS	11892	-57.11	-25	Pass	9001
12000	26500	1	RMS	25615	-33.91	-25	Pass	14501



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-25	Pass	2986
30	1000	0.1	RMS	900.2	-57.26	-25	Pass	9701
1000	2560	1	RMS	2560	-43.74	-25	Pass	1561
2560	2630	1	RMS	2610.75	21.56	60	Pass	401
2630	3000	1	RMS	2630	-43.79	-25	Pass	401
3000	12000	1	RMS	11878	-57.12	-25	Pass	9001
12000	26500	1	RMS	25630	-33.85	-25	Pass	14501



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-25	Pass	2986
30	1000	0.1	RMS	975.3	-57.3	-25	Pass	9701
1000	2560	1	RMS	2544	-36.42	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.36	60	Pass	401
2630	3000	1	RMS	2642.025	-44.26	-25	Pass	401
3000	12000	1	RMS	11856	-57.15	-25	Pass	9001
12000	26500	1	RMS	25637	-33.93	-25	Pass	14501



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-25	Pass	2986
30	1000	0.1	RMS	981.6	-57.3	-25	Pass	9701
1000	2560	1	RMS	2544	-37.83	-25	Pass	1561
2560	2630	1	RMS	2570.675	21.53	60	Pass	401
2630	3000	1	RMS	2644.8	-44.29	-25	Pass	401
3000	12000	1	RMS	11849	-57.06	-25	Pass	9001
12000	26500	1	RMS	25637	-33.86	-25	Pass	14501



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-25	Pass	2986
30	1000	0.1	RMS	940.2	-57.23	-25	Pass	9701
1000	2560	1	RMS	2540	-43.76	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.47	60	Pass	401
2630	3000	1	RMS	2639.25	-44.26	-25	Pass	401
3000	12000	1	RMS	11867	-57.09	-25	Pass	9001
12000	26500	1	RMS	25629	-33.8	-25	Pass	14501



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.89	-25	Pass	2986
30	1000	0.1	RMS	808.8	-57.24	-25	Pass	9701
1000	2560	1	RMS	2556	-43.74	-25	Pass	1561
2560	2630	1	RMS	2588.35	21.35	60	Pass	401
2630	3000	1	RMS	2640.175	-44.27	-25	Pass	401
3000	12000	1	RMS	11850	-57.12	-25	Pass	9001
12000	26500	1	RMS	25618	-33.89	-25	Pass	14501



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-25	Pass	2986
30	1000	0.1	RMS	957	-57.31	-25	Pass	9701
1000	2560	1	RMS	2543	-43.8	-25	Pass	1561
2560	2645	1	RMS	2605.688	22.16	60	Pass	401
2645	3000	1	RMS	2645.888	-44.33	-25	Pass	401
3000	12000	1	RMS	11864	-57.15	-25	Pass	9001
12000	26500	1	RMS	25628	-33.73	-25	Pass	14501



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-25	Pass	2986
30	1000	0.1	RMS	947.2	-57.23	-25	Pass	9701
1000	2560	1	RMS	2541	-43.61	-25	Pass	1561
2560	2645	1	RMS	2605.688	22.01	60	Pass	401
2645	3000	1	RMS	2645	-44.17	-25	Pass	401
3000	12000	1	RMS	11857	-56.99	-25	Pass	9001
12000	26500	1	RMS	25623	-33.69	-25	Pass	14501



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-25	Pass	2986
30	1000	0.1	RMS	952.8	-57.17	-25	Pass	9701
1000	2560	1	RMS	2535	-38.14	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.46	60	Pass	401
2630	3000	1	RMS	2642.025	-44.13	-25	Pass	401
3000	12000	1	RMS	11888	-56.98	-25	Pass	9001
12000	26500	1	RMS	25631	-33.67	-25	Pass	14501



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.1	-25	Pass	2986
30	1000	0.1	RMS	924.1	-57.2	-25	Pass	9701
1000	2560	1	RMS	2535	-39.3	-25	Pass	1561
2560	2630	1	RMS	2571.2	21.52	60	Pass	401
2630	3000	1	RMS	2642.025	-44.14	-25	Pass	401
3000	12000	1	RMS	11890	-57.06	-25	Pass	9001
12000	26500	1	RMS	25628	-33.72	-25	Pass	14501



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	955.6	-57.21	-25	Pass	9701
1000	2560	1	RMS	2550	-40.17	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.03	60	Pass	401
2630	3000	1	RMS	2646.65	-44.13	-25	Pass	401
3000	12000	1	RMS	11888	-56.99	-25	Pass	9001
12000	26500	1	RMS	25645	-33.67	-25	Pass	14501



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-25	Pass	2986
30	1000	0.1	RMS	951.5	-57.22	-25	Pass	9701
1000	2560	1	RMS	2550	-41.63	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.41	60	Pass	401
2630	3000	1	RMS	2640.175	-44.14	-25	Pass	401
3000	12000	1	RMS	11850	-57.04	-25	Pass	9001
12000	26500	1	RMS	25634	-33.69	-25	Pass	14501



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-25	Pass	2986
30	1000	0.1	RMS	940.7	-57.14	-25	Pass	9701
1000	2560	1	RMS	2560	-43.65	-25	Pass	1561
2560	2645	1	RMS	2601.225	22.23	60	Pass	401
2645	3000	1	RMS	2650.325	-44.13	-25	Pass	401
3000	12000	1	RMS	11897	-56.98	-25	Pass	9001
12000	26500	1	RMS	25627	-33.7	-25	Pass	14501



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-25	Pass	2986
30	1000	0.1	RMS	911.2	-57.26	-25	Pass	9701
1000	2560	1	RMS	2544	-43.61	-25	Pass	1561
2560	2645	1	RMS	2601.225	21.2	60	Pass	401
2645	3000	1	RMS	2645	-44.12	-25	Pass	401
3000	12000	1	RMS	11875	-57.01	-25	Pass	9001
12000	26500	1	RMS	25631	-33.7	-25	Pass	14501



10. LTE_Band41 full


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-25	Pass	2986
30	1000	0.1	RMS	975.1	-57.15	-25	Pass	9701
1000	2486	1	RMS	2486	-43.84	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.29	60	Pass	401
2700	3000	1	RMS	2998.5	-44.26	-25	Pass	401
3000	12000	1	RMS	11879	-56.98	-25	Pass	9001
12000	27000	1	RMS	25647	-34.52	-25	Pass	15001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-25	Pass	2986
30	1000	0.1	RMS	947.3	-57.17	-25	Pass	9701
1000	2486	1	RMS	2484	-44.02	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.33	60	Pass	401
2700	3000	1	RMS	2999.25	-44.25	-25	Pass	401
3000	12000	1	RMS	11895	-57	-25	Pass	9001
12000	27000	1	RMS	25625	-34.46	-25	Pass	15001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.17	-25	Pass	2986
30	1000	0.1	RMS	955.4	-57.17	-25	Pass	9701
1000	2486	1	RMS	2486	-44.05	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.3	60	Pass	401
2700	3000	1	RMS	3000	-44.29	-25	Pass	401
3000	12000	1	RMS	11880	-57.02	-25	Pass	9001
12000	27000	1	RMS	25628	-34.41	-25	Pass	15001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-25	Pass	2986
30	1000	0.1	RMS	941	-57.18	-25	Pass	9701
1000	2486	1	RMS	2484	-44	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.97	60	Pass	401
2700	3000	1	RMS	2999.25	-44.28	-25	Pass	401
3000	12000	1	RMS	11865	-56.95	-25	Pass	9001
12000	27000	1	RMS	25633	-34.52	-25	Pass	15001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.38	-25	Pass	2986
30	1000	0.1	RMS	923.7	-57.33	-25	Pass	9701
1000	2486	1	RMS	2486	-44.07	-25	Pass	1487
2486	2700	1	RMS	2685.555	21.51	60	Pass	401
2700	3000	1	RMS	2998.5	-44.26	-25	Pass	401
3000	12000	1	RMS	11850	-57.07	-25	Pass	9001
12000	27000	1	RMS	25647	-34.5	-25	Pass	15001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2986
30	1000	0.1	RMS	999.1	-57.21	-25	Pass	9701
1000	2486	1	RMS	2485	-44.04	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.6	60	Pass	401
2700	3000	1	RMS	2999.25	-44.28	-25	Pass	401
3000	12000	1	RMS	11873	-56.94	-25	Pass	9001
12000	27000	1	RMS	25628	-34.54	-25	Pass	15001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-25	Pass	2986
30	1000	0.1	RMS	982.2	-57.16	-25	Pass	9701
1000	2486	1	RMS	2479	-38.66	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.21	60	Pass	401
2700	3000	1	RMS	2998.5	-44.24	-25	Pass	401
3000	12000	1	RMS	11860	-57.02	-25	Pass	9001
12000	27000	1	RMS	25632	-34.48	-25	Pass	15001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-25	Pass	2986
30	1000	0.1	RMS	970.8	-57.12	-25	Pass	9701
1000	2486	1	RMS	2479	-39.78	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.52	60	Pass	401
2700	3000	1	RMS	2999.25	-44.22	-25	Pass	401
3000	12000	1	RMS	11881	-57.03	-25	Pass	9001
12000	27000	1	RMS	25630	-34.42	-25	Pass	15001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-25	Pass	2986
30	1000	0.1	RMS	927.7	-57.14	-25	Pass	9701
1000	2486	1	RMS	2484	-43.96	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.2	60	Pass	401
2700	3000	1	RMS	2770.5	-44.26	-25	Pass	401
3000	12000	1	RMS	11860	-57.01	-25	Pass	9001
12000	27000	1	RMS	25636	-34.55	-25	Pass	15001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-25	Pass	2986
30	1000	0.1	RMS	979.5	-57.23	-25	Pass	9701
1000	2486	1	RMS	2485	-44.03	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.66	60	Pass	401
2700	3000	1	RMS	2997.75	-44.27	-25	Pass	401
3000	12000	1	RMS	11906	-57.08	-25	Pass	9001
12000	27000	1	RMS	25625	-34.46	-25	Pass	15001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-25	Pass	2986
30	1000	0.1	RMS	943.4	-57.16	-25	Pass	9701
1000	2486	1	RMS	2484	-44.11	-25	Pass	1487
2486	2700	1	RMS	2680.205	21.48	60	Pass	401
2700	3000	1	RMS	2700	-43.91	-25	Pass	401
3000	12000	1	RMS	11899	-57	-25	Pass	9001
12000	27000	1	RMS	25625	-34.47	-25	Pass	15001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2986
30	1000	0.1	RMS	967	-57.26	-25	Pass	9701
1000	2486	1	RMS	2484	-44	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.07	60	Pass	401
2700	3000	1	RMS	2700	-44.07	-25	Pass	401
3000	12000	1	RMS	11858	-57.05	-25	Pass	9001
12000	27000	1	RMS	25623	-34.52	-25	Pass	15001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.06	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.7	-25	Pass	2986
30	1000	0.1	RMS	931.1	-57.14	-25	Pass	9701
1000	2486	1	RMS	2486	-40.39	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.6	60	Pass	401
2700	3000	1	RMS	2998.5	-44.24	-25	Pass	401
3000	12000	1	RMS	11870	-57	-25	Pass	9001
12000	27000	1	RMS	25630	-34.45	-25	Pass	15001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-25	Pass	2986
30	1000	0.1	RMS	932.6	-57.3	-25	Pass	9701
1000	2486	1	RMS	2484	-41.79	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.37	60	Pass	401
2700	3000	1	RMS	2999.25	-44.28	-25	Pass	401
3000	12000	1	RMS	11888	-56.99	-25	Pass	9001
12000	27000	1	RMS	25654	-34.51	-25	Pass	15001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.4	-25	Pass	2986
30	1000	0.1	RMS	937.8	-57.17	-25	Pass	9701
1000	2486	1	RMS	2486	-44.1	-25	Pass	1487
2486	2700	1	RMS	2586.58	22.27	60	Pass	401
2700	3000	1	RMS	2999.25	-44.28	-25	Pass	401
3000	12000	1	RMS	11849	-57.02	-25	Pass	9001
12000	27000	1	RMS	25625	-34.5	-25	Pass	15001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-25	Pass	2986
30	1000	0.1	RMS	945.5	-57.02	-25	Pass	9701
1000	2486	1	RMS	2486	-44.02	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.48	60	Pass	401
2700	3000	1	RMS	2998.5	-44.25	-25	Pass	401
3000	12000	1	RMS	11858	-57.06	-25	Pass	9001
12000	27000	1	RMS	25633	-34.46	-25	Pass	15001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	Pass	2986
30	1000	0.1	RMS	850.401	-59.73	-25	Pass	9701
1000	2486	1	RMS	2486	-46.6	-25	Pass	1487
2486	2715	1	RMS	2675.498	22.4	60	Pass	401
2715	3000	1	RMS	2955.825	-44.84	-25	Pass	401
3000	12000	1	RMS	11842	-55.95	-25	Pass	9002
12000	27000	1	RMS	26001	-39.67	-25	Pass	15002



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.7	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.15	-25	Pass	2986
30	1000	0.1	RMS	715.1	-59.75	-25	Pass	9701
1000	2486	1	RMS	2481	-46.57	-25	Pass	1487
2486	2715	1	RMS	2675.498	21.82	60	Pass	401
2715	3000	1	RMS	2948.7	-44.83	-25	Pass	401
3000	12000	1	RMS	11850	-55.84	-25	Pass	9002
12000	27000	1	RMS	25999	-39.63	-25	Pass	15002



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2986
30	1000	0.1	RMS	922.5	-57.11	-25	Pass	9701
1000	2486	1	RMS	2486	-40.07	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.41	60	Pass	401
2700	3000	1	RMS	3000	-44.21	-25	Pass	401
3000	12000	1	RMS	11861	-56.99	-25	Pass	9001
12000	27000	1	RMS	25623	-34.44	-25	Pass	15001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-25	Pass	2986
30	1000	0.1	RMS	925.9	-57.2	-25	Pass	9701
1000	2486	1	RMS	2485	-40.17	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.45	60	Pass	401
2700	3000	1	RMS	3000	-44.29	-25	Pass	401
3000	12000	1	RMS	11854	-56.95	-25	Pass	9001
12000	27000	1	RMS	25625	-34.47	-25	Pass	15001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-25	Pass	2986
30	1000	0.1	RMS	977.6	-57.17	-25	Pass	9701
1000	2486	1	RMS	2484	-44.03	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.32	60	Pass	401
2700	3000	1	RMS	2994.75	-44.29	-25	Pass	401
3000	12000	1	RMS	11851	-57.02	-25	Pass	9001
12000	27000	1	RMS	25629	-34.5	-25	Pass	15001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.94	-25	Pass	2986
30	1000	0.1	RMS	959.6	-57.25	-25	Pass	9701
1000	2486	1	RMS	2484	-44.03	-25	Pass	1487
2486	2700	1	RMS	2584.44	20.24	60	Pass	401
2700	3000	1	RMS	2995.5	-44.29	-25	Pass	401
3000	12000	1	RMS	11853	-57.06	-25	Pass	9001
12000	27000	1	RMS	25621	-34.48	-25	Pass	15001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	Pass	2986
30	1000	0.1	RMS	846.8	-59.8	-25	Pass	9701
1000	2486	1	RMS	2482	-46.55	-25	Pass	1487
2486	2715	1	RMS	2670.918	22.43	60	Pass	401
2715	3000	1	RMS	2957.963	-44.84	-25	Pass	401
3000	12000	1	RMS	11852	-55.96	-25	Pass	9002
12000	27000	1	RMS	26014	-39.7	-25	Pass	15002



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.47	-25	Pass	2986
30	1000	0.1	RMS	848.8	-59.78	-25	Pass	9701
1000	2486	1	RMS	2480	-46.59	-25	Pass	1487
2486	2715	1	RMS	2670.918	22.33	60	Pass	401
2715	3000	1	RMS	2952.263	-44.84	-25	Pass	401
3000	12000	1	RMS	11847	-56	-25	Pass	9002
12000	27000	1	RMS	25983	-39.7	-25	Pass	15002



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-49.76	-13	Pass	401
0.15	30	0.01	Peak	0.17	-52.74	-13	Pass	2986
30	809	0.1	Peak	782.6	-50.54	-13	Pass	7791
809	829	0.1	Peak	814.3	24.38	60	Pass	401
829	1000	0.1	Peak	834.1	-51.36	-13	Pass	1711
1000	3000	1	Peak	2804	-35.4	-13	Pass	2001
3000	10000	1	Peak	9503	-28.61	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-51.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.68	-13	Pass	2986
30	809	0.1	Peak	771.3	-49.94	-13	Pass	7791
809	829	0.1	Peak	814.25	24.7	60	Pass	401
829	1000	0.1	Peak	953.2	-50.79	-13	Pass	1711
1000	3000	1	Peak	2885	-34.98	-13	Pass	2001
3000	10000	1	Peak	9934	-28.36	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.98	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.44	-13	Pass	2986
30	809	0.1	Peak	781.4	-50.37	-13	Pass	7791
809	829	0.1	Peak	818.6	24.91	60	Pass	401
829	1000	0.1	Peak	916.3	-52.03	-13	Pass	1711
1000	3000	1	Peak	2789	-35.33	-13	Pass	2001
3000	10000	1	Peak	9484	-28.04	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.72	-13	Pass	2986
30	809	0.1	Peak	793.7	-51.02	-13	Pass	7791
809	829	0.1	Peak	818.55	24.72	60	Pass	401
829	1000	0.1	Peak	966.7	-51.19	-13	Pass	1711
1000	3000	1	Peak	2878	-34.72	-13	Pass	2001
3000	10000	1	Peak	9420	-28.12	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.56	-13	Pass	2986
30	809	0.1	Peak	796.2	-50.86	-13	Pass	7791
809	829	0.1	Peak	822.85	24.44	60	Pass	401
829	1000	0.1	Peak	845.7	-51.77	-13	Pass	1711
1000	3000	1	Peak	2649	-35.37	-13	Pass	2001
3000	10000	1	Peak	9503	-28.71	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.64	-13	Pass	2986
30	809	0.1	Peak	788.3	-50.16	-13	Pass	7791
809	829	0.1	Peak	822.8	24.65	60	Pass	401
829	1000	0.1	Peak	903.9	-51.96	-13	Pass	1711
1000	3000	1	Peak	2948	-35.59	-13	Pass	2001
3000	10000	1	Peak	9973	-28.14	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.61	-13	Pass	2986
30	809	0.1	Peak	808.9	-46.02	-13	Pass	7791
809	829	0.1	Peak	814.25	24.52	60	Pass	401
829	1000	0.1	Peak	966.2	-50.32	-13	Pass	1711
1000	3000	1	Peak	2998	-35.02	-13	Pass	2001
3000	10000	1	Peak	9481	-27.96	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-49.72	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53	-13	Pass	2986
30	809	0.1	Peak	808.9	-46.62	-13	Pass	7791
809	829	0.1	Peak	814.2	24.91	60	Pass	401
829	1000	0.1	Peak	955.7	-52.19	-13	Pass	1711
1000	3000	1	Peak	2655	-35.29	-13	Pass	2001
3000	10000	1	Peak	9937	-28.74	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.4	-13	Pass	401
0.15	30	0.01	Peak	0.17	-52.14	-13	Pass	2986
30	809	0.1	Peak	534	-50.35	-13	Pass	7791
809	829	0.1	Peak	817.75	25.15	60	Pass	401
829	1000	0.1	Peak	831.8	-47.91	-13	Pass	1711
1000	3000	1	Peak	2994	-35.48	-13	Pass	2001
3000	10000	1	Peak	9918	-27.95	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-47.84	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.14	-13	Pass	2986
30	809	0.1	Peak	809	-50.83	-13	Pass	7791
809	829	0.1	Peak	817.75	24.66	60	Pass	401
829	1000	0.1	Peak	831.5	-48.75	-13	Pass	1711
1000	3000	1	Peak	2938	-35.35	-13	Pass	2001
3000	10000	1	Peak	9417	-28.67	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.46	-13	Pass	2986
30	809	0.1	Peak	799.1	-49.92	-13	Pass	7791
809	829	0.1	Peak	821.25	24.57	60	Pass	401
829	1000	0.1	Peak	829	-44.04	-13	Pass	1711
1000	3000	1	Peak	2872	-34.96	-13	Pass	2001
3000	10000	1	Peak	9935	-28.33	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.94	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.66	-13	Pass	2986
30	809	0.1	Peak	804.7	-50.59	-13	Pass	7791
809	829	0.1	Peak	821.3	25.11	60	Pass	401
829	1000	0.1	Peak	829	-42.71	-13	Pass	1711
1000	3000	1	Peak	2889	-35.26	-13	Pass	2001
3000	10000	1	Peak	9968	-28.62	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.08	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.89	-13	Pass	2986
30	809	0.1	Peak	809	-47.35	-13	Pass	7791
809	829	0.1	Peak	814.35	24.97	60	Pass	401
829	1000	0.1	Peak	922.4	-51.31	-13	Pass	1711
1000	3000	1	Peak	2656	-35.06	-13	Pass	2001
3000	10000	1	Peak	9389	-28.07	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.37	-13	Pass	2986
30	809	0.1	Peak	809	-48.58	-13	Pass	7791
809	829	0.1	Peak	814.3	25	60	Pass	401
829	1000	0.1	Peak	982.6	-51.55	-13	Pass	1711
1000	3000	1	Peak	2595	-35.54	-13	Pass	2001
3000	10000	1	Peak	9861	-28.34	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-51.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.27	-13	Pass	2986
30	809	0.1	Peak	808.3	-50.51	-13	Pass	7791
809	829	0.1	Peak	816.85	24.53	60	Pass	401
829	1000	0.1	Peak	976.4	-51.47	-13	Pass	1711
1000	3000	1	Peak	2613	-35.21	-13	Pass	2001
3000	10000	1	Peak	9393	-28.86	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-50.17	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.08	-13	Pass	2986
30	809	0.1	Peak	808.3	-50.82	-13	Pass	7791
809	829	0.1	Peak	816.8	24.77	60	Pass	401
829	1000	0.1	Peak	925.6	-51.12	-13	Pass	1711
1000	3000	1	Peak	2654	-35.19	-13	Pass	2001
3000	10000	1	Peak	9409	-28.33	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.64	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.06	-13	Pass	2986
30	809	0.1	Peak	785.4	-49.75	-13	Pass	7791
809	829	0.1	Peak	819.35	24.62	60	Pass	401
829	1000	0.1	Peak	829	-48.92	-13	Pass	1711
1000	3000	1	Peak	2777	-35.04	-13	Pass	2001
3000	10000	1	Peak	9990	-28.75	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-51.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.77	-13	Pass	2986
30	809	0.1	Peak	762.5	-50.88	-13	Pass	7791
809	829	0.1	Peak	819.3	24.72	60	Pass	401
829	1000	0.1	Peak	829	-48.94	-13	Pass	1711
1000	3000	1	Peak	2750	-35.38	-13	Pass	2001
3000	10000	1	Peak	9471	-27.96	-13	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.12	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.7	-13	Pass	2986
30	809	0.1	Peak	808.8	-29.36	-13	Pass	7791
809	829	0.1	Peak	814.6	24.88	60	Pass	401
829	1000	0.1	Peak	830.7	-28.62	-13	Pass	1711
1000	3000	1	Peak	2802	-34.96	-13	Pass	2001
3000	10000	1	Peak	9919	-28.41	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.81	-13	Pass	2986
30	809	0.1	Peak	808.9	-47.14	-13	Pass	7791
809	829	0.1	Peak	814.65	24.72	60	Pass	401
829	1000	0.1	Peak	832.3	-39.81	-13	Pass	1711
1000	3000	1	Peak	2777	-35.92	-13	Pass	2001
3000	10000	1	Peak	9413	-28.84	-13	Pass	7001



--BLANK BELOW--