



Xtreme Performance


Bodypack transmitter Dual channel smart charger UHF Wireless Communication User manual

FCC ID:2ACD8BW16T

All system includes: bodypack transmitter and receiver/earphone/User manual/Charger, power adapter(optional accessories)

■ Quick charge design. ■ Automatic adjusting the charge current . ■ Automatic power off when full-charged.

Transmitter





Features:

- ① Antenna
- ② Power switch/Volume control
- ③ Channel screen:
Display all current used channel
(the red light will flashing when it is low)
- ④ Channel down(-) button
- ⑤ Channel up(+) button
- ⑥ Battery cover

- ⑦ circuit signal input socket
- ⑧ Power Indicator Light
- ⑨ Microphone socket

Charger (optional accessories)



Features:

- ① Charge indicator
- ② Charge indicator
After electrified the indicator will flash green, with 5-second detecting. light goes off: no batteries inside
Flashing red: charging
Flashing green: wrong charging
Slow flashing green: charging
Green: Ready

- ③ Charge holder
Make sure the bodypack device is correctly plugged.
- ④ DC Input

Bodypack transmitter

Max audio input level
>2500mV
Input impedance
5 KΩ
Dimensions:
98mm(L)*65mm (W) *24mm (H)
Weight
90g
Power supply
2 XAA size alkaline batteries
Battery life
>10H

Specifications:

Voltage requirement: 6-18V DC
Max charging current: 618mA
Power supply: 1000mA/13.5V
Dimensions: 70x96x112mm
Weight: 250g
Frequency:584.400-606.750MHz

Working Range:50M in good position (Actual range depends on RF signals absorption, reflection, and interference.)

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference
that may cause undesired operation.

Changes or modifications to this unit not expressly approved by the party responsible for compliance
could void the user's authority to operate the equipment.