

## 8. RADIO FREQUENCY EXPOSURE

### 8.1. Limit

According to §1.1310 and §2.1091 RF exposure is calculated.

**Table: Limits for General Population/Uncontrolled Exposure**

<b>Frequency Range (MHz)</b>	<b>Power Density (S) (mW/cm<sup>2</sup>)</b>
0.3–1.34	*(100)
1.34–30	*(180/f <sup>2</sup> )
30–300	0.2
300–1500	f/1500
1500–100,000	1.0

F = frequency in MHz

\* = Plane-wave equivalent power density

### Maximum Permissible Exposure

The MPE was calculated at 20cm to show compliance with the power density limit.

$$S = PG/4\pi R^2$$

S = Power density

P = power input to antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna.

Note:

1. Manufacturer declared that the maximum antenna gain is 3.0dBi for TX.
2. Manufacturer declared that the nearest distance between human and the EUT is 20cm.
3. Only record worst case data.

## GSM 850

Conducted Peak output Power in dBm	31.24	dBm
Max. Conducted Peak output Power in mW	1330.4544	mW
Prediction distance	20	cm
Prediction frequency	848.8	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.52964	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## GPRS 850(Slot 1)

Conducted Peak output Power in dBm	30.32	dBm
Max. Conducted Peak output Power in mW	1076.4652	mW
Prediction distance	20	cm
Prediction frequency	824.2	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.42853	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## GPRS 850(Slot 2)

Conducted Peak output Power in dBm	28.42	dBm
Max. Conducted Peak output Power in mW	695.0243	mW
Prediction distance	20	cm
Prediction frequency	836.6	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.27668	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## GPRS 850(Slot 3)

Conducted Peak output Power in dBm	27.17	dBm
Max. Conducted Peak output Power in mW	521.1947	mW
Prediction distance	20	cm
Prediction frequency	848.8	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.20748	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## GPRS 850(Slot 4)

Conducted Peak output Power in dBm	26.65	dBm
Max. Conducted Peak output Power in mW	462.3810	mW
Prediction distance	20	cm
Prediction frequency	824.2	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.18407	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## PCS 1900

Conducted Peak output Power in dBm	28.53	dBm
Max. Conducted Peak output Power in mW	712.8530	mW
Prediction distance	20	cm
Prediction frequency	1850.2	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.28378	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## GPRS 1900(Slot 1)

Conducted Peak output Power in dBm	27.37	dBm
Max. Conducted Peak output Power in mW	545.7579	mW
Prediction distance	20	cm
Prediction frequency	1850.2	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.21726	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## GPRS 1900(Slot 2)

Conducted Peak output Power in dBm	26.48	dBm
Max. Conducted Peak output Power in mW	444.6313	mW
Prediction distance	20	cm
Prediction frequency	1850.2	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.17700	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## GPRS 1900(Slot 3)

Conducted Peak output Power in dBm	25.43	dBm
Max. Conducted Peak output Power in mW	349.1403	mW
Prediction distance	20	cm
Prediction frequency	1909.8	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.13899	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## GPRS 1900(Slot 4)

Conducted Peak output Power in dBm	24.24	dBm
Max. Conducted Peak output Power in mW	265.4606	mW
Prediction distance	20	cm
Prediction frequency	1850.2	MHz
Antenna Gain(typical)	3.0	dBi
Antenna Gain(numeric)	2.0	
Power density at prediction frequency( S)	0.10568	mW/cm <sup>2</sup>
MPE limit for uncontrolled exposure at prediction frequency	1	mW/cm <sup>2</sup>

## 8.2 Test Results

The power density level worst case at 20 cm is below the uncontrolled exposure limit.