

CENTRE OF TESTING SERVICE INTERNATIONAL

OPERATE ACCORDING TO ISO/IEC 17025

FCC ID TEST REPORT

TEST REPORT NUMBER: CGZ3170328-00426-EF



CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

CENTRE OF TESTING SERVICE





	TEST REPORT For FCC ID			
	47 CFR PART 15 OCT, 2016			
Report Reference No	. CGZ3170328-00426-EF			
Date of issue	. 10 April 2017			
Testing Laboratory Name	. CENTRE OF TESTING SERVICE CO., LTD.			
Address	. A101,No.65,Zhuji Highway,Tianhe District,Guangzhou, China			
Testing location/ procedure	. Full application of Harmonised standards ■			
	Partial application of Harmonised standards \square			
	Other standard testing method \square			
Applicant's name	Organix Concept Limited			
Address	Unit B, 10/F Hyde Centre, 223 Gloucester Road, Wanchai,			
	Hong Kong			
Test specification				
Standard	47 CFR PART 15 OCT, 2016; ANSI C63.10:2013			
Test Report Form No	. CTSEMC-1.0			
TRF Originator	. CENTRE OF TESTING SERVICE CO., LTD.			
Master TRF	. Dated 2009-01			
CENTRE OF TESTING SERVICE C	O., LTD. All rights reserved.			
CENTRE OF TESTING SERVICE C material. CENTRE OF TESTING SE	This publication may be reproduced in whole or in part for non-commercial purposes as long as the CENTRE OF TESTING SERVICE CO., LTD is acknowledged as copyright owner and source of the material. CENTRE OF TESTING SERVICE CO., LTD takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.			
Test item description	: Bluetooth Activity Tracker			
Trade Mark	1			
Manufacturer	Organix Concept Limited			
Model/Type reference	PR148			
Ratings	DC 5V for Charging and Battery 3.7V			
Operating Frequency				
Result	. Positive			

Compiled by:

Supervised by:

Approved by:

Kate zhang / Fileadministrators

Duke yang / Technique principal

Vincent yao / Manager

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





FCCID -- TEST REPORT

Test Report No. : CGZ3170328-00426-EF 10 April 2017 Date of issue

Type / Model	PR148
EUT	Bluetooth Activity Tracker
Applicant	Organix Concept Limited
Address	Unit B, 10/F Hyde Centre, 223 Gloucester Road, Wanchai, Hong Kong
Telephone	+852-2580 3677
Fax	+852-2580 1433
Contact	Ling Huang
Manufacturer	Organix Concept Limited
Address	Unit B, 10/F Hyde Centre, 223 Gloucester Road, Wanchai, Hong Kong
Telephone	+852-2580 3677
Fax	+852-2580 1433
Contact	Ling Huang
Factory	Shenzhen HongKeXun Electronic Technology Co., Ltd.
Address	2F, B Building, The Second industrial zone, Xiahenglang, Dalang Street, Longhua New District, Shenzhen City, Guangdong Province,
	China Shenzhen
Telephone	1
Fax	1
Contact	1

Test Result according to the standards on page 1: PASSED

The test report merely corresponds to the test sample.

It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn





TABLE OF CONTENTS

Description	Page
1.TEST STANDARDS	5
2.SUMMARY	5
2.1 GENERAL REMARKS	5
2.2 FINAL ASSESSMENT	
3.EQUIPMENT UNDER TEST	5
3.1 Power supply system utilised	5
3.2 SHORT DESCRIPTION OF THE EQUIPMENT UNDER TEST (EUT)	5
3.3 EUT OPERATION MODE	
3.4 EUT CONFIGURATION	
4.TEST ENVIRONMENT	7
4.1 Address of the test laboratory	7
4.2 TEST FACILITY	
4.3 Environmental conditions	7
4.4 DEFINITIONS OF SYMBOLS USED IN THIS TEST REPORT	7
4.5 STATEMENT OF THE MEASUREMENT UNCERTAINTY	
4.6 MEASUREMENT UNCERTAINTY	8
5.SUMMARY OF STANDARDS AND RESULTS	8
5.1.Description of Standards and Results	8
6.POWER LINE CONDUCTED EMISSION TEST	9
6.1.Test Equipment	g
6.2. BLOCK DIAGRAM OF TEST SETUP	
6.3. POWER LINE CONDUCTED EMISSION TEST LIMITS	9
6.4.Test Procedure	
6.5. POWER LINE CONDUCTED EMISSION TEST RESULTS	9
7.RADIATED DISTURBANCE (ELECTRIC FIELD)	12
7.1.TEST EQUIPMENT	12
7.2.BLOCK DIAGRAM OF TEST SETUP	12
7.3.RADIATED EMISSION LIMIT:	
7.4.Test Procedure	
7.5.RADIATED EMISSION TEST RESULTS	14
8.BAND EDGE COMPLIANCE TEST	22
8.1. Test Equipment	
8.2. Test Information	
8.3. TEST PROCEDURE	
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the i	ssuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

FCC ID:2ACEG-PR148

CENTRE OF TESTING SERVICE



CTS

	8.4. TEST RESULTS	22
9	20 DB BANDWIDTH TEST	27
	9.1. TEST EQUIPMENT	
	9.2. Test Information	27
	8.3. TEST RESULTS	27
41	O DEVIATION TO TEST SPECIFICATIONS	20

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





1.TEST STANDARDS

The tests were performed according to following standards:

- 47 CFR PART 15 OCT, 2016
- ANSI C63.10:2013

2.SUMMARY

2.1 GENERAL REMARKS

Date of receipt of test sample	28 March 2017	
Testing commenced on	28 March ~10 April 2017	
Testing concluded on	10 April 2017	

2.2 FINAL ASSESSMENT

The FCC requirements pertaining to the technical standards and tested operation modes are

- fulfilled.
- □ **not** fulfilled.

The equipment under test

- fulfils the FCC requirements cited on page 1.
- **does not** fulfil the FCC requirements cited on page 1.

3.EQUIPMENT UNDER TEST

3.1 Power supply system utilised

Power supply voltage : ■ DC 5V by Adapter, Adapter Supply by AC 120V/60Hz

3.2 Short description of the Equipment under Test (EUT)

Number of tested samples: 1

Serial number: Prototype

3.3 EUT operation mode

The equipment under test was operated during the measurement under the following conditions:

- ☐ TX- Y position
- ☐ TX- Z position
- TX- X position

Operation mode 1:TX-X Position Low (2402MHz) , TX-X Position Middle (2440MHz), TX-X Position High (2480MHz)

Note:Operation mode 1 TX -X position of EUT is the radiated test worst case; so only these test results be recorded in the test report.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn







3.4 EUT configuration

3.4.1. Description of configuration (EUT)

Description	:	Bluetooth Activity Tracker
Model Number	:	PR148
Operation frequency	:	2402~ 2480 MHz ISM Band
Bluetooth Version	:	BT 4.0
Modulation Technology	:	GFSK Modulation
Antenna	:	PCB antenna, met requirement of FCC 15.203

3.4.2. Tested Supporting System Details

N/A

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Page 6 of 30

CENTRE OF TESTING SERVICE





4.TEST ENVIRONMENT

4.1 Address of the test laboratory

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

4.2 Test facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L3394

CENTRE OF TESTING SERVICE CO., LTD has been assessed and proved to be in compliance with CNAS-CL01: 2006 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC 17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories.

IC-Registration No.: 8374A

The 3m Alternate Test Site of CENTRE OF TESTING SERVICE CO., LTD has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 8374A on June 6, 2011.

FCC-Registration No.: 971995

CENTRE OF TESTING SERVICE CO., LTD, EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration No.791995, July 13,2012.

4.3 Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	15~35 ° C
Humidity:	25~75 %
Atmospheric pressure:	86~106 kPa

4.4 Definitions of symbols used in this test report

- - The black square indicates that the listed condition, standard or equipment is applicable for this report.
- The empty square indicates that the listed condition, standard or equipment is **not** applicable for this report.

4.5 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to CISPR 16 - 4 "Specification for radio disturbance and immunity measuring apparatus and methods – Part 4: Uncertainty in EMC Measurements" and is documented in the CTS quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3170328-00426-EF Page 7 of 30





4.6 Measurement Uncertainty

Test Item	Frequency Range	Uncertainty	Note
Conduction disturbance	150kHz~30MHz	±1.22dB	(1)
Power disturbance	30MHz~300MHz	±1.38dB	(1)
	30MHz~300MHz	±3.14dB	(1)
Radiation emission (3m)	300MHz~1000MHz	±3.18dB	(1)
	1GHz~26.5GHz	±3.54dB	(1)

^{(1).} This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

5. Summary of standards and results

5.1. Description of Standards and Results

The EUT have been tested according to the applicable standards as referenced below.

EMISSION					
Description of Test Item Standard Results					
Conducted Emission Test	FCC Part 15 § 15.207 ANSI C63.10:2013	PASSED			
Radiated Emission Test	FCC Part 15 C § 15.249 FCC Part 15 § 209 ANSI C63.10:2013	PASSED			
Band Edge Compliance Test	FCC Part 15 C § 15.249 ANSI C63.10:2013	PASSED			
20 dB Bandwidth	FCC Part 15 C: 15.215 ANSI C63.10:2013	PASSED			
N/A is an abbreviation for Not Applicable.					

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3170328-00426-EF Page 8 of 30






6. Power Line Conducted Emission Test

6.1.Test Equipment

Conduc	Conducted Disturbance					
Item Test Equipment		Manufacturer	Model No.	Serial No.	Last Cal.	
1	EMI Test Receiver	ROHDE & SCHWARZ	ESHS10	842884/012	2016/10	
2	2 Artificial Mains ROHDE & SCHWARZ		ESH3-Z5	832479/025	2016/10	
3	Artificial Mains	ROHDE & SCHWARZ	ESH3-Z5	832479/026	2016/10	
4	Pulse Limiter	ROHDE & SCHWARZ	ESHSZ2	100301	2016/10	
5	EMI Test Software	ROHDE & SCHWARZ	ESK1	N/A	2016/10	

6.2. Block Diagram of Test Setup



6.3. Power Line Conducted Emission Test Limits

Standard: FCC Part 15: 15.207, ANSI C63.10:2013

			Maximum RF Line Voltage	
	Frequency		Quasi-Peak Level	Average Level
	1104	acricy	dB(μV)	dB(μV)
	150kHz	~ 500kHz	66 ~ 56*	56 ~ 46*
	500kHz	~ 5MHz	56	46
	5MHz	~ 30MHz	60	50

Notes: 1. * Decreasing linearly with logarithm of frequency.

6.4.Test Procedure

The Notebook Power connected to the power mains through a line impedance stabilization network (L.I.S.N.#2). This provides a 50 ohm coupling impedance for the EUT. Please refer the block diagram of the test setup and photographs. The other peripheral devices power cord connected to the power mains through a line impedance stabilization network (L.I.S.N.#1). Power on the PC and let it work normally, we use a keyboard test soft ware, let EUT working in test mode, then test it. Both sides of AC line are checked to find out the maximum conducted emission. In order to find the maximum emission levels, the relative positions of equipment and all of the interface cables shall be changed according to FCC Part 15C on Conducted Emission Test.

6.5. Power Line Conducted Emission Test Results PASSED

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3170328-00426-EF Page 9 of 30

^{2.} The lower limit shall apply at the transition frequencies.






5.1.5 Test protocol

Test point	L	Result:	■ - passed
Operation mode	TX		□ - not passed
Remarks:			'

EUT	Bluetooth Activity Tracker
MODEL NO.	PR148
Operating Condition	AC 120V/60Hz
Test Condition	Ambient Temperature: 24°C Humidity: 56%
Operator	Duke



No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector
1	0.3420	10.20	15.77	25.97	59.15	-33.18	QP
2	0.3420	10.20	-1.52	8.68	49.15	-40.47	AVG
3	0.4540	10.20	6.74	16.94	56.80	-39.86	QP
4	0.4540	10.20	-3.28	6.92	46.80	-39.88	AVG
5	0.9140	10.29	4.78	15.07	56.00	-40.93	QP
6	0.9140	10.29	-3.73	6.56	46.00	-39.44	AVG
7	1.8500	10.40	6.53	16.93	56.00	-39.07	QP
8	1.8500	10.40	-3.78	6.62	46.00	-39.38	AVG
9	2.4180	10.46	5.78	16.24	56.00	-39.76	QP
10	2.4180	10.46	-4.65	5.81	46.00	-40.19	AVG
11	12.0700	11.20	5.37	16.57	60.00	-43.43	QP
12	12.0700	11.20	-5.24	5.96	50.00	-44.04	AVG

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service









No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector
1	0.3380	10.31	26.88	37.19	59.25	-22.06	QP
2	0.3380	10.31	1.69	12.00	49.25	-37.25	AVG
3	0.4620	10.31	15.14	25.45	56.66	-31.21	QP
4	0.4620	10.31	-2.42	7.89	46.66	-38.77	AVG
5	1.0180	10.43	16.91	27.34	56.00	-28.66	QP
6	1.0180	10.43	-2.46	7.97	46.00	-38.03	AVG
7	1.8860	10.51	15.63	26.14	56.00	-29.86	QP
8	1.8860	10.51	-2.79	7.72	46.00	-38.28	AVG
9	2.4740	10.56	14.15	24.71	56.00	-31.29	QP
10	2.4740	10.56	-3.70	6.86	46.00	-39.14	AVG
11	3.0060	10.61	13.28	23.89	56.00	-32.11	QP
12	3.0060	10.61	-3.90	6.71	46.00	-39.29	AVG

Note:Level=Reading+Factor. Margin= Level - Limit

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service






7. Radiated disturbance (electric field)

7.1.Test Equipment

Radia	Radiated disturbance (electric field)							
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.			
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	100868	2016/10			
2	Biconical Antenna	ROHDE & SCHWARZ	HK116	100221	2017/03			
3	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2017/03			
4	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2017/03			
5	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2017/03			
6	Loop Antenna	A.R.A	PLA-1030/B	1030	2016/10			

7.2.Block Diagram of Test Setup

7.2.1 Block Diagram of connection between EUT and simulators



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

Fax: +86-20-38780406


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service





7.2.2 Anechoic Chamber Setup Diagram



7.3. Radiated Emission Limit:

Standard: FCC 15.249, FCC 15.209

Except as provided in paragraph (a) of this section, the field strength of emissions from intentional radiators operated within these frequency bands shall comply with the following:

Fundamental Frequency (MHz)	Field Strength of Fundamental (mV/m)	Field Strength of Harmonics (µV/m)
902-928	50	500
2400-2483.5	50	500
5725-5875	50	500
24000-24250	250	2500

FRE	FREQUENCY		DISTANCE	FIELD STRENGTHS LIMIT		
	MHz		Meters	μV/m	dB(μV)/m	
0.009	~	0.490	300	2400/F(kHz)		
0.490	~	1.705	30	24000/F(kHz)		
1.705	~	30	30	30		
30	~	88	3	100	40.0	
88	~	216	3	150	43.5	
216	~	960	3	200	46.0	
960	~	1000	3	500	54.0	
۸۱	Above 1000		2	Other:74.0 dB(μV)/m (Peak)		
A			3	54.0 dB(μV)/m (Average)		

Remark:

- (1) Emission level $dB\mu V = 20 \log Emission level \mu V/m$
- (2) The smaller limit shall apply at the cross point between two frequency bands.
- (3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Page 13 of 30

CENTRE OF TESTING SERVICE





7.4.Test Procedure

The EUT and its simulators are placed on a turn table, which is 0.8 meter (1.5m for above 1GHz) high above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT is set 3 meters away from the receiving antenna, which is mounted on a antenna tower. The antenna can be moved up and down between 1 meter and 4 meters to find out the maximum emission level. Broadband antenna (calibrated bilog antenna) is used as receiving antenna. Both horizontal and vertical polarization of the antenna is set on Test. In order to find the maximum emission levels, all of the interface cables must be manipulated according to ANSI C63.10:2013 on radiated emission Test.

The frequency range from 30MHz to 1000MHz and above 1GHz. is investigated. Please see the following pages.

All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 120kHz RBW below 1GHz and a Peak and Average detector with 2MHz RBW above 1GHz,

All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 300kHz VBW below 1GHz and a Peak detector with1MHz VBW above 1GHz, A average detector with 10Hz VBW above 1GHz

Pretest x, y, z position of EUT, final, select the worst case x position test and record the test results in the report.

The test modes (TX Mode) is tested in Anechoic Chamber and all the scanning waveforms are reported on section 7.5

7.5. Radiated Emission Test Results

PASSED.

The frequency range from 9KHz~30MHz,30MHz to 230MHz, 230MHz to 1000MHz and above 1GHz. is investigated. Please see the following pages.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3170328-00426-EF Page 14 of 30

FCC ID:2ACEG-PR148







Test Mode: TX –X Position Mode Result: □ - passed □ - not passed

No.	Frequency (MHz)	Factor (dB)		Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
Rem	Remark: The test result reading value is to low, margin all > 20dB of the limit.						

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Page 15 of 30

FCC ID:2ACEG-PR148








Channel:	TX –X Position	Result:	■ - passed
Test point:	Horizontal		□ - not passed
Frequency range:	30MHz-1GHz		

EUT	Bluetooth Activity Tracker
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test distance	3 Meter
Test Date:	28 March~10 April 2017
Operator	Duke
MODEL NO	PR148



No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	42.4449	-16.78	31.11	14.33	40.00	-25.67	QP
2	123.6072	-15.91	33.13	17.22	43.50	-26.28	QP
3	137.6754	-15.44	32.34	16.90	43.50	-26.60	QP
4	213.9679	-9.92	33.45	23.53	43.50	-19.97	QP
5	225.3307	-10.88	32.03	21.15	46.00	-24.85	QP
6	298.3768	-1.56	31.61	30.05	46.00	-15.95	QP
Remark: Other frequency mini margin all >6 dB of Limit							

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

CENTRE OF TESTING SERVICE







No.	Frequency	Factor	Reading	Level	Limit	Margin	Det.
	(MHz)	(dB)	(dBuV)	(dBuV/m)	(dBuV/m)	(dB)	
1	493.5872	-7.74	31.96	24.22	46.00	-21.78	QP
2	611.4228	-4.92	31.75	26.83	46.00	-19.17	QP
3	678.7575	-3.21	30.87	27.66	46.00	-18.34	QP
4	737.6754	-1.80	31.49	29.69	46.00	-16.31	QP
5	764.3287	-1.80	32.06	30.26	46.00	-15.74	QP
6	859.7194	-0.39	31.29	30.90	46.00	-15.10	QP
Remark: Other frequency mini margin all >6 dB of Limit							

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

FCC ID:2ACEG-PR148







Channel:	TX –X Position Low CH	Result:	■ - passed
Test point:	Horizontal		□ - not passed
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	2402.00	7.02	77.47	84.49	114.00	-29.51	Peak
2	2402.00	7.02	75.52	82.54	94.00	-11.46	AVG

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1868.99	3.96	37.56	41.52	74.00	-32.48	peak		
2	1868.99	3.96	23.33	27.29	54.00	-26.71	AVG		
3	5875.09	8.51	37.31	45.83	74.00	-28.17	peak		
4	5875.09	8.51	22.32	30.83	54.00	-23.17	AVG		
Remark:	Remark: Other frequency mini margin all >20 dB of Limit								

Channel:	TX –X Position Middle CH	Result:	■ - passed
Test point:	Horizontal		☐ - not passed
Frequency range:	1GHz-26.5GHz		'

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	2440.00	7.24	77.01	84.25	114.00	-29.75	Peak
2	2440.00	7.24	75.12	82.36	94.00	-11.64	AVG

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1086.79	-1.96	44.57	42.61	74.00	-31.39	peak		
2	1086.79	-1.96	29.60	27.64	54.00	-26.36	AVG		
3	5799.97	8.29	36.42	44.71	74.00	-29.29	peak		
4	5799.97	8.29	21.70	29.99	54.00	-24.01	AVG		
Remark	Remark: Other frequency mini margin all >20 dB of Limit								

Channel:	TX –X Position High CH	Result:	■ - passed
Test point:	Horizontal		□ - not passed
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	2480.00	7.47	77.24	84.71	114.00	-29.29	Peak
2	2480.00	7.47	74.90	82.37	94.00	-11.63	AVG

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1233.26	-0.62	43.48	42.86	74.00	-31.14	peak		
2	1233.26	-0.62	29.06	28.44	54.00	-25.56	AVG		
3	5262.57	6.70	38.10	44.81	74.00	-29.19	peak		
4	5262.57	6.70	23.40	30.11	54.00	-23.89	AVG		
Remark	Remark: Other frequency mini margin all >20 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3170328-00426-EF Page 18 of 30


FCC ID:2ACEG-PR148











No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	33.2465	-15.59	44.02	28.43	40.00	-11.57	QP		
2	39.1984	-16.36	37.98	21.62	40.00	-18.38	QP		
3	64.6293	-19.38	33.88	14.50	40.00	-25.50	QP		
4	133.8878	-15.49	33.48	17.99	43.50	-25.51	QP		
5	204.2285	-10.81	32.16	21.35	43.50	-22.15	QP		
6	211.2625	-9.69	32.52	22.83	43.50	-20.67	QP		
Remark:	Remark: Other frequency mini margin all >20 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

Fax: +86-20-38780406


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

CENTRE OF TESTING SERVICE







No.	Frequency	Factor	Reading	Level	Limit	Margin	Det.		
	(MHz)	(dB)	(dBuV)	(dBuV/m)	(dBuV/m)	(dB)			
1	335.0701	-11.66	32.25	20.59	46.00	-25.41	QP		
2	480.9619	-7.88	31.30	23.42	46.00	-22.58	QP		
3	646.4930	-3.31	31.49	28.18	46.00	-17.82	QP		
4	764.3287	-1.80	31.62	29.82	46.00	-16.18	QP		
5	849.8998	-0.14	31.56	31.42	46.00	-14.58	QP		
6	914.4289	-1.10	31.64	30.54	46.00	-15.46	QP		
Remark:	Remark: Other frequency mini margin all >6 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

FCC ID:2ACEG-PR148







Channel:	TX –X Position Low CH	Result:	■ - passed
Test point:	Vertical		□ - not passed
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	2402.00	7.02	75.29	82.31	114.00	-31.69	Peak
2	2402.00	7.02	73.34	80.36	94.00	-13.64	AVG

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	1116.52	-1.68	43.88	42.19	74.00	-31.81	peak
2	1116.52	-1.68	29.78	28.10	54.00	-25.90	AVG
3	5558.86	7.58	36.89	44.47	74.00	-29.53	peak
4	5558.86	7.58	22.55	30.13	54.00	-23.87	AVG
Remark:	Remark: Other frequency mini margin all >20dB of Limit						

Channel:	TX –X Position Middle CH	Result:	■ - passed
Test point:	Vertical		□ - not passed
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	2440.00	7.24	75.41	82.65	114.00	-31.35	Peak
2	2440.00	7.24	73.13	80.37	94.00	-13.63	AVG

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	1418.87	1.08	41.95	43.03	74.00	-30.97	peak
2	1418.87	1.08	27.03	28.10	54.00	-25.90	AVG
3	5500.69	7.41	36.63	44.04	74.00	-29.96	peak
4	5500.69	7.41	22.34	29.75	54.00	-24.25	AVG
Remark	Remark: Other frequency mini margin all >20 dB of Limit						

Channel:	TX –X Position High CH	Result:	■ - passed
Test point:	Vertical		☐ - not passed
Frequency range:	1GHz-26.5GHz		'

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	2480.00	7.47	75.29	82.76	114.00	-31.24	Peak
2	2480.00	7.47	72.77	80.24	94.00	-13.76	AVG

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	
1	1419.50	1.08	42.70	43.79	74.00	-30.21	peak	
2	1419.50	1.08	28.32	29.40	54.00	-24.60	AVG	
3	5102.38	6.23	37.05	43.28	74.00	-30.72	peak	
4	5102.38	6.23	23.04	29.28	54.00	-24.72	AVG	
Remark	Remark: Other frequency mini margin all >20 dB of Limit							

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3170328-00426-EF Page 21 of 30





8. Band Edge Compliance test

8.1. Test Equipment

Band Edge Compliance test						
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2016/10	
2	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2017/03	
3	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2017/03	

8.2. Test Information

EUT	Bluetooth Activity Tracker
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test distance	3 Meter
Test Date:	28 March~10 April 2017
Operator	Duke
MODEL NO	PR148

8.3. Test procedure

- 1. The EUT operates at hopping-off test mode. The lowest or highest channels are tested to verify the largest transmission and spurious emissions power at the continuous transmission mode.
- 2. Max hold the trace of the setp 1,and the EUT operates at hopping-on test mode to verify the largest spurious emissions power.
- 3. Set the spectrum analyzer in the following setting in order to capture the lower and upper band-edges of the emission:
 - (a) PEAK: RBW=VBW=1MHz / Sweep=AUTO
 - (b) AVERAGE: RBW=1MHz; VBW=10Hz, Sweep=AUTO

8.4. Test Results

PASSED.

The EUT operates at hopping-off test mode. The lowest and highest channels are tested to verify the band edge emissions.

Toot Mada	Channel	Test Result Highest Emission (dBuv/m)			
Test Mode	Marked Frequency	Horizontal		Vertical	
		Peak	Average	Peak	Average
Low Channel	2390MHz	39.82	20.88	37.61	20.64
	2400MHz	67.42	50.83	65.12	49.92
High Channel	2483.5MHz	53.58	46.21	51.47	44.01
	2500MHz	34.31	23.07	33.06	21.61

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service


Report No.: CGZ3170328-00426-EF Page 22 of 30





Band Edges (Low)





Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406


Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





Band Edges (High)





Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406


Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn











Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





9 20 dB Bandwidth test

9.1. Test Equipment

20 dB I	20 dB Bandwidth test							
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.			
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2016/10			
2	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2017/03			
3	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2017/03			

9.2. Test Information

EUT	Bluetooth Activity Tracker
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test distance	3 Meter
Test Date:	28 March~10 April 2017
Operator	Duke
MODEL NO	PR148

8.3. Test Results

PASSED.

The testing data was attached in the next pages.

Channel	20dB Bandwidth	Limit	Test Result
(MHz)	(MHz)	(MHz)	rest Nesuit
2402	1.240		PASSED
2440	1.248		PASSED
2480	1.252		PASSED

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service


Report No.: CGZ3170328-00426-EF Page 27 of 30





Test Plot:





Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)


Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn









Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

CENTRE OF TESTING SERVICE





10. Deviation to test specifications

The following identical model(s):

N/A

Belong to the tested device:

Product description: **Bluetooth Activity Tracker**Model name: **PR148**

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service