



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Data Collector

Test Model: R50

Environmental Conditions

Temperature:	23.6°C
Relative Humidity:	52.5%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.032	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.953	N/A	Pass
NVNT	1-DH5	2480	Ant1	1.005	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.284	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.284	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.28	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.272	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.299	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.295	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.68	21	Pass
NVNT	1-DH5	2441	Ant1	-0.5	21	Pass
NVNT	1-DH5	2480	Ant1	-1.9	21	Pass
NVNT	2-DH5	2402	Ant1	1.13	21	Pass
NVNT	2-DH5	2441	Ant1	1.29	21	Pass
NVNT	2-DH5	2480	Ant1	0.2	21	Pass
NVNT	3-DH5	2402	Ant1	1.51	21	Pass
NVNT	3-DH5	2441	Ant1	1.73	21	Pass
NVNT	3-DH5	2480	Ant1	0.62	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1








Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1









Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.84	2402.844	1.004	0.688	Pass
NVNT	2-DH5	Ant1	2402.006	2403.02	1.014	0.856	Pass
NVNT	3-DH5	Ant1	2402.024	2402.996	0.972	0.866	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	267.72	92	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	269.514	93	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.898	318.78	110	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs


Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.78	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.87	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.18	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.98	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-51	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.86	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-52.75	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-53.42	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-52.89	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.96	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-52.07	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-53.83	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission








Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.51	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.37	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.71	-20	Pass
NVNT	2-DH5	2402	Ant1	-54.28	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.35	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.8	-20	Pass
NVNT	3-DH5	2402	Ant1	-54.15	-20	Pass
NVNT	3-DH5	2441	Ant1	-54.48	-20	Pass
NVNT	3-DH5	2480	Ant1	-52.02	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.23	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-49.67	2	-	47.59	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-59.07	2	1.1	39.29	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2356.848	-47.76	2	-	49.5	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2385.648	-57.77	2	1.1	40.59	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.26	2	-	47	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.48	2	1.1	39.88	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.69	2	-	46.57	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.1	2	1.1	40.26	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.984	-47.27	2	-	49.99	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2494.888	-57.35	2	1.1	41.01	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.92	2	-	46.34	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.6	2	1.1	39.76	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-52.58	2	-	44.68	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.77	2	1.12	39.61	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2387.568	-47.38	2	-	49.88	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2358.096	-57.96	2	1.12	40.42	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.9	2	-	45.36	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-59.11	2	1.12	39.27	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.8	2	-	47.46	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.46	2	1.12	40.92	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2498.272	-47.49	2	-	49.77	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.752	-57.12	2	1.12	41.26	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.82	2	-	46.44	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.39	2	1.12	39.99	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.69	2	-	46.57	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.99	2	1.12	39.39	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2318.928	-47.64	2	-	49.62	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2388.24	-57.89	2	1.12	40.49	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-49.2	2	-	48.06	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.27	2	1.12	40.11	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-48.52	2	-	48.74	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.69	2	1.12	40.69	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.536	-46.3	2	-	50.96	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2488.624	-57.25	2	1.12	41.13	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.82	2	-	47.44	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.08	2	1.12	40.3	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

