



802.11n (HT20) CH149



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1276.50         | 45.43            | ---              | 68.20          | 22.77       | 500.00          | 200.0       | V   | 158.00        | -11          |
| 1411.25         | ---              | 33.77            | 54.00          | 20.23       | 500.00          | 100.0       | V   | 3.00          | -10          |
| 1446.25         | ---              | 33.99            | 54.00          | 20.01       | 500.00          | 200.0       | V   | 325.00        | -10          |
| 1978.25         | 46.87            | ---              | 68.20          | 21.33       | 500.00          | 100.0       | V   | 221.00        | -9           |
| 2606.50         | 48.69            | ---              | 68.20          | 19.51       | 500.00          | 100.0       | V   | 18.00         | -7           |
| 2786.75         | ---              | 36.75            | 54.00          | 17.25       | 500.00          | 100.0       | H   | 278.00        | -7           |
| 3546.25         | 49.70            | ---              | 68.20          | 18.50       | 500.00          | 100.0       | H   | 83.00         | -5           |
| 3828.00         | ---              | 38.46            | 54.00          | 15.54       | 500.00          | 100.0       | H   | 357.00        | -4           |
| 5457.25         | ---              | 40.86            | 54.00          | 13.14       | 500.00          | 100.0       | V   | 10.00         | 1            |
| 5627.00         | 52.93            | ---              | 68.20          | 15.27       | 500.00          | 200.0       | V   | 19.00         | 1            |
| 6166.00         | 53.63            | ---              | 68.20          | 14.57       | 500.00          | 100.0       | H   | 255.00        | 3            |
| 7450.50         | ---              | 44.09            | 54.00          | 9.91        | 500.00          | 100.0       | V   | 61.00         | 6            |



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8955.00         | 40.62            | ---              | 68.20          | 27.58       | 500.00          | 100.0       | V   | 143.00        | 6            |
| 9010.00         | ---              | 28.33            | 54.00          | 25.67       | 500.00          | 200.0       | H   | 40.00         | 6            |
| 9327.50         | ---              | 29.28            | 54.00          | 24.72       | 500.00          | 200.0       | V   | 355.00        | 7            |
| 10040.00        | 43.30            | ---              | 68.20          | 24.90       | 500.00          | 100.0       | V   | 16.00         | 8            |
| 10592.50        | 43.86            | ---              | 68.20          | 24.34       | 500.00          | 100.0       | H   | 0.00          | 9            |
| 11280.00        | ---              | 32.85            | 54.00          | 21.15       | 500.00          | 100.0       | V   | 59.00         | 9            |
| 12017.50        | ---              | 31.93            | 54.00          | 22.07       | 500.00          | 100.0       | V   | 263.00        | 9            |
| 13332.50        | ---              | 32.11            | 54.00          | 21.89       | 500.00          | 100.0       | H   | 272.00        | 8            |
| 13667.50        | 45.89            | ---              | 68.20          | 22.31       | 500.00          | 100.0       | H   | 272.00        | 9            |
| 15035.00        | 47.82            | ---              | 68.20          | 20.38       | 500.00          | 100.0       | V   | 2.00          | 9            |
| 15712.50        | ---              | 36.60            | 54.00          | 17.40       | 500.00          | 200.0       | V   | 240.00        | 8            |
| 16847.50        | 49.18            | ---              | 68.20          | 19.02       | 500.00          | 200.0       | V   | 357.00        | 11           |

## 802.11n (HT20) CH157



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1278.25         | 45.54            | ---              | 68.20          | 22.66       | 500.00          | 100.0       | V   | 200.00        | -11          |
| 1376.25         | ---              | 33.73            | 54.00          | 20.27       | 500.00          | 200.0       | V   | 241.00        | -10          |
| 1444.50         | ---              | 33.94            | 54.00          | 20.06       | 500.00          | 200.0       | V   | 295.00        | -10          |
| 1987.00         | 47.13            | ---              | 68.20          | 21.07       | 500.00          | 200.0       | V   | 225.00        | -9           |
| 2662.50         | 48.43            | ---              | 68.20          | 19.77       | 500.00          | 100.0       | H   | 288.00        | -7           |
| 2739.50         | ---              | 36.80            | 54.00          | 17.20       | 500.00          | 100.0       | H   | 122.00        | -7           |
| 3558.50         | 49.62            | ---              | 68.20          | 18.58       | 500.00          | 100.0       | V   | 2.00          | -5           |
| 3982.00         | ---              | 38.35            | 54.00          | 15.65       | 500.00          | 200.0       | V   | 359.00        | -4           |
| 5448.50         | ---              | 40.91            | 54.00          | 13.09       | 500.00          | 200.0       | H   | 0.00          | 1            |
| 5642.75         | 53.28            | ---              | 68.20          | 14.92       | 500.00          | 200.0       | H   | 5.00          | 1            |
| 6643.75         | 55.34            | ---              | 68.20          | 12.86       | 500.00          | 200.0       | H   | 169.00        | 5            |
| 7461.00         | ---              | 43.97            | 54.00          | 10.03       | 500.00          | 200.0       | H   | 34.00         | 6            |



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8927.50         | 40.37            | ---              | 68.20          | 27.83       | 500.00          | 100.0       | V   | 161.00        | 6            |
| 9025.00         | ---              | 28.35            | 54.00          | 25.65       | 500.00          | 200.0       | V   | 358.00        | 6            |
| 9337.50         | ---              | 29.23            | 54.00          | 24.77       | 500.00          | 200.0       | V   | 179.00        | 7            |
| 10450.00        | 43.68            | ---              | 68.20          | 24.52       | 500.00          | 100.0       | V   | 36.00         | 9            |
| 10590.00        | 44.31            | ---              | 68.20          | 23.89       | 500.00          | 200.0       | H   | 74.00         | 9            |
| 11302.50        | ---              | 33.00            | 54.00          | 21.00       | 500.00          | 100.0       | H   | 295.00        | 9            |
| 12180.00        | ---              | 31.66            | 54.00          | 22.34       | 500.00          | 100.0       | H   | 342.00        | 9            |
| 13285.00        | ---              | 32.16            | 54.00          | 21.84       | 500.00          | 200.0       | H   | 31.00         | 8            |
| 13720.00        | 45.52            | ---              | 68.20          | 22.68       | 500.00          | 100.0       | H   | 312.00        | 9            |
| 15350.00        | 47.51            | ---              | 68.20          | 20.69       | 500.00          | 200.0       | V   | 292.00        | 8            |
| 15710.00        | ---              | 36.54            | 54.00          | 17.46       | 500.00          | 100.0       | H   | 269.00        | 8            |
| 16422.50        | 47.90            | ---              | 68.20          | 20.30       | 500.00          | 100.0       | H   | 359.00        | 9            |

## 802.11n (HT20) CH165



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1285.25         | 45.09            | ---              | 68.20          | 23.11       | 500.00          | 100.0       | V   | 57.00         | -11          |
| 1404.25         | ---              | 33.86            | 54.00          | 20.14       | 500.00          | 100.0       | V   | 113.00        | -10          |
| 1700.00         | ---              | 33.97            | 54.00          | 20.03       | 500.00          | 100.0       | H   | 355.00        | -10          |
| 1945.00         | 46.41            | ---              | 68.20          | 21.79       | 500.00          | 200.0       | V   | 0.00          | -9           |
| 2559.25         | 48.85            | ---              | 68.20          | 19.35       | 500.00          | 100.0       | H   | 350.00        | -7           |
| 2708.00         | ---              | 36.78            | 54.00          | 17.22       | 500.00          | 100.0       | H   | 288.00        | -7           |
| 3276.75         | 49.18            | ---              | 68.20          | 19.02       | 500.00          | 100.0       | H   | 185.00        | -6           |
| 3994.25         | ---              | 38.54            | 54.00          | 15.46       | 500.00          | 100.0       | H   | 357.00        | -3           |
| 4444.00         | 49.65            | ---              | 68.20          | 18.55       | 500.00          | 200.0       | H   | 131.00        | -2           |
| 5452.00         | ---              | 40.75            | 54.00          | 13.25       | 500.00          | 200.0       | H   | 67.00         | 1            |
| 7030.50         | 53.69            | ---              | 68.20          | 14.51       | 500.00          | 200.0       | H   | 52.00         | 5            |
| 7487.25         | ---              | 43.77            | 54.00          | 10.23       | 500.00          | 100.0       | H   | 104.00        | 6            |



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8757.50         | 40.32            | ---              | 68.20          | 27.88       | 500.00          | 200.0       | H   | 165.00        | 6            |
| 9020.00         | ---              | 28.31            | 54.00          | 25.69       | 500.00          | 200.0       | V   | 90.00         | 6            |
| 9332.50         | ---              | 29.35            | 54.00          | 24.65       | 500.00          | 100.0       | V   | 92.00         | 7            |
| 10462.50        | 43.32            | ---              | 68.20          | 24.88       | 500.00          | 100.0       | V   | 5.00          | 9            |
| 10525.00        | 43.57            | ---              | 68.20          | 24.63       | 500.00          | 200.0       | H   | 89.00         | 9            |
| 11352.50        | ---              | 32.83            | 54.00          | 21.17       | 500.00          | 200.0       | V   | 226.00        | 9            |
| 12322.50        | ---              | 31.25            | 54.00          | 22.75       | 500.00          | 100.0       | H   | 356.00        | 8            |
| 13267.50        | ---              | 32.45            | 54.00          | 21.55       | 500.00          | 100.0       | V   | 3.00          | 8            |
| 13680.00        | 45.62            | ---              | 68.20          | 22.58       | 500.00          | 100.0       | V   | 59.00         | 9            |
| 15047.50        | 47.55            | ---              | 68.20          | 20.65       | 500.00          | 100.0       | V   | 76.00         | 9            |
| 15722.50        | ---              | 36.56            | 54.00          | 17.44       | 500.00          | 200.0       | H   | 0.00          | 8            |
| 16495.00        | 46.85            | ---              | 68.20          | 21.35       | 500.00          | 200.0       | V   | 349.00        | 9            |

802.11n (HT40) CH38



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1267.75         | 45.26            | ---              | 68.20          | 22.94       | 500.00          | 200.0       | V   | 45.00         | -11          |
| 1411.25         | ---              | 33.93            | 54.00          | 20.07       | 500.00          | 100.0       | V   | 0.00          | -10          |
| 1462.00         | ---              | 33.87            | 54.00          | 20.13       | 500.00          | 100.0       | V   | 130.00        | -10          |
| 1939.75         | 46.86            | ---              | 68.20          | 21.34       | 500.00          | 100.0       | V   | 346.00        | -9           |
| 2624.00         | 48.87            | ---              | 68.20          | 19.33       | 500.00          | 200.0       | H   | 356.00        | -7           |
| 2722.00         | ---              | 37.02            | 54.00          | 16.98       | 500.00          | 100.0       | V   | 24.00         | -7           |
| 3462.25         | 49.90            | ---              | 68.20          | 18.30       | 500.00          | 100.0       | H   | 166.00        | -5           |
| 3989.00         | ---              | 38.75            | 54.00          | 15.25       | 500.00          | 100.0       | V   | 346.00        | -3           |
| 4419.50         | 49.76            | ---              | 68.20          | 18.44       | 500.00          | 100.0       | V   | 290.00        | -2           |
| 4767.75         | ---              | 39.76            | 54.00          | 14.24       | 500.00          | 100.0       | V   | 350.00        | -1           |
| 6316.50         | 54.75            | ---              | 68.20          | 13.45       | 500.00          | 100.0       | H   | 5.00          | 4            |
| 7679.75         | ---              | 45.22            | 54.00          | 8.78        | 500.00          | 100.0       | V   | 359.00        | 7            |



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8820.00         | 49.40            | ---              | 68.20          | 18.80       | 500.00          | 100.0       | H   | 110.00        | 6            |
| 9080.00         | ---              | 37.54            | 54.00          | 16.46       | 500.00          | 100.0       | V   | 10.00         | 7            |
| 9305.00         | ---              | 38.10            | 54.00          | 15.90       | 500.00          | 100.0       | V   | 116.00        | 7            |
| 10437.50        | 51.97            | ---              | 68.20          | 16.23       | 500.00          | 100.0       | H   | 143.00        | 9            |
| 10555.00        | 52.29            | ---              | 68.20          | 15.91       | 500.00          | 200.0       | H   | 321.00        | 9            |
| 11345.00        | ---              | 40.95            | 54.00          | 13.05       | 500.00          | 100.0       | H   | 156.00        | 9            |
| 12687.50        | ---              | 39.66            | 54.00          | 14.34       | 500.00          | 100.0       | H   | 306.00        | 8            |
| 13700.00        | 52.06            | ---              | 68.20          | 16.14       | 500.00          | 100.0       | H   | 64.00         | 9            |
| 14415.00        | 53.94            | ---              | 68.20          | 14.26       | 500.00          | 100.0       | H   | 343.00        | 10           |
| 14485.00        | ---              | 40.43            | 54.00          | 13.57       | 500.00          | 200.0       | V   | 261.00        | 10           |
| 15780.00        | ---              | 39.14            | 54.00          | 14.86       | 500.00          | 100.0       | V   | 70.00         | 8            |
| 16450.00        | 51.18            | ---              | 68.20          | 17.02       | 500.00          | 200.0       | V   | 254.00        | 9            |

## 802.11n (HT40) CH46



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1299.25         | 45.10            | ---              | 68.20          | 23.10       | 500.00          | 200.0       | H   | 131.00        | -11          |
| 1409.50         | ---              | 34.10            | 54.00          | 19.90       | 500.00          | 200.0       | H   | 351.00        | -10          |
| 1675.50         | ---              | 34.01            | 54.00          | 19.99       | 500.00          | 200.0       | H   | 0.00          | -10          |
| 1883.75         | 46.66            | ---              | 68.20          | 21.54       | 500.00          | 100.0       | V   | 320.00        | -9           |
| 2643.25         | 48.94            | ---              | 68.20          | 19.26       | 500.00          | 200.0       | H   | 252.00        | -7           |
| 2788.50         | ---              | 37.03            | 54.00          | 16.97       | 500.00          | 200.0       | V   | 29.00         | -7           |
| 3437.75         | 49.62            | ---              | 68.20          | 18.58       | 500.00          | 200.0       | H   | 270.00        | -5           |
| 3905.00         | ---              | 38.84            | 54.00          | 15.16       | 500.00          | 200.0       | V   | 0.00          | -4           |
| 4400.25         | 49.81            | ---              | 68.20          | 18.39       | 500.00          | 100.0       | V   | 332.00        | -2           |
| 4781.75         | ---              | 39.48            | 54.00          | 14.52       | 500.00          | 100.0       | V   | 359.00        | -1           |
| 5894.75         | 52.43            | ---              | 68.20          | 15.77       | 500.00          | 200.0       | V   | 3.00          | 2            |
| 7513.50         | ---              | 44.69            | 54.00          | 9.31        | 500.00          | 100.0       | V   | 162.00        | 6            |



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8835.00         | 49.51            | ---              | 68.20          | 18.69       | 500.00          | 200.0       | V   | 307.00        | 6            |
| 9060.00         | ---              | 37.54            | 54.00          | 16.46       | 500.00          | 200.0       | V   | 66.00         | 7            |
| 9300.00         | ---              | 37.97            | 54.00          | 16.03       | 500.00          | 200.0       | H   | 77.00         | 7            |
| 10325.00        | 51.97            | ---              | 68.20          | 16.23       | 500.00          | 200.0       | H   | 19.00         | 8            |
| 10590.00        | 52.94            | ---              | 68.20          | 15.26       | 500.00          | 100.0       | V   | 137.00        | 9            |
| 11347.50        | ---              | 40.69            | 54.00          | 13.31       | 500.00          | 100.0       | H   | 341.00        | 9            |
| 12032.50        | ---              | 39.62            | 54.00          | 14.38       | 500.00          | 200.0       | V   | 307.00        | 9            |
| 13625.00        | 52.25            | ---              | 68.20          | 15.95       | 500.00          | 100.0       | V   | 137.00        | 9            |
| 14485.00        | ---              | 40.35            | 54.00          | 13.65       | 500.00          | 200.0       | H   | 0.00          | 10           |
| 14732.50        | 53.39            | ---              | 68.20          | 14.81       | 500.00          | 200.0       | V   | 214.00        | 9            |
| 15727.50        | ---              | 38.98            | 54.00          | 15.02       | 500.00          | 100.0       | H   | 0.00          | 8            |
| 16807.50        | 51.55            | ---              | 68.20          | 16.65       | 500.00          | 200.0       | V   | 352.00        | 11           |

802.11n (HT40) CH151



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1292.25         | 45.44            | ---              | 68.20          | 22.76       | 500.00          | 100.0       | H   | 357.00        | -11          |
| 1381.50         | ---              | 33.81            | 54.00          | 20.19       | 500.00          | 200.0       | V   | 356.00        | -10          |
| 1416.50         | ---              | 33.76            | 54.00          | 20.24       | 500.00          | 200.0       | H   | 46.00         | -10          |
| 1992.25         | 46.81            | ---              | 68.20          | 21.39       | 500.00          | 200.0       | H   | 86.00         | -9           |
| 2583.75         | 49.02            | ---              | 68.20          | 19.18       | 500.00          | 200.0       | H   | 4.00          | -7           |
| 2725.50         | ---              | 36.85            | 54.00          | 17.15       | 500.00          | 100.0       | V   | 252.00        | -7           |
| 3595.25         | 49.64            | ---              | 68.20          | 18.56       | 500.00          | 200.0       | V   | 235.00        | -5           |
| 3815.75         | ---              | 38.47            | 54.00          | 15.53       | 500.00          | 100.0       | V   | 23.00         | -4           |
| 4402.00         | 50.02            | ---              | 68.20          | 18.18       | 500.00          | 200.0       | V   | 5.00          | -2           |
| 4736.25         | ---              | 39.53            | 54.00          | 14.47       | 500.00          | 100.0       | V   | 7.00          | -1           |
| 7734.00         | ---              | 46.27            | 54.00          | 7.73        | 500.00          | 100.0       | H   | 139.00        | 7            |
| 7774.25         | 57.81            | ---              | 68.20          | 10.39       | 500.00          | 100.0       | V   | 68.00         | 7            |



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8837.50         | 49.37            | ---              | 68.20          | 18.83       | 500.00          | 100.0       | H   | 238.00        | 6            |
| 9055.00         | ---              | 37.57            | 54.00          | 16.43       | 500.00          | 100.0       | H   | 246.00        | 6            |
| 9300.00         | ---              | 38.05            | 54.00          | 15.95       | 500.00          | 100.0       | V   | 230.00        | 7            |
| 10322.50        | 51.79            | ---              | 68.20          | 16.41       | 500.00          | 100.0       | H   | 94.00         | 8            |
| 10587.50        | 52.13            | ---              | 68.20          | 16.07       | 500.00          | 100.0       | H   | 34.00         | 9            |
| 11345.00        | ---              | 40.67            | 54.00          | 13.33       | 500.00          | 100.0       | H   | 136.00        | 9            |
| 12715.00        | 51.90            | ---              | 68.20          | 16.30       | 500.00          | 100.0       | H   | 102.00        | 8            |
| 13270.00        | ---              | 39.61            | 54.00          | 14.40       | 500.00          | 200.0       | H   | 189.00        | 8            |
| 14482.50        | ---              | 40.38            | 54.00          | 13.62       | 500.00          | 200.0       | V   | 33.00         | 10           |
| 15027.50        | 53.75            | ---              | 68.20          | 14.45       | 500.00          | 200.0       | V   | 4.00          | 9            |
| 15717.50        | ---              | 39.57            | 54.00          | 14.43       | 500.00          | 200.0       | V   | 14.00         | 8            |
| 16715.00        | 50.92            | ---              | 68.20          | 17.28       | 500.00          | 200.0       | H   | 127.00        | 10           |

802.11n (HT40) CH159



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1276.50         | 45.33            | ---              | 68.20          | 22.87       | 500.00          | 100.0       | V   | 0.00          | -11          |
| 1379.75         | ---              | 33.82            | 54.00          | 20.18       | 500.00          | 100.0       | V   | 238.00        | -10          |
| 1696.50         | ---              | 33.77            | 54.00          | 20.23       | 500.00          | 200.0       | H   | 0.00          | -10          |
| 1883.75         | 46.88            | ---              | 68.20          | 21.32       | 500.00          | 200.0       | V   | 231.00        | -9           |
| 2575.00         | 48.53            | ---              | 68.20          | 19.67       | 500.00          | 100.0       | V   | 198.00        | -7           |
| 2800.75         | ---              | 36.78            | 54.00          | 17.22       | 500.00          | 200.0       | V   | 146.00        | -7           |
| 3016.00         | 50.04            | ---              | 68.20          | 18.16       | 500.00          | 200.0       | H   | 11.00         | -6           |
| 3996.00         | ---              | 38.43            | 54.00          | 15.57       | 500.00          | 100.0       | V   | 191.00        | -3           |
| 4438.75         | 49.56            | ---              | 68.20          | 18.64       | 500.00          | 200.0       | H   | 2.00          | -2           |
| 4890.25         | ---              | 39.78            | 54.00          | 14.22       | 500.00          | 100.0       | H   | 352.00        | -1           |
| 7006.00         | 53.78            | ---              | 68.20          | 14.42       | 500.00          | 200.0       | H   | 168.00        | 5            |
| 7452.25         | ---              | 43.51            | 54.00          | 10.49       | 500.00          | 200.0       | V   | 358.00        | 6            |



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8992.50         | 49.21            | ---              | 68.20          | 18.99       | 500.00          | 100.0       | H   | 30.00         | 6            |
| 9085.00         | ---              | 37.48            | 54.00          | 16.52       | 500.00          | 200.0       | H   | 261.00        | 7            |
| 9302.50         | ---              | 38.09            | 54.00          | 15.91       | 500.00          | 100.0       | V   | 122.00        | 7            |
| 10322.50        | 52.15            | ---              | 68.20          | 16.05       | 500.00          | 100.0       | V   | 131.00        | 8            |
| 10580.00        | 52.03            | ---              | 68.20          | 16.17       | 500.00          | 200.0       | H   | 56.00         | 9            |
| 11342.50        | ---              | 40.54            | 54.00          | 13.46       | 500.00          | 100.0       | H   | 332.00        | 9            |
| 12692.50        | ---              | 39.54            | 54.00          | 14.46       | 500.00          | 100.0       | V   | 62.00         | 8            |
| 13657.50        | 52.00            | ---              | 68.20          | 16.20       | 500.00          | 200.0       | H   | 219.00        | 9            |
| 14410.00        | 52.98            | ---              | 68.20          | 15.22       | 500.00          | 200.0       | V   | 289.00        | 10           |
| 14480.00        | ---              | 40.35            | 54.00          | 13.65       | 500.00          | 100.0       | V   | 316.00        | 10           |
| 15780.00        | ---              | 39.17            | 54.00          | 14.83       | 500.00          | 200.0       | H   | 359.00        | 8            |
| 16410.00        | 50.97            | ---              | 68.20          | 17.23       | 500.00          | 200.0       | H   | 82.00         | 9            |

802.11ac (VHT80) CH42



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1278.25         | 45.37            | ---              | 68.20          | 22.83       | 500.00          | 200.0       | H   | 138.00        | -11          |
| 1411.25         | ---              | 33.98            | 54.00          | 20.02       | 500.00          | 200.0       | V   | 9.00          | -10          |
| 1525.00         | ---              | 33.95            | 54.00          | 20.05       | 500.00          | 200.0       | H   | 237.00        | -10          |
| 1974.75         | 46.64            | ---              | 68.20          | 21.56       | 500.00          | 100.0       | V   | 178.00        | -9           |
| 2508.50         | 49.32            | ---              | 68.20          | 18.88       | 500.00          | 100.0       | H   | 214.00        | -7           |
| 2814.75         | ---              | 36.95            | 54.00          | 17.05       | 500.00          | 100.0       | V   | 317.00        | -7           |
| 3241.75         | 49.79            | ---              | 68.20          | 18.41       | 500.00          | 100.0       | V   | 311.00        | -6           |
| 3994.25         | ---              | 38.65            | 54.00          | 15.35       | 500.00          | 100.0       | H   | 0.00          | -3           |
| 4416.00         | 49.92            | ---              | 68.20          | 18.28       | 500.00          | 200.0       | V   | 115.00        | -2           |
| 4766.00         | ---              | 40.16            | 54.00          | 13.84       | 500.00          | 100.0       | V   | 290.00        | -1           |
| 7734.00         | ---              | 46.10            | 54.00          | 7.90        | 500.00          | 100.0       | H   | 0.00          | 7            |
| 7912.50         | 57.96            | ---              | 68.20          | 10.24       | 500.00          | 100.0       | V   | 356.00        | 7            |



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8787.50         | 49.60            | ---              | 68.20          | 18.60       | 500.00          | 200.0       | H   | 82.00         | 6            |
| 9062.50         | ---              | 37.65            | 54.00          | 16.35       | 500.00          | 200.0       | V   | 191.00        | 7            |
| 9380.00         | ---              | 37.98            | 54.00          | 16.02       | 500.00          | 200.0       | H   | 48.00         | 7            |
| 10397.50        | 52.40            | ---              | 68.20          | 15.80       | 500.00          | 200.0       | H   | 240.00        | 9            |
| 10572.50        | 51.99            | ---              | 68.20          | 16.21       | 500.00          | 100.0       | V   | 0.00          | 9            |
| 11342.50        | ---              | 40.84            | 54.00          | 13.16       | 500.00          | 200.0       | V   | 356.00        | 9            |
| 12682.50        | ---              | 39.52            | 54.00          | 14.48       | 500.00          | 200.0       | V   | 191.00        | 8            |
| 13735.00        | 51.89            | ---              | 68.20          | 16.31       | 500.00          | 200.0       | V   | 297.00        | 9            |
| 14040.00        | 52.88            | ---              | 68.20          | 15.32       | 500.00          | 200.0       | H   | 22.00         | 10           |
| 14487.50        | ---              | 40.37            | 54.00          | 13.63       | 500.00          | 100.0       | H   | 332.00        | 10           |
| 15747.50        | ---              | 39.04            | 54.00          | 14.96       | 500.00          | 100.0       | V   | 142.00        | 8            |
| 16570.00        | 48.69            | ---              | 68.20          | 19.51       | 500.00          | 100.0       | V   | 189.00        | 9            |

802.11ac (VHT80) CH155



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1273.00         | 45.91            | ---              | 68.20          | 22.29       | 500.00          | 100.0       | H   | 310.00        | -11          |
| 1395.50         | ---              | 33.76            | 54.00          | 20.24       | 500.00          | 200.0       | V   | 202.00        | -10          |
| 1446.25         | ---              | 34.00            | 54.00          | 20.00       | 500.00          | 200.0       | H   | 253.00        | -10          |
| 1976.50         | 47.04            | ---              | 68.20          | 21.16       | 500.00          | 200.0       | H   | 3.00          | -9           |
| 2477.00         | 48.57            | ---              | 68.20          | 19.63       | 500.00          | 200.0       | V   | 347.00        | -7           |
| 2739.50         | ---              | 36.88            | 54.00          | 17.12       | 500.00          | 200.0       | H   | 24.00         | -7           |
| 3217.25         | 49.77            | ---              | 68.20          | 18.43       | 500.00          | 100.0       | V   | 54.00         | -6           |
| 3983.75         | ---              | 38.40            | 54.00          | 15.60       | 500.00          | 100.0       | V   | 5.00          | -4           |
| 4440.50         | 50.11            | ---              | 68.20          | 18.09       | 500.00          | 100.0       | V   | 359.00        | -2           |
| 4825.50         | ---              | 40.17            | 54.00          | 13.83       | 500.00          | 200.0       | H   | 86.00         | -1           |
| 6927.25         | 55.29            | ---              | 68.20          | 12.91       | 500.00          | 100.0       | H   | 160.00        | 5            |
| 7489.00         | ---              | 44.07            | 54.00          | 9.93        | 500.00          | 100.0       | H   | 176.00        | 6            |



### Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8870.00         | 49.92            | ---              | 68.20          | 18.28       | 500.00          | 100.0       | V   | 219.00        | 6            |
| 9075.00         | ---              | 37.49            | 54.00          | 16.51       | 500.00          | 200.0       | H   | 96.00         | 7            |
| 9307.50         | ---              | 38.06            | 54.00          | 15.94       | 500.00          | 100.0       | H   | 127.00        | 7            |
| 10370.00        | 52.88            | ---              | 68.20          | 15.32       | 500.00          | 100.0       | V   | 0.00          | 8            |
| 10587.50        | 51.45            | ---              | 68.20          | 16.75       | 500.00          | 100.0       | H   | 67.00         | 9            |
| 11347.50        | ---              | 40.68            | 54.00          | 13.32       | 500.00          | 200.0       | V   | 225.00        | 9            |
| 13352.50        | ---              | 39.32            | 54.00          | 14.68       | 500.00          | 100.0       | V   | 0.00          | 8            |
| 13567.50        | 51.91            | ---              | 68.20          | 16.29       | 500.00          | 100.0       | V   | 54.00         | 9            |
| 14485.00        | ---              | 40.68            | 54.00          | 13.32       | 500.00          | 100.0       | H   | 324.00        | 10           |
| 14630.00        | 53.23            | ---              | 68.20          | 14.97       | 500.00          | 100.0       | H   | 0.00          | 9            |
| 15725.00        | ---              | 39.13            | 54.00          | 14.87       | 500.00          | 100.0       | H   | 0.00          | 8            |
| 16430.00        | 51.35            | ---              | 68.20          | 16.85       | 500.00          | 100.0       | V   | 321.00        | 9            |

802.11ax HE20 CH36



Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1252.00         | 45.49            | ---              | 68.20          | 22.71       | 500.00          | 200.0       | H   | 350.00        | -11          |
| 1409.50         | ---              | 34.01            | 54.00          | 19.99       | 500.00          | 100.0       | H   | 203.00        | -10          |
| 1418.25         | ---              | 34.10            | 54.00          | 19.90       | 500.00          | 100.0       | V   | 106.00        | -10          |
| 1974.75         | 46.49            | ---              | 68.20          | 21.71       | 500.00          | 200.0       | H   | 238.00        | -9           |
| 2608.25         | 49.03            | ---              | 68.20          | 19.17       | 500.00          | 100.0       | H   | 2.00          | -7           |
| 2755.25         | ---              | 37.04            | 54.00          | 16.96       | 500.00          | 100.0       | H   | 68.00         | -7           |
| 3142.00         | 49.65            | ---              | 68.20          | 18.55       | 500.00          | 200.0       | H   | 337.00        | -6           |
| 3761.50         | ---              | 38.82            | 54.00          | 15.18       | 500.00          | 100.0       | H   | 0.00          | -4           |
| 4412.50         | 48.39            | ---              | 68.20          | 19.81       | 500.00          | 200.0       | V   | 183.00        | -2           |
| 4615.50         | ---              | 39.56            | 54.00          | 14.44       | 500.00          | 100.0       | H   | 75.00         | -2           |
| 6834.50         | 58.32            | ---              | 68.20          | 9.88        | 500.00          | 200.0       | H   | 213.00        | 5            |
| 7725.25         | ---              | 46.44            | 54.00          | 7.56        | 500.00          | 200.0       | H   | 357.00        | 7            |



### Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8812.50         | 49.25            | ---              | 68.20          | 18.96       | 500.00          | 100.0       | V   | 0.00          | 6            |
| 9060.00         | ---              | 37.55            | 54.00          | 16.45       | 500.00          | 200.0       | V   | 336.00        | 7            |
| 9300.00         | ---              | 38.17            | 54.00          | 15.83       | 500.00          | 200.0       | V   | 284.00        | 7            |
| 10040.00        | 51.52            | ---              | 68.20          | 16.68       | 500.00          | 100.0       | H   | 32.00         | 8            |
| 10555.00        | 51.88            | ---              | 68.20          | 16.32       | 500.00          | 200.0       | H   | 47.00         | 9            |
| 11347.50        | ---              | 40.74            | 54.00          | 13.26       | 500.00          | 200.0       | V   | 357.00        | 9            |
| 12687.50        | ---              | 39.65            | 54.00          | 14.35       | 500.00          | 200.0       | V   | 198.00        | 8            |
| 13640.00        | 52.44            | ---              | 68.20          | 15.76       | 500.00          | 100.0       | V   | 295.00        | 9            |
| 14410.00        | 53.13            | ---              | 68.20          | 15.07       | 500.00          | 200.0       | H   | 127.00        | 10           |
| 14487.50        | ---              | 40.46            | 54.00          | 13.54       | 500.00          | 100.0       | H   | 357.00        | 10           |
| 15740.00        | ---              | 39.07            | 54.00          | 14.93       | 500.00          | 100.0       | V   | 147.00        | 8            |
| 16600.00        | 49.42            | ---              | 68.20          | 18.78       | 500.00          | 100.0       | V   | 20.00         | 10           |