


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.865G	50.11	88.20	-38.09	41.93	3	Horizontal	358	2.32	-	40.56	12.02	44.40			
RMS	13.84844G	39.90	68.20	-28.30	31.80	3	Horizontal	358	2.32	-	40.50	12.02	44.42			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.78208G	59.09	83.54	-24.45	54.01	1	Vertical	293	1.66	-	38.26	15.81	48.99			
AV	20.78256G	48.76	63.54	-14.78	43.67	1	Vertical	293	1.66	-	38.27	15.81	48.99			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.78196G	53.68	83.54	-29.86	48.60	1	Horizontal	266	1.67	-	38.26	15.81	48.99			
AV	20.78256G	43.48	63.54	-20.06	38.39	1	Horizontal	266	1.67	-	38.27	15.81	48.99			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99872G	52.78	88.20	-35.42	44.08	3	Vertical	316	1.80	-	40.99	12.02	44.31			
RMS	13.99638G	41.96	68.20	-26.24	33.26	3	Vertical	316	1.80	-	40.99	12.02	44.31			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX

EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99878G	52.03	88.20	-36.17	43.32	3	Horizontal	342	2.63	-	41.00	12.02	44.31			
RMS	14.00862G	42.15	68.20	-26.05	33.42	3	Horizontal	342	2.63	-	41.02	12.03	44.32			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.02208G	57.19	83.54	-26.35	51.73	1	Vertical	286	1.73	-	38.34	16.00	48.88			
AV	21.0222G	46.59	63.54	-16.95	41.13	1	Vertical	286	1.73	-	38.34	16.00	48.88			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 27
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0222G	53.17	83.54	-30.37	47.71	1	Horizontal	266	1.67	-	38.34	16.00	48.88			
AV	21.02268G	42.67	63.54	-20.87	37.20	1	Horizontal	266	1.67	-	38.35	16.00	48.88			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 22
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0862G	110.57	Inf	-Inf	100.49	3	Vertical	318	1.80	-	35.89	8.37	34.18			
RMS	7.0862G	103.01	Inf	-Inf	92.91	3	Vertical	318	1.80	-	35.91	8.37	34.18			
PK	7.1258G	77.10	88.20	-11.10	66.82	3	Vertical	318	1.80	-	36.05	8.41	34.18			
RMS	7.1264G	64.39	68.20	-3.81	54.11	3	Vertical	318	1.80	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 22
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0826G	111.15	Inf	-Inf	101.11	3	Horizontal	10	2.89	-	35.86	8.36	34.18			
RMS	7.0898G	103.20	Inf	-Inf	93.09	3	Horizontal	10	2.89	-	35.92	8.37	34.18			
PK	7.1258G	77.69	88.20	-10.51	67.41	3	Horizontal	10	2.89	-	36.05	8.41	34.18			
RMS	7.1252G	66.53	68.20	-1.67	56.25	3	Horizontal	10	2.89	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 22
06-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16694G	51.44	88.20	-36.76	42.54	3	Vertical	303	2.04	-	41.30	12.14	44.54			
RMS	14.1571G	40.79	68.20	-27.41	31.88	3	Vertical	303	2.04	-	41.30	12.13	44.52			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 22
06-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16646G	51.34	88.20	-36.86	42.44	3	Horizontal	129	1.29	-	41.30	12.14	44.54			
RMS	14.1628G	41.60	68.20	-26.60	32.70	3	Horizontal	129	1.29	-	41.30	12.13	44.53			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.26208G	59.28	83.54	-24.26	53.35	1	Vertical	280	1.60	-	38.58	16.20	48.85			
AV	21.2622G	48.69	63.54	-14.85	42.76	1	Vertical	280	1.60	-	38.58	16.20	48.85			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.26196G	51.90	83.54	-31.64	45.97	1	Horizontal	280	1.60	-	38.58	16.20	48.85			
AV	21.26232G	41.73	63.54	-21.81	35.80	1	Horizontal	280	1.60	-	38.58	16.20	48.85			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21.5
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9196G	76.26	88.20	-11.94	71.19	3	Vertical	267	2.95	-	32.40	7.26	34.59			
RMS	5.9199G	66.09	68.20	-2.11	61.03	3	Vertical	267	2.95	-	32.40	7.26	34.60			
PK	5.9802G	104.38	Inf	-Inf	99.27	3	Vertical	267	2.95	-	32.46	7.31	34.66			
RMS	5.9799G	99.64	Inf	-Inf	94.53	3	Vertical	267	2.95	-	32.46	7.31	34.66			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21.5
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.78	88.20	-12.42	70.71	3	Horizontal	219	1.75	-	32.40	7.27	34.60			
RMS	5.9025G	66.97	68.20	-1.23	61.90	3	Horizontal	219	1.75	-	32.40	7.25	34.58			
PK	5.9904G	105.26	Inf	-Inf	100.14	3	Horizontal	219	1.75	-	32.48	7.31	34.67			
RMS	5.9799G	100.00	Inf	-Inf	94.89	3	Horizontal	219	1.75	-	32.46	7.31	34.66			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21.5
06-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96022G	45.87	74.00	-28.13	40.25	3	Vertical	210	1.80	-	38.92	12.05	45.35			
AV	11.97246G	35.46	54.00	-18.54	29.81	3	Vertical	210	1.80	-	38.94	12.06	45.35			
PK	17.96982G	60.84	74.00	-13.16	39.28	3	Vertical	50	1.74	-	51.75	14.09	44.28			
AV	17.9685G	50.78	54.00	-3.22	29.28	3	Vertical	50	1.74	-	51.69	14.09	44.28			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21.5
06-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96556G	45.33	74.00	-28.67	39.69	3	Horizontal	62	2.06	-	38.93	12.06	45.35			
AV	11.95566G	34.78	54.00	-19.22	29.17	3	Horizontal	62	2.06	-	38.91	12.05	45.35			
PK	17.958G	60.41	74.00	-13.59	39.43	3	Horizontal	275	2.44	-	51.18	14.09	44.29			
AV	17.9664G	50.62	54.00	-3.38	29.22	3	Horizontal	275	2.44	-	51.59	14.09	44.28			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93988G	50.35	83.54	-33.19	41.46	1	Vertical	351	2.63	-	38.70	17.31	47.12			
AV	23.93988G	42.77	63.54	-20.77	33.88	1	Vertical	351	2.63	-	38.70	17.31	47.12			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93004G	50.28	83.54	-33.26	41.39	1	Horizontal	172	2.86	-	38.70	17.31	47.12			
AV	23.93988G	40.08	63.54	-23.46	31.19	1	Horizontal	172	2.86	-	38.70	17.31	47.12			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44646G	46.53	74.00	-27.47	41.35	3	Vertical	78	1.14	-	38.71	12.07	45.60			
AV	12.4539G	35.94	54.00	-18.06	30.79	3	Vertical	78	1.14	-	38.69	12.07	45.61			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46026G	45.89	74.00	-28.11	40.75	3	Horizontal	16	1.15	-	38.68	12.07	45.61			
AV	12.45924G	36.33	54.00	-17.67	31.19	3	Horizontal	16	1.15	-	38.68	12.07	45.61			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.70492G	51.22	83.54	-32.32	47.78	1	Vertical	298	1.80	-	37.73	15.25	49.54			
AV	18.66364G	41.62	63.54	-21.92	38.09	1	Vertical	298	1.80	-	37.85	15.25	49.57			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.70764G	50.43	83.54	-33.11	46.97	1	Horizontal	300	2.07	-	37.75	15.25	49.54			
AV	18.70764G	41.28	63.54	-22.26	37.82	1	Horizontal	300	2.07	-	37.75	15.25	49.54			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76118G	47.50	88.20	-40.70	41.81	3	Vertical	347	1.85	-	38.97	12.06	45.34			
RMS	12.76394G	36.81	68.20	-31.39	31.10	3	Vertical	347	1.85	-	38.98	12.06	45.33			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76934G	47.06	88.20	-41.14	41.31	3	Horizontal	265	2.14	-	39.02	12.06	45.33			
RMS	12.77762G	36.66	68.20	-31.54	30.85	3	Horizontal	265	2.14	-	39.07	12.06	45.32			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.18508G	50.08	83.54	-33.46	46.50	1	Vertical	288	1.61	-	37.83	15.22	49.47			
AV	19.18492G	39.72	63.54	-23.82	36.14	1	Vertical	288	1.61	-	37.83	15.22	49.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14268G	49.75	83.54	-33.79	46.06	1	Horizontal	4	2.12	-	37.91	15.22	49.44			
AV	19.1862G	39.30	63.54	-24.24	35.72	1	Horizontal	4	2.12	-	37.83	15.22	49.47			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94032G	48.07	88.20	-40.13	41.70	3	Vertical	261	1.96	-	39.46	12.05	45.14			
RMS	12.91914G	37.07	68.20	-31.13	30.80	3	Vertical	261	1.96	-	39.38	12.05	45.16			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93438G	47.55	88.20	-40.65	41.20	3	Horizontal	341	1.46	-	39.44	12.05	45.14			
RMS	12.93834G	36.85	68.20	-31.35	30.49	3	Horizontal	341	1.46	-	39.45	12.05	45.14			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4046G	46.22	83.54	-37.32	42.73	1	Vertical	352	1.80	-	37.90	15.21	49.62			
AV	19.42108G	36.15	63.54	-27.39	32.68	1	Vertical	352	1.80	-	37.90	15.20	49.63			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.40124G	46.08	83.54	-37.46	42.58	1	Horizontal	43	2.60	-	37.90	15.21	49.61			
AV	19.42748G	36.08	63.54	-27.46	32.61	1	Horizontal	43	2.60	-	37.90	15.20	49.63			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.10056G	48.44	88.20	-39.76	42.18	3	Vertical	261	1.72	-	39.20	12.05	44.99			
RMS	13.10026G	37.75	68.20	-30.45	31.49	3	Vertical	261	1.72	-	39.20	12.05	44.99			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.10092G	52.03	88.20	-36.17	45.76	3	Horizontal	216	1.75	-	39.21	12.05	44.99			
RMS	13.10014G	41.89	68.20	-26.31	35.63	3	Horizontal	216	1.75	-	39.20	12.05	44.99			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.67468G	46.02	74.00	-27.98	42.72	1	Vertical	137	2.20	-	37.65	15.19	49.54			
AV	19.64396G	35.50	54.00	-18.50	32.23	1	Vertical	137	2.20	-	37.64	15.19	49.56			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.67036G	45.36	83.54	-38.18	42.07	1	Horizontal	109	1.35	-	37.64	15.19	49.54			
AV	19.62348G	35.85	63.54	-27.69	32.48	1	Horizontal	109	1.35	-	37.76	15.19	49.58			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24664G	48.39	88.20	-39.81	41.63	3	Vertical	218	1.88	-	39.59	12.04	44.87			
AV	13.2605G	36.91	54.00	-17.09	30.11	3	Vertical	218	1.88	-	39.62	12.04	44.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2569G	48.25	74.00	-25.75	41.46	3	Horizontal	11	1.51	-	39.61	12.04	44.86			
AV	13.26044G	36.95	54.00	-17.05	30.15	3	Horizontal	11	1.51	-	39.62	12.04	44.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 30
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86284G	53.19	83.54	-30.35	49.54	1	Vertical	285	1.61	-	37.85	15.18	49.38			
AV	19.86236G	42.35	63.54	-21.19	38.70	1	Vertical	285	1.61	-	37.85	15.18	49.38			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.85516G	46.80	83.54	-36.74	43.13	1	Horizontal	25	1.29	-	37.88	15.18	49.39			
AV	19.9038G	36.40	63.54	-27.14	32.86	1	Horizontal	25	1.29	-	37.71	15.18	49.35			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40304G	48.32	88.20	-39.88	41.01	3	Vertical	83	1.80	-	40.01	12.04	44.74			
RMS	13.39914G	36.97	54.00	-17.03	29.67	3	Vertical	83	1.80	-	40.00	12.04	44.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4244G	49.02	88.20	-39.18	41.60	3	Horizontal	220	1.73	-	40.10	12.04	44.72			
RMS	13.40532G	37.35	68.20	-30.85	30.03	3	Horizontal	220	1.73	-	40.02	12.04	44.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.14748G	50.96	83.54	-32.58	46.91	1	Vertical	270	1.75	-	37.99	15.29	49.23			
AV	20.14764G	41.24	63.54	-22.30	37.18	1	Vertical	270	1.75	-	38.00	15.29	49.23			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10236G	50.50	83.54	-33.04	46.59	1	Horizontal	327	1.36	-	37.90	15.25	49.24			
AV	20.14764G	41.02	63.54	-22.52	36.96	1	Horizontal	327	1.36	-	38.00	15.29	49.23			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5568G	48.05	88.20	-40.15	39.98	3	Vertical	48	1.80	-	40.66	12.03	44.62			
RMS	13.55878G	37.34	68.20	-30.86	29.28	3	Vertical	48	1.80	-	40.65	12.03	44.62			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.55686G	49.29	88.20	-38.91	41.22	3	Horizontal	218	1.75	-	40.66	12.03	44.62			
RMS	13.58062G	38.41	68.20	-29.79	30.46	3	Horizontal	218	1.75	-	40.52	12.03	44.60			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.36092G	53.54	83.54	-30.00	48.96	1	Vertical	175	2.01	-	38.30	15.46	49.18			
AV	20.38748G	45.24	63.54	-18.30	40.62	1	Vertical	175	2.01	-	38.30	15.49	49.17			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.38732G	54.60	83.54	-28.94	49.98	1	Horizontal	280	1.61	-	38.30	15.49	49.17			
AV	20.38764G	44.62	63.54	-18.92	40.00	1	Horizontal	280	1.61	-	38.30	15.49	49.17			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.721G	49.85	88.20	-38.35	41.99	3	Vertical	174	1.80	-	40.34	12.03	44.51			
RMS	13.73066G	39.16	68.20	-29.04	31.27	3	Vertical	174	1.80	-	40.36	12.03	44.50			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73732G	50.13	88.20	-38.07	42.22	3	Horizontal	224	1.79	-	40.37	12.03	44.49			
RMS	13.72532G	39.69	68.20	-28.51	31.81	3	Horizontal	224	1.79	-	40.35	12.03	44.50			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.60124G	53.34	83.54	-30.20	48.57	1	Vertical	303	1.58	-	38.20	15.66	49.09			
AV	20.58252G	42.70	63.54	-20.84	37.99	1	Vertical	303	1.58	-	38.17	15.64	49.10			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.60108G	52.16	83.54	-31.38	47.39	1	Horizontal	291	2.17	-	38.20	15.66	49.09			
AV	20.58252G	41.69	63.54	-21.85	36.98	1	Horizontal	291	2.17	-	38.17	15.64	49.10			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.87722G	50.06	88.20	-38.14	41.83	3	Vertical	93	1.59	-	40.61	12.02	44.40			
RMS	13.8918G	39.31	68.20	-28.89	31.01	3	Vertical	93	1.59	-	40.67	12.02	44.39			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 27
06-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.90146G	50.20	88.20	-38.00	41.86	3	Horizontal	135	1.80	-	40.70	12.02	44.38			
RMS	13.90476G	39.44	68.20	-28.76	31.09	3	Horizontal	135	1.80	-	40.71	12.02	44.38			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.823G	55.44	83.54	-28.10	50.22	1	Vertical	282	1.62	-	38.35	15.84	48.97			
AV	20.82252G	45.39	63.54	-18.15	40.17	1	Vertical	282	1.62	-	38.35	15.84	48.97			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.84492G	51.44	83.54	-32.10	46.15	1	Horizontal	281	1.33	-	38.39	15.86	48.96			
AV	20.8174G	41.42	63.54	-22.12	36.22	1	Horizontal	281	1.33	-	38.33	15.84	48.97			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 25
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.021G	109.98	Inf	-Inf	100.38	3	Vertical	312	1.58	-	35.48	8.30	34.18			
RMS	7.0214G	103.42	Inf	-Inf	93.81	3	Vertical	312	1.58	-	35.49	8.30	34.18			
PK	7.1306G	73.39	88.20	-14.81	63.10	3	Vertical	312	1.58	-	36.06	8.41	34.18			
RMS	7.1314G	65.47	68.20	-2.73	55.18	3	Vertical	312	1.58	-	36.06	8.41	34.18			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 25
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.021G	107.93	Inf	-Inf	98.33	3	Horizontal	17	1.86	-	35.48	8.30	34.18			
RMS	7.020G	102.62	Inf	-Inf	93.02	3	Horizontal	17	1.86	-	35.48	8.30	34.18			
PK	7.125G	74.09	88.20	-14.11	63.82	3	Horizontal	17	1.86	-	36.05	8.40	34.18			
RMS	7.131G	65.95	68.20	-2.25	55.66	3	Horizontal	17	1.86	-	36.06	8.41	34.18			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 25
06-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.03704G	51.82	88.20	-36.38	43.06	3	Vertical	194	1.98	-	41.07	12.05	44.36			
RMS	14.05186G	41.06	68.20	-27.14	32.27	3	Vertical	194	1.98	-	41.11	12.06	44.38			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 25
06-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05054G	51.95	88.20	-36.25	43.17	3	Horizontal	183	2.46	-	41.10	12.06	44.38			
RMS	14.04178G	41.07	68.20	-27.13	32.31	3	Horizontal	183	2.46	-	41.08	12.05	44.37			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08108G	54.31	83.54	-29.23	48.67	1	Vertical	275	1.75	-	38.46	16.05	48.87			
AV	21.06236G	43.53	63.54	-20.01	37.94	1	Vertical	275	1.75	-	38.42	16.04	48.87			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX

EUT_Y_2TX
Setting 27
06-D-B-5


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06236G	50.68	83.54	-32.86	45.09	1	Horizontal	298	1.66	-	38.42	16.04	48.87			
AV	21.06364G	40.73	63.54	-22.81	35.13	1	Horizontal	298	1.66	-	38.43	16.04	48.87			

5.925-6.425GHz_11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TX

04/12/2024




5.925-6.425GHz_11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

04/12/2024



5.925-6.425GHz_11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

04/12/2024

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.414575G	-12.99	6.37215G	-62.00	-52.99	-9.01	1
6.41445G	-12.64	6.42715G	-41.12	-32.67	-8.45	2

6.425-6.525GHz_11a_Nss1,(6Mbps)_2TX

MASK

6435MHz_TX

04/12/2024

CF (Hz)
6.435G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.434325G	-12.55	6.479G	-61.46	-52.55	-8.91	1
6.43445G	-12.43	6.422525G	-41.43	-32.44	-8.99	2

6.425-6.525GHz_11a_Nss1,(6Mbps)_2TX

MASK

6475MHz_TX

04/12/2024

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4737G	-14.53	6.437G	-63.46	-54.53	-8.93	1
6.4744G	-14.06	6.5088G	-63.64	-54.03	-9.61	2

6.425-6.525GHz_11a_Nss1,(6Mbps)_2TX

MASK

6515MHz_TX

04/12/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.513975G	-14.16	6.47825G	-63.12	-54.16	-8.96	1
6.513675G	-13.91	6.480125G	-63.34	-53.91	-9.43	2

6.525-6.875GHz_11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

04/12/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.534275G	-12.77	6.49405G	-61.19	-52.77	-8.42	1
6.5343G	-12.61	6.4922G	-61.48	-52.61	-8.87	2

6.525-6.875GHz_11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

04/12/2024

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69585G	-13.00	6.652675G	-62.38	-53.00	-9.38	1
6.6961G	-11.83	6.6827G	-41.43	-31.96	-9.47	2

6.525-6.875GHz_11a_Nss1,(6Mbps)_2TX

MASK

6875MHz_TX

04/12/2024

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.876225G	-12.90	6.917475G	-61.17	-52.90	-8.27	1
6.87545G	-12.66	6.916025G	-60.93	-52.66	-8.27	2

6.875-7.125GHz_11a_Nss1,(6Mbps)_2TX

MASK

6895MHz_TX

04/12/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89455G	-14.34	6.94435G	-62.68	-54.34	-8.34	1
6.895825G	-14.31	6.9348G	-62.37	-54.31	-8.06	2

6.875-7.125GHz_11a_Nss1,(6Mbps)_2TX

MASK

6995MHz_TX

04/12/2024

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.995575G	-13.58	6.955825G	-62.43	-53.58	-8.85	1
6.99405G	-14.11	6.94745G	-62.16	-54.11	-8.05	2

6.875-7.125GHz_11a_Nss1,(6Mbps)_2TX

MASK

7095MHz_TX

04/12/2024

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0956G	-15.29	7.14015G	-63.56	-55.29	-8.27	1
7.0943G	-13.46	7.1352G	-63.18	-53.46	-9.72	2

6.875-7.125GHz_11a_Nss1,(6Mbps)_2TX

MASK

7115MHz_TX

04/12/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1159G	-15.54	7.154525G	-63.32	-55.54	-7.78	1
7.1156G	-13.48	7.1528G	-62.82	-53.48	-9.34	2

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

04/12/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.953775G	-14.99	5.988875G	-63.40	-54.99	-8.41	1
5.956575G	-13.80	5.9896G	-63.93	-53.80	-10.13	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

04/12/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

04/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

04/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

04/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

04/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

04/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

04/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

04/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

04/12/2024



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

04/12/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.968549G	-10.66	6.02765G	-58.67	-50.66	-8.01	1
5.968649G	-9.47	5.90325G	-58.17	-49.47	-8.70	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

04/12/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202501G	-10.39	6.2646G	-57.86	-50.39	-7.47	1
6.208649G	-9.68	6.1417G	-56.59	-49.68	-6.91	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/12/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

04/12/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

04/12/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

04/12/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

04/12/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

04/12/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

04/12/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

04/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9889G	-8.48	6.1096G	-57.05	-48.48	-8.57	1
5.9885G	-7.78	6.1122G	-56.52	-47.78	-8.74	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

04/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2291G	-7.83	6.3513G	-56.14	-47.83	-8.31	1
6.2175G	-8.39	6.3573G	-55.97	-48.39	-7.58	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

04/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3889G	-7.87	6.2603G	-55.89	-47.87	-8.02	1
6.3798G	-8.36	6.5077G	-58.64	-48.36	-10.28	2

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

04/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.469G	-8.23	6.3418G	-55.69	-48.23	-7.46	1
6.4687G	-7.93	6.342G	-58.51	-47.93	-10.58	2

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

04/12/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

04/12/2024




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

04/12/2024




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

04/12/2024



Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-72.90	1.10	-74.07	≤ -62
						Minimal	-73.90	1.10	-75.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-70.90	1.10	-72.06	≤ -62
						Minimal	-71.90	1.10	-73.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-72.90	1.10	-74.04	≤ -62
						Minimal	-73.90	1.10	-75.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-76.90	1.10	-78.05	≤ -62
						Minimal	-77.90	1.10	-79.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW80										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	55	80	6225	Low edge	6190	OFF	-74.90	1.10	-76.02	≤ -62
						Minimal	-75.90	1.10	-77.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
				Center	6225	OFF	-65.90	1.10	-67.01	≤ -62
						Minimal	-66.90	1.10	-68.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
				High edge	6260	OFF	-73.90	1.10	-75.08	≤ -62
						Minimal	-74.90	1.10	-76.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
6	103	80	6465	Low edge	6430	OFF	-73.90	1.10	-75.03	≤ -62
						Minimal	-74.90	1.10	-76.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
				Center	6465	OFF	-66.90	1.10	-68.02	≤ -62
						Minimal	-67.90	1.10	-69.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
				High edge	6500	OFF	-69.90	1.10	-71.01	≤ -62
						Minimal	-70.98	1.10	-72.08	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
7	151	80	6705	Low edge	6670	OFF	-72.90	1.10	-74.08	≤ -62
						Minimal	-73.90	1.10	-75.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
				Center	6705	OFF	-66.90	1.10	-68.05	≤ -62
						Minimal	-67.90	1.10	-69.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
				High edge	6740	OFF	-73.90	1.10	-75.07	≤ -62
						Minimal	-74.90	1.10	-76.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
8	215	80	7025	Low edge	6990	OFF	-72.90	1.10	-74.04	≤ -62
						Minimal	-73.90	1.10	-75.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
				Center	7025	OFF	-67.90	1.10	-69.03	≤ -62
						Minimal	-68.90	1.10	-70.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62
				High edge	7060	OFF	-73.90	1.10	-75.02	≤ -62
						Minimal	-74.90	1.10	-76.00	≤ -62
						ON	-80.90	1.10	-82.00	≤ -62


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-74.07	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-72.06	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-74.04	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-78.05	OFF	10	100	90	PASS

Contention Based protocol 802.11ax HEW80											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	55	80	6225	Low edge	6190	-76.02	OFF	9	90	90	PASS
				Center	6225	-67.01	OFF	9	90	90	PASS
				High edge	6260	-75.08	OFF	10	100	90	PASS
6	103	80	6465	Low edge	6430	-75.03	OFF	9	90	90	PASS
				Center	6465	-68.02	OFF	9	90	90	PASS
				High edge	6500	-71.01	OFF	9	90	90	PASS
7	151	80	6705	Low edge	6670	-74.08	OFF	9	90	90	PASS
				Center	6705	-68.05	OFF	10	100	90	PASS
				High edge	6740	-75.07	OFF	9	90	90	PASS
8	215	80	7025	Low edge	6990	-74.04	OFF	9	90	90	PASS
				Center	7025	-69.03	OFF	9	90	90	PASS
				High edge	7060	-75.02	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 8.JAN.2025 02:33:37

Frequency (MHz): 6455 MHz




Date: 8.JAN.2025 02:34:37

Frequency (MHz): 6695 MHz



Date: 8.JAN.2025 02:35:27


Frequency (MHz): 7015 MHz



Date: 8.JAN.2025 02:36:12


Bandwidth: 80MHz

Frequency (MHz): 6190 MHz




Date: 8.JAN.2025 02:37:39

Frequency (MHz): 6225 MHz




Date: 8.JAN.2025 02:38:58

Frequency (MHz): 6260 MHz




Date: 8.JAN.2025 02:39:43

Frequency (MHz): 6430 MHz




Date: 8.JAN.2025 02:40:26

Frequency (MHz): 6465 MHz




Date: 8.JAN.2025 02:41:28

Frequency (MHz): 6500 MHz




Date: 8.JAN.2025 02:42:11

Frequency (MHz): 6670 MHz




Date: 8.JAN.2025 02:43:28

Frequency (MHz): 6705 MHz




Date: 8.JAN.2025 02:44:30

Frequency (MHz): 6740 MHz




Date: 8.JAN.2025 02:45:23

Frequency (MHz): 6990 MHz




Date: 8.JAN.2025 02:46:48

Frequency (MHz): 7025 MHz



Date: 8.JAN.2025 02:47:46

Frequency (MHz): 7060 MHz




Date: 8.JAN.2025 02:48:57

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 8 JAN. 2025 01:02:16

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 8 JAN. 2025 01:17:36

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 8, JAN, 2025 01:16:44

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 8, JAN, 2025 01:22:39

Note : M1 : Inject AWGN signal

Bandwidth: 80MHz


Test CH 55 ; Incumbent signal 6190 MHz



Date: 7 JAN. 2025 23:25:28

Note : M1 : Inject AWGN signal


Test CH 55 ; Incumbent signal 6225 MHz



Date: 7 JAN. 2025 23:33:55

Note : M1 : Inject AWGN signal


Test CH 55 ; Incumbent signal 6260 MHz



Date: 7 JAN 2025 23:40:07

Note : M1 : Inject AWGN signal


Test CH 103 ; Incumbent signal 6430 MHz



Date: 7 JAN 2025 23:46:03

Note : M1 : Inject AWGN signal


Test CH 103 ; Incumbent signal 6465 MHz



Date: 7 JAN 2025 23:53:14

Note : M1 : Inject AWGN signal


Test CH 103 ; Incumbent signal 6500 MHz



Date: 7 JAN 2025 23:58:59

Note : M1 : Inject AWGN signal


Test CH 151 ; Incumbent signal 6670 MHz



Date: 7. JAN. 2025 23:11:32

Note : M1 : Inject AWGN signal


Test CH 151 ; Incumbent signal 6705 MHz



Date: 7. JAN. 2025 23:09:17

Note : M1 : Inject AWGN signal


Test CH 151 ; Incumbent signal 6740 MHz



Date: 7 JAN 2025 23:10:43

Note : M1 : Inject AWGN signal


Test CH 215 ; Incumbent signal 6990 MHz



Date: 8 JAN 2025 00:38:52

Note : M1 : Inject AWGN signal


Test CH 215 ; Incumbent signal 7025 MHz



Date: 8, JAN, 2025 00:16:02

Note : M1 : Inject AWGN signal

Test CH 215 ; Incumbent signal 7060 MHz



Date: 8, JAN, 2025 00:19:37

Note : M1 : Inject AWGN signal