

CENTRE OF TESTING SERVICE INTERNATIONAL

OPERATE ACCORDING TO ISO/IEC 17025

FCC ID TEST REPORT

TEST REPORT NUMBER: CGZ3140521-00520-E



CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China







	TEST REPORT For FCC ID
Report Reference No	CGZ3140521-00520-E
Date of issue	19 June 2014
Testing Laboratory Name	CENTRE OF TESTING SERVICE CO., LTD.
Address	A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China
Testing location/ procedure	Full application of Harmonised standards ■
	Partial application of Harmonised standards \square
	Other standard testing method \square
Applicant's name	Mediatronic Group Ltd.
Address	RM 1204/12F SHANGHAI IND.INV.BLDG 48 - 62 HENNESSY ROAD WANCHAI HONG KONG
Test specification	
Standard	47 CFR PART 15 OCT, 2013 , ANSI C63.4-2009
Test Report Form No	CTSEMC-1.0
TRF Originator	CENTRE OF TESTING SERVICE CO., LTD.
Master TRF	Dated 2009-01
CENTRE OF TESTING SERVIC	E CO., LTD. All rights reserved.
CENTRE OF TESTING SERVIC material. CENTRE OF TESTING	ced in whole or in part for non-commercial purposes as long as the E CO., LTD is acknowledged as copyright owner and source of the SERVICE CO., LTD takes no responsibility for and will not assume liability eader's interpretation of the reproduced material due to its placement and
Test item description	: Remote control of Rechargeable LED light
Trade Mark	/
Manufacturer	Mediatronic Group Ltd.
Model/Type reference	R-I8IN1XXXXXX19
Ratings	Battery 1.5V*2
Operating Frequency	433.86 MHz
Result	PASSED

Compiled by:

Supervised by:

Approved by:

Kate zhang / Fileadministrators

Duke yang / Technique principal

Vincent yao / Manager

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

CENTRE OF TESTING SERVICE





FCCID-TEST REPORT

Test Report No. : CGZ3140521-00520-E

19 June 2014

Date of issue

	·
Type / Model	R-I8IN1XXXXXX19
EUT	Pomoto control of Pochorgophia LED light
EU1	Remote control of Rechargeable LED light
Applicant	Mediatronic Group Ltd.
Address	RM 1204/12F SHANGHAI IND.INV.BLDG 48 - 62 HENNESSY ROAD WANCHAI HONG KONG
Telephone	+86-755-26883249
Fax	/
Contact	Aki liu
Manufacturer	Mediatronic Group Ltd.
Address	RM 1204/12F SHANGHAI IND.INV.BLDG 48 - 62 HENNESSY ROAD WANCHAI HONG KONG
Telephone	+86-755-26883249
Fax	/
Contact	Aki liu
Factory	Mediatronic Group Ltd.
Address	RM 1204/12F SHANGHAI IND.INV.BLDG 48 - 62 HENNESSY ROAD WANCHAI HONG KONG
Telephone	+86-755-26883249
Fax	/
Contact	Aki liu

Test Result according to the standards on page 3: PASSED

The test report merely corresponds to the test sample.

It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 2 of 29



TABLE OF CONTENTS

Description	Page
1. TEST STANDARDS	5
2. SUMMARY	5
2.1 GENERAL REMARKS	5
3. EQUIPMENT UNDER TEST	
3. EQUIPMENT UNDER 1EST	······································
3.1 POWER SUPPLY SYSTEM UTILISED	6
3.2 SHORT DESCRIPTION OF THE EQUIPMENT UNDER TEST (EUT)	
3.3 EUT OPERATION MODE	
4. TEST ENVIRONMENT	8
4.1 Address of the test laboratory	
4.2 Test facility	
4.3 ENVIRONMENTAL CONDITIONS	
4.4 DEFINITIONS OF SYMBOLS USED IN THIS TEST REPORT	
4.5 STATEMENT OF THE MEASUREMENT UNCERTAINTY4.6 MEASUREMENT UNCERTAINTY	
5. Summary of standards and results	9
5.1.DESCRIPTION OF STANDARDS AND RESULTS	9
6. Power Line Conducted Emission Test	10
6.1.1 DESCRIPTION OF THE TEST LOCATION	10
6.1.2Test Equipment	
6.2.1 BLOCK DIAGRAM OF TEST SETUP	
6.2.2 DESCRIPTION OF THE TEST SET-UP	
6.2.3 LIMITS OF DISTURBANCE (CLASS B)	
7. Radiated disturbance (electric field)	12
7.1.TEST EQUIPMENT	12
7.2.BLOCK DIAGRAM OF TEST SETUP	
7.3.RADIATED EMISSION LIMIT STANDARD: FCC 15.231,209	
7.4.Test Procedure	
7.5.RADIATED EMISSION TEST RESULTS	14
8. 20 dB Bandwidth test	22
8.1. Test Equipment	22
8.2. Test Information	

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

CENTRE OF TESTING SERVICE



CT5

8.3. TEST RESULTS	23
9. Stop Transmitting Time Test	24
9.1. Test Equipment	24
9.2. Test Information	24
9.3. TEST RESULTS	24
10. Pulse Desensitization Correction Factor	26
10.1. TEST EQUIPMENT	26
10.2. Test Information	26
10.3. TEST RESULTS	26
11. Manufacturer/ Approval holder Declaration	29

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





1. TEST STANDARDS

The tests were performed according to following standards:

- 47 CFR PART 15 OCT, 2013
- ANSI C63.4-2009

2. SUMMARY

2.1 GENERAL REMARKS

Date of receipt of test sample	21 May 2014
Testing commenced on	09 ~ 19 June 2014
Testing concluded on	19 June 2014

2.2 FINAL ASSESSMENT

The FCC requirements pertaining to the technical standards and tested operation modes are

- fulfilled.
- - not fulfilled.

The equipment under test

- fulfils the FCC requirements cited on page 1.
- does not fulfil the FCC requirements cited on page 1.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471

Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 5 of 29







3. EQUIPMENT UNDER TEST

3.1 Power supply system utilised

Power supply voltage : ■ Battery 1.5V*2

□ Other

3.2 Short description of the Equipment under Test (EUT)

Number of tested samples: 1

Serial number: Prototype

3.3 EUT operation mode

The equipment under test was operated during the measurement under the following conditions: For Radiation emission:

■ -TX +X position

☐ −TX +Y position

□ –TX +Z position

Operation mode 1: TX +X position

Note: X position of EUT is the worst case, so only these test results be recorded in the test report.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 6 of 29







3.4 EUT configuration

3.4.1. Description of configuration (EUT)

Description	:	Remote control of Rechargeable LED light
Model Number	:	R-I8IN1XXXXXX19
Operation frequency	:	433.86 MHz
Radio Technology	:	ASK
Modulation Technology	:	ASK modulation
Antenna	:	PCB Antenna

3.4.2. Tested Supporting System Details

N/A

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 7 of 29

CENTRE OF TESTING SERVICE





4. TEST ENVIRONMENT

4.1 Address of the test laboratory

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

4.2 Test facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L3394

CENTRE OF TESTING SERVICE CO., LTD. has been assessed and proved to be in compliance with CNAS-CL01: 2006 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC 17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories.

IC-Registration No.: 8374A

The 3m Alternate Test Site of CENTRE OF TESTING SERVICE CO., LTD. has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 8374A on 22 May, 2014.

FCC-Registration No.: 971995

CENTRE OF TESTING SERVICE CO., LTD., EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration No.791995, July 13,2012.

4.3 Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	15~35 ° C
Humidity:	25~75 %
Atmospheric pressure:	86~106 kPa

4.4 Definitions of symbols used in this test report

- - The black square indicates that the listed condition, standard or equipment is applicable for this report.
- The empty square indicates that the listed condition, standard or equipment is **not** applicable for this report.

4.5 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to CISPR 16 - 4 "Specification for radio disturbance and immunity measuring apparatus and methods – Part 4: Uncertainty in EMC Measurements" and is documented in the CTS quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 8 of 29







4.6 Measurement Uncertainty

Test Item	Frequency Range	Uncertainty	Note
Conduction disturbance	150kHz~30MHz	±1.22dB	(1)
Power disturbance	30MHz~300MHz	±1.38dB	(1)
Radiation emission (3m)	30MHz~300MHz	±3.14dB	(1)
	300MHz~1000MHz	±3.18dB	(1)
	1GHz~18GHz	±3.54dB	(1)

^{(1).} This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

5. Summary of standards and results

5.1. Description of Standards and Results

The EUT have been tested according to the applicable standards as referenced below.

EMISSION				
Description of Test Item Standard Results				
Conducted Emission Test	ANSI C63.4-2009 FCC Part 15 C: 15.207	N/A		
Radiated Emission Test	ANSI C63.4-2009 FCC Part 15 C: 15.231(a)	PASSED		
20 dB Bandwidth Test	ANSI C63.4-2009 FCC Part 15 C: 15.231	PASSED		
Stop Transmitting Time Test	ANSI C63.4-2009 FCC Part 15 C: 15.231	PASSED		
N/A is an abbreviation for Not Applicable.				

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 9 of 29





6. Power Line Conducted Emission Test

6.1.1 Description of the test location

Test location : Shielding Room

6.1.2Test Equipment

Conduc	Conducted Disturbance				
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.
1	EMI Test Receiver	ROHDE & SCHWARZ	ESHS10	842884/012	2013/11
2	Artificial Mains	ROHDE & SCHWARZ	ESH3-Z5	832479/025	2013/11
3	Artificial Mains	ROHDE & SCHWARZ	ESH3-Z5	832479/026	2013/11
4	Pulse Limiter	ROHDE & SCHWARZ	ESHSZ2	100301	2013/11
5	EMI Test Software	ROHDE & SCHWARZ	ESK1	N/A	2013/11

6.2.1 Block Diagram of Test Setup


TX EUT

(EUT: Remote control of Rechargeable LED light)

6.2.2 Description of the test set-up

6.1.2.1 Operating Condition

The EUT is engraving during the test, and the results of the maximum emanation are recorded 6.1.2.2 Block Diagram of Test Setup



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 10 of 29







6.2.3 Limits of disturbance (Class B)

	Maximum R	Maximum RF Line Voltage		
Frequency	Quasi-Peak Level	Average Level		
110 400110)	dB(μV)	dB(μV)		
150kHz ~ 500	1z 66 ~ 56*	56 ~ 46*		
500kHz ~ 5M	56	46		
5MHz ~ 30N	z 60	50		

Note: (1) The tighter limit shall apply at the edge between two frequency bands.

6.2.4 Power Line Conducted Emission Test Results

Power supply by battery, Not applicable.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 11 of 29






7. Radiated disturbance (electric field)

7.1.Test Equipment

Radia	Radiated disturbance (electric field)					
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	100868	2013/11	
2	Biconical Antenna	ROHDE & SCHWARZ	HK116	100221	2014/03	
3	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2014/03	
4	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2014/03	
5	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2014/03	
6	Loop Antenna	A.R.A	PLA-1030/B	1030	2013/11	

7.2.Block Diagram of Test Setup

7.2.1 Block Diagram of connection between EUT and simulators



(EUT:Remote control of Rechargeable LED light)

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 12 of 29





7.2.2 Anechoic Chamber Setup Diagram



7.3. Radiated Emission Limit Standard: FCC 15.231,209

FRE	QUEN	CY	DISTANCE	FIELD STREN	GTHS LIMIT
	MHz		Meters	μV/m	dB(μV)/m
0.009	~	0.490	300	2400/F(KHz)	
0.490		1.705	30	24000/F(KHz)	
1.705		30	3	30	
30	~	88	3	100	40.0
88	~	216	3	150	43.5
216	~	960	3	200	46.0
960	~	1000	3	500	54.0
Al	Above 1000		3	Other:74.0 dB(μ 54.0 dB(μV)/n	

Remark:

- (1) Emission level $dB\mu V = 20 \log Emission level \mu V/m$
- (2) The smaller limit shall apply at the cross point between two frequency bands.
- (3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

7.4.Test Procedure

The EUT and its simulators are placed on a turn table, which is 0.8 meter high above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT is set 3 meters away from the receiving antenna, which is mounted on a antenna tower. The antenna can be moved up and down between 1 meter and 4 meters to find out the maximum emission level. Broadband antenna (calibrated bilog antenna) is used as receiving antenna. Both horizontal and vertical polarization of the antenna is set on Test. In order to find the maximum emission levels, all of the interface cables must be manipulated according to ANSI C63.4-2009on radiated emission Test.

The frequency range from 30MHz to 1000MHz and above 1GHz. is investigated. Please see the following pages.

All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 120kHz RBW below 1GHz and a Peak and Average detector with 1MHz RBW above 1GHz,

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 13 of 29







All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 300kHz VBW below 1GHz and a Peak detector with 1MHz VBW above 1GHz, A average detector be caluclated from peak value using duty cycle factor Both 30MHz to 1000MHz and above 1GHz

Pretest x, y, z position of EUT, final, select the worst case x position test and record the test results in the report.

The test modes (TX and RX Mode) is tested in Anechoic Chamber and all the scanning waveforms are reported on section 7.5

7.5. Radiated Emission Test Results

PASSED.

The frequency range from 9KHz to 30MHz,30MHz to 230MHz, 230MHz to 1000MHz and above 1GHz. is investigated. Please see the following pages.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 14 of 29







Test Mode: TX –X Position Mode Result: ■ - passed Frequency range: 9KHz~30MHz □ - not passed

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
	ark:Other freq cable Limit)	uency no sp	ecific emissi	on form the	EUT (Margin :	> 10dB for	m the

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 15 of 29







Channel:	433.86 MHz (TX)	Result:	■ - passed
Test point:	Horizontal		☐ - not passed
Frequency range:	30MHz ~18GHz		

EUT	Remote control of Rechargeable LED light			
Operating Condition	Battery 1.5V*2			
Test Condition	Ambient Temperature: 25°C Humidity: 56%			
Test Date:	09~19 June 2014			
Operator	Duke			
MODEL NO	R-I8IN1XXXXXX19			

Fundamental and Harmonics Average Result										
Frequency (MHz) (dB/m) (dBμV) Duty Cycle Level (dBμV/m) (dBμV/m) Hargin (dBμV/m) (dBμV/m) (dBμV/m) (dBμV/m) Det.										
433.86	-15.64	87.85		72.21			Peak			
433.86	-15.64	87.85	-18.36	53.85	80.82	-26.97	AVG			

Note:Level=Reading+Factor. Margin= Limit-Level. Average Level=Peak level + Duty Factor

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 16 of 29









No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	30.0000	-18.45	40.68	22.23	40.00	-17.77	QP
2	84.1082	-22.31	39.08	16.77	40.00	-23.23	QP
3	140.9218	-16.47	33.39	16.92	43.50	-26.58	QP
4	147.4148	-17.09	33.89	16.80	43.50	-26.70	QP
5	196.6533	-12.44	33.33	20.89	43.50	-22.61	QP
6	290.8016	-6.94	34.22	27.28	46.00	-18.72	QP

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

CENTRE OF TESTING SERVICE







No.	Frequency	Factor	Reading	Level	Limit	Margin	Det.
	(MHz)	(dB/m)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	
1	342.0842	-13.19	33.05	19.86	46.00	-26.14	QP
2	392.5852	-14.97	35.26	20.29	46.00	-25.71	QP
3	478.1563	-10.03	32.01	21.98	46.00	-24.02	QP
4	621.2425	-7.10	32.26	25.16	46.00	-20.84	QP
5	764.3287	-5.59	32.00	26.41	46.00	-19.59	QP
6	868.1363	-7.54	44.94	37.40	60.82	-23.42	AVG

Above 1GHz

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	1286.573	-3.25	59.24	55.99	74.00	-18.01	peak
2	1286.573	-3.25	43.51	40.26	54.00	-13.74	AVG
3	1727.455	-1.28	60.38	59.10	74.00	-14.90	peak
4	1727.455	-1.28	46.03	44.75	54.00	-9.25	AVG
5	3468.938	8.11	45.60	53.71	74.00	-20.29	peak
6	3468.938	8.11	30.46	38.57	54.00	-15.43	AVG

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E







Channel:	433.86 MHz (TX)	Result:	■ - passed
Test point:	Vertical		☐ - not passed
Frequency range:	30MHz ~18GHz		

EUT	Remote control of Rechargeable LED light
Operating Condition	Battery 1.5V*2
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test Date:	09~19 June 2014
Operator	Duke
MODEL NO	R-I8IN1XXXXXX19

Fundamental and Harmonics Average Result										
Frequency (MHz)										
433.86	-15.64	87.99		72.35			Peak			
433.86	-15.64	87.99	-18.36	53.99	80.82	-26.83	AVG			

Note:Level=Reading+Factor. Margin= Limit - Level. Average Level=Peak level + Duty Factor

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406 Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 19 of 29









No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	30.0000	-18.45	46.82	28.37	40.00	-11.63	QP
2	35.9519	-23.57	41.67	18.10	40.00	-21.90	QP
3	86.8136	-22.55	45.51	22.96	40.00	-17.04	QP
4	116.5731	-18.96	36.59	17.63	43.50	-25.87	QP
5	190.7014	-12.06	33.69	21.63	43.50	-21.87	QP
6	298.3768	-5.81	33.35	27.54	46.00	-18.46	QP

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

CENTRE OF TESTING SERVICE







No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	392.5852	-14.97	45.08	30.11	46.00	-15.89	QP
2	625.4509	-7.22	32.17	24.95	46.00	-21.05	QP
3	653.5070	-9.80	31.12	21.32	46.00	-24.68	QP
4	694.1884	-13.65	34.44	20.79	46.00	-25.21	QP
5	868.1363	-7.54	49.31	41.77	60.82	-19.05	AVG
6	906.0120	-4.09	31.39	27.30	46.00	-18.70	QP

Above 1GHz

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	1727.455	-1.28	51.41	50.13	74.00	-23.87	peak
2	1727.455	-1.28	37.49	36.21	54.00	-17.79	AVG
3	2168.337	0.51	55.72	56.23	74.00	-17.77	peak
4	2168.337	0.51	41.33	41.84	54.00	-12.16	AVG
5	3468.938	8.11	49.88	57.99	74.00	-16.01	peak
6	3468.938	8.11	34.58	42.69	54.00	-11.31	AVG

Note:Level=Reading+Factor. Margin= Limit-Level.

Remark: Others frequency Radiated Emission level margin all >10dB of Limit.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 21 of 29





8.20 dB Bandwidth test

8.1. Test Equipment

20 dB E	20 dB Bandwidth test				
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2013/11
2	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2014/03
3	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2014/03

8.2. Test Information

EUT: Remote control of Rechargeable LED light	
M/N:	R-I8IN1XXXXXX19
Power supply:	Battery 1.5V*2
Test Condition:	Ambient Temperature: 25°C Humidity: 56%
Test standard:	FCC PART 15C: 15.231
Test mode:	Transmitting
Test Frequency:	433.86 MHz
Test Date:	09 June 2014
Test By:	Duke

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 22 of 29








8.3. Test Results PASSED.

The testing data was attached in the next pages.

Frequency (MHz)	20 dB Bandwidth (kHz)	Limit(kHz): No wider than 0.25% of the center frequency	Conclusion
433.86	40	433.86*0.25%=1.085MHz	PASSED



Date: 9.JUN.2014 13:44:42

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 23 of 29





9. Stop Transmitting Time Test

9.1. Test Equipment

Band E	Band Edge Compliance test				
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2013/11
2	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2014/03
3	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2014/03

9.2. Test Information

EUT:	Remote control of Rechargeable LED light		
M/N:	R-I8IN1XXXXXX19		
Power supply:	Battery 1.5V*2		
Test Condition:	Ambient Temperature: 25°C Humidity: 56%		
Test standard:	FCC PART 15C: 15.231(a)		
Test mode:	Transmitting		
Test Frequency:	433.86 MHz		
Test Date:	09 June 2014		
Test By:	Duke		

9.3. Test Results

PASSED.

The testing data was attached in the next pages.

Set the spectrum to zero span, activated the EUT automatically, And then, we could see the transmitting wave in the spectrum, when the time marker went to "1R", released the EUT, After 240ms, we could see the EUT stop transmitting.

Frequency (MHz)	Stop Transmitting Time	Limit: not more than 5 seconds of being released	Conclusion
433.86	240ms	5s	PASSED

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471


Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 24 of 29







Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





10. Pulse Desensitization Correction Factor

10.1. Test Equipment

Band E	Band Edge Compliance test				
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2013/11
2	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2014/03
3	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2014/03

10.2. Test Information

EUT:	Remote control of Rechargeable LED light		
M/N:	R-I8IN1XXXXXX19		
Power supply:	Battery 1.5V*2		
Test Condition:	Ambient Temperature: 25°C Humidity: 56%		
Test standard:	FCC PART 15C: 15.231		
Test mode:	Transmitting		
Test Frequency:	433.86 MHz		
Test Date:	19 June 2014		
Test By:	Duke		

10.3. Test Results

PASSED.

The testing data was attached in the next pages.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 26 of 29









Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn











Test Data

Ton+off=240.00 ms(which exceeds 0.1 seconds, and use the formula Ton/100ms to calculate the duty-cycle correction factor)

Ton=0.115*62+0.495*10=12.08ms

Duty cycle Correction Factor=20*log(Ton/Ton+off)= 20*log 12.08ms /100ms= -18.36dB

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E







11. Manufacturer/ Approval holder Declaration

The following identical model(s):

N/A

Belong to the tested device:

Product description: Remote control of Rechargeable LED light

Model name: R-I8IN1XXXXXX19

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3140521-00520-E Page 29 of 29