

CENTRE OF TESTING SERVICE INTERNATIONAL

OPERATE ACCORDING TO ISO/IEC 17025

FCC ID TEST REPORT

TEST REPORT NUMBER: CGZ3150210-00178-EF



CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

CENTRE OF TESTING SERVICE





	TEST REPORT For FCC ID
	47 CFR PART 15 OCT, 2014
Report Reference No	CGZ3150210-00178-EF
Date of issue	04 March 2015
Testing Laboratory Name	CENTRE OF TESTING SERVICE CO., LTD.
Address	A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China
Testing location/ procedure	Full application of Harmonised standards ■
	Partial application of Harmonised standards \square
	Other standard testing method \square
Applicant's name	SISTEMAS APLICADOS USA, LLC
Address	2005 E Griffin Pkwy Suite 150, Mission, TX 78572
Test specification	
Standard	47 CFR PART 15 OCT, 2014
Test Report Form No	CTSEMC-1.0
TRF Originator	CENTRE OF TESTING SERVICE CO., LTD.
Master TRF	Dated 2009-01
CENTRE OF TESTING SERVICE C	O., LTD. All rights reserved.
CENTRE OF TESTING SERVICE Communication CENTRE OF TESTING SE	in whole or in part for non-commercial purposes as long as the O., LTD. is acknowledged as copyright owner and source of the RVICE CO., LTD takes no responsibility for and will not assume liability or's interpretation of the reproduced material due to its placement and
Test item description	MID
Trade Mark	Proteus
Manufacturer	SISTEMAS APLICADOS USA, LLC
Model/Type reference	S1010
Ratings	Battery 3.7V; DC 5V for Charging by adapter
	Adapter Input:AC 100~240V, 50/60Hz; Output:DC 5V
Operating Frequency	802.11b/g/n(20) :2412.0 MHz~2462.0 MHz
	802.11 n(40): 2422.0 MHz~2452.0 MHz
Result	Positive

Compiled by:

Supervised by:

Approved by:

Kate zhang / Fileadministrators

Duke yang / Technique principal

Vincent yao / Manager

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





FCCID-TEST REPORT

Test Report No. :	CGZ3150210-00178-EF	04 March 2015 Date of issue
Type / Model	S1010	
EUT	MID	
Applicant	SISTEMAS APLICADOS USA, LLC	
Address	2005 E Griffin Pkwy Suite 150, Mission, TX 7	8572
Telephone	/	
Fax	/	
Contact	/	
Manufacturer	SISTEMAS APLICADOS USA, LLC 2005 E Griffin Pkwy Suite 150, Mission, TX 7	8572
Telephone	/	
Fax	/	
Contact	/	
Factory		
Address	2005 E Griffin Pkwy Suite 150, Mission, TX 7	8572
Telephone	/	
Fax	/	

Test Result according to the standards on page 1: PASSED

The test report merely corresponds to the test sample.

It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn



TABLE OF CONTENTS

Description	Page
1.0 TEST STANDARDS	5
2.0 SUMMARY	5
2.1 GENERAL REMARKS	5
2.2 FINAL ASSESSMENT	
3.0 EQUIPMENT UNDER TEST	5
3.1 Power supply system utilised	5
3.2 SHORT DESCRIPTION OF THE EQUIPMENT UNDER TEST (EUT)	5
3.3 EUT OPERATION MODE	
3.4 EUT CONFIGURATION	
4.0 TEST ENVIRONMENT	7
4.1 Address of the test laboratory	7
4.2 TEST FACILITY	
4.3 Environmental conditions	7
4.4 DEFINITIONS OF SYMBOLS USED IN THIS TEST REPORT	7
4.5 STATEMENT OF THE MEASUREMENT UNCERTAINTY	
4.6 MEASUREMENT UNCERTAINTY	8
5.0 SUMMARY OF STANDARDS AND RESULTS	8
5.1.DESCRIPTION OF STANDARDS AND RESULTS	8
6.0 POWER LINE CONDUCTED EMISSION TEST	9
6.1.Test Equipment	g
6.2. BLOCK DIAGRAM OF TEST SETUP	
6.3. POWER LINE CONDUCTED EMISSION TEST LIMITS	9
6.4.Test Procedure	9
6.5. POWER LINE CONDUCTED EMISSION TEST RESULTS	g
7.0 6DB BANDWIDTH MEASUREMENT	12
7.1 LIMITS	12
7.2 MEASUREMENT EQUIPMENT USED	12
7.3 TEST CONFIGURATION	12
7.4 TEST PROCEDURE	
7.5 TEST RESULTS	13
8.0 OUTPUT POWER	20
8.1 LIMIT	20
8.2 MEASUREMENT EQUIPMENT USED	
8.3 TEST CONDIGURATION	
Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuir	ig Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

FCC ID:2ACMQ-S1010

CENTRE OF TESTING SERVICE



CT5

8.4 TEST PROCEDURE	
8.5 TEST RESULTS	21
9.0 PEAK POWER SPECTRAL DENSITY	22
9.1 LIMIT	22
9.2 MEASUREMENT EQUIPMENT USED	22
9.3 TEST CONFIGURATION	
9.4 TEST PROCEDURE	
9.5 TEST RESULTS	
10.0 BAND EDGES MEASUREMENT	30
10.1 LIMIT	30
10.2 MEASUREMENT EQUIPMENT USED	
10.3 Test Configuration	
10.4 TEST PROCEDURE	
10.5 TEST RESULTS	30
11.0 CONDUCTED SPURIOUS EMISSIONS	35
11.1 LIMIT	
11.2 TEST EQUIPMENT	35
11.3 TEST CONFIGURATION	
11.4 TEST PROCEDURE	
15.5 TEST RESULTS	35
12.0 SPURIOUS EMISSIONS	42
12.1 LIMIT	42
12.2 TEST EQUIPMENT	
12.3 TEST CONFIGURATION	
12.4 TEST PROCEDURE	
12.5 TEST RESULTS	44
13.0 ANTENNA REQUIREMENTS	58
13.1 STANDARD APPLICABLE	
13.2 Antenna Construction and Directional Gain	58

14.0 DEVIATION TO TEST SPECIFICATIONS58

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





1.0 TEST STANDARDS

The tests were performed according to following standards:

- 47 CFR PART 15 OCT, 2014
- ANSI C63.4-2009

2.0 SUMMARY

2.1 GENERAL REMARKS

Date of receipt of test sample	09 February 2015
Testing commenced on	09 February~03 March 2015
Testing concluded on	04 March 2015

2.2 FINAL ASSESSMENT

The F	-CC	requirements	pertaining to	o the	technical	standards a	and tested	l operation	modes	are

□ - **not** fulfilled.

The equipment under test

- fulfils the FCC requirements cited on page 1.
 - does not fulfil the FCC requirements cited on page 1.

3.0 EQUIPMENT UNDER TEST

3.1 Power supply system utilised

Power supply voltage : ■ Battery 3.7V, AC 120V/60Hz for adapter

3.2 Short description of the Equipment under Test (EUT)

Number of tested samples: 1

Serial number: Prototype

3.3 EUT operation mode

Tho	aquinment	under test was	operated	during the	magguramant	under the f	ollowing	condition
ıne	eguipment	under test was	, operated (aurina the	measurement	unger the t	ollowing	. condition

□ - Standby

☐ TX- Y position

☐ TX- Zposition

■ TX- X position

802.11b/g/n(20):TX-X Position Low (2412.0 MHz), TX-X Position Middle (2437.0 MHz),

TX-X Position High (2462.0 MHz)

802.11n(40):TX-X Position Low (2422.0 MHz), TX-X Position Middle (2437.0 MHz),

TX-X Position High (2452.0 MHz)

Charging

Note:Operation mode TX -X position of EUT is the radiated test worst case. So only these test results be recorded in the test report.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

CENTRE OF TESTING SERVICE





3.4 EUT configuration

3.4.1. Description of configuration (EUT)

Description	:	MID
Model Number	:	S1010
Operation frequency		802.11b/g/n(20):2412.0 MHZ~2462.0 MHz 802.11n(40):2422.0 MHZ~2452.0 MHz
WiFi	:	802.11:b/g/n(20)/n(40)
Modulation Technology	:	DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64QAM
Date Rate		802.11b: 11, 5.5, 2, 1 Mbps 802.11g: 54, 48, 36, 24, 18, 12, 9, 6 Mbps 802.11n(20): 6.5/13/19.5/26/39/52/58.5/65 802.11n(40): 13.5/27/40.5/54/81/108/121.5/135
Antenna	:	Internal antenna, met requirement of FCC 15.203
Antenna Gain	:	1.84dBi

3.4.2. Tested Supporting System Details

N/A

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 6 of 58





4.0 TEST ENVIRONMENT

4.1 Address of the test laboratory

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

4.2 Test facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L3394

CENTRE OF TESTING SERVICE CO., LTD has been assessed and proved to be in compliance with CNAS-CL01: 2006 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC 17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories.

IC-Registration No.: 8374A

The 3m Alternate Test Site of CENTRE OF TESTING SERVICE CO., LTD has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 8374A on May 22, 2014.

FCC-Registration No.: 971995

CENTRE OF TESTING SERVICE CO., LTD, EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration No.791995, July 13,2012.

4.3 Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	15~35 ° C
Humidity:	25~75 %
Atmospheric pressure:	86~106 kPa

4.4 Definitions of symbols used in this test report

- The black square indicates that the listed condition, standard or equipment is applicable for this report.
- ☐ The empty square indicates that the listed condition, standard or equipment is **not** applicable for this report.

4.5 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to CISPR 16 - 4 "Specification for radio disturbance and immunity measuring apparatus and methods – Part 4: Uncertainty in EMC Measurements" and is documented in the CTS quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 7 of 58







4.6 Measurement Uncertainty

Test Item	Frequency Range	Uncertainty	Note
Conduction disturbance	150kHz~30MHz	±1.22dB	(1)
Power disturbance	30MHz~300MHz	±1.38dB	(1)
	30MHz~300MHz	±3.14dB	(1)
Radiation emission (3m)	300MHz~1000MHz	±3.18dB	(1)
	1GHz~26.5GHz	±3.54dB	(1)

^{(1).} This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

5.0 Summary of standards and results

5.1. Description of Standards and Results

The EUT have been tested according to the applicable standards as referenced below.

EMISSION				
Description of Test Item	Standard	Results		
Conducted Emission Test	FCC Part 15 : 15.207 ANSI C63.4-2009	PASSED		
6dB Bandwidth Measurement	FCC Part 15.247(a)(2) ANSI C63.4-2009	PASSED		
Output Power	FCC Part 15.247(b)(3)(4) ANSI C63.4-2009	PASSED		
Peak Power Spectral Density	15.247(e) Power Density ANSI C63.4-2009	PASSED		
Pand added mangurament	FCC Part 15.247(d)	PASSED		
Band edges measurement	ANSI C63.4-2009	PASSED		
Spurious Emissions	FCC Part 15: 15.209	PASSED		
Spurious Emissions	ANSI C63.4-2009	PASSED		
Antonno Doquiromento	FCC Part 15: 15.203	DASSED		
Antenna Requirements	ANSI C63.4-2009	PASSED		
N/A is an abbreviation for Not Applicable.				

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 8 of 58





6.0 Power Line Conducted Emission Test

6.1.Test Equipment

Conduc	Conducted Disturbance							
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.			
1	EMI Test Receiver	ROHDE & SCHWARZ	ESHS10	842884/012	2014/11			
2	Artificial Mains	ROHDE & SCHWARZ	ESH3-Z5	832479/025	2014/11			
3	Artificial Mains	ROHDE & SCHWARZ	ESH3-Z5	832479/026	2014/11			
4	Pulse Limiter	ROHDE & SCHWARZ	ESHSZ2	100301	2014/11			
5	EMI Test Software	EZ-EMC	Farad	N/A	N/A			

6.2. Block Diagram of Test Setup

EUT

(EUT: MID)

6.3. Power Line Conducted Emission Test Limits

Standard: FCC Part 15: 15.207, ANSI C63.4-2009

		Maximum RF Line Voltage			
Frequ	uency	Quasi-Peak Level	Average Level		
rioquoney		dB(μV)	dB(μV)		
150kHz	~ 500kHz	66 ~ 56*	56 ~ 46*		
500kHz	~ 5MHz	56	46		
5MHz	~ 30MHz	60	50		

Notes: 1. * Decreasing linearly with logarithm of frequency.

6.4.Test Procedure

The Adapter Power connected to the power mains through a line impedance stabilization network (L.I.S.N.#2). This provides a 50 ohm coupling impedance for the EUT. Please refer the block diagram of the test setup and photographs. The other peripheral devices power cord connected to the power mains through a line impedance stabilization network (L.I.S.N.#1). Power on the PC and let it work normally, we use a keyboard test soft ware, let EUT working in test mode, then test it. Both sides of AC line are checked to find out the maximum conducted emission. In order to find the maximum emission levels, the relative positions of equipment and all of the interface cables shall be changed according to FCC Part 15C on Conducted Emission Test.

6.5. Power Line Conducted Emission Test Results

PASSED.

The frequency range from 150KHz~30MHz is investigated. Please see the following pages.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 9 of 58

^{2.} The lower limit shall apply at the transition frequencies.

FCC ID:2ACMQ-S1010








Test point:	L	Result:	■ - passed
Frequency range:	0.15MHz~30MHz		☐ - not passed

EUT	MID
Operating Condition	TX
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Operator	Duke
MODEL NO	S1010



No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	0.1860	9.78	37.29	47.07	64.21	-17.14	QP
2	0.1860	9.78	20.16	29.94	54.21	-24.27	AVG
3	0.2500	9.78	31.00	40.78	61.76	-20.98	QP
4	0.2500	9.78	17.45	27.23	51.76	-24.53	AVG
5	0.3060	9.79	28.73	38.52	60.08	-21.56	QP
6	0.3060	9.79	19.13	28.92	50.08	-21.16	AVG
7	0.3740	9.81	26.91	36.72	58.41	-21.69	QP
8	0.3740	9.81	12.56	22.37	48.41	-26.04	AVG
9	0.5540	9.84	30.00	39.84	56.00	-16.16	QP
10	0.5540	9.84	22.81	32.65	46.00	-13.35	AVG
11	12.3980	9.91	19.25	29.16	60.00	-30.84	QP
12	12.3980	9.91	3.23	13.14	50.00	-36.86	AVG
Remark:	Other frequen	icy mi <mark>ni ma</mark>	rgin all >6 dB	of Limit			

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF


FCC ID:2ACMQ-S1010







Test point: N Result: ■ - passed □ - not passed



No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	0.1820	9.78	36.17	45.95	64.39	-18.44	QP		
2	0.1820	9.78	18.92	28.70	54.39	-25.69	AVG		
3	0.2460	9.78	32.17	41.95	61.89	-19.94	QP		
4	0.2460	9.78	16.66	26.44	51.89	-25.45	AVG		
5	0.4900	9.84	27.09	36.93	56.17	-19.24	QP		
6	0.4900	9.84	18.07	27.91	46.17	-18.26	AVG		
7	1.3980	9.84	24.37	34.21	56.00	-21.79	QP		
8	1.3980	9.84	7.02	16.86	46.00	-29.14	AVG		
9	2.0740	9.87	20.25	30.12	56.00	-25.88	QP		
10	2.0740	9.87	4.31	14.18	46.00	-31.82	AVG		
11	12.5420	9.92	17.31	27.23	60.00	-32.77	QP		
12	12.5420	9.92	0.49	10.41	50.00	-39.59	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Note:Level=Reading+Factor. Margin= Level-Limit

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Page 11 of 58

Report No.: CGZ3150210-00178-EF





7.0 6dB BANDWIDTH MEASUREMENT


7.1 LIMITS

According to §15.247(a)(2), systems using digital modulation techniques may operate in the 902 - 928 MHz, 2400 - 2483.5 MHz, and 5725 - 5850 MHz bands. The minimum 6 dB bandwidth shall be at least 500 kHz.

7.2 MEASUREMENT EQUIPMENT USED

6dB Bandwidth							
Item	Test Equipment	Model No.	Serial No.	Last Cal.			
1	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2014/03		

7.3 TEST CONFIGURATION



7.4 TEST PROCEDURE

- 1. Place the EUT on the table and set it in the transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set the spectrum analyzer as RBW = 100kHz, VBW = 300kHz, Span =1.5 times of bandwidth, Sweep = auto.
- 4. Mark the peak frequency and -6dB (upper and lower) frequency.
- 5. Repeat until all the rest channels are investigated

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 12 of 58





7.5 TEST RESULTS

Modulation Standard	Channel	Frequency (MHz)	Bandwidth (MHz)	Limit (KHz)	Result
	Low	2412	8.40		PASSED
802.11b	Middle	2437	8.80	>500	PASSED
	High	2462	8.70		PASSED
	Low	2412	16.45		PASSED
802.11g	Middle	2437	16.40	>500	PASSED
	High	2462	16.45		PASSED
	Low	2412	17.65		PASSED
802.11n(20)	Middle	2437	17.70	>500	PASSED
	High	2462	17.65		PASSED
	Low	2422	36.05		PASSED
802.11n(40)	Middle	2437	36.05	>500	PASSED
	High	2452	36.05		PASSED

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service


Report No.: CGZ3150210-00178-EF Page 13 of 58





Test Plot





Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service


Report No.: CGZ3150210-00178-EF











CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406


Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn











CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





8.0 OUTPUT POWER

8.1 LIMIT


The maximum peak output power of the intentional radiator shall not exceed the following:

- 1. According to §15.247(b)(3), for systems using digital modulation in the bands of 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz: 1 Watt.
- 2. According to §15.247(b)(4), the conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

8.2 MEASUREMENT EQUIPMENT USED

Peak	Peak Power							
Item	m Test Equipment Manufacturer		Model No.	Serial No.	Last Cal.			
1	Power Sensor	R&S	NRP-Z23		07/16/2014			
2	RF attenuator	WEINSCHEL CORP	58-30-33		07/25/2014			

8.3 TEST CONDIGURATION



8.4 TEST PROCEDURE

For average power test:

- 1. Connect EUT RF output port to power sensor through an RF attenuator.
- 2. Connect the power sensor to the PC.
- 3. Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 4. Record the maximum power from the software.

Note: The EUT was tested according to KDB 558074v03r02 for compliance to FCC 47CFR 15.247 requirements..

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China
Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406
Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 20 of 58







8.5 TEST RESULTS

Passed Test Data

Modulation Standard	Channel	Frequency (MHz)	Output Average Power (dBm)	Limit (dBm)	Result
802.11b:	Low	2412	9.56		PASSED
5.5Mbps	Middle	2437	9.34	30dBm	PASSED
(Worst Case)	High	2462	9.21		PASSED
802.11g:	Low	2412	8.32	30dBm	PASSED
54Mbps	Middle	2437	8.12		PASSED
(Worst Case)	High	2462	8.07		PASSED
802.11 n(20):	Low	2412	7.36		PASSED
65Mbps [′]	Middle	2437	7.24	30dBm	PASSED
(Worst Case)	High	2462	7.34		PASSED
802.11n(40):	Low	2422	5.89		PASSED
135Mbps	Middle	2437	5.76	30dBm	PASSED
(Worst Case)	High	2452	5.48		PASSED

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 21 of 58





9.0 PEAK POWER SPECTRAL DENSITY


9.1 LIMIT

- 1. For direct sequence systems, the peak power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3kHz band during any time interval of continuous transmission.
- 2. The direct sequence operating of the hybrid system, with the frequency hopping operation turned off, shall comply with the power density requirements of paragraph (d) of this section

9.2 MEASUREMENT EQUIPMENT USED

Peak Power Spectral Density							
Item	Item Test Equipment Manufacturer Model No. Serial No. Last Cal.						
1	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2014/03		

9.3 TEST CONFIGURATION



9.4 TEST PROCEDURE

- (1). Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- (2). Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- (3). Set SPA Trace 1 Max hold, then View.

Note: The EUT was tested according to KDB 558074 for compliance to FCC 47CFR 15.247 requirements.

9.5 TEST RESULTS

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 22 of 58

FCC ID:2ACMQ-S1010







Test Data

Modulation Standard	Channel	Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Result
802.11b:	Low	2412	0.00		PASSED
5.5Mbps	Middle	2437	0.57	8	PASSED
(Worst Case)	High	2462	0.23		PASSED
802.11g:	Low	2412	-5.85		PASSED
54Mbps	Middle	2437	-4.11	8	PASSED
(Worst Case)	High	2462	-5.27		PASSED
802.11 n(20):	Low	2412	-5.49		PASSED
65Mbps ²	Middle	2437	-4.05	8	PASSED
(Worst Case)	High	2462	-5.38		PASSED
802.11n(40):	Low	2422	-10.78		PASSED
135Mbps [°]	Middle	2437	-7.69	8	PASSED
(Worst Case)	High	2452	-10.15		PASSED

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China
Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406
Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service


Report No.: CGZ3150210-00178-EF Page 23 of 58





Test Plot





Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406


Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn











CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406


Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

CENTRE OF TESTING SERVICE









Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





10.0 BAND EDGES MEASUREMENT

10.1 LIMIT

According to §15.247(d), in any 100 kHz bandwidth outside the frequency bands in which the spread spectrum intentional radiator in operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in 15.209(a) (see Section 15.205(c)).

10.2 MEASUREMENT EQUIPMENT USED

Band Edges Measurement								
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.			
1	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2014/03			

10.3 Test Configuration



10.4 TEST PROCEDURE

- 1. Check the calibration of the measuring instrument using either an internal calibrator or a known signal from an external generator.
- 2. Position the EUT as shown in figure 4 without connection to measurement instrument. Turn on the EUT and connect its antenna terminal to measurement instrument via a low loss cable. Then set it to any one measured frequency within its operating range and make sure the instrument is operated in its linear range.
- 3. Use the following spectrum analyzer settings:
 - Span = wide enough to capture the peak level of the emission operating on the channel closest to the bandedge, as well as any modulation products which fall outside of the authorized band of operation

RBW = 100KHz(1% of the span)

VBW =3RBW

Sweep = auto

10.5 TEST RESULTS

Refer to attach spectrum analyzer data chart.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service


Report No.: CGZ3150210-00178-EF Page 30 of 58





Test Polt:





Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406


Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF









CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





11.0 CONDUCTED SPURIOUS EMISSIONS


11.1 LIMIT

According to FCC Part 15.247(d), In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the RF power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided that the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section A8.4 (4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.

11.2 TEST EQUIPMENT

Radiated disturbance (electric field)								
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.			
1	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2014/03			

11.3 TEST CONFIGURATION



11.4 TEST PROCEDURE

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2, Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 3. Set SPA Trace 1 Max hold, then View.

Note: The EUT was tested according to KDB 558074 for compliance to FCC 47CFR 15.247 requirements. Owing to satisfy the requirements of the number of measurement points, we set the RBW=1MHz, VBW>RBW, scan up through 10th harmonic, and consider the tested results as the worst case, if the tested results conform to the requirement, we can deem that the real tested results(set the RBW=100KHz, VBW>RBW) are conform to the requirement.

15.5 TEST RESULTS

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service


Report No.: CGZ3150210-00178-EF Page 35 of 58





Test Plot:





Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.


A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn











A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China
Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406
Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn











CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406


Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn













CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China
Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406
Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn











A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China
Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406
Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn









CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn





12.0 SPURIOUS EMISSIONS

12.1 LIMIT

Except as provided elsewhere in this Subpart, the emissions from an intentional radiator shall not exceed the field strength levels specified in the following table:

FRE	QUEN	CY	DISTANCE	FIELD STREN	GTHS LIMIT	
1	MHz		Meters	μV/m	dB(μV)/m	
0.009	~	0.490	300	2400/F(kHz)		
0.490	~	1.705	30	24000/F(kHz)		
1.705	~	30	30	30		
30	~	88	3	100	40.0	
88	~	216	3	150	43.5	
216	~	960	3	200	46.0	
960	~	1000	3	500	54.0	
٨٨	Above 1000		3	Other:74.0 dB(µ	ιV)/m (Peak)	
AL	ove i	000	3	54.0 dB(μV)/m (Average)		

Note: Except as provided in paragraph (g), fundamental emissions from intentional radiators operating under this Section shall not be located in the frequency bands54-72 MHz, 76-88 MHz, 174-216 MHz or 470-806 MHz. However, operation within these frequency bands is permitted under other sections of this Part, e.g., Sections 15.231 and 15.241.

12.2 Test Equipment

Radia	Radiated disturbance (electric field)									
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.					
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	100868	2014/11					
2	Biconical Antenna	ROHDE & SCHWARZ	HK116	100221	2014/03					
3	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2014/03					
4	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2014/03					
5	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2014/03					
6	Loop Antenna	A.R.A	PLA-1030/B	1030	2014/11					
7	EMI Test Software	EZ-EMC	Farad	N/A	N/A					

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service


Report No.: CGZ3150210-00178-EF Page 42 of 58






12.3 TEST CONFIGURATION


Below 30MHz



Below 1 GHz



Above 1 GHz



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 43 of 58

CENTRE OF TESTING SERVICE





12.4 TEST PROCEDURE

- 1. The EUT is placed on a turntable, which is 0.8m above ground plane.
- 2. The turntable shall be rotated for 360 degrees to determine the position of maximum emission level.
- 3. EUT is set 3m away from the receiving antenna, which is varied from 1m to 4m to find out the highest emissions.
- 4. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 5. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 6. Repeat above procedures until the measurements for all frequencies are complete.

12.5 TEST RESULTS

The frequency range from 9KHz~30MHz,30MHz to 230MHz, 230MHz to 1000MHz and above 1GHz. is investigated. Please see the following pages.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

Page 44 of 58



CENTRE OF TESTING SERVICE





	No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
ĺ	Rema	ark: The test re	sult readi	ng value is to l	ow, margin a	II > 10dB of t	he limit.	

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 45 of 58




CENTRE OF TESTING SERVICE





EUT	MID
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test distance	3 Meter
Operator	Duke
MODEL NO	S1010

Channel:	TX –X Position	Result:	■ - passed
Test point:	Horizontal		□ - not passed
Frequency range:	30MHz-1GHz		



No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	131.7234	-22.94	53.33	30.39	43.50	-13.11	QP
2	156.0721	-24.31	60.12	35.81	43.50	-7.69	QP
3	190.7014	-18.06	55.85	37.79	43.50	-5.71	QP
4	200.4408	-18.63	55.08	36.45	43.50	-7.05	QP
5	233.9879	-18.66	57.60	38.94	46.00	-7.06	QP
6	300.0000	-12.07	51.72	39.65	46.00	-6.35	QP
Remark:	Other frequen	icy mini ma	rgin all >6 dB	of Limit			•

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 46 of 58









No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	311.2224	-28.94	62.95	34.01	46.00	-11.99	QP
2	483.7675	-18.78	49.92	31.14	46.00	-14.86	QP
3	625.4509	-15.73	48.32	32.59	46.00	-13.41	QP
4	768.5371	-14.11	47.44	33.33	46.00	-12.67	QP
5	893.3868	-11.64	47.17	35.53	46.00	-10.47	QP
6	915.8317	-12.15	46.94	34.79	46.00	-11.21	QP
Remark	Other frequen	icy mini ma	rgin all >6 dB	of Limit			

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn







Modulation Standard: 802.11 b
Channel: Low Channel
Test point: Horizontal
Frequency range: 1GHz-26.5GHz

Result: □ - passed
□ - not passed

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	1749.499	-10.69	58.38	47.69	74.00	-26.31	peak
2	1749.499	-10.69	45.83	35.14	59.00	-23.86	AVG
3	3490.982	-0.30	59.14	58.84	74.00	-15.16	peak
4	3490.982	-0.30	46.33	46.03	59.00	-12.97	AVG
5	5276.553	4.57	56.88	61.45	74.00	-12.55	peak
6	5276.553	4.57	44.80	49.37	59.00	-9.63	AVG
Remark	Other frequen	icy mini ma	rgin all >6 dB o	of Limit			

Modulation Standard:	802.11 b	Result:	■ - passed
Channel:	Middle Channel		□ - not passed
Test point:	Horizontal		
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	1661.323	-11.21	58.64	47.43	74.00	-26.57	peak
2	1661.323	-11.21	46.45	35.24	59.00	-23.76	AVG
3	3292.585	-0.94	57.93	56.99	74.00	-17.01	peak
4	3292.585	-0.94	44.63	43.69	59.00	-15.31	AVG
5	6643.287	8.46	52.82	61.28	74.00	-12.72	peak
6	6643.287	8.46	41.18	49.64	59.00	-9.36	AVG
Remark:	Other frequen	cy mini ma	rgin all >6 dB	of Limit			

Modulation Standard:	802.11 b	Result:	■ - passed
Channel:	High Channel		☐ - not passed
Test point:	Horizontal		
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	1771.543	-10.56	58.10	47.54	74.00	-26.46	peak
2	1771.543	-10.56	44.81	34.25	59.00	-24.75	AVG
3	3336.673	-0.80	57.89	57.09	74.00	-16.91	peak
4	3336.673	-0.80	43.39	42.59	59.00	-16.41	AVG
5	5827.655	6.35	54.40	60.75	74.00	-13.25	peak
6	5827.655	6.35	41.50	47.85	59.00	-11.15	AVG
Remark	: Other frequen	cy mini ma	rgin all >6 dB	of Limit			

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Page 48 of 58







Modulation Standard:	802.11 g	Result:	■ - passed
Channel:	Low Channel		☐ - not passed
Test point:	Horizontal		μ
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1705.411	-10.95	56.88	45.93	74.00	-28.07	peak		
2	1705.411	-10.95	44.42	33.47	59.00	-25.53	AVG		
3	2961.924	-2.08	56.23	54.15	74.00	-19.85	peak		
4	2961.924	-2.08	44.67	42.59	59.00	-16.41	AVG		
5	5739.479	6.06	55.45	61.51	74.00	-12.49	peak		
6	5739.479	6.06	43.02	49.08	59.00	-9.92	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Modulation Standard: Channel:	802.11 g Middle Channel	Result:	■ - passed □ - not passed
Test point: Frequency range:	Horizontal 1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.			
1	1793.587	-10.44	57.10	46.66	74.00	-27.34	peak			
2	1793.587	-10.44	43.58	33.14	59.00	-25.86	AVG			
3	3072.144	-1.65	57.22	55.57	74.00	-18.43	peak			
4	3072.144	-1.65	43.85	42.20	59.00	-16.80	AVG			
5	3887.776	0.97	58.09	59.06	74.00	-14.94	peak			
6	3887.776	0.97	45.30	46.27	59.00	-12.73	AVG			
Remark	Remark: Other frequency mini margin all >6 dB of Limit									

Modulation Standard:	802.11 a	Pocult:	■ - passed
Modulation Standard.	002.11 g	Mesuit.	■ - passed
Channel:	High Channel		☐ - not passed
Test point:	Horizontal		·
Frequency range:	1GHz-26.5GHz		ļ

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1484.970	-12.22	58.04	45.82	74.00	-28.18	peak		
2	1484.970	-12.22	44.69	32.47	59.00	-26.53	AVG		
3	2895.792	-2.44	55.21	52.77	74.00	-21.23	peak		
4	2895.792	-2.44	41.41	38.97	59.00	-20.03	AVG		
5	5496.994	5.28	54.45	59.73	74.00	-14.27	peak		
6	5496.994	5.28	41.31	46.59	59.00	-12.41	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service







Modulation Standard:	802.11 n(20)	Result:	■ - passed
Channel:	Low Channel		☐ - not passed
Test point:	Horizontal		,
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1573.146	-11.72	56.09	44.37	74.00	-29.63	peak		
2	1573.146	-11.72	41.87	30.15	59.00	-28.85	AVG		
3	3006.012	-1.86	56.85	54.99	74.00	-19.01	peak		
4	3006.012	-1.86	43.64	41.78	59.00	-17.22	AVG		
5	4130.261	1.64	57.53	59.17	74.00	-14.83	peak		
6	4130.261	1.64	44.04	45.68	59.00	-13.32	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Modulation Standard:	802.11 n(20)	Result:	■ - passed
Channel:	Middle Channel		☐ - not passed
Test point:	Horizontal		•
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1440.882	-12.43	56.73	44.30	74.00	-29.70	peak		
2	1440.882	-12.43	43.68	31.25	59.00	-27.75	AVG		
3	2807.615	-2.92	53.70	50.78	74.00	-23.22	peak		
4	2807.615	-2.92	41.06	38.14	59.00	-20.86	AVG		
5	4218.437	1.84	57.13	58.97	74.00	-15.03	peak		
6	4218.437	1.84	44.49	46.33	59.00	-12.67	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Modulation Standard:	802 11 n(20)	Result:	■ - passed
		r Codit.	■ - passeu
Channel:	High Channel		☐ - not passed
Test point:	Horizontal		'
Frequency range:	1GHz-26.5GHz		ļ

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1749.499	-10.69	56.73	46.04	74.00	-27.96	peak		
2	1749.499	-10.69	43.83	33.14	59.00	-25.86	AVG		
3	3050.100	-1.72	55.89	54.17	74.00	-19.83	peak		
4	3050.100	-1.72	42.46	40.74	59.00	-18.26	AVG		
5	5056.112	3.86	55.93	59.79	74.00	-14.21	peak		
6	5056.112	3.86	44.79	48.65	59.00	-10.35	AVG		
Remark:	Remark: Other frequency mini margin all >6 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Page 50 of 58







Modulation Standard:	802.11 n(40)	Result:	■ - passed
Channel:	Low Channel		□ - not passed
Test point:	Horizontal		
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1661.323	-11.21	56.46	45.25	74.00	-28.75	peak		
2	1661.323	-11.21	43.36	32.15	59.00	-26.85	AVG		
3	2983.968	-1.97	55.43	53.46	74.00	-20.54	peak		
4	2983.968	-1.97	42.25	40.28	59.00	-18.72	AVG		
5	5386.774	4.93	54.59	59.52	74.00	-14.48	peak		
6	5386.774	4.93	41.42	46.35	59.00	-12.65	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Modulation Standard:	802.11 n(40)	Result:	■ - passed
Channel:	Middle Channel		☐ - not passed
Test point:	Horizontal		'
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1308.617	-13.05	54.67	41.62	74.00	-32.38	peak		
2	1308.617	-13.05	42.20	29.15	59.00	-29.85	AVG		
3	1837.675	-10.18	56.25	46.07	74.00	-27.93	peak		
4	1837.675	-10.18	43.32	33.14	59.00	-25.86	AVG		
5	3997.996	1.32	58.46	59.78	74.00	-14.22	peak		
6	3997.996	1.32	44.57	45.89	59.00	-13.11	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Modulation Standard:	802.11 n(40)	Result:	■ - passed
Channel:	High Channel		☐ - not passed
Test point:	Horizontal		
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1484.970	-12.22	57.36	45.14	74.00	-28.86	peak		
2	1484.970	-12.22	45.36	33.14	59.00	-25.86	AVG		
3	3028.056	-1.79	55.20	53.41	74.00	-20.59	peak		
4	3028.056	-1.79	41.87	40.08	59.00	-18.92	AVG		
5	5541.082	5.42	53.51	58.93	74.00	-15.07	peak		
6	5541.082	5.42	39.69	45.11	59.00	-13.89	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service











No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	78.6974	-27.42	53.05	25.63	40.00	-14.37	QP		
2	144.7094	-22.83	53.39	30.56	43.50	-12.94	QP		
3	156.0721	-24.31	57.35	33.04	43.50	-10.46	QP		
4	202.0641	-18.54	51.69	33.15	43.50	-10.35	QP		
5	233.9880	-18.66	53.12	34.46	46.00	-11.54	QP		
6	297.2946	-12.34	51.13	38.79	46.00	-7.21	QP		
Remark:	Remark: Other frequency mini margin all >6 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Complaint line: +86-20-85533471


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

CENTRE OF TESTING SERVICE







No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	344.8898	-23.19	51.08	27.89	46.00	-18.11	QP		
2	468.3367	-20.66	50.95	30.29	46.00	-15.71	QP		
3	494.9900	-18.94	49.64	30.70	46.00	-15.30	QP		
4	622.6453	-15.66	50.38	34.72	46.00	-11.28	QP		
5	769.9399	-14.15	48.10	33.95	46.00	-12.05	QP		
6	907.4148	-11.73	47.19	35.46	46.00	-10.54	QP		
Remark:	Remark: Other frequency mini margin all >6 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn







Modulation Standard:	802.11 b	Result:	■ - passed
Channel:	Low Channel		☐ - not passed
Test point:	Vertical		
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1925.852	-9.66	57.44	47.78	74.00	-26.22	peak		
2	1925.852	-9.66	45.07	35.41	59.00	-23.59	AVG		
3	2719.439	-3.39	55.87	52.48	74.00	-21.52	peak		
4	2719.439	-3.39	43.13	39.74	59.00	-19.26	AVG		
5	5739.479	6.06	55.68	61.74	74.00	-12.26	peak		
6	5739.479	6.06	43.62	49.68	59.00	-9.32	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Modulation Standard:	802.11 b	Result:	■ - passed
Channel:	Middle Channel		☐ - not passed
Test point:	Vertical		'
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	
1	1683.367	-11.08	57.39	46.31	74.00	-27.69	peak	
2	1683.367	-11.08	44.33	33.25	59.00	-25.75	AVG	
3	3094.188	-1.58	57.34	55.76	74.00	-18.24	peak	
4	3094.188	-1.58	44.75	43.17	59.00	-15.83	AVG	
5	5298.597	4.64	57.49	62.13	74.00	-11.87	peak	
6	5298.597	4.64	44.98	49.62	59.00	-9.38	AVG	
Remark:	Remark: Other frequency mini margin all >6 dB of Limit							

Modulation Standard:	802.11 b	Result:	■ - passed
Channel:	High Channel		☐ - not passed
Test point:	Vertical		
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1418.838	-12.53	58.42	45.89	74.00	-28.11	peak		
2	1418.838	-12.53	45.16	32.63	59.00	-26.37	AVG		
3	2102.204	-8.28	58.30	50.02	74.00	-23.98	peak		
4	2102.204	-8.28	44.04	35.76	59.00	-23.24	AVG		
5	6312.625	7.66	51.70	59.36	74.00	-14.64	peak		
6	6312.625	7.66	38.91	46.57	59.00	-12.43	AVG		
Remark:	Remark: Other frequency mini margin all >6 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service







 Modulation Standard:
 802.11 g
 Result:
 ■ - passed

 Channel:
 Low Channel
 □ - not passed

 Test point:
 Vertical
 □ - not passed

 Frequency range:
 1GHz-26.5GHz

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1440.882	-12.43	57.62	45.19	74.00	-28.81	peak		
2	1440.882	-12.43	45.84	33.41	59.00	-25.59	AVG		
3	1991.984	-9.28	57.78	48.50	74.00	-25.50	peak		
4	1991.984	-9.28	45.75	36.47	59.00	-22.53	AVG		
5	3402.806	-0.59	58.35	57.76	74.00	-16.24	peak		
6	3402.806	-0.59	45.44	44.85	59.00	-14.15	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Modulation Standard:802.11 gResult:■ - passedChannel:Middle Channel□ - not passedTest point:VerticalFrequency range:1GHz-26.5GHz

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	
1	1484.970	-12.22	58.39	46.17	74.00	-27.83	peak	
2	1484.970	-12.22	46.24	34.02	59.00	-24.98	AVG	
3	3072.144	-1.65	56.56	54.91	74.00	-19.09	peak	
4	3072.144	-1.65	42.98	41.33	59.00	-17.67	AVG	
5	5188.377	4.29	55.92	60.21	74.00	-13.79	peak	
6	5188.377	4.29	44.50	48.79	59.00	-10.21	AVG	
Remark:	Remark: Other frequency mini margin all >6 dB of Limit							

Modulation Standard:	802.11 g	Result:	■ - passed
Channel:	High Channel		☐ - not passed
Test point:	Vertical		'
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1573.146	-11.72	55.65	43.93	74.00	-30.07	peak		
2	1573.146	-11.72	42.13	30.41	59.00	-28.59	AVG		
3	3226.453	-1.15	58.26	57.11	74.00	-16.89	peak		
4	3226.453	-1.15	46.33	45.18	59.00	-13.82	AVG		
5	5827.655	6.35	55.39	61.74	74.00	-12.26	peak		
6	5827.655	6.35	43.31	49.66	59.00	-9.34	AVG		
Remark:	Remark: Other frequency mini margin all >6 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3150210-00178-EF Page 55 of 58







Modulation Standard:	802.11 n(20)	Result:	■ - passed
Channel:	Low Channel		☐ - not passed
Test point:	Vertical		
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1925.852	-9.66	57.44	47.78	74.00	-26.22	peak		
2	1925.852	-9.66	45.07	35.41	59.00	-23.59	AVG		
3	2719.439	-3.39	55.87	52.48	74.00	-21.52	peak		
4	2719.439	-3.39	43.13	39.74	59.00	-19.26	AVG		
5	5739.479	6.06	55.68	61.74	74.00	-12.26	peak		
6	5739.479	6.06	43.62	49.68	59.00	-9.32	AVG		
Remark	Remark: Other frequency mini margin all >6 dB of Limit								

Modulation Standard:	802.11 n(20)	Result:	■ - passed
Channel:	Middle Channel		☐ - not passed
Test point:	Vertical		'
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.			
1	1683.367	-11.08	57.39	46.31	74.00	-27.69	peak			
2	1683.367	-11.08	44.33	33.25	59.00	-25.75	AVG			
3	3094.188	-1.58	57.34	55.76	74.00	-18.24	peak			
4	3094.188	-1.58	44.75	43.17	59.00	-15.83	AVG			
5	5298.597	4.64	57.49	62.13	74.00	-11.87	peak			
6	5298.597	4.64	44.98	49.62	59.00	-9.38	AVG			
Remark:	Remark: Other frequency mini margin all >6 dB of Limit									

802.11 n(20)	Result:	■ - passed
		– paccoa
High Channel		□ - not passed
S .		□ Hot passed
Vertical		
4011 00 5011		
1GHz-26.5GHz		
	802.11 n(20) High Channel Vertical 1GHz-26.5GHz	High Channel Vertical

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.		
1	1418.838	-12.53	58.42	45.89	74.00	-28.11	peak		
2	1418.838	-12.53	45.16	32.63	59.00	-26.37	AVG		
3	2102.204	-8.28	58.30	50.02	74.00	-23.98	peak		
4	2102.204	-8.28	44.04	35.76	59.00	-23.24	AVG		
5	6312.625	7.66	51.70	59.36	74.00	-14.64	peak		
6	6312.625	7.66	38.91	46.57	59.00	-12.43	AVG		
Remark:	Remark: Other frequency mini margin all >6 dB of Limit								

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service







Modulation Standard:	802.11 n(40)	Result:	■ - passed
Channel:	Low Channel		□ - not passed
Test point:	Vertical		
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	1749.499	-10.69	57.33	46.64	74.00	-27.36	peak
2	1749.499	-10.69	43.94	33.25	59.00	-25.75	AVG
3	2829.659	-2.80	55.30	52.50	74.00	-21.50	peak
4	2829.659	-2.80	41.77	38.97	59.00	-20.03	AVG
5	5430.862	5.07	55.07	60.14	74.00	-13.86	peak
6	5430.862	5.07	43.29	48.36	59.00	-10.64	AVG
Remark: Other frequency mini margin all >6 dB of Limit							

Modulation Standard:	802.11 n(40)	Result:	■ - passed
Channel:	Middle Channel		☐ - not passed
Test point:	Vertical		•
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	1529.058	-11.98	55.80	43.82	74.00	-30.18	peak
2	1529.058	-11.98	42.23	30.25	59.00	-28.75	AVG
3	2807.615	-2.92	53.13	50.21	74.00	-23.79	peak
4	2807.615	-2.92	41.33	38.41	59.00	-20.59	AVG
5	3997.996	1.32	57.13	58.45	74.00	-15.55	peak
6	3997.996	1.32	44.99	46.31	59.00	-12.69	AVG
Remark	Remark: Other frequency mini margin all >6 dB of Limit						

Modulation Standard:	802.11 n(40)	Result:	■ - passed
Channel:	High Channel		☐ - not passed
Test point:	Vertical		
Frequency range:	1GHz-26.5GHz		

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.
1	1484.970	-12.22	56.29	44.07	74.00	-29.93	peak
2	1484.970	-12.22	43.50	31.28	59.00	-27.72	AVG
3	2939.880	-2.20	55.30	53.10	74.00	-20.90	peak
4	2939.880	-2.20	42.58	40.38	59.00	-18.62	AVG
5	4394.790	2.26	56.29	58.55	74.00	-15.45	peak
6	4394.790	2.26	42.96	45.22	59.00	-13.78	AVG
Remark: Other frequency mini margin all >6 dB of Limit							

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

CENTRE OF TESTING SERVICE





13.0 Antenna Requirements

13.1 Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (b), if transmitting antennas of directional gain greater than 6dBi are used, the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6dBi.

13.2 Antenna Construction and Directional Gain

Antenna type: External antenna

Antenna Gain: 1.84 dBi

14.0 Deviation to test specifications

The following identical model(s):

S1011, S1012, S1013, S1014, S1015

Belong to the tested device:

Product description: MID Model name: \$1010

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

Report No.: CGZ3150210-00178-EF

Page 58 of 58