





Profile: 22A0738R	Page No.: 59
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10367.000	48.252	55.437	-25.748	74.000	-7.185	PK
2	*	15570.000	48.722	53.311	-25.278	74.000	-4.588	PK

Profile: 22A0738R	Page No.: 60
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10384.000	52.209	59.771	-21.791	74.000	-7.561	PK
2		15570.000	49.445	54.034	-24.555	74.000	-4.588	PK

Profile: 22A0738R	Page No.: 61
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode3:Transmit at 5230MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10469.000	49.284	56.221	-24.716	74.000	-6.937	PK
2		15690.000	48.651	53.037	-25.349	74.000	-4.387	PK

Profile: 22A0738R	Page No.: 62
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode3:Transmit at 5230MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10469.000	51.356	58.293	-22.644	74.000	-6.937	PK
2		15690.000	48.451	52.837	-25.549	74.000	-4.387	PK

Profile: 22A0738R	Page No.: 35
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode3:Transmit at 5755MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	48.141	54.008	-25.859	74.000	-5.868	PK
2	*	17265.000	49.596	52.694	-24.404	74.000	-3.097	PK

Profile: 22A0738R	Page No.: 36
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode3:Transmit at 5755MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11506.000	50.006	55.933	-23.994	74.000	-5.928	PK
2	*	17265.000	50.407	52.943	-23.593	74.000	-2.535	PK

Profile: 22A0738R	Page No.: 37
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.748	53.658	-26.252	74.000	-5.910	PK
2	*	17385.000	50.410	53.478	-23.590	74.000	-3.068	PK

Profile: 22A0738R	Page No.: 38
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	48.225	54.135	-25.775	74.000	-5.910	PK
2	*	17385.000	50.209	53.068	-23.791	74.000	-2.860	PK

Profile: 22A0738R	Page No.: 63
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10367.000	50.467	57.652	-23.533	74.000	-7.185	PK
2		15540.000	49.003	53.116	-24.997	74.000	-4.113	PK

Profile: 22A0738R	Page No.: 64
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10367.000	53.412	60.597	-20.588	74.000	-7.185	PK
2		15540.000	49.775	53.888	-24.225	74.000	-4.113	PK

Profile: 22A0738R	Page No.: 65
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode4:Transmit at 5220MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10435.000	50.135	57.381	-23.865	74.000	-7.246	PK
2		15660.000	49.045	53.267	-24.955	74.000	-4.221	PK

Profile: 22A0738R	Page No.: 66
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode4:Transmit at 5220MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10435.000	53.995	61.241	-20.005	74.000	-7.246	PK
2		15660.000	49.157	53.379	-24.843	74.000	-4.221	PK


Profile: 22A0738R	Page No.: 67
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode4:Transmit at 5240MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10486.000	51.231	58.302	-22.769	74.000	-7.070	PK
2		15720.000	49.380	53.038	-24.620	74.000	-3.658	PK




Profile: 22A0738R	Page No.: 68
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode4:Transmit at 5240MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10486.000	53.819	60.890	-20.181	74.000	-7.070	PK
2		15720.000	49.693	53.351	-24.307	74.000	-3.658	PK


Profile: 22A0738R	Page No.: 39
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode4:Transmit at 5745MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.757	54.646	-25.243	74.000	-5.890	PK
2	*	17235.000	49.926	53.328	-24.074	74.000	-3.403	PK




Profile: 22A0738R	Page No.: 40
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode4:Transmit at 5745MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11489.000	50.676	56.562	-23.324	74.000	-5.886	PK
2		17235.000	49.449	52.201	-24.551	74.000	-2.753	PK


Profile: 22A0738R	Page No.: 41
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode4:Transmit at 5785MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.755	52.874	-26.245	74.000	-5.119	PK
2	*	17355.000	49.528	52.434	-24.472	74.000	-2.906	PK




Profile: 22A0738R	Page No.: 42
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11574.000	49.194	54.279	-24.806	74.000	-5.085	PK
2	*	17355.000	50.222	52.831	-23.778	74.000	-2.609	PK

Profile: 22A0738R	Page No.: 43
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.458	52.696	-26.542	74.000	-5.238	PK
2	*	17475.000	49.914	53.052	-24.086	74.000	-3.139	PK

Profile: 22A0738R	Page No.: 44
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11642.000	49.890	55.288	-24.110	74.000	-5.398	PK
2	*	17475.000	50.605	53.743	-23.395	74.000	-3.139	PK

Profile: 22A0738R	Page No.: 69
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	47.696	55.169	-26.304	74.000	-7.473	PK
2	*	15570.000	48.680	53.269	-25.320	74.000	-4.588	PK

Profile: 22A0738R	Page No.: 70
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode5:Transmit at 5190MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10384.000	49.448	57.010	-24.552	74.000	-7.561	PK
2		15570.000	48.617	53.206	-25.383	74.000	-4.588	PK


Profile: 22A0738R	Page No.: 71
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode5:Transmit at 5230MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.973	54.060	-27.027	74.000	-7.088	PK
2	*	15690.000	48.459	52.845	-25.541	74.000	-4.387	PK




Profile: 22A0738R	Page No.: 72
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode5:Transmit at 5230MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10452.000	49.695	56.915	-24.305	74.000	-7.221	PK
2	*	15690.000	50.041	54.427	-23.959	74.000	-4.387	PK


Profile: 22A0738R	Page No.: 45
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode5:Transmit at 5755MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.016	52.883	-26.984	74.000	-5.868	PK
2	*	17265.000	49.096	52.194	-24.904	74.000	-3.097	PK




Profile: 22A0738R	Page No.: 46
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.841	52.708	-27.159	74.000	-5.868	PK
2	*	17265.000	49.688	52.224	-24.312	74.000	-2.535	PK

Profile: 22A0738R	Page No.: 47
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.466	51.376	-28.534	74.000	-5.910	PK
2	*	17385.000	48.252	51.320	-25.748	74.000	-3.068	PK

Profile: 22A0738R	Page No.: 48
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.633	52.543	-27.367	74.000	-5.910	PK
2	*	17385.000	49.101	51.960	-24.899	74.000	-2.860	PK

Profile: 22A0738R	Page No.: 73
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	46.962	54.214	-27.038	74.000	-7.251	PK
2	*	15630.000	49.098	53.242	-24.902	74.000	-4.143	PK

Profile: 22A0738R	Page No.: 74
Engineer: YuLiu	
Site: AC5	Time: 2022/11/27 - 23:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power:DC 12V
Note: Mode6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	47.213	54.465	-26.787	74.000	-7.251	PK
2	*	15630.000	48.891	53.035	-25.109	74.000	-4.143	PK

Profile: 22A0738R	Page No.: 49
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode6:Transmit at 5775MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.937	51.202	-28.063	74.000	-5.265	PK
2	*	17325.000	47.633	51.049	-26.367	74.000	-3.417	PK

Profile: 22A0738R	Page No.: 50
Engineer: YuLiu	
Site: AC5	Time: 2022/11/28 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT:INFOTAINMENT HEADUNIT	Power: DC 12V
Note: Mode6:Transmit at 5775MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.509	51.774	-27.491	74.000	-5.265	PK
2	*	17325.000	49.035	52.066	-24.965	74.000	-3.031	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~40GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. This limit applies for using average detector, if the test result on peak is lower than average limit, then average measurement needn't be performed.
5. The 5725-5850MHz No. 1 is non-restricted bands, so the limit is Fundamental emission down 20dB, and then we evaluated each channel, it is comply with the RSE requirements.

Conducted Spurious Emission:


TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5137.45	-37.44	≤-27	PASS
			5360~40000	10359.56	-29.41	≤-27	PASS
		5220	30~5140	5134.55	-41.55	≤-27	PASS
			5360~40000	10436.02	-28.35	≤-27	PASS
		5240	30~5140	5090.6	-45.53	≤-27	PASS
			5360~40000	10475.7	-29.04	≤-27	PASS
		5745	30~5650	5606.16	-45.48	≤-27	PASS
			5925~40000	25956.09	-37.2	≤-27	PASS
		5785	30~5650	5629.02	-46.28	≤-27	PASS
			5925~40000	26010.88	-37.39	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	5130.97	-38.68	≤-27	PASS
			5360~40000	10362.45	-30.01	≤-27	PASS
		5220	30~5140	5137.79	-43.71	≤-27	PASS
			5360~40000	10443.96	-27.63	≤-27	PASS
		5240	30~5140	5091.97	-46	≤-27	PASS
			5360~40000	10481.47	-29.55	≤-27	PASS
		5745	30~5650	5642.88	-45.27	≤-27	PASS
			5925~40000	11483.18	-37.27	≤-27	PASS
		5785	30~5650	5576.75	-46.46	≤-27	PASS
			5925~40000	26078.32	-37.31	≤-27	PASS
11N40SISO	Ant1	5190	30~5140	5129.95	-34.78	≤-27	PASS
			5360~40000	10381.92	-33.33	≤-27	PASS
		5230	30~5140	5130.29	-39.33	≤-27	PASS
			5360~40000	10460.55	-31.47	≤-27	PASS
		5755	30~5650	5644.19	-45.23	≤-27	PASS
			5925~40000	25661.04	-36.97	≤-27	PASS
		5795	30~5650	5350.64	-45.78	≤-27	PASS
			5925~40000	25526.16	-36.86	≤-27	PASS
11AC20SISO	Ant1	5180	30~5140	5129.44	-42.74	≤-27	PASS
			5360~40000	10355.95	-30.53	≤-27	PASS
		5220	30~5140	5138.98	-40.62	≤-27	PASS
			5360~40000	10439.63	-30.65	≤-27	PASS
		5240	30~5140	5096.39	-45.78	≤-27	PASS
			5360~40000	10478.58	-29.94	≤-27	PASS
		5745	30~5650	5337.53	-45.96	≤-27	PASS
			5925~40000	26031.25	-36.92	≤-27	PASS
		5785	30~5650	5633.7	-46.26	≤-27	PASS
			5925~40000	26007.37	-38.01	≤-27	PASS
11AC40SISO	Ant1	5190	30~5140	5134.89	-42.95	≤-27	PASS
			5360~40000	10381.2	-33.14	≤-27	PASS
		5230	30~5140	5135.4	-44.14	≤-27	PASS
			5360~40000	10461.99	-33.25	≤-27	PASS

11AC80SISO	Ant1	5755	30~5650	5636.14	-45.3	≤-27	PASS
			5925~40000	25566.2	-37.33	≤-27	PASS
		5795	30~5650	5458.36	-45.94	≤-27	PASS
			5925~40000	25925.88	-37.08	≤-27	PASS
		5210	30~5140	5138.3	-41.05	≤-27	PASS
			5360~40000	25977.15	-36.8	≤-27	PASS
		5775	30~5650	5633.51	-45.21	≤-27	PASS
			5925~40000	25921.66	-37.45	≤-27	PASS

11A_Ant1_5180_30~5140



11A_Ant1_5180_5360~40000




11A_Ant1_5220_30~5140



11A_Ant1_5220_5360~40000



11A_Ant1_5240_30~5140




11A_Ant1_5240_5360~40000



11A_Ant1_5745_30~5650




11A_Ant1_5745_5925~40000




11A_Ant1_5785_30~5650



11A_Ant1_5785_5925~40000



11A_Ant1_5825_30~5650




11A_Ant1_5825_5925~40000



11N20SISO_Ant1_5180_30~5140



11N20SISO_Ant1_5180_5360~40000




11N20SISO_Ant1_5220_30~5140



11N20SISO_Ant1_5220_5360~40000



11N20SISO_Ant1_5240_30~5140




11N20SISO_Ant1_5240_5360-40000



11N20SISO_Ant1_5745_30-5650




11N20SISO_Ant1_5745_5925-40000




11N20SISO_Ant1_5785_30~5650




11N20SISO_Ant1_5785_5925~40000




11N20SISO_Ant1_5825_30~5650




11N20SISO_Ant1_5825_5925-40000



11N40SISO_Ant1_5190_30-5140



11N40SISO_Ant1_5190_5360-40000




11N40SISO_Ant1_5230_30~5140



11N40SISO_Ant1_5230_5360~40000



11N40SISO_Ant1_5755_30~5650




11N40SISO_Ant1_5755_5925-40000




11N40SISO_Ant1_5795_30-5650



11N40SISO_Ant1_5795_5925-40000



11AC20SISO_Ant1_5180_30-5140



11AC20SISO_Ant1_5180_5360~40000



11AC20SISO_Ant1_5220_30~5140




11AC20SISO_Ant1_5220_5360~40000



11AC20SISO_Ant1_5240_30~5140



11AC20SISO_Ant1_5240_5360~40000



11AC20SISO_Ant1_5745_30~5650



11AC20SISO_Ant1_5745_5925~40000



11AC20SISO_Ant1_5785_30~5650



11AC20SISO_Ant1_5785_5925~40000



11AC20SISO_Ant1_5825_30~5650



11AC20SISO_Ant1_5825_5925~40000




11AC40SISO_Ant1_5190_30~5140



11AC40SISO_Ant1_5190_5360~40000




11AC40SISO_Ant1_5230_30~5140



11AC40SISO_Ant1_5230_5360~40000



11AC40SISO_Ant1_5755_30~5650



11AC40SISO_Ant1_5755_5925~40000

