

**Mini Bluetooth Keyboard
User's Manual
Ver:2.0**

Table of content

- 1 、 Introduction
- 2 、 Hardware Installation
- 3 、 Software Installation and Use
 - Microsoft Windows Mobile OS
 - Google Android OS
 - Symbian OS
 - Windows OS with IVT stack
 - Windows OS with Broadcom
 - Linux OS
- 4 、 Keyboard Compatibility List
- 5 、 Product overview
- 6 、 Technical parameters
- 7 、 Maintenance

1、 Introduction

Thank you for purchasing the Mini Bluetooth Keyboard! This is wonderful combo, Bluetooth Wireless Mini QWERTY Keyboard & Touch Pad & Presenter Combo, with USB interface receiver (Optional) . You can use it for emails, chat, or to enjoy your favorite games. It is compatible with desktop computers running Windows or Linux but also with handhelds running Android, Windows Mobile Pocket PCs or Symbian S60 Operating systems.

It also supports the Sony Playstation3. Use it with your HTPC on your Sofa or browse the internet in the most comfortable fashion.

We're confident you'll enjoy using the Mini Bluetooth Keyboard and find it to be quite a useful solution.

Features

- The perfect companion for your device
- Ideal for typing emails, chat and playing games
- Pocket sized, sleek, slim design
- Built-in rechargeable more staying power lithium-ion battery
- innovative design of the Navigation keys
- One Wireless Laser Pointer, e-Pointer
- have a real notebook Touchpad
- real QWERTY full-function mini keyboard
- Compatible with Bluetooth2.0

Mobile System Requirements

- The device must be equipped with a the Bluetooth module
- The mobile Operating System should be one of the following:
 - Google Android System
 - Microsoft Windows Mobile 5.0 or newer
 - Nokia Symbian S60 System

Desktop Computer

Laptop System Requirements

- Bluetooth-enabled PC running Windows 98, Me, 2000, XP or Vista

- Bluetooth-enabled Macintosh running Mac OS 10.2.8 or later

2、 Hardware Installation

Note: on the first use, the battery might be empty, so you should recharge it for 20min-30min.

1. **Switch the keyboard ON, using the ON/OFF button:**
The blue led will light for 2 seconds
2. **Click the PAIR/CONNECT button, at the left:**
The blue led will be blinking intermittently
3. **Now the Mini Bluetooth keyboard is under pairing state and it's waiting for connecting with your device**

Recharge the battery

Connect the mini Bluetooth keyboard to your computer's USB port using the power USB cable (you can find the cable in the retail box). While charging, the Blue LED turns on, and gets dimmer as the battery charge increases.

3、 Software Installation And Use

Connect the mini Bluetooth keyboard to your computer's USB port use the power USB cable (you can find the cable in the retail box). while charging, the LED turns on, and gets dimmer as the battery charge increases.

Microsoft Windows Mobile OS

Installation

Connect your mobile device to your Desktop computer using the USB port.

On your desktop:

1. Insert Drivers CD and open the CD from "My computer".
2. Locate the "Mobile" folder and inside the "windowsmobile.cab" (Bluetooth input driver) CAB file.
3. Open ActiveSync on your desktop and Click Explore

4. Copy the CAB file to your mobile device. You can do this by dragging and dropping the file from the desktop folder to My Documents folder on your device.

On your Windows Mobile device:

1. Go to Start > Programs > File Explorer > My Documents
2. Run the windowsmobile.cab file (tap on it)

The Mini Bluetooth keyboard Driver will now install on your device. At the end of the installation, the setup will require a to reset.

Configuration and Troubleshooting

After the software is successfully installed on your device, you need to pair the Bluetooth mini Keyboard.

- (1) Make sure your Bluetooth mini keyboard is in the pairing state.
- (2) On your device, open Bluetooth Devices, and click "Add new"
- (3) After the keyboard is discovered, select it, and then tap on "Next"
- (4) When prompt for passkey, leave the passcode field blank and tap "Next" (if this fails, enter 0000 as a passcode and press Next)
- (A) At this step select the "Input device" service and tap "Finish".
- (B) Go to the Software settings Panel, and tap "Connect".

Here are a few solutions for the error messages that might appear in the software:

- "The software is not responding. You need to reinstall this software."
This error is caused by a problem with the communication between the software components. You need to check if your Windows Mobile Device is compatible with the software, and to try to reinstall the software.
- "Bluetooth is turned off. To use the software, please enable your Bluetooth module!"
Make sure you are using the software on a smart phone with Windows Mobile (5.0 or newer) and the

Microsoft Bluetooth Stack. Then enable Bluetooth before using the Software.

- "No active Input Device found. You need to pair a device, using the Bluetooth control panel."
Make sure your Mini Bluetooth keyboard is correctly paired to your smart phone. If this error appears while your keyboard is paired, redo the pairing.

Settings panel

To open the settings panel, go to Start->Settings->System TAB, and tap the icon named "Bluetooth Input Driver"

The Settings panel displays several pages, for better access to the software options:

Keyboard Page

This page offers two options: enable / disable the keyboard functionality and enable / disable keyboard sounds.

Status Page

Here you can view the status and configure the driver to start when Windows Mobile starts (autostart) and you can enable / disable the Tray icon. The tray icon allows quick access to the Settings panel.

About

The About page displays the software version and some other useful info.

Google Android OS

Installation

On your desktop:

1. Insert Drivers CD and open the CD from "My computer"
2. Open "Android" folder and copy the "android.apk" file into your Android's memory card

On your Android device:

1. Open "Market", and install the "AppManager" Software , or any other Android manager software:
2. Open AppManager software and tap the MENU button

3. Tap Install from SD option
4. Run android.apk file

The first time you install the Bluetooth Keyboard Driver on your Android device, you'll see a prompt to activate the software:

If you press Cancel or if the Internet is not available,

Activation will fail and you won't be able to use this

software.

So please make sure the Android is connected to the internet and press OK. You only need to do this once, after the installation.

After the Bluetooth keyboard Driver is successfully installed you need to pair the Keyboard with the Android device.

1. Make sure your Bluetooth mini keyboard is in the pairing state.
2. Slide your Android device's menu arrow and open the menu.
3. Locate the Bluetooth Keyboard Driver icon and tap on it.
4. On your android device make sure Bluetooth is turned on, then tap "Search and Connect". The software automatically finds the Mini Bluetooth keyboard and connects to it. When connection is done, you can find your Mini Bluetooth keyboard's name at the bottom:

Congratulations! The Mini Bluetooth keyboard is now connected and you can test it by entering a text in the test zone as shown in the previous picture.

Other Functions

Reconnect:

If your device loses the connection with the keyboard (the message "keyboard disconnected" is displayed as in the picture below), you can reconnect by pressing the interface Reconnect button.

Hide

Hides the Bluetooth Driver interface, but keeps the program alive, in the background, so you can continue using the keyboard

Question mark (?)

Opens the About Dialog where you can see more details on this software.

Nokia Symbian OS

Installation

On your desktop:

1. Insert Drivers CD and open the CD from "My computer"
2. Open "Nokia Wireless Keyboard Application" folder and choose your device model or Operating system version, copy the .sis file into your device's memory card or you can connect your Nokia device to your computer USB port and copy the file directly.

On your Symbian device:

1. Find the .sis file (on mobile device or memory card) and press "OK" button, follow the hints to finish the installation
2. Run the installed application and search the nearby Bluetooth Keyboard.
3. After paired and connected, you will have to set the keyboard layout. If layout is not set correctly, the keyboard might not function as expected.

Desktop Windows OS with IVT Bluetooth

stack

Configuration

1. Make sure that the Bluetooth function is active on your PC. Double click the Bluetooth icon, open the Management window, select "Bluetooth Device discovery" or click the Round Ball in the middle of the window.
2. Right click the Bluetooth Keyboard found and select "Refresh Services".
3. Right click the Bluetooth Keyboard again and select "Connect-Bluetooth Input Service".
4. On the popup dialog you'll see a code. Input the code with your Bluetooth Keyboard and press enter or OK.

The system will auto install the HID drivers for the Bluetooth Keyboard.

Desktop Windows OS with Broadcom Bluetooth stack

Configuration

1. Make sure that the Bluetooth function is active on your PC. Double click the Bluetooth icon, then click "View devices in range"
2. Click "Search devices in range" and wait until the Mini Bluetooth keyboard is discovered.
3. Right clicking the detected keyboard brings a popup menu. Click "Connect device".
4. Press YES to connect to the "Human interface Device"
5. Using the Mini Bluetooth keyboard, type the number displayed on the screen, then press enter:

Now the keyboard is connected, you can start using it with your applications.

Linux OS

Configuration

There are several Linux distributions available. This guide was designed for Ubuntu linux, but can be easily adapted for other versions. Your desktop computer must be equipped with a Bluetooth module (built in, or USB Dongle).

1. Make sure that the Bluetooth function is active on your PC. Click the Bluetooth icon and select "Setup new device"
2. A wizard window opens, read the text and press "Forward"
3. Wait until the keyboard is discovered, then select it and press "Forward"
4. Type the code display on the Mini Bluetooth keyboard, then press Enter

If the code was correctly entered, a confirmation message is displayed. Now you can start using your bluetooth keyboard.

4、 Keyboard Compatibility List

Apple Mac and Sony Playstation3 system

They are same as the Microsoft Windows XP OS.

Google Android OS

HTC Dream – G1	HTC Hero – G2 Touch	HTC Hero
HTC Magic	Samsung Galaxy i7500	

Also compatible with newer Google Android smartphone.

Nokia Symbian S60 OS

Nokia 3250	Nokia 5320XM	Nokia 5500
Nokia 5700	Nokia 6110N	Nokia 6120C

Nokia 6210N	Nokia 6220C	Nokia 6290
Nokia 6650F	Nokia E50	Nokia E51
Nokia E60	Nokia E61/E61i/E62	Nokia E63
Nokia E65	Nokia E66	Nokia E70
Nokia E71	Nokia E90	Nokia N71
Nokia N73	Nokia N76	Nokia N78
Nokia N79	Nokia N80	Nokia N81
Nokia N82	Nokia N85	Nokia N91
Nokia N93/N93i	Nokia N95/N95 8GB	Nokia N96
Samsung G810/G818	Samsung i400/i408	Samsung i450/i458
Samsung i550/i558	Samsung i560/i568	Samsung i7110
Samsung i8510	Samsung L870/L878	
LG KT610		

Microsoft Windows Mobile6.0 OS

HTC P3470	HTC TyTN II	HTC P3350
HTC P4350	HTC 818Pro	HTC 838Pro
HTC C800	HTC D600	HTC D810
HTC D818C	HTC P3300	HTC P3400
HTC P3600i	HTC M700	HTC P3000
HTC C500	HTC C730	HTC S730
HTC S740	HTC S710	HTC Touch Diamond2
HTC Touch Diamond	HTC Touch Cruise	HTC Touch HD
HTC Touch 3G	HTC Touch Viva	HTC Touch Pro
HTC Touch Dual	HTC Touch	
Samsung i710	Samsung i780	Samsung i200
Samsung i900	Samsung i908E	SamsungSGH-i617
LenovoET600e	LenovoET880	
Motorola Q8	Motorola Q9	
ASUS P750	ASUS P526	ASUS P570
HP518	LG KS20	

5、 Product overview

Basic functions

(1) Primary Key bits

The function printed at each key is defaulted by pressing the button with one time.

(2) Sub-keys

Press the SHIFT key while using these keys, including :!,@,#,\$,%,^,&,*,(,),~,|,",{,},?_,+,

(3) Deplicate keys

Press the FN key while using these keys,all these keys were printed in Blue for easy recognize.

(4) Backlit controlkey

As shown:



is the key for control the backlight.

(5) Touch Pad

The touchpad can be used in a horizontal or vertical position. To switch between horizontal or vertical mode, hold the Fn key and hit the Alt key.



(6) Laser Pointer

Using the laser pointer only requires that the keyboard will be turned on.Press the Laser Switch as long as you want to use the laser pointer.

6、 Technical parameters

- ☞ Dimension: 151mmX59mmX12.5mm
- ☞ Suitable temperature: -10 °C to +55 °C
- ☞ Battery Type: Built-in lithium-ion battery
- ☞ Operation range: up to 10 meters
- ☞ Operating Voltage: 3.3V
- ☞ Operating Current: <80mA
- ☞ Charge voltage: 4.2V - 5.05V
- ☞ Charge current: <300mA

7、Maintenance

- ☞ Do not attempt to disassemble the device or replace rechargeable battery. Doing so will void the warranty.
- ☞ The battery will discharge if stored for a long period of time without usage.
- ☞ Use the specified charger. Disconnect the device after the battery has been fully charged. Overcharging the battery will shorten the life span of the battery.
- ☞ Do not expose the device in extreme heat or cold. Extreme temperatures will cause the life span of the battery to shorten.
- ☞ Use only a damp cloth with mild soap to clean the device. Solvents and other cleaning agents may cause damage to the device.

Note: The device has no ad-hoc function.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received including interference that may cause undesired operation.

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized changes and modifications to this equipment. Such changes and modifications could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communication. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

* RF warning for Portable device:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.