



99% Bandwidth - 16QAM


5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth



A.2 Frequency Stability Test Result

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 2/25

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	-0.0011
	- 20	-0.0019
	- 10	-0.0007
	0	-0.0022
	+ 10	-0.0021
	+ 20 (Ref)	0.0000
	+ 30	-0.0057
	+ 40	-0.0051
	+ 50	-0.0052
4.30	+ 20	-0.0060
3.30	+ 20	-0.0027

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 4/66

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0019
	- 20	0.0016
	- 10	0.0016
	0	0.0023
	+ 10	0.0013
	+ 20 (Ref)	0.0000
	+ 30	0.0003
	+ 40	0.0007
	+ 50	0.0005
4.30	+ 20	0.0007
3.30	+ 20	0.0005

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 5/26

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	-0.0088
	- 20	-0.0038
	- 10	-0.0044
	0	-0.0048
	+ 10	-0.0025
	+ 20 (Ref)	0.0000
	+ 30	-0.0016
	+ 40	-0.0056
	+ 50	-0.0088
4.30	+ 20	-0.0075
3.30	+ 20	-0.0049

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 7

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0002
	- 20	0.0007
	- 10	0.0004
	0	0.0019
	+ 10	0.0002
	+ 20 (Ref)	0.0000
	+ 30	0.0013
	+ 40	-0.0003
	+ 50	0.0017
4.30	+ 20	0.0000
3.30	+ 20	0.0011

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 12

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0052
	- 20	0.0055
	- 10	0.0049
	0	0.0025
	+ 10	0.0044
	+ 20 (Ref)	0.0000
	+ 30	0.0010
	+ 40	0.0020
	+ 50	0.0051
4.30	+ 20	0.0000
3.30	+ 20	0.0014

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 13

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0042
	- 20	0.0045
	- 10	0.0052
	0	0.0047
	+ 10	0.0066
	+ 20 (Ref)	0.0000
	+ 30	-0.0014
	+ 40	0.0003
	+ 50	-0.0003
4.30	+ 20	-0.0005
3.30	+ 20	-0.0036

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 38/41

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0028
	- 20	-0.0009
	- 10	-0.0006
	0	0.0043
	+ 10	-0.0002
	+ 20 (Ref)	0.0000
	+ 30	0.0044
	+ 40	0.0047
	+ 50	0.0005
4.30	+ 20	0.0048
3.30	+ 20	0.0049

A.3 Equivalent Isotropically Radited Power Test Result

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/08	Test Band	LTE Band 2/25

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1850.70	1.4	1	0	23.25	24.63	< 33.01
1882.50				23.24	24.62	< 33.01
1914.30				23.32	24.70	< 33.01
1850.70	1.4	1	2	23.44	24.82	< 33.01
1882.50				23.33	24.71	< 33.01
1914.30				23.54	24.92	< 33.01
1850.70	1.4	1	6	23.31	24.69	< 33.01
1882.50				23.22	24.60	< 33.01
1914.30				23.26	24.64	< 33.01
1850.70	1.4	6	0	22.36	23.74	< 33.01
1882.50				22.32	23.70	< 33.01
1914.30				22.39	23.77	< 33.01
1851.50	3	1	0	23.48	24.86	< 33.01
1882.50				23.18	24.56	< 33.01
1913.50				23.12	24.50	< 33.01
1851.50	3	1	7	23.39	24.77	< 33.01
1882.50				23.29	24.67	< 33.01
1913.50				23.26	24.64	< 33.01
1851.50	3	1	14	23.17	24.55	< 33.01
1882.50				23.36	24.74	< 33.01
1913.50				22.98	24.36	< 33.01
1851.50	3	15	0	22.36	23.74	< 33.01
1882.50				22.24	23.62	< 33.01
1913.50				22.44	23.82	< 33.01

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1852.50	5	1	0	23.20	24.58	< 33.01
1882.50				23.26	24.64	< 33.01
1912.50				23.27	24.65	< 33.01
1852.50	5	1	12	23.23	24.61	< 33.01
1882.50				23.30	24.68	< 33.01
1912.50				23.16	24.54	< 33.01
1852.50	5	1	24	23.23	24.61	< 33.01
1882.50				23.26	24.64	< 33.01
1912.50				23.21	24.59	< 33.01
1852.50	5	25	0	22.21	23.59	< 33.01
1882.50				22.26	23.64	< 33.01
1912.50				22.33	23.71	< 33.01
1855.00	10	1	0	23.23	24.61	< 33.01
1882.50				23.21	24.59	< 33.01
1910.00				23.21	24.59	< 33.01
1855.00	10	1	24	23.23	24.61	< 33.01
1882.50				23.38	24.76	< 33.01
1910.00				23.40	24.78	< 33.01
1855.00	10	1	49	23.23	24.61	< 33.01
1882.50				23.16	24.54	< 33.01
1910.00				23.18	24.56	< 33.01
1855.00	10	50	0	22.38	23.76	< 33.01
1882.50				22.35	23.73	< 33.01
1910.00				22.47	23.85	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1857.50	15	1	0	23.21	24.59	< 33.01
1882.50				23.35	24.73	< 33.01
1907.50				23.32	24.70	< 33.01
1857.50	15	1	37	23.38	24.76	< 33.01
1882.50				23.38	24.76	< 33.01
1907.50				23.30	24.68	< 33.01
1857.50	15	1	74	23.44	24.82	< 33.01
1882.50				23.26	24.64	< 33.01
1907.50				23.32	24.70	< 33.01
1857.50	15	75	0	22.25	23.63	< 33.01
1882.50				22.39	23.77	< 33.01
1907.50				22.52	23.90	< 33.01
1860.00	20	1	0	23.23	24.61	< 33.01
1882.50				23.36	24.74	< 33.01
1905.00				23.30	24.68	< 33.01
1860.00	20	1	49	23.50	24.88	< 33.01
1882.50				23.48	24.86	< 33.01
1905.00				23.62	25.00	< 33.01
1860.00	20	1	99	23.23	24.61	< 33.01
1882.50				23.23	24.61	< 33.01
1905.00				23.44	24.82	< 33.01
1860.00	20	100	0	22.32	23.70	< 33.01
1882.50				22.39	23.77	< 33.01
1905.00				22.50	23.88	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1850.70	1.4	1	0	21.88	23.26	< 33.01
1882.50				21.96	23.34	< 33.01
1914.30				22.08	23.46	< 33.01
1850.70	1.4	1	2	22.03	23.41	< 33.01
1882.50				21.81	23.19	< 33.01
1914.30				21.98	23.36	< 33.01
1850.70	1.4	1	6	21.91	23.29	< 33.01
1882.50				22.10	23.48	< 33.01
1914.30				21.91	23.29	< 33.01
1850.70	1.4	6	0	21.38	22.76	< 33.01
1882.50				21.56	22.94	< 33.01
1914.30				21.33	22.71	< 33.01
1851.50	3	1	0	22.09	23.47	< 33.01
1882.50				21.88	23.26	< 33.01
1913.50				22.04	23.42	< 33.01
1851.50	3	1	7	22.00	23.38	< 33.01
1882.50				22.25	23.63	< 33.01
1913.50				22.27	23.65	< 33.01
1851.50	3	1	14	21.94	23.32	< 33.01
1882.50				22.17	23.55	< 33.01
1913.50				22.05	23.43	< 33.01
1851.50	3	15	0	21.39	22.77	< 33.01
1882.50				21.28	22.66	< 33.01
1913.50				21.46	22.84	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1852.50	5	1	0	21.97	23.35	< 33.01
1882.50				22.12	23.50	< 33.01
1912.50				21.85	23.23	< 33.01
1852.50	5	1	12	21.50	22.88	< 33.01
1882.50				21.91	23.29	< 33.01
1912.50				21.88	23.26	< 33.01
1852.50	5	1	24	22.06	23.44	< 33.01
1882.50				22.27	23.65	< 33.01
1912.50				21.65	23.03	< 33.01
1852.50	5	25	0	21.33	22.71	< 33.01
1882.50				21.41	22.79	< 33.01
1912.50				21.38	22.76	< 33.01
1855.00	10	1	0	22.06	23.44	< 33.01
1882.50				22.43	23.81	< 33.01
1910.00				21.98	23.36	< 33.01
1855.00	10	1	24	22.02	23.40	< 33.01
1882.50				22.41	23.79	< 33.01
1910.00				22.16	23.54	< 33.01
1855.00	10	1	49	21.91	23.29	< 33.01
1882.50				22.01	23.39	< 33.01
1910.00				22.16	23.54	< 33.01
1855.00	10	50	0	21.39	22.77	< 33.01
1882.50				21.35	22.73	< 33.01
1910.00				21.49	22.87	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1857.50	15	1	0	22.16	23.54	< 33.01
1882.50				22.27	23.65	< 33.01
1907.50				21.85	23.23	< 33.01
1857.50	15	1	37	22.24	23.62	< 33.01
1882.50				22.46	23.84	< 33.01
1907.50				22.54	23.92	< 33.01
1857.50	15	1	74	22.01	23.39	< 33.01
1882.50				22.14	23.52	< 33.01
1907.50				22.17	23.55	< 33.01
1857.50	15	75	0	21.27	22.65	< 33.01
1882.50				21.50	22.88	< 33.01
1907.50				21.43	22.81	< 33.01
1860.00	20	1	0	22.25	23.63	< 33.01
1882.50				22.60	23.98	< 33.01
1905.00				21.97	23.35	< 33.01
1860.00	20	1	49	22.25	23.63	< 33.01
1882.50				21.82	23.20	< 33.01
1905.00				22.46	23.84	< 33.01
1860.00	20	1	99	21.96	23.34	< 33.01
1882.50				21.66	23.04	< 33.01
1905.00				22.41	23.79	< 33.01
1860.00	20	100	0	21.22	22.60	< 33.01
1882.50				21.41	22.79	< 33.01
1905.00				21.44	22.82	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/08	Test Band	LTE Band 4/66

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1710.70	1.4	1	0	23.05	25.05	< 30.00
1745.00				23.08	25.08	< 30.00
1779.30				23.33	25.33	< 30.00
1710.70	1.4	1	2	23.09	25.09	< 30.00
1745.00				23.15	25.15	< 30.00
1779.30				23.41	25.41	< 30.00
1710.70	1.4	1	6	22.98	24.98	< 30.00
1745.00				22.97	24.97	< 30.00
1779.30				23.03	25.03	< 30.00
1710.70	1.4	6	0	22.16	24.16	< 30.00
1732.50				22.16	24.16	< 30.00
1754.30				22.36	24.36	< 30.00
1711.50	3	1	0	23.09	25.09	< 30.00
1745.00				23.20	25.20	< 30.00
1778.50				23.34	25.34	< 30.00
1711.50	3	1	7	23.13	25.13	< 30.00
1745.00				23.03	25.03	< 30.00
1778.50				23.44	25.44	< 30.00
1711.50	3	1	14	23.19	25.19	< 30.00
1745.00				23.04	25.04	< 30.00
1778.50				23.31	25.31	< 30.00
1711.50	3	15	0	22.20	24.20	< 30.00
1745.00				22.30	24.30	< 30.00
1778.50				22.40	24.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1712.50	5	1	0	23.16	25.16	< 30.00
1745.00				23.24	25.24	< 30.00
1777.50				23.34	25.34	< 30.00
1712.50	5	1	12	23.23	25.23	< 30.00
1745.00				23.15	25.15	< 30.00
1777.50				23.51	25.51	< 30.00
1712.50	5	1	24	23.17	25.17	< 30.00
1745.00				23.16	25.16	< 30.00
1777.50				23.45	25.45	< 30.00
1712.50	5	25	0	22.24	24.24	< 30.00
1745.00				22.16	24.16	< 30.00
1777.50				22.51	24.51	< 30.00
1715.00	10	1	0	23.12	25.12	< 30.00
1745.00				23.17	25.17	< 30.00
1775.00				23.13	25.13	< 30.00
1715.00	10	1	24	23.25	25.25	< 30.00
1745.00				23.43	25.43	< 30.00
1775.00				23.38	25.38	< 30.00
1715.00	10	1	49	22.94	24.94	< 30.00
1745.00				23.36	25.36	< 30.00
1775.00				23.11	25.11	< 30.00
1715.00	10	50	0	22.34	24.34	< 30.00
1745.00				22.33	24.33	< 30.00
1775.00				22.40	24.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1717.50	15	1	0	23.24	25.24	< 30.00
1745.00				23.21	25.21	< 30.00
1772.50				23.28	25.28	< 30.00
1717.50	15	1	37	23.29	25.29	< 30.00
1745.00				23.26	25.26	< 30.00
1772.50				23.57	25.57	< 30.00
1717.50	15	1	74	23.25	25.25	< 30.00
1745.00				23.10	25.10	< 30.00
1772.50				23.36	25.36	< 30.00
1717.50	15	75	0	22.36	24.36	< 30.00
1745.00				22.34	24.34	< 30.00
1772.50				22.49	24.49	< 30.00
1720.00	20	1	0	23.12	25.12	< 30.00
1745.00				23.22	25.22	< 30.00
1770.00				23.30	25.30	< 30.00
1720.00	20	1	49	23.57	25.57	< 30.00
1745.00				23.48	25.48	< 30.00
1770.00				23.62	25.62	< 30.00
1720.00	20	1	99	23.39	25.39	< 30.00
1745.00				23.45	25.45	< 30.00
1770.00				23.34	25.34	< 30.00
1720.00	20	100	0	22.30	24.30	< 30.00
1745.00				22.40	24.40	< 30.00
1770.00				22.45	24.45	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1710.70	1.4	1	0	21.67	23.67	< 30.00
1745.00				22.09	24.09	< 30.00
1779.30				21.76	23.76	< 30.00
1710.70	1.4	1	2	21.89	23.89	< 30.00
1745.00				22.16	24.16	< 30.00
1779.30				21.71	23.71	< 30.00
1710.70	1.4	1	6	21.85	23.85	< 30.00
1745.00				21.95	23.95	< 30.00
1779.30				21.78	23.78	< 30.00
1710.70	1.4	6	0	21.57	23.57	< 30.00
1732.50				21.10	23.10	< 30.00
1754.30				21.22	23.22	< 30.00
1711.50	3	1	0	21.93	23.93	< 30.00
1745.00				21.92	23.92	< 30.00
1778.50				22.18	24.18	< 30.00
1711.50	3	1	7	22.38	24.38	< 30.00
1745.00				22.23	24.23	< 30.00
1778.50				22.12	24.12	< 30.00
1711.50	3	1	14	21.79	23.79	< 30.00
1745.00				21.88	23.88	< 30.00
1778.50				22.16	24.16	< 30.00
1711.50	3	15	0	21.30	23.30	< 30.00
1745.00				21.38	23.38	< 30.00
1778.50				21.30	23.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1712.50	5	1	0	21.48	23.48	< 30.00
1745.00				22.05	24.05	< 30.00
1777.50				22.19	24.19	< 30.00
1712.50	5	1	12	21.56	23.56	< 30.00
1745.00				22.20	24.20	< 30.00
1777.50				22.42	24.42	< 30.00
1712.50	5	1	24	21.63	23.63	< 30.00
1745.00				22.20	24.20	< 30.00
1777.50				22.22	24.22	< 30.00
1712.50	5	25	0	21.15	23.15	< 30.00
1745.00				21.19	23.19	< 30.00
1777.50				21.56	23.56	< 30.00
1715.00	10	1	0	22.01	24.01	< 30.00
1745.00				22.06	24.06	< 30.00
1775.00				21.95	23.95	< 30.00
1715.00	10	1	24	22.06	24.06	< 30.00
1745.00				22.15	24.15	< 30.00
1775.00				22.33	24.33	< 30.00
1715.00	10	1	49	22.06	24.06	< 30.00
1745.00				21.99	23.99	< 30.00
1775.00				21.91	23.91	< 30.00
1715.00	10	50	0	21.24	23.24	< 30.00
1745.00				21.45	23.45	< 30.00
1775.00				21.30	23.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1717.50	15	1	0	21.95	23.95	< 30.00
1745.00				22.08	24.08	< 30.00
1772.50				22.23	24.23	< 30.00
1717.50	15	1	37	22.22	24.22	< 30.00
1745.00				22.11	24.11	< 30.00
1772.50				22.63	24.63	< 30.00
1717.50	15	1	74	22.09	24.09	< 30.00
1745.00				22.02	24.02	< 30.00
1772.50				22.15	24.15	< 30.00
1717.50	15	75	0	21.42	23.42	< 30.00
1745.00				21.47	23.47	< 30.00
1772.50				21.41	23.41	< 30.00
1720.00	20	1	0	21.80	23.80	< 30.00
1745.00				21.52	23.52	< 30.00
1770.00				21.83	23.83	< 30.00
1720.00	20	1	49	21.89	23.89	< 30.00
1745.00				21.89	23.89	< 30.00
1770.00				21.81	23.81	< 30.00
1720.00	20	1	99	21.68	23.68	< 30.00
1745.00				21.86	23.86	< 30.00
1770.00				22.43	24.43	< 30.00
1720.00	20	100	0	21.32	23.32	< 30.00
1745.00				21.42	23.42	< 30.00
1770.00				21.49	23.49	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/08	Test Band	LTE Band 5/26

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
824.70	1.4	1	0	23.20	23.18	< 38.45
836.50				23.35	23.33	< 38.45
848.30				23.29	23.27	< 38.45
824.70	1.4	1	2	23.25	23.23	< 38.45
836.50				23.34	23.32	< 38.45
848.30				23.28	23.26	< 38.45
824.70	1.4	1	6	23.21	23.19	< 38.45
836.50				23.08	23.06	< 38.45
848.30				23.18	23.16	< 38.45
824.70	1.4	6	0	22.25	22.23	< 38.45
836.50				22.27	22.25	< 38.45
848.30				22.25	22.23	< 38.45
825.50	3	1	0	22.91	22.89	< 38.45
836.50				23.08	23.06	< 38.45
846.50				23.21	23.19	< 38.45
825.50	3	1	7	23.21	23.19	< 38.45
836.50				23.23	23.21	< 38.45
846.50				23.18	23.16	< 38.45
825.50	3	1	14	23.11	23.09	< 38.45
836.50				23.26	23.24	< 38.45
846.50				23.20	23.18	< 38.45
825.50	3	15	0	22.16	22.14	< 38.45
836.50				22.37	22.35	< 38.45
846.50				22.25	22.23	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
826.50	5	1	0	23.12	23.10	< 38.45
836.50				23.10	23.08	< 38.45
846.50				23.10	23.08	< 38.45
826.50	5	1	12	23.48	23.46	< 38.45
836.50				23.44	23.42	< 38.45
846.50				23.48	23.46	< 38.45
826.50	5	1	24	23.30	23.28	< 38.45
836.50				23.11	23.09	< 38.45
846.50				23.06	23.04	< 38.45
826.50	5	25	0	22.42	22.40	< 38.45
836.50				22.28	22.26	< 38.45
846.50				22.30	22.28	< 38.45
829.00	10	1	0	23.16	23.14	< 38.45
836.50				22.97	22.95	< 38.45
844.00				23.07	23.05	< 38.45
829.00	10	1	24	23.52	23.50	< 38.45
836.50				23.59	23.57	< 38.45
844.00				23.55	23.53	< 38.45
829.00	10	1	49	22.87	22.85	< 38.45
836.50				23.04	23.02	< 38.45
844.00				22.93	22.91	< 38.45
829.00	10	50	0	22.33	22.31	< 38.45
836.50				22.37	22.35	< 38.45
844.00				22.33	22.31	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
821.50	15	1	0	22.98	22.96	< 38.45
836.50				23.10	23.08	< 38.45
841.50				22.87	22.85	< 38.45
821.50	15	1	37	23.31	23.29	< 38.45
836.50				23.00	22.98	< 38.45
841.50				23.37	23.35	< 38.45
821.50	15	1	74	22.99	22.97	< 38.45
836.50				22.88	22.86	< 38.45
841.50				22.89	22.87	< 38.45
821.50	15	75	0	22.30	22.28	< 38.45
836.50				22.19	22.17	< 38.45
841.50				22.17	22.15	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
824.70	1.4	1	0	21.90	21.88	< 38.45
836.50				21.92	21.90	< 38.45
848.30				21.84	21.82	< 38.45
824.70	1.4	1	2	21.81	21.79	< 38.45
836.50				21.95	21.93	< 38.45
848.30				21.86	21.84	< 38.45
824.70	1.4	1	6	21.81	21.79	< 38.45
836.50				22.06	22.04	< 38.45
848.30				21.95	21.93	< 38.45
824.70	1.4	6	0	21.15	21.13	< 38.45
836.50				21.52	21.50	< 38.45
848.30				21.13	21.11	< 38.45
825.50	3	1	0	21.96	21.94	< 38.45
836.50				21.93	21.91	< 38.45
846.50				21.82	21.80	< 38.45
825.50	3	1	7	22.22	22.20	< 38.45
836.50				22.41	22.39	< 38.45
846.50				22.20	22.18	< 38.45
825.50	3	1	14	21.89	21.87	< 38.45
836.50				22.06	22.04	< 38.45
846.50				21.96	21.94	< 38.45
825.50	3	15	0	21.36	21.34	< 38.45
836.50				21.27	21.25	< 38.45
846.50				21.26	21.24	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
826.50	5	1	0	21.55	21.53	< 38.45
836.50				21.95	21.93	< 38.45
846.50				22.01	21.99	< 38.45
826.50	5	1	12	22.22	22.20	< 38.45
836.50				21.99	21.97	< 38.45
846.50				22.40	22.38	< 38.45
826.50	5	1	24	21.54	21.52	< 38.45
836.50				21.70	21.68	< 38.45
846.50				21.65	21.63	< 38.45
826.50	5	25	0	21.35	21.33	< 38.45
836.50				21.32	21.30	< 38.45
846.50				21.24	21.22	< 38.45
829.00	10	1	0	21.99	21.97	< 38.45
836.50				22.01	21.99	< 38.45
844.00				22.03	22.01	< 38.45
829.00	10	1	24	22.16	22.14	< 38.45
836.50				21.94	21.92	< 38.45
844.00				22.25	22.23	< 38.45
829.00	10	1	49	21.58	21.56	< 38.45
836.50				21.84	21.82	< 38.45
844.00				21.97	21.95	< 38.45
829.00	10	50	0	21.56	21.54	< 38.45
836.50				21.37	21.35	< 38.45
844.00				21.35	21.33	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
821.50	15	1	0	21.91	21.89	< 38.45
836.50				21.72	21.70	< 38.45
841.50				21.83	21.81	< 38.45
821.50	15	1	37	22.52	22.50	< 38.45
836.50				22.02	22.00	< 38.45
841.50				22.35	22.33	< 38.45
821.50	15	1	74	21.71	21.69	< 38.45
836.50				21.80	21.78	< 38.45
841.50				21.55	21.53	< 38.45
821.50	15	75	0	21.16	21.14	< 38.45
836.50				21.22	21.20	< 38.45
841.50				21.32	21.30	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/08	Test Band	LTE Band 7

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
2502.50	5	1	0	22.58	24.91	< 33.01
2535.00				22.92	25.25	< 33.01
2567.50				22.88	25.21	< 33.01
2502.50	5	1	12	22.77	25.10	< 33.01
2535.00				23.03	25.36	< 33.01
2567.50				23.09	25.42	< 33.01
2502.50	5	1	24	22.66	24.99	< 33.01
2535.00				22.88	25.21	< 33.01
2567.50				23.07	25.40	< 33.01
2502.50	5	25	0	21.78	24.11	< 33.01
2535.00				22.01	24.34	< 33.01
2567.50				22.14	24.47	< 33.01
2505.00	10	1	0	22.69	25.02	< 33.01
2535.00				22.90	25.23	< 33.01
2565.00				22.70	25.03	< 33.01
2505.00	10	1	24	22.82	25.15	< 33.01
2535.00				23.00	25.33	< 33.01
2565.00				23.13	25.46	< 33.01
2505.00	10	1	49	22.52	24.85	< 33.01
2535.00				23.01	25.34	< 33.01
2565.00				22.97	25.30	< 33.01
2505.00	10	50	0	21.89	24.22	< 33.01
2535.00				22.12	24.45	< 33.01
2565.00				22.17	24.50	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
2507.50	15	1	0	22.84	25.17	< 33.01
2535.00				22.97	25.30	< 33.01
2562.50				23.02	25.35	< 33.01
2507.50	15	1	37	22.90	25.23	< 33.01
2535.00				23.15	25.48	< 33.01
2562.50				22.94	25.27	< 33.01
2507.50	15	1	74	22.74	25.07	< 33.01
2535.00				22.83	25.16	< 33.01
2562.50				23.32	25.65	< 33.01
2507.50	15	75	0	21.87	24.20	< 33.01
2535.00				22.04	24.37	< 33.01
2562.50				21.98	24.31	< 33.01
2510.00	20	1	0	22.79	25.12	< 33.01
2535.00				23.04	25.37	< 33.01
2560.00				23.32	25.65	< 33.01
2510.00	20	1	49	22.84	25.17	< 33.01
2535.00				23.23	25.56	< 33.01
2560.00				23.10	25.43	< 33.01
2510.00	20	1	99	22.80	25.13	< 33.01
2535.00				22.82	25.15	< 33.01
2560.00				23.11	25.44	< 33.01
2510.00	20	100	0	21.94	24.27	< 33.01
2535.00				21.92	24.25	< 33.01
2560.00				21.97	24.30	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2502.50	5	1	0	21.57	23.90	< 33.01
2535.00				21.69	24.02	< 33.01
2567.50				21.49	23.82	< 33.01
2502.50	5	1	12	21.60	23.93	< 33.01
2535.00				21.51	23.84	< 33.01
2567.50				21.96	24.29	< 33.01
2502.50	5	1	24	21.22	23.55	< 33.01
2535.00				21.37	23.70	< 33.01
2567.50				22.03	24.36	< 33.01
2502.50	5	25	0	20.72	23.05	< 33.01
2535.00				20.97	23.30	< 33.01
2567.50				21.13	23.46	< 33.01
2505.00	10	1	0	21.52	23.85	< 33.01
2535.00				21.72	24.05	< 33.01
2565.00				21.97	24.30	< 33.01
2505.00	10	1	24	21.40	23.73	< 33.01
2535.00				21.98	24.31	< 33.01
2565.00				21.77	24.10	< 33.01
2505.00	10	1	49	21.21	23.54	< 33.01
2535.00				21.49	23.82	< 33.01
2565.00				21.62	23.95	< 33.01
2505.00	10	50	0	20.89	23.22	< 33.01
2535.00				21.14	23.47	< 33.01
2565.00				21.24	23.57	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2507.50	15	1	0	21.58	23.91	< 33.01
2535.00				21.79	24.12	< 33.01
2562.50				21.77	24.10	< 33.01
2507.50	15	1	37	21.82	24.15	< 33.01
2535.00				22.07	24.40	< 33.01
2562.50				22.03	24.36	< 33.01
2507.50	15	1	74	21.53	23.86	< 33.01
2535.00				21.61	23.94	< 33.01
2562.50				21.77	24.10	< 33.01
2507.50	15	75	0	20.80	23.13	< 33.01
2535.00				20.97	23.30	< 33.01
2562.50				21.02	23.35	< 33.01
2510.00	20	1	0	21.98	24.31	< 33.01
2535.00				21.88	24.21	< 33.01
2560.00				21.52	23.85	< 33.01
2510.00	20	1	49	21.81	24.14	< 33.01
2535.00				21.35	23.68	< 33.01
2560.00				21.49	23.82	< 33.01
2510.00	20	1	99	21.18	23.51	< 33.01
2535.00				21.13	23.46	< 33.01
2560.00				21.46	23.79	< 33.01
2510.00	20	100	0	20.88	23.21	< 33.01
2535.00				20.94	23.27	< 33.01
2560.00				20.96	23.29	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/08	Test Band	LTE Band 12

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
699.7	1.4	1	0	22.79	23.90	< 44.77
707.5				23.12	24.23	< 44.77
715.3				23.04	24.15	< 44.77
699.7	1.4	1	2	22.75	23.86	< 44.77
707.5				23.32	24.43	< 44.77
715.3				22.86	23.97	< 44.77
699.7	1.4	1	6	22.61	23.72	< 44.77
707.5				23.15	24.26	< 44.77
715.3				22.73	23.84	< 44.77
699.7	1.4	6	0	21.90	23.01	< 44.77
707.5				22.13	23.24	< 44.77
715.3				22.10	23.21	< 44.77
700.5	3	1	0	22.84	23.95	< 44.77
707.5				23.07	24.18	< 44.77
714.5				23.19	24.30	< 44.77
700.5	3	1	7	23.08	24.19	< 44.77
707.5				23.49	24.60	< 44.77
714.5				23.03	24.14	< 44.77
700.5	3	1	14	23.10	24.21	< 44.77
707.5				23.22	24.33	< 44.77
714.5				22.75	23.86	< 44.77
700.5	3	15	0	22.18	23.29	< 44.77
707.5				22.22	23.33	< 44.77
714.5				22.07	23.18	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
701.5	5	1	0	22.95	24.06	< 44.77
707.5				22.89	24.00	< 44.77
713.5				23.15	24.26	< 44.77
701.5	5	1	12	23.07	24.18	< 44.77
707.5				23.36	24.47	< 44.77
713.5				23.26	24.37	< 44.77
701.5	5	1	24	22.89	24.00	< 44.77
707.5				22.93	24.04	< 44.77
713.5				22.95	24.06	< 44.77
701.5	5	25	0	22.08	23.19	< 44.77
707.5				22.28	23.39	< 44.77
713.5				22.10	23.21	< 44.77
704.0	10	1	0	22.75	23.86	< 44.77
707.5				22.72	23.83	< 44.77
711.0				22.93	24.04	< 44.77
704.0	10	1	24	23.20	24.31	< 44.77
707.5				23.40	24.51	< 44.77
711.0				23.43	24.54	< 44.77
704.0	10	1	49	22.83	23.94	< 44.77
707.5				22.93	24.04	< 44.77
711.0				22.70	23.81	< 44.77
704.0	10	50	0	22.18	23.29	< 44.77
707.5				22.18	23.29	< 44.77
711.0				22.23	23.34	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
699.7	1.4	1	0	21.79	22.90	< 44.77
707.5				21.56	22.67	< 44.77
715.3				21.71	22.82	< 44.77
699.7	1.4	1	2	21.83	22.94	< 44.77
707.5				21.52	22.63	< 44.77
715.3				21.35	22.46	< 44.77
699.7	1.4	1	6	21.57	22.68	< 44.77
707.5				21.44	22.55	< 44.77
715.3				21.59	22.70	< 44.77
699.7	1.4	6	0	20.95	22.06	< 44.77
707.5				21.35	22.46	< 44.77
715.3				21.09	22.20	< 44.77
700.5	3	1	0	21.91	23.02	< 44.77
707.5				21.79	22.90	< 44.77
714.5				21.83	22.94	< 44.77
700.5	3	1	7	21.84	22.95	< 44.77
707.5				22.05	23.16	< 44.77
714.5				22.17	23.28	< 44.77
700.5	3	1	14	21.62	22.73	< 44.77
707.5				21.55	22.66	< 44.77
714.5				21.82	22.93	< 44.77
700.5	3	15	0	21.07	22.18	< 44.77
707.5				21.17	22.28	< 44.77
714.5				21.15	22.26	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
701.5	5	1	0	21.35	22.46	< 44.77
707.5				21.93	23.04	< 44.77
713.5				21.44	22.55	< 44.77
701.5	5	1	12	21.58	22.69	< 44.77
707.5				22.11	23.22	< 44.77
713.5				22.07	23.18	< 44.77
701.5	5	1	24	21.24	22.35	< 44.77
707.5				21.85	22.96	< 44.77
713.5				21.24	22.35	< 44.77
701.5	5	25	0	20.95	22.06	< 44.77
707.5				21.17	22.28	< 44.77
713.5				21.11	22.22	< 44.77
704.0	10	1	0	21.73	22.84	< 44.77
707.5				21.40	22.51	< 44.77
711.0				21.72	22.83	< 44.77
704.0	10	1	24	21.45	22.56	< 44.77
707.5				21.61	22.72	< 44.77
711.0				22.07	23.18	< 44.77
704.0	10	1	49	21.73	22.84	< 44.77
707.5				22.04	23.15	< 44.77
711.0				21.20	22.31	< 44.77
704.0	10	50	0	21.35	22.46	< 44.77
707.5				21.15	22.26	< 44.77
711.0				21.21	22.32	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/08	Test Band	LTE Band 13

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
779.5	5	1	0	22.82	24.65	< 44.77
782.0				22.89	24.72	< 44.77
784.5				22.83	24.66	< 44.77
779.5	5	1	12	22.82	24.65	< 44.77
782.0				22.89	24.72	< 44.77
784.5				22.98	24.81	< 44.77
779.5	5	1	24	22.90	24.73	< 44.77
782.0				22.78	24.61	< 44.77
784.5				22.92	24.75	< 44.77
779.5	5	25	0	22.05	23.88	< 44.77
782.0				22.06	23.89	< 44.77
784.5				22.02	23.85	< 44.77
782.0	10	1	0	22.75	24.58	< 44.77
782.0		1	24	23.06	24.89	< 44.77
782.0		1	49	22.90	24.73	< 44.77
782.0		50	0	22.00	23.83	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
779.5	5	1	0	21.73	23.56	< 44.77
782.0				21.81	23.64	< 44.77
784.5				21.73	23.56	< 44.77
779.5	5	1	12	21.32	23.15	< 44.77
782.0				21.38	23.21	< 44.77
784.5				21.88	23.71	< 44.77
779.5	5	1	24	21.50	23.33	< 44.77
782.0				21.70	23.53	< 44.77
784.5				21.93	23.76	< 44.77
779.5	5	25	0	21.00	22.83	< 44.77
782.0				20.86	22.69	< 44.77
784.5				20.83	22.66	< 44.77
782.0	10	1	0	21.63	23.46	< 44.77
782.0		1	24	21.84	23.67	< 44.77
782.0		1	49	21.58	23.41	< 44.77
782.0		50	0	21.00	22.83	< 44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/08	Test Band	LTE Band 38/41

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
2498.50	5	1	0	22.57	24.61	< 33.01
2593.00				22.64	24.68	< 33.01
2687.50				22.85	24.89	< 33.01
2498.50	5	1	12	22.71	24.75	< 33.01
2593.00				22.90	24.94	< 33.01
2687.50				23.02	25.06	< 33.01
2498.50	5	1	24	22.68	24.72	< 33.01
2593.00				22.62	24.66	< 33.01
2687.50				22.69	24.73	< 33.01
2498.50	5	25	0	21.81	23.85	< 33.01
2593.00				21.58	23.62	< 33.01
2687.50				21.77	23.81	< 33.01
2501.00	10	1	0	22.57	24.61	< 33.01
2593.00				22.48	24.52	< 33.01
2685.00				22.96	25.00	< 33.01
2501.00	10	1	24	22.57	24.61	< 33.01
2593.00				22.50	24.54	< 33.01
2685.00				22.69	24.73	< 33.01
2501.00	10	1	49	22.66	24.70	< 33.01
2593.00				22.51	24.55	< 33.01
2685.00				22.60	24.64	< 33.01
2501.00	10	50	0	21.81	23.85	< 33.01
2593.00				21.68	23.72	< 33.01
2685.00				21.74	23.78	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
2503.50	15	1	0	22.66	24.70	< 33.01
2593.00				22.88	24.92	< 33.01
2682.50				22.99	25.03	< 33.01
2503.50	15	1	37	23.01	25.05	< 33.01
2593.00				22.77	24.81	< 33.01
2682.50				23.01	25.05	< 33.01
2503.50	15	1	74	22.81	24.85	< 33.01
2593.00				22.76	24.80	< 33.01
2682.50				23.24	25.28	< 33.01
2503.50	15	75	0	21.72	23.76	< 33.01
2593.00				21.62	23.66	< 33.01
2682.50				21.69	23.73	< 33.01
2506.00	20	1	0	22.35	24.39	< 33.01
2593.00				22.66	24.70	< 33.01
2680.00				22.52	24.56	< 33.01
2506.00	20	1	49	22.83	24.87	< 33.01
2593.00				22.64	24.68	< 33.01
2680.00				22.94	24.98	< 33.01
2506.00	20	1	99	22.46	24.50	< 33.01
2593.00				22.43	24.47	< 33.01
2680.00				22.67	24.71	< 33.01
2506.00	20	100	0	21.58	23.62	< 33.01
2593.00				21.64	23.68	< 33.01
2680.00				21.73	23.77	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2498.50	5	1	0	21.73	23.77	< 33.01
2593.00				21.45	23.49	< 33.01
2687.50				21.60	23.64	< 33.01
2498.50	5	1	12	21.85	23.89	< 33.01
2593.00				21.73	23.77	< 33.01
2687.50				21.94	23.98	< 33.01
2498.50	5	1	24	21.64	23.68	< 33.01
2593.00				21.26	23.30	< 33.01
2687.50				21.64	23.68	< 33.01
2498.50	5	25	0	20.77	22.81	< 33.01
2593.00				20.65	22.69	< 33.01
2687.50				20.85	22.89	< 33.01
2501.00	10	1	0	20.91	22.95	< 33.01
2593.00				20.81	22.85	< 33.01
2685.00				20.92	22.96	< 33.01
2501.00	10	1	24	21.02	23.06	< 33.01
2593.00				20.69	22.73	< 33.01
2685.00				20.75	22.79	< 33.01
2501.00	10	1	49	21.00	23.04	< 33.01
2593.00				20.48	22.52	< 33.01
2685.00				20.77	22.81	< 33.01
2501.00	10	50	0	20.77	22.81	< 33.01
2593.00				20.75	22.79	< 33.01
2685.00				20.89	22.93	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2503.50	15	1	0	21.28	23.32	< 33.01
2593.00				21.35	23.39	< 33.01
2682.50				21.38	23.42	< 33.01
2503.50	15	1	37	21.48	23.52	< 33.01
2593.00				21.31	23.35	< 33.01
2682.50				21.35	23.39	< 33.01
2503.50	15	1	74	21.04	23.08	< 33.01
2593.00				21.17	23.21	< 33.01
2682.50				21.30	23.34	< 33.01
2503.50	15	75	0	20.62	22.66	< 33.01
2593.00				20.63	22.67	< 33.01
2682.50				20.73	22.77	< 33.01
2506.00	20	1	0	21.49	23.53	< 33.01
2593.00				21.66	23.70	< 33.01
2680.00				21.40	23.44	< 33.01
2506.00	20	1	49	21.57	23.61	< 33.01
2593.00				21.37	23.41	< 33.01
2680.00				21.47	23.51	< 33.01
2506.00	20	1	99	21.32	23.36	< 33.01
2593.00				21.32	23.36	< 33.01
2680.00				21.27	23.31	< 33.01
2506.00	20	100	0	20.59	22.63	< 33.01
2593.00				20.67	22.71	< 33.01
2680.00				20.68	22.72	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						


A.4 Band Edge Test Result

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/11/25	Test Band	LTE Band 2/25




10MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




15MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




20MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge



1.4MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



3MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



5MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




10MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



15MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



20MHz Channel Bandwidth - Full RB

Lower Band Edge



Upper Band Edge



Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/11/25	Test Band	LTE Band 2

1.4MHz Channel Bandwidth - 1RB

Upper Band Edge




3MHz Channel Bandwidth - 1RB

Upper Band Edge



5MHz Channel Bandwidth - 1RB

Upper Band Edge




10MHz Channel Bandwidth - 1RB

Upper Band Edge




15MHz Channel Bandwidth - 1RB

Upper Band Edge



20MHz Channel Bandwidth - 1RB

Upper Band Edge



1.4MHz Channel Bandwidth - Full RB

Upper Band Edge




3MHz Channel Bandwidth - Full RB

Upper Band Edge




5MHz Channel Bandwidth - Full RB

Upper Band Edge




10MHz Channel Bandwidth - Full RB

Upper Band Edge




15MHz Channel Bandwidth - Full RB

Upper Band Edge



20MHz Channel Bandwidth - Full RB


Upper Band Edge




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/11/25	Test Band	LTE Band 4/66

1.4MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




3MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




5MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




10MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




15MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




20MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




1.4MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




3MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




5MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




10MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



15MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




20MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/11/25	Test Band	LTE Band 4


1.4MHz Channel Bandwidth - 1RB

Upper Band Edge



3MHz Channel Bandwidth - 1RB

Upper Band Edge



5MHz Channel Bandwidth - 1RB

Upper Band Edge

