

j5create

Matter Enabled Smart Plug Power Strip

With 4-Outlets and 4 USB™ Ports



EN : Quick Installation Guide

日本語 : クイックインストールガイド

繁体中文 : 快速安裝手冊

STOP!

If you have any problems with this product, please contact our technical support team for assistance.

TECHNICAL SUPPORT

Customer Service : 888-988-0488

Technical Support : 888-689-4088

Email : service@j5create.com

Service Hours : Mon. - Fri. 10:00 - 18:00 E.S.T

SOPORTE TÉCNICO

Número gratuito: +1-888-988-0488

Horario de atención: Lun-Vier. 10:00 a.m – 6:00 U.S.A.-E.S.T

Email: service@j5create.com

TECHNISCHER SUPPORT

Kostenloser Anruf bei: +1-888-988-0488

Sprechstunden: Mon.-Frei. 10.00 – 18.00 U.S.A.-E.S.T

E-mail: service@j5create.com

SUPPORT TECHNIQUE

Numéro gratuit : +1-888-988-0488

Heures d'ouverture : Lun.-Ven. 10:00 a.m – 06:00 U.S.A.-E.S.T

Email : service@j5create.com

TECHNICKÁ PODPORA

Zákaznická linka: 888-988-0488

Technická podpora: 888-689-4088






E-mail: service@j5create.com

Apple, HomeKit, Siri, AppleTV, HomePod, and Home mini are trademarks of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Google Home, Nest, Nest mini, Nest Audio, Nest Hub, and Nest Hub Max are trademarks of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Amazon Alexa, Echo, Echo Dot, Echo Studio, and Echo Show are trademarks of Amazon Services LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Wi-Fi is a trademark of Wi-Fi Alliance, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Samsung and SmartThings are trademarks of Samsung Electronics Co., Ltd., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. USB and USB-C are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of other.



202410-V2

English



Factory Reset Button

Power Switch

Link LED
Flashing: Waiting to be paired
Light On: Paired

USB™ Charging Ports

Protected LED
Light On: Protected
Light Off: Under abnormal situation

Smart Outlets 1-4

AC Outlet LED
Light On: Power On
Light Off: Power Off

Features

Matter certified for compatibility with multiple smart home platforms.

Remote control with voice support for Apple® HomePod®, Google Home™, Amazon Alexa®, and Samsung® SmartThings™.

Power and charge multiple devices at once with 4 AC outlets and a 30W 4-port USB™ GaN charging station (one USB-C® and three USB™ Type-A).

US standard 4.9ft/1.5m AC cord with a joule rating of 500J

Rated input: ~125Vac / 60Hz, with a rated current of 15A Max

Power Distribution:

USB-C™ 1	Type-A 1	Type-A 2	Type-A 3	Total Output
30W				30W
	18W			18W
		5V=2A (10W)		10W
			5V=2A (10W)	10W
20W	A1 or A2 or A3: 5V=2A (10W)			30W
	A1+A2 or A1+A3 or A2+A3: 5V=2A (10W)			10W
20W	A1+A2 or A1+A3 or A2+A3: 5V=2A (10W)			30W
	A1+A2+A3: 5V=2A (10W)			10W
20W	A1+A2+A3: 5V=2A (10W)			30W

Set Up Your Smart Power Strip

Before You Start: As a Matter-certified device, you'll need a Matter controller (e.g. HomePod mini®, Google® Nest Mini™, Echo Dot™) and a smart home app from the same ecosystem for remote control.

Here's how to set it up with popular ecosystems like Alexa®, Apple®, and Google® via Matter

Add to Alexa® via Matter

1. Check Compatibility:

A. Alexa® App version: 2023.15 or later

B. Matter-supported devices:


Device	Version
Echo™/Echo Dot™	5th Gen: Echo Dot™, Echo Dot™ (Gen 5 with Clock)
	4th Gen: Echo™, Echo Dot™, Echo Dot™ (Gen 4 with Clock)
	3rd Gen: Echo™, Echo Dot™, Echo Dot™ (Gen 3 with Clock)
Echo Show™	3rd Gen: Echo Show™ 10, Echo Show™ 15
	2nd Gen: Echo Show™ 8, Echo Show™ 5
	1st Gen: Echo Show™, Echo Show™ 8

*Please update the software of your Echo™ devices to the latest version to ensure better Matter compatibility.

2. Connect the JSPAC4430 to the power source, switch on the Power Switch, then press and hold the Factory Reset Button for about 5 seconds until the Link LED starts flashing. Pairing mode will then start and remain active for five minutes.


3. Launch the Alexa® app

A. Go to the Devices page, Tap "+", tap "Add Device", then choose "Matter"



B. Tap "Yes" for confirming devices have a Matter logo, then tap "Scan QR code" and scan the setup QR code (on the bottom of JSPAC4430). Now simply wait for the app to complete setup.

* In some cases, a Wi-Fi® connection setup page may appear, please choose a Wi-Fi® connection and follow the instructions in the app to complete setup.



Add to Apple® HomeKit® via Matter

1. Check Compatibility:

A. iOS® system: 16.6 or later.

B. Matter-supported devices: HomePod®, HomePod® 2, HomePod mini®, Apple TV® 4K 2021 (or later).


* It's recommended to update your iOS® devices to the latest version to ensure better Matter compatibility.

2. Connect the JSPAC4430 to the power source, switch on the Power Switch, then press and hold the Factory Reset Button for about 5 seconds until the Link LED starts flashing. (Pairing mode will then start and remain active for five minutes.)

3. Launch the Home App.

A. Tap "+" and then tap "Add Accessory".

Then scan the setup QR code (on the bottom of JSPAC4430). Now simply wait for the app to complete setup.



Add to Google Home™ via Matter

1.Check Compatibility:

A.Google Home™ App is required on your smart phone (Android™: 3.3.1.4 or later. iOS®: 3.3.104 or later.)

B. Matter-supported devices: Nest Audio™\Nest Hub™\Nest Hub™ (2nd gen) \Nest Hub Max™\Nest Mini™\Nest™ WiFi® Pro.


* It's recommended to update your Google Home™ devices to the latest version to ensure better Matter compatibility.

2. Connect the JSPAC4430 to the power source, switch on the Power Switch, then press and hold the Factory Reset Button for about 5 seconds until the Link LED starts flashing. (Pairing mode will then start and remain active for five minutes.)


3. Launch the Google Home™ App.

A. Go to the Devices page, tap "+ Add", then choose "Matter-enabled device".

Scan the setup QR code (on the bottom of JSPAC4430)



B. Wait for the Google Home™ app to add the device and follow the instructions in the app to complete setup



FCC Information

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference to a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this device.

LIMITED WARRANTY

J5create offers a limited 2-year warranty. User's wear & tear damage is not included. The user shall call or email J5create customer service with the defect information of the product and obtain a return authorization number. Users are responsible for one-way return freight and we will take care of one-way freight back. In order to obtain a return authorization number, users should have the following information handy when calling or emailing the service team:

(i) a copy of the original purchase invoice to verify your warranty

(ii) a product serial number

(iii) a description of the problem

(iv) customer's name, address, and telephone number

J5create does not warrant that the operation of the product will be uninterrupted or error-free. J5create is not responsible for damage arising from failure to follow instructions related to the product's use. This warranty does not apply to: (a) consumable parts, unless damage has occurred due to a defect in materials or workmanship; (b) cosmetic damage, including but not limited to scratches, dents, and broken plastic on ports; (c) damage caused by use with non-J5create products; (d) damage caused by natural disasters; (e) damage caused by human misuse (lost, accident, abuse, misuse or other external causes); (f) damage caused by operating the product outside the permitted or intended uses described by J5create; (g) damage caused by service (including updates and expansions) performed by anyone who is not a representative of J5create or a J5create Authorized Service Provider; (h) a product or part that has been modified to alter functionality or capability without the written permission of J5create; or (i) if any J5create serial number on the product has been removed or defaced. If such a situation occurs, J5create will calculate the cost of materials and repair for your reference. This warranty is given by J5create in lieu of any other warranties expressed or implied.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

ISED Statement

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

(1) This device may not cause interference, and

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

Radiation Exposure Statement

This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body. CAN ICES-003(B) / NMB-003(B) Le présent appareil conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

(1) l'appareil ne doit pas produire de brouillage, et

(2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Déclaration d'exposition aux radiations: Cet'équipementsestconforme Canada limitesd'exposition aux radiations dans un environnement non contrôlé. Cet'équipementdoitêtreinstallé et utilisé à distance minimum de 20cm entre le radiateur et votre corps.

LIMITATION OF WARRANTY

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE (OR BY COUNTRY OR PROVINCE). OTHER THAN AS PERMITTED BY LAW, J5CREATE DOES NOT EXCLUDE, LIMIT OR SUSPEND OTHER RIGHTS YOU MAY HAVE, INCLUDING THOSE THAT MAY ARISE FROM THE NONCONFORMITY OF A SALES CONTRACT. FOR A FULL UNDERSTANDING OF YOUR RIGHTS YOU SHOULD CONSULT THE LAWS OF YOUR COUNTRY, PROVINCE OR STATE. TO THE EXTENT NOT PROHIBITED BY LAW IN YOUR STATE, PROVINCE, JURISDICTION OR COUNTRY, THIS WARRANTY AND THE REMEDIES SET FORTH ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED.

J5CREATE'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN HARDWARE AND/OR SOFTWARE IS LIMITED TO REPAIR OR REPLACEMENT AS SET FORTH IN THIS WARRANTY. J5CREATE'S LIABILITY DOES NOT EXTEND BEYOND THE REMEDIES PROVIDED FOR IN THIS LIMITED WARRANTY, AND J5CREATE DOES NOT ACCEPT LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, FOR THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES, FOR PRODUCTS NOT BEING AVAILABLE FOR USE, OR FOR LOST OR DAMAGED DATA OR SOFTWARE. J5CREATE DOES NOT WARRANT THAT THE OPERATION OF ANY J5CREATE PRODUCT WILL BE UNINTERRUPTED OR ERROR FREE.

J5CREATE'S LIABILITY IN ANY SITUATION WILL BE NO MORE THAN THE AMOUNT YOU PAID FOR THE SPECIFIC PRODUCT THAT IS THE SUBJECT OF A CLAIM. THIS IS THE MAXIMUM AMOUNT FOR WHICH WE ARE RESPONSIBLE.

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS WARRANTY AND TO THE EXTENT NOT PROHIBITED BY LAW, J5CREATE DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY, OF MECHANICAL QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND WARRANTIES AND CONDITIONS AGAINST HIDDEN OR LATENT DEFECTS. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES AND CONDITIONS, SO THIS DISCLAIMER MAY NOT APPLY TO YOU.

TO THE EXTENT SUCH WARRANTIES AND CONDITIONS CANNOT BE DISCLAIMED UNDER THE LAWS OF THE UNITED STATES, CANADA (AND ITS PROVINCES) OR OTHERWISE, J5CREATE LIMITS THE DURATION AND REMEDIES OF SUCH WARRANTIES AND CONDITIONS TO THE DURATION OF THIS EXPRESS LIMITED WARRANTY AND AT J5CREATE'S OPTION, REPAIR OR REPLACEMENT SERVICES. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES MAY NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION MAY LAST, SO THE LIMITATION DESCRIBED ABOVE MAY NOT APPLY TO YOU.

NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE LIMITED WARRANTY PERIOD HAS EXPIRED. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU.

WARRANTY SUPPORT ONLY APPLIES WHEN THE COVERED PRODUCT IS LOCATED WITHIN THE COUNTRY IN WHICH J5CREATE ORIGINALLY SOLD THE SYSTEM, AS REFLECTED IN J5CREATE'S RECORDS. IF YOU NEED SUPPORT FOR THE PRODUCT OUTSIDE OF THE COUNTRY OF ORIGIN (FOR EXAMPLE, WHILE TRAVELING, OR IF THE SYSTEM HAS BEEN RELOCATED TO A NEW COUNTRY), THEN J5CREATE MAY OFFER YOU OTHER SUPPORT OPTIONS FOR AN ADDITIONAL CHARGE.

限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

設備名稱(Equipment name): 4插座4埠快充智慧延長線						
型號(型式) Type designation (Type): JSPAC4430						
	限用物質及其化學符號			Restricted substances and its chemical symbols		
單元Unit	鉛 (Pb)	汞 (Hg)	鎘 (Cd)	六價鉻 (Hexavalent chromium(Cr*))	多溴聯苯 (Polybrominated biphenyls(PBB))	多溴二苯醚 (Polybrominated diphenyl ethers (PBDE))
外殼	○	○	○	○	○	○
PCB板	○	○	○	○	○	○
變壓器	○	○	○	○	○	○
其他金屬	—	○	○	○	○	○
備考 1. "超出0.1 wt %" 及 "超出0.01 wt %" 係指限用物質之百分比含量超出百分比含量基準值。 Note 1: "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.						
備考 2. "○" 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2: "○" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考 3. "—" 係指該項限用物質為排除項目。 Note 3: The "—" indicates that the restricted substance corresponds to the exemption.						
電源電壓允許偏差±10%。此產品只有在搭配具有快充晶片之後端產品，才能實現快充功能。						

Rating / 額定 / 定規容量: 125V~ 60Hz 15A 1875W max

DC Output / 直流輸出 / 直流出力:

USB-C: PD 5.0V=3.0A(15.0W), 9.0V=3.0A(27.0W), 12.0V=2.5A(30.0W Max) / PPS 5.0-11.0V=2.75A

USB-A1: 5.0V=3.0A(15.0W), 9.0V=2.0A(18.0W), 12.0V=1.5A(18.0W Max)

USB-A2/A3: 5.0V=2.0A(10.0W Max)

USB-C + A1/A2/A3: PD 20.0W/PPS 19.8W + 5.0V=2.0A(10.0W)

USB-A1+A2/A3 or C+A2+A3: 5.0V=2.0A(10.0W)

USB-C+(A1+A2/A3) or C+(A2+A3): PD 20.0W/PPS 19.8W + (5.0V=2.0A(10.0W))

USB-A1+A2+A3: 5.0V=2.0A(10.0W)

USB-C+(A1+A2+A3): PD 20.0W/PPS 19.8W + (5.0V=2.0A(10.0W))

Total DC Output / 直流總輸出 / 直流合計出力: 30.0W Max

Operating temperature / 操作溫度 / 動作溫度: 0 ~ 35°C

Altitude / 海拔 / 高度: <2000

4插座4埠快充智慧延長線

NCC警語

低功率射頻器材技術規範

取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。

前述合法通信，指依電信管理法規規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。


Wireless specification / 無線規格: Wireless 2.4G, Bluetooth 5.1

Operating frequency / 操作頻率

BLE: 2402MHz ~ 2480MHz (6dBm)

For more information, please visit our website at <http://www.j5create.com>

Copyright© 2024 J5create. All rights reserved. All trade names are registered trademarks of their respective owners. Features and specifications are subject to change without notice. Product may not be exactly as shown in the diagrams.



- 特徴**
- 複数のスマートホームプラットフォームと互換性のあるMatter認証を取得。
 - Apple® HomePod®, Google Home™, Amazon Alexa®, Samsung® SmartThings™に対応した音声サポートで遠隔操作が可能。
 - 4つのACコンセントと30W 4ポートUSB™ GaN充電ステーション (USB-C®1つとUSB™ Type-A 3つ) で複数のデバイスを同時に給電・充電。
 - 500ジュールの保護機能を備えた、米国規格の4.9フィート/1.5mのAC電源コード。
 - 定格入力:~125Vac / 60Hz、最大定格電流15A。
 - 電力分配:

USB-C® 1	Type-A 1	Type-A 2	Type-A 3	Total Output
30W				30W
	18W			18W
		5V~2A (10W)		10W
			5V~2A (10W)	10W
20W	A1 or A2 or A3: 5V~2A (10W)			30W
	A1+A2 or A1+A3 or A2+A3: 5V~2A (10W)			10W
20W	A1+A2 or A1+A3 or A2+A3: 5V~2A (10W)			30W
	A1+A2+A3: 5V~2A (10W)			10W
20W	A1+A2+A3: 5V~2A (10W)			30W

スマート電源タップの設定方法

始める前に: Matter認証デバイスとして、リモートコントロールにはMatterコントローラ (例: HomePod mini®, Google® Nest Mini™, Echo Dot™)と同じエコシステムのスマートホームアプリが必要です。以下は、Alexa®, Apple®, Google®などの人気エコシステムにMatterを通じて設定する方法です。


Alexa®でMatterを通じて追加する

- 互換性を確認します。
 - A. Alexa®アプリバージョン:2023.15以降
 - B. Matter対応デバイス:


Device	Version
Echo™/Echo Dot™	5th Gen: Echo Dot™, Echo Dot™ (Gen 5 with Clock) 4th Gen: Echo™, Echo Dot™, Echo Dot™ (Gen 4 with Clock) 3rd Gen: Echo™, Echo Dot™, Echo Dot™ (Gen 3 with Clock)
Echo Show™	3rd Gen: Echo Show™ 10, Echo Show™ 15 2nd Gen: Echo Show™ 8, Echo Show™ 5 1st Gen: Echo Show™, Echo Show™ 8

*Matterとの互換性を高めるために、Echo™デバイスのソフトウェアを最新バージョンに更新してください。

- JSPAC4430を電源に接続し、ファクトリリセットボタンを約5秒間押し続け、リンクLEDが点滅し始めるまで待ちます。これでベアリングモードが開始され、5分間アクティブな状態が続きます。
- Alexa®アプリを起動します。
 - A. 「デバイス」ページに移動し、「+」をタップして「デバイスを追加」を選び、「Matter」を選択します。




- B. 「デバイスにMatterロゴがあることを確認しましたか?」と表示されたら「はい」をタップし、「QRコードをスキャン」を選択し、JSPAC4430の底部にある設定用QRコードをスキャンします。あとはアプリが設定を完了するのを待つだけです。
- * 場合によってはWi-Fi®接続設定ページが表示されることがありますので、Wi-Fi®接続を選択し、アプリの指示に従って設定を完了してください。




Matterに基づいてApple® HomeKit®に追加する

- 互換性を確認します:
 - A. iOS®システム: 16.6以降。
 - B. Matter対応デバイス: HomePod®, HomePod® 2、HomePod mini®, Apple TV® 4K 2021 (またはそれ以降)。* より良いMatter互換性を確保するために、iOS®デバイスを最新バージョンにアップデートすることをお勧めします。
- JSPAC4430を電源に接続し、リンクLEDが点滅し始めるまでファクトリリセットボタンを約5秒間押し続け、ます。(ベアリングモードは5分間アクティブになります。)




Matterに基づいてGoogle Home™に追加する

- 互換性を確認します:
 - A. スマートフォンにGoogle Home™アプリが必要です (Android™: 3.3.1.4以降、iOS®: 3.3.104以降)。
 - B. Matter対応デバイス: Nest Audio™、Nest Hub™、Nest Hub™ (第2世代)、Nest Hub Max™、Nest Mini™、Nest™ WiFi® Pro。* Matterとの互換性を高めるために、Google Home™デバイスを最新バージョンに更新することをお勧めします。
- JSPAC4430を電源に接続し、リンクLEDが点滅し始めるまでファクトリリセットボタンを約5秒間押し続け、ます。(ベアリングモードは5分間アクティブになります。)
- Google Home™アプリを起動します。
 - A. デバイスページに移動し、「+追加」をタップし、「Matter対応デバイス」を選択します。JSPAC4430の底部にあるセットアップ用QRコードをスキャンします。





- Google Home™アプリがデバイスを追加するまで待ち、アプリの指示に従って設定を完了します。



Matterに基づいたセットアップに問題がありますか?

- 次の点を確認すれば、ほとんどのセットアップ上の問題は解決します。
- スマートホームコントローラとアプリがMatterをサポートするように更新されていることを確認します。
 - 5 GHzネットワークに接続している場合、セットアップ時にインターネットアクセス可能な2.4 GHz Wi-Fi®ネットワークに切り替えます。(Matterデバイスは2.4 GHz Wi-Fi®接続のみサポートしています)
 - Matterコントローラとスマートフォンを再起動し、JSPAC4430をファクトリリセットします。

壁面取り付けガイド



功能特色

- Matter 認證・相容多個智慧家庭平台。
- 搭配Apple® HomePod®・Google Home™・Amazon Alexa® 和 Samsung® SmartThings™，可支援遠端與語音控制
- 配備 4 個 AC 插座和 30W 4 埠 USB™ GaN 充電器 (1 個 USB-C® 和 3 個 USB™ Type-A)，可同時為多個設備供電和充電。
- 4.9 英尺/1.5 公尺 AC 美規電源線・具備 500J 的焦耳額定值。
- 額定輸入:~125Vac / 60Hz・額定電流 15A 最大值。
- 電量分配說明:

USB-C® 1	Type-A 1	Type-A 2	Type-A 3	總輸出
30W				30W
	18W			18W
		5V~2A (10W)		10W
			5V~2A (10W)	10W
20W	A1 or A2 or A3: 5V~2A (10W)			30W
	A1+A2 or A1+A3 or A2+A3: 5V~2A (10W)			10W
20W	A1+A2 or A1+A3 or A2+A3: 5V~2A (10W)			30W
	A1+A2+A3: 5V~2A (10W)			10W
20W	A1+A2+A3: 5V~2A (10W)			30W

設定您的智慧電源延長線

開始前: 作為一個 Matter 認證的設備，您需要一個 Matter 控制器 (例如 HomePod mini®・Google® Nest Mini™・Echo Dot™) 以及相同生態系統的智慧家庭應用程式來進行遠端控制。以下是如何透過 Matter 與常見智慧家庭系統 (如 Alexa®・Apple® 和 Google®) 進行設定的方法。


Alexa®智慧家庭的設置方式

- 檢查相容性:
 - A. Alexa® App 需更新至2023.15之後的版本
 - B. 支援Matter的Alexa®裝置列表:

裝置	型號版本
Echo™/Echo Dot™	5th Gen: Echo Dot™, Echo Dot™ (Gen 5 with Clock) 4th Gen: Echo™, Echo Dot™, Echo Dot™ (Gen 4 with Clock) 3rd Gen: Echo™, Echo Dot™, Echo Dot™ (Gen 3 with Clock)
Echo Show™	3rd Gen: Echo Show™ 10, Echo Show™ 15 2nd Gen: Echo Show™ 8, Echo Show™ 5 1st Gen: Echo Show™, Echo Show™ 8


*請將您的 Echo™ 裝置軟體更新至最新版本，以確保更好的 Matter 相容性。

- JSPAC4430連接至電源・打開 "電源總開關"，然後按住 "重置設定按鈕" 約5秒，直到 "Link燈" 開始閃爍。配對模式將持續5分鐘。
- 打開 Alexa® App
 - A. 前往裝置頁面・點擊「+」・選擇「Add Device」・然後選擇「Matter」




- B. 點擊「Yes」, 然後點擊「Scan QR code」, 並掃描Matter QR 碼 (位於 JSPAC4430 底部)。現在只需等待App完成設置。

*在某些情況下，可能會出現 Wi-Fi® 連接設定頁面，請選擇 Wi-Fi® 連接並按照Alexa® App的指示完成設置。



Apple® HomeKit® の設定方式


- 檢查相容性:
 - A. iOS® 系統:16.6 或更高版本。
 - B. 支援 Matter 的裝置: HomePod®・HomePod® 2・HomePod mini®・Apple TV® 4K 2021 (或更新版本)。*建議將您的 iOS® 裝置更新至最新版本，以確保更好的 Matter 相容性。
- 將 JSPAC4430連接至電源・打開 "電源總開關"，然後按住 "重置設定按鈕" 約5秒，直到 "Link燈" 開始閃爍。配對模式將持續5分鐘。




Google Home™の設定方式

- 檢查相容性:
 - A. 您的智慧型手機需要安裝 Google Home™ App (Android™: 3.3.1.4 或更高版本; iOS®: 3.3.104 或更高版本)。
 - B. 支援 Matter 的裝置: Nest Audio™・Nest Hub™・Nest Hub™ (第二代)・Nest Hub Max™・Nest Mini™・Nest™ WiFi® Pro。*建議將您的 Google Home™ 裝置更新至最新版本，以確保更好的 Matter 相容性。

- JSPAC4430連接至電源・打開 "電源總開關"，然後按住 "重置設定按鈕" 約5秒，直到 "Link燈" 開始閃爍。配對模式將持續5分鐘。
- 打開 Google Home™ App
 - A. 前往裝置頁面・點擊「+ 新增」・然後選擇「支援 Matter 的裝置」・掃描Matter QR Code (位於 JSPAC4430 底部)。



- 等待 Google Home™ App 添加裝置，並按照App中的指示完成設定。




無法配對成功?

請確認以下步驟來解決常見的設定問題:

- 請確認您的智慧家庭控制器和應用程式支援 Matter®
- 若連接到 5 GHz 網路，請在設定時切換到具有網際網路存取 2.4 GHz Wi-Fi® 網路。(Matter 裝置僅支援 2.4 GHz Wi-Fi® 連線)
- 重新啟動您的智慧家庭控制器和智慧型手機，然後將 JSPAC4430 恢復出廠設定。

掛牆安裝指引



修改日期：2024-10-07

製作版本：V2版-C

客戶名稱：j5create

產品名稱：JSPAC4430

需求內容：QIG

成型尺寸：110x180mm

展開尺寸：440x360mm

材 質：70p模造紙(白底朝外)

黑白雙面印刷W折後對折