



## 7. Test of Conducted Spurious Emission


### 7.1 Test Limit

Below  $-20\text{dB}$  of the highest emission level of operating band (In 100 kHz Resolution Bandwidth)

### 7.2 Test Procedure

- The transmitter output was connected to the spectrum analyzer via a low loss cable.
- Set RBW of spectrum analyzer to 100 KHz and VBW of spectrum analyzer to 300 KHz with convenient frequency span including 100 KHz bandwidth from band edge.
- Peak conducted output power measured within any 100 kHz outside the authorized frequency band shall be attenuated by at least 20dB relative to the maximum measured in-band peak PSD level.
- The band edges was measured and recorded.

### 7.3 Test Setup Layout





### 7.4 Test Result and Data



Note: Test plots refers to the following pages.





Modulation Standard: 802.11b  
Channel: 01



Modulation Standard: 802.11b  
Channel: 06





Modulation Standard: 802.11b  
Channel: 11









Modulation Standard: 802.11g  
Channel: 01



Modulation Standard: 802.11g  
Channel: 06





Modulation Standard: 802.11g  
Channel: 11









Modulation Standard: 802.11n HT20  
Channel: 01



Modulation Standard: 802.11n HT20  
Channel: 06





Modulation Standard: 802.11n HT20  
Channel: 11









Modulation Standard: 802.11n HT40  
Channel: 03



Modulation Standard: 802.11n HT40  
Channel: 06



Modulation Standard: 802.11n HT40  
Channel: 09





## 8. On Time, Duty Cycle and Measurement methods


### 8.1 Test Limit

None; for reporting purposes only.

### 8.2 Test Procedure

Zero-Span Spectrum Analyzer Method.

### 8.3 Test Setup Layout




### 8.4 Test Result and Data

Modulation Type	On Time (ms)	Period Time (ms)	Duty Cycle (%)
11b	100.000	100.000	100.00%
11g	100.000	100.000	100.00%
11n HT20	100.000	100.000	100.00%
11n HT40	100.000	100.000	100.00%







## Modulation Type: 802.11b(1Mbps)




## Modulation Type: 802.11g(6Mbps)



## Modulation Type: 802.11n HT20(6.5Mbps)



## Modulation Type: 802.11n HT40(13.5Mbps)





## 9. 6dB Bandwidth Measurement Data


### 9.1 Test Limit

The minimum of 6dB Bandwidth Measurement is 0.5 MHz.

### 9.2 Test Procedures

- The transmitter output was connected to the spectrum analyzer.
- Set RBW of spectrum analyzer to 100 KHz and VBW to 300 KHz.
- Set spectrum analyzer X dB to 6 dB.
- Set spectrum analyzer peak detector with maximum hold.

### 9.3 Test Setup Layout




**9.4 Test Result and Data**


Modulation Type	Channel	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (MHz)
802.11b	01	2412	10.13	0.5
	06	2437	10.15	0.5
	11	2462	10.14	0.5
802.11g	01	2412	16.60	0.5
	06	2437	16.61	0.5
	11	2462	16.61	0.5
802.11n HT20	01	2412	17.81	0.5
	06	2437	17.83	0.5
	11	2462	17.83	0.5
802.11n HT40	03	2422	36.56	0.5
	06	2437	36.56	0.5
	09	2452	36.55	0.5




Modulation Type: 802.11b  
CH01




Modulation Type: 802.11g  
CH01




CH06




CH06



CH11




CH11







Modulation Type: IEEE 802.11n HT20  
CH01




Modulation Type: IEEE 802.11n HT40  
CH03




CH06




CH06



CH11



CH09





## 10. Maximum Peak Output Power


### 10.1 Test Limit

The Maximum Peak Output Power Measurement is 30dBm.

### 10.2 Test Procedures

The antenna port (RF output) of the EUT was connected to the input (RF input) of a power meter. Power was read directly from the meter and cable loss connection was added to the reading to obtain power at the EUT antenna terminal. The EUT Output Power was set to maximum to produce the worse case test result.

### 10.3 Test Setup Layout



**10.4 Test Result and Data**

Modulation Type	Channel	Frequency (MHz)	Conducted (peak) output power	Total PK power (dBm)	Total peak power (mW)	Power Limit (dBm)
11b	1	2412	17.710	17.710	59.020	30.00
	6	2437	17.240	17.240	52.966	30.00
	11	2462	16.910	16.910	49.091	30.00
11g	1	2412	23.580	23.580	228.034	30.00
	6	2437	23.030	23.030	200.909	30.00
	11	2462	22.990	22.990	199.067	30.00
11n HT20	1	2412	22.530	22.530	179.061	30.00
	6	2437	23.200	23.200	208.930	30.00
	11	2462	22.790	22.790	190.108	30.00
11n HT40	3	2422	22.190	22.190	165.577	30.00
	6	2437	23.200	23.200	208.930	30.00
	9	2452	22.770	22.770	189.234	30.00



## 11. Power Spectral Density

### 11.1 Test Limit


The Maximum of Power Spectral Density Measurement is 8dBm.

If transmitting antennas of directional gain greater than 6 dBi are used, the power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi

### 11.2 Test Procedures

- The transmitter output was connected to spectrum analyzer.
- The spectrum analyzer's resolution bandwidth were set at 3kHz RBW and 10KHz VBW as that of the fundamental frequency. Set the sweep time=auto couple.
- The power spectral density was measured and recorded.

### 11.3 Test Setup Layout






**11.4 Test Result and Data**


Modulation Type	Channel	Frequency (MHz)	Maximum Power Density of 3KHz Bandwidth (dBm)	Duty Cycle CF(dB)	Total PSD (dBm)	Limit (dBm)
11b	1	2412	-9.772	0.00	-9.772	8.00
	6	2437	-10.032	0.00	-10.032	8.00
	11	2462	-10.777	0.00	-10.777	8.00
11g	1	2412	-5.267	0.00	-5.267	8.00
	6	2437	-5.713	0.00	-5.713	8.00
	11	2462	-6.048	0.00	-6.048	8.00
11n HT20	1	2412	-5.059	0.00	-5.059	8.00
	6	2437	-5.750	0.00	-5.750	8.00
	11	2462	-6.025	0.00	-6.025	8.00
11n HT40	3	2422	-5.235	0.00	-5.235	8.00
	6	2437	-5.687	0.00	-5.687	8.00
	9	2452	-5.921	0.00	-5.921	8.00




Modulation Type: 802.11b  
CH01




Modulation Type: 802.11g  
CH01




CH06




CH06





CH11




CH11




Modulation Type: 802.11n HT20  
CH01Modulation Type: 802.11n HT40  
CH03


## CH06




## CH06



## CH11



## CH09



----- End of the report -----