

◆ User'Manual

◆ Specification Instructions

- ※ USB Charging input voltage: 5V [500MA current].
- ※ Speaker Specifications (Φ40MM unit / 4ohms / 3.5W bandwidth; [90HZ-20KHZ] sensitivity; IK (85dB)
- ※ Speakers rated power output 3W (Max)
- ※ Lithium battery capacity: 3.7V/300mAh; maximum power play time: approximately
- ※ Maximum Power Distortion: 7%
- ※ Signal-to-noise ratio: 90HZ-20K/65dB
- ※ Abide by Bluetooth V3.0 + EDR Bluetooth specification
- ※ With SBC \ MP3 \ AAC audio decoding function
- ※ Compatible A2DP \ AVRCP high-quality stereo audio transmission with long-range control agreement
- ※ Support phone Bluetooth hands-free function
- ※ Embedded Kalimba DSP data processor, to complete a variety of digital speech processing. Noise elimination circuit.
- ※ Bluetooth work for the global universal of the 2.4GHz ISM, the band of the (2.4000GHZ - 2.4835GHZ)
- ※ the wireless effective transmission distance up to within 10 meters
- * Operating Temperature: -10----40 degrees

◆ Operating Instructions

※ Boot matching

1. After 2 seconds Long press [▷II] button and the starting up tone then release the button, the blue lights start fast flashing and the device enters matching status automatically. Perform the matching procedure on the Bluetooth device. The matching named "BTS-280"
2. The detection equipment list will be displayed on the Bluetooth stereo audio equipment. Selecting the device of the "BTS-280" to perform matching, the matching processing, the machine emits a tone and blue long-lighting state, signify the matching is successful.
3. The last connected devices in memory and reboot the device by the short press the [▷II] button every time, the device will connect to the last successful matching devices automatically.

☆: If cannot connect successes, Please turn off first, then turn on and connect again

4. When the device is connected to the Bluetooth stereo audio device, if it need to connect a new Bluetooth stereo audio equipment, please exit the recent connected devices and set to [Off] mode. Then do the long press the [▷II] button asl second to enter the matching state, signify the matching is successful.

※ Play

When device is connected and press the [▷II] key once or click the play button once, the device enters the music playback status, if you want to pause playback, just short pressing the play button once.

※ play the previous

While playing music status, short press the [←II] key and it will enter the previous playing status.

※ play the next song

While playing music status, short press the [▷+] key and it will enter the previous playing status..

※ Volume +


Play music state; long press [▷+] key, blue light flashes fasting.

※ Volume -

Play music state, long press [←+] key, blue light flashes fasting.

※ Turn off

1. Long press the [▷II] key for 3 seconds to enter the off state, after the tone and blue light goes off while the device enter the off state automatically.
2. When the power is low, the device will enter the off state automatically.



FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.