FCC ID: 2ADAC-NEON42C-4 Page 1 of 15


### **Environmental Conditions**


Temperature:	21.3° C
Relative Humidity:	52.9%
ATM Pressure:	100.0 kPa
Test Engineer:	Mina.xu
Supervised by:	Tom.Liu

## Appendix A): 6dB Bandwidth

#### **Test Result**

Mode	Channel	6dB Bandwidth [MHz]	Verdict
BLE	LCH	0.6797	PASS
BLE	MCH	0.6781	PASS
BLE	HCH	0.6728	PASS







FCC ID: 2ADAC-NEON42C-4 Page 3 of 15

## Appendix B): Conducted Peak Output Power

#### **Test Result**

Mode	Channel	Conduct Peak Power[dBm]	Limit[dBm]	Verdict
BLE	LCH	1.61	30	PASS
BLE	MCH	1.618	30	PASS
BLE	HCH	2.141	30	PASS






FCC ID: 2ADAC-NEON42C-4 Page 5 of 15

## Appendix C): Band-edge for RF Conducted Emissions

#### **Result Table**

1100011111011111									
Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict				
BLE	LCH	0.862	-50.644	-19.14	PASS				
BLE	HCH	-1.591	-49.541	-21.59	PASS				





FCC ID: 2ADAC-NEON42C-4 Page 6 of 15


# Appendix D): RF Conducted Spurious Emissions


#### **Result Table**


Mode	Channel	Pref [dBm]	Puw[dBm]	Verdict
BLE	LCH	0.665	<-19.34	PASS
BLE	мсн	-0.426	<-20.43	PASS
BLE	НСН	-1.666	<-21.67	PASS












FCC ID: 2ADAC-NEON42C-4

Page 9 of 15





FCC ID: 2ADAC-NEON42C-4 Page 10 of 15

## **Appendix E): Power Spectral Density**

#### **Result Table**

Mode	Channel	PSD [dBm]	Verdict
BLE	LCH	-13.859	PASS
BLE	MCH	-15.061	PASS
BLE	HCH	-16.198	PASS






FCC ID: 2ADAC-NEON42C-4 Page 12 of 15

# Appendix F):Restrict-band band-edge measurements


### **Result Table**

Test Mod e	Test Chan nel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detect or	Limit [dBu V/m]	Ver
BLE	2402	Ant1	2310.0	-44.02	2	0	51.24	PEAK	74	PASS
BLE	2402	Ant1	2310.0	-54.26	2	0	41.00	AV	54	PASS
BLE	2402	Ant1	2390.0	-44.54	2	0	50.71	PEAK	74	PASS
BLE	2402	Ant1	2390.0	-54.04	2	0	41.22	AV	54	PASS
BLE	2480	Ant1	2483.5	-42.96	2	0	52.30	PEAK	74	PASS
BLE	2480	Ant1	2483.5	-53.78	2	0	41.48	AV	54	PASS
BLE	2480	Ant1	2500.0	-42.98	2	0	52.27	PEAK	74	PASS
BLE	2480	Ant1	2500.0	-53.66	2	0	41.60	AV	54	PASS

Page 13 of 15



FCC ID: 2ADAC-NEON42C-4



FCC ID: 2ADAC-NEON42C-4 Page 15 of 15

# **Appendix G):Duty Cycle**

#### **Result Table**

Test Mode	Test	Ant	Duty Cycle[%]	Verdict
BLE	2440	Ant1	100	PASS

