

Test of HBM T12 type S3 to 47 CFR 15.225

ANNEX 1 TO TEST REPORT # EMCC-040197BHAA, 2015-09-04

PHOTOGRAPHS OF TEST SET-UP

EQUIPMENT UNDER TEST:

Trade Name:	T12
Type Designation(s):	S3
Serial Number:	161030037 (Rotor); 182870048 (Stator)
Equipment Class:	Low Power Transceiver
Manufacturer:	Hottinger Baldwin Messtechnik GmbH
Address:	Im Tiefen See 45 64293 Darmstadt Germany
Phone:	+49 6151 803-681
Fax:	+49 6151 803-98790

RELEVANT STANDARD(S): 47 CFR 15.225


MEASUREMENT PROCEDURE:

RSS-Gen Issue 3
 ANSI C63.10-2009
 Other


CONTENTS	Page
1 Radiated and conducted Emissions test.....	2
2 Carrier frequency stability.....	3

Test of HBM T12 type S3 to 47 CFR 15.225


1 RADIATED AND CONDUCTED EMISSIONS TEST




Radiated emissions measurement at 3 m distance
9 kHz – 30 MHz



Radiated emissions measurement at 3 m distance,
30 MHz – 150 MHz




Conducted emissions measurement
150 kHz – 30 MHz



Conducted emissions measurement
150 kHz – 30 MHz

Test of HBM T12 type S3 to 47 CFR 15.225

2 CARRIER FREQUENCY STABILITY



Test setup



Detailed view inside climatic chamber

intentionally left blank

intentionally left blank