

ANNEX 3 TO TEST REPORT # EMCC-040197.1G, 2021-02-02**PHOTOGRAPHS OF ANCILLARY EQUIPMENT****EQUIPMENT UNDER TEST:**


Trade Name:	Torque meter T40CB
Type, Serial Number(s):	T40CB S2, Rotor: 23444018, Stator: 233670005
Application:	Low Power Transceiver
FCC ID:	2ADAT-T40S2TOS6
ISED IC:	12438A-T40S2TOS6
Manufacturer:	Hottinger Brüel & Kjaer GmbH
Address:	Im Tiefen See 45 64293 Darmstadt Germany
Phone:	+49 6151 803 8790
E-Mail:	Gesa.Biegling@hbkworld.com

RELEVANT STANDARD(S) : 47 CFR § 15.203, § 15.207, § 15.209
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5

MEASUREMENT PROCEDURE:☒ ANSI C63.10-2013☒ SPR-002 Issue 1**ILLUSTRATION LIST ANNEX 3**

Photograph A3-1: Data cable termination box, view 1	2
Photograph A3-2: Connection cable from data cable termination box to stator unit	2
Photograph A3-3: Power supply TRIO-PS/1AC/24DC/5, side view	3
Photograph A3-4: Power supply TRIO-PS/1AC/24DC/5, front view	3
Photograph A3-5: Power supply TRIO-PS/1AC/24DC/5, label	4

Test on Hottinger Brüel & Kjaer GmbH T40CB S2 to 47 CFR § 15.203, § 15.207, § 15.209 and
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5




Photograph A3-1: Data cable termination box, view 1



Photograph A3-2: Connection cable from data cable termination box to stator unit

Test on Hottinger Brüel & Kjaer GmbH T40CB S2 to 47 CFR § 15.203, § 15.207, § 15.209 and
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5



Photograph A3-3: Power supply TRIO-PS/1AC/24DC/5, side view



Photograph A3-4: Power supply TRIO-PS/1AC/24DC/5, front view

Test on Hottinger Brüel & Kjaer GmbH T40CB S2 to 47 CFR § 15.203, § 15.207, § 15.209 and
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5



Photograph A3-5: Power supply TRIO-PS/1AC/24DC/5, label