

RFID Reader




RFID讀棒(RFID Reader)

RFID讀棒


讀棒規格	類型	手持型
	介面方式	USB
	外形尺寸	200mm * 30mm * 30mm
	重量	200 g
	數據線長度	2米 / 3米
讀棒參數	頻率	13.56MHZ
	最大讀 / 寫範圍	< 10mm
	防水/油功能	IP64

- ✓ 不用驅動程式，不用外接DC電源(隨插即用)
- ✓ CE認證
- ✓ 抗EMI處理
- ✓ 13.56MHZ



Reader specifications	Type	Handheld
	Interface	USB
	Dimensions	200mm * 30mm * 30mm
	Weight	200 g
	Length	2 meter / 3 meter
Reader parameter	Frequency	13.56MHZ
	Range	< 10mm
	IP Code	IP64

- ✓ No drivers needed
- ✓ No external DC power needed (plug and use)
- ✓ CE Certification
- ✓ Anti-EMI treatment
- ✓ 13.56MHZ



Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.