


ANTENNA SPECIFICATION

Summary

ITEM	ANT SPEC					
Model Name	PCB Antenna					
Center Frequency	Horizontal			Vertic		
	2400M	2450M	2500M	2400M	2450M	2500M
	-1.57	-0.83	-0.3	-6.4	-3.53	-2.42
MAX. Gain	-0.3dBi					
Polarizatio	Horizontal and Vertical					
Azimuth Beam	Omni-directional					
Impedance	50 Ohm					
Antenna Length	30.8mm					
Manufacture	Huizhou Dingcheng Xinyi Electronics Co., Ltd					
Address	4th Floor, Building 606, Lianhu Industrial Zone, Yangcun Town, Boluo County, Huizhou City					


Antenna Photo & Length(mm)



Horizontal:2400MHz 2450MHz 2500MHz

Power (dBm)

Max:0 Min:-40 Scale:5/div




Frequency (MHz) (MHz)	Gain (dB)		
	Max	Min	Avg
2400	-1.75168	-30.0717	-8.45237
2450	-0.83632	-38.4975	-7.86975
2500	-0.30027	-24.0188	-6.77921

Vertical:2400MHz 2450MHz 2500MHz

Power (dBm)

Max:0 Min:-30 Scale:5/div



Frequency (MHz) (MHz)	Gain (dB)		
	Max	Min	Avg
2400	-6.1318	-24.1497	-13.0331
2450	-3.7495	-26.5492	-10.6795
2500	-2.3976	-30.4803	-9.7529