


CN23S9B0 (P15C-433.92M) 001
CN23S9B0 (FCC-MPE) 001
CN2350F1 (RSS210-433.92M) 001
CN2350F1 (ISED-MPE) 001

Page 1 of 6


Product: EV77V90A

Type Identification: ATAB8510B-V2.0

ATA8510B-V2.0 TRX device (20kByte user flash memory, not used for certification)



ATA5831-XPRO TRX device (20kByte user flash memory, not used for certification)




CN23S9B0 (P15C-433.92M) 001
CN23S9B0 (FCC-MPE) 001
CN2350F1 (RSS210-433.92M) 001
CN2350F1 (ISED-MPE) 001

Page 2 of 6


Product: EV77V90A

Type Identification: ATAB8510B-V2.0

ATA5833, ATA8515 TRX device without user flash memory



ATA8710 TX only device (20kByte user flash memory not used for certification)





CN23S9B0 (P15C-433.92M) 001
CN23S9B0 (FCC-MPE) 001
CN2350F1 (RSS210-433.92M) 001
CN2350F1 (ISED-MPE) 001

Page 3 of 6

Product: EV77V90A

Type Identification: ATAB8510B-V2.0



CN23S9B0 (P15C-433.92M) 001
CN23S9B0 (FCC-MPE) 001
CN2350F1 (RSS210-433.92M) 001
CN2350F1 (ISED-MPE) 001

Page 4 of 6

Product: EV77V90A

Type Identification: ATAB8510B-V2.0

