

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test for Taitien Crystal


Band Edges, 2.31GHz ~ 2.5GHz

802.11b


Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2387.38	40.74	3.62	37.12	54.00	-13.26	308	46	Average	Horizontal	
2 *	2412.00	92.81	55.52	37.29	54.00	38.81	308	46	Average	Horizontal	
3	2489.69	41.78	4.26	37.52	54.00	-12.22	308	46	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2328.48	44.26	7.54	36.72	54.00	-9.74	100	289	Average	Vertical	
2 *	2412.00	98.52	61.23	37.29	54.00	44.52	100	289	Average	Vertical	
3	2489.84	43.12	5.60	37.52	54.00	-10.88	100	289	Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2310.48	54.82	18.16	36.66	74.00	-19.18	166	172	Peak	Horizontal	
2 *	2437.00	96.05	58.63	37.42	74.00	22.05	166	172	Peak	Horizontal	
3	2499.18	54.71	17.19	37.52	74.00	-19.29	166	172	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.01	57.95	20.88	37.07	74.00	-16.05	100	289	Peak	Vertical	
2 *	2437.00	102.85	65.43	37.42	74.00	28.85	100	289	Peak	Vertical	
3	2497.91	56.21	18.69	37.52	74.00	-17.79	100	289	Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2313.33	41.89	5.21	36.68	54.00	-12.11	166	172	Average	Horizontal		
2 *	2437.00	93.03	55.61	37.42	54.00	39.03	166	172	Average	Horizontal		
3	2485.04	41.48	3.97	37.51	54.00	-12.52	166	172	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2311.90	47.51	10.84	36.67	54.00	-6.49	100	289	Average	Vertical		
2 *	2437.00	99.79	62.37	37.42	54.00	45.79	100	289	Average	Vertical		
3	2493.64	41.85	4.33	37.52	54.00	-12.15	100	289	Average	Vertical		

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2312.76	54.90	18.22	36.68	74.00	-19.10	158	128	Peak	Horizontal		
2 *	2462.00	93.01	55.52	37.49	74.00	19.01	158	128	Peak	Horizontal		
3	2490.98	55.30	17.78	37.52	74.00	-18.70	158	128	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2315.61	57.09	20.41	36.68	74.00	-16.91	107	289	Peak	Vertical		
2 *	2462.00	99.49	62.00	37.49	74.00	25.49	107	289	Peak	Vertical		
3	2484.09	56.01	18.50	37.51	74.00	-17.99	107	289	Peak	Vertical		

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2314.99	41.01	4.33	36.68	54.00	-12.99	158	128	Average	Horizontal		
2 *	2462.00	89.96	52.47	37.49	54.00	35.96	158	128	Average	Horizontal		
3	2493.02	41.40	3.88	37.52	54.00	-12.60	158	128	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2315.08	46.76	10.08	36.68	54.00	-7.24	107	289	Average	Vertical		
2 *	2462.00	96.41	58.92	37.49	54.00	42.41	107	289	Average	Vertical		
3	2497.48	41.69	4.17	37.52	54.00	-12.31	107	289	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2381.01	63.01	25.95	37.06	74.00	-10.99		350	45	Peak	Horizontal	
2 *	2412.00	97.03	59.74	37.29	74.00	23.03		350	45	Peak	Horizontal	
3	2495.06	55.72	18.20	37.52	74.00	-18.28		350	45	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 !	2384.10	73.85	36.77	37.08	74.00	-0.15		100	290	Peak	Vertical	
2 *	2412.00	102.18	64.89	37.29	74.00	28.18		100	290	Peak	Vertical	
3	2493.64	56.98	19.46	37.52	74.00	-17.02		100	290	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2388.71	41.23	4.10	37.13	54.00	-12.77	350	45	Average	Horizontal	
2 *	2412.00	85.91	48.62	37.29	54.00	31.91	350	45	Average	Horizontal	
3	2493.16	41.93	4.41	37.52	54.00	-12.07	350	45	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2389.99	43.47	6.33	37.14	54.00	-10.53	100	290	Average	Vertical	
2 *	2412.00	91.13	53.84	37.29	54.00	37.13	100	290	Average	Vertical	
3	2489.84	42.20	4.68	37.52	54.00	-11.80	100	290	Average	Vertical	


802.11g

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.40	54.70	17.65	37.05	74.00	-19.30		176	181	Peak	Horizontal	
2 *	2437.00	101.91	64.49	37.42	74.00	27.91		176	181	Peak	Horizontal	
3	2488.60	55.23	17.72	37.51	74.00	-18.77		176	181	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.95	63.90	26.78	37.12	74.00	-10.10		100	290	Peak	Vertical	
2 *	2437.00	108.23	70.81	37.42	74.00	34.23		100	290	Peak	Vertical	
3	2484.47	59.19	21.68	37.51	74.00	-14.81		100	290	Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.85	41.65	4.51	37.14	54.00	-12.35		176	181	Average	Horizontal	
2 *	2437.00	90.92	53.50	37.42	54.00	36.92		176	181	Average	Horizontal	
3	2495.96	42.06	4.54	37.52	54.00	-11.94		176	181	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2318.33	46.78	10.12	36.66	54.00	-7.22		100	290	Average	Vertical	
2 *	2437.00	97.83	60.41	37.42	54.00	43.83		100	290	Average	Vertical	
3	2492.83	42.55	5.03	37.52	54.00	-11.45		100	290	Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2311.57	54.51	17.84	36.67	74.00	-19.49		306	49	Peak	Horizontal	
2 *	2462.00	95.76	58.27	37.49	74.00	21.76		306	49	Peak	Horizontal	
3	2486.18	55.77	18.26	37.51	74.00	-18.23		306	49	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.19	59.26	22.13	37.13	74.00	-14.74		100	289	Peak	Vertical	
2 *	2462.00	101.98	64.49	37.49	74.00	27.98		100	289	Peak	Vertical	
3	2487.84	67.58	30.07	37.51	74.00	-6.42		100	289	Peak	Vertical	

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2313.37	41.12	4.44	36.68	54.00	-12.88		306	49	Average	Horizontal	
2 *	2462.00	85.41	47.92	37.49	54.00	31.41		306	49	Average	Horizontal	
3	2492.16	41.90	4.38	37.52	54.00	-12.10		306	49	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2312.33	45.99	9.32	36.67	54.00	-8.01		100	289	Average	Vertical	
2 *	2462.00	91.74	54.25	37.49	54.00	37.74		100	289	Average	Vertical	
3	2483.71	43.91	6.40	37.51	54.00	-10.09		100	289	Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.75	65.90	28.76	37.14	74.00	-8.10	307	45	Peak	Horizontal		
2 *	2412.00	95.11	57.82	37.29	74.00	21.11	307	45	Peak	Horizontal		
3	2486.37	54.92	17.41	37.51	74.00	-19.08	307	45	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.38	72.00	34.90	37.10	74.00	-2.00	100	290	Peak	Vertical		
2 *	2412.00	101.00	63.71	37.29	74.00	27.00	100	290	Peak	Vertical		
3	2486.32	55.68	18.17	37.51	74.00	-18.32	100	290	Peak	Vertical		

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.81	41.11	3.99	37.12	54.00	-12.89		307	45	Average	Horizontal	
2 *	2412.00	84.19	46.90	37.29	54.00	30.19		307	45	Average	Horizontal	
3	2491.12	41.93	4.41	37.52	54.00	-12.07		307	45	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	43.30	6.16	37.14	54.00	-10.70		100	290	Average	Vertical	
2 *	2412.00	89.95	52.66	37.29	54.00	35.95		100	290	Average	Vertical	
3	2487.22	42.28	4.77	37.51	54.00	-11.72		100	290	Average	Vertical	


802.11n HT20

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2377.12	59.51	22.48	37.03	74.00	-14.49		176	171	Peak	Horizontal	
2 *	2437.00	100.56	63.14	37.42	74.00	26.56		176	171	Peak	Horizontal	
3	2489.65	55.08	17.56	37.52	74.00	-18.92		176	171	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.85	63.23	26.10	37.13	74.00	-10.77		100	289	Peak	Vertical	
2 *	2437.00	107.93	70.51	37.42	74.00	33.93		100	289	Peak	Vertical	
3	2496.53	60.80	23.28	37.52	74.00	-13.20		100	289	Peak	Vertical	

802.11n HT20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2310.05	41.78	5.12	36.66	54.00	-12.22		176	171	Average	Horizontal	
2 *	2437.00	89.98	52.56	37.42	54.00	35.98		176	171	Average	Horizontal	
3	2483.98	41.92	4.41	37.51	54.00	-12.08		176	171	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2310.86	46.14	9.47	36.67	54.00	-7.86		100	289	Average	Vertical	
2 *	2437.00	97.46	60.04	37.42	54.00	43.46		100	289	Average	Vertical	
3	2491.97	42.78	5.26	37.52	54.00	-11.22		100	289	Average	Vertical	

802.11n HT20

High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2334.04	54.50	17.76	36.74	74.00	-19.50	306	52	Peak	Horizontal	
2 *	2462.00	94.67	57.18	37.49	74.00	20.67	306	52	Peak	Horizontal	
3	2483.76	55.76	18.25	37.51	74.00	-18.24	306	52	Peak	Horizontal	

High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.80	59.48	22.35	37.13	74.00	-14.52	100	289	Peak	Vertical	
2 *	2462.00	101.14	63.65	37.49	74.00	27.14	100	289	Peak	Vertical	
3	2486.18	65.33	27.82	37.51	74.00	-8.67	100	289	Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.24	40.92	3.83	37.09	54.00	-13.08		306	52	Average	Horizontal	
2 *	2462.00	84.02	46.53	37.49	54.00	30.02		306	52	Average	Horizontal	
3	2486.13	41.86	4.35	37.51	54.00	-12.14		306	52	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2311.14	44.80	8.13	36.67	54.00	-9.20		100	289	Average	Vertical	
2 *	2462.00	90.50	53.01	37.49	54.00	36.50		100	289	Average	Vertical	
3	2483.52	43.51	6.00	37.51	54.00	-10.49		100	289	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

Middle Channel(Open) 9kHz~150kHz

Middle Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	60.24	42.12	18.12	127.60	-67.36	100	264	Peak	Open		
2	0.03	46.73	26.71	20.02	118.05	-71.32	100	163	Peak	Open		
3	0.04	43.86	24.84	19.02	115.28	-71.42	100	171	Peak	Open		
4	0.06	40.39	22.34	18.05	111.72	-71.33	100	320	Peak	Open		
5	0.07	42.17	23.85	19.32	111.12	-68.95	100	159	Peak	Open		
6	0.08	37.02	18.83	18.19	109.30	-72.28	100	171	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.18	50.29	31.77	18.52	102.50	-52.21	100	146	Peak	Open		
2	0.42	48.49	29.82	18.67	95.17	-46.68	100	165	Peak	Open		
3	0.57	45.31	26.55	18.76	72.52	-27.21	100	161	Peak	Open		
4	1.79	34.54	15.71	18.83	69.50	-34.96	100	148	Peak	Open		
5	18.51	36.26	13.55	22.71	69.50	-33.24	100	183	Peak	Open		
6	24.75	36.85	13.77	23.08	69.50	-32.65	100	141	Peak	Open		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	44.55	23.50	29.66	-6.16	40.00	-16.50		223	0	Peak	Horizontal	
2	145.43	27.47	33.64	-6.17	43.50	-16.03		300	149	Peak	Horizontal	
3	239.52	30.89	37.40	-6.51	46.00	-15.11		100	141	Peak	Horizontal	
4	312.27	31.28	35.75	-4.47	46.00	-14.72		100	197	Peak	Horizontal	
5	707.06	33.81	30.50	3.23	46.00	-12.19		276	0	Peak	Horizontal	
6	845.77	35.62	30.53	5.09	46.00	-10.38		300	198	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	79.47	25.39	36.25	-10.86	40.00	-14.61		300	39	Peak	Vertical	
2	153.19	26.21	32.13	-5.92	43.50	-17.29		100	92	Peak	Vertical	
3	312.27	30.74	35.21	-4.47	46.00	-15.26		200	183	Peak	Vertical	
4	359.80	28.30	31.73	-3.43	46.00	-17.70		200	198	Peak	Vertical	
5	590.45	32.35	33.25	-0.90	46.00	-13.65		100	158	Peak	Vertical	
6	845.77	35.84	30.75	5.09	46.00	-10.16		200	168	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	38.48	49.21	-10.73	54.00	-15.52	100	10	Average	Horizontal		
2	4824.00	44.52	55.25	-10.73	74.00	-29.48	100	10	Peak	Horizontal		
3	12060.00	50.93	53.22	-2.29	54.00	-3.07	100	295	Average	Horizontal		
4	12060.00	56.38	58.67	-2.29	74.00	-17.62	100	295	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	44.81	55.54	-10.73	54.00	-9.19	318	360	Average	Vertical		
2	4824.00	48.41	59.14	-10.73	74.00	-25.59	318	360	Peak	Vertical		
3	12060.00	50.99	53.28	-2.29	54.00	-3.01	200	276	Average	Vertical		
4	12060.00	56.62	58.91	-2.29	74.00	-17.38	200	276	Peak	Vertical		

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	47.48	58.07	-10.59	54.00	-6.52	212	294	Average	Horizontal		
2	4874.00	49.87	60.46	-10.59	74.00	-24.13	212	294	Peak	Horizontal		
3	12185.00	53.52	55.56	-2.04	54.00	-0.48	100	295	Average	Horizontal		
4	12185.00	57.99	60.03	-2.04	74.00	-16.01	100	295	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	49.97	60.56	-10.59	54.00	-4.03	297	0	Average	Vertical		
2	4874.00	51.94	62.53	-10.59	74.00	-22.06	297	0	Peak	Vertical		
3	12185.00	53.77	55.81	-2.04	54.00	-0.23	282	277	Average	Vertical		
4	12185.00	58.18	60.22	-2.04	74.00	-15.82	282	277	Peak	Vertical		

802.11b

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	43.79	54.18	-10.39	54.00	-10.21		210	303	Average	Horizontal	
2	4924.00	47.72	58.11	-10.39	74.00	-26.28		210	303	Peak	Horizontal	
3	12318.00	49.88	51.71	-1.83	54.00	-4.12		100	294	Average	Horizontal	
4	12318.00	56.56	58.39	-1.83	74.00	-17.44		100	294	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	46.89	57.28	-10.39	54.00	-7.11		153	5	Average	Vertical	
2	4924.00	50.20	60.59	-10.39	74.00	-23.80		153	5	Peak	Vertical	
3	12318.00	48.59	50.42	-1.83	54.00	-5.41		184	276	Average	Vertical	
4	12318.00	54.62	56.45	-1.83	74.00	-19.38		184	276	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12060.00	50.30	52.59	-2.29	54.00	-3.70	100	295	Average	Horizontal	
2	12060.00	57.03	59.32	-2.29	74.00	-16.97	100	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12060.00	50.10	52.39	-2.29	54.00	-3.90	203	293	Average	Vertical	
2	12060.00	56.88	59.17	-2.29	74.00	-17.12	203	293	Peak	Vertical	

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	38.40	48.99	-10.59	54.00	-15.60		107	294	Average	Horizontal	
2	4874.00	52.27	62.86	-10.59	74.00	-21.73		107	294	Peak	Horizontal	
3	12185.00	50.26	52.30	-2.04	54.00	-3.74		211	0	Average	Horizontal	
4	12185.00	66.15	68.19	-2.04	74.00	-7.85		211	0	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	39.18	49.77	-10.59	54.00	-14.82		297	0	Average	Vertical	
2	4874.00	52.43	63.02	-10.59	74.00	-21.57		297	0	Peak	Vertical	
3	12185.00	50.95	52.99	-2.04	54.00	-3.05		175	277	Average	Vertical	
4	12185.00	66.31	68.35	-2.04	74.00	-7.69		175	277	Peak	Vertical	

802.11g

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12310.00	51.11	52.94	-1.83	54.00	-2.89	100	293	Average	Horizontal	
2	12310.00	56.79	58.62	-1.83	74.00	-17.21	100	293	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12310.00	48.76	50.59	-1.83	54.00	-5.24	195	295	Average	Vertical	
2	12310.00	55.76	57.59	-1.83	74.00	-18.24	195	295	Peak	Vertical	


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 12060.00	50.82	53.11	-2.29	54.00	-3.18	102	295	Average	Horizontal		
2 12060.00	57.40	59.69	-2.29	74.00	-16.60	102	295	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 12060.00	50.37	52.66	-2.29	54.00	-3.63	202	292	Average	Vertical		
2 12060.00	56.05	58.34	-2.29	74.00	-17.95	202	292	Peak	Vertical		

802.11n HT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	37.76	48.35	-10.59	54.00	-16.24	108	295	Average	Horizontal		
2	4874.00	52.09	62.68	-10.59	74.00	-21.91	108	295	Peak	Horizontal		
3	12185.00	52.31	54.35	-2.04	54.00	-1.69	100	295	Average	Horizontal		
4	12185.00	67.68	69.72	-2.04	74.00	-6.32	100	295	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	38.90	49.49	-10.59	54.00	-15.10	297	0	Average	Vertical		
2	4874.00	53.66	64.25	-10.59	74.00	-20.34	297	0	Peak	Vertical		
3	12185.00	50.89	52.93	-2.04	54.00	-3.11	282	277	Average	Vertical		
4	12185.00	66.38	68.42	-2.04	74.00	-7.62	282	277	Peak	Vertical		

802.11n HT20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12310.00	51.24	53.07	-1.83	54.00	-2.76	100	293	Average	Horizontal	
2	12310.00	56.19	58.02	-1.83	74.00	-17.81	100	293	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12310.00	48.96	50.79	-1.83	54.00	-5.04	195	295	Average	Vertical	
2	12310.00	54.62	56.45	-1.83	74.00	-19.38	195	295	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 658-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	27.72	18.09	9.63	55.30	-27.58	Average	line1	
2	0.16	45.05	35.42	9.63	65.30	-20.25	QP	line1	
3	0.24	18.97	9.34	9.63	52.07	-33.10	Average	line1	
4	0.24	33.85	24.22	9.63	62.07	-28.22	QP	line1	
5	1.49	18.71	9.06	9.65	46.00	-27.29	Average	line1	
6	1.49	22.66	13.01	9.65	56.00	-33.34	QP	line1	
7	3.59	19.65	9.97	9.68	46.00	-26.35	Average	line1	
8	3.59	24.46	14.78	9.68	56.00	-31.54	QP	line1	
9	5.65	21.02	11.32	9.70	50.00	-28.98	Average	line1	
10	5.65	26.02	16.32	9.70	60.00	-33.98	QP	line1	
11	25.83	27.33	17.63	9.70	50.00	-22.67	Average	line1	
12	25.83	32.39	22.69	9.70	60.00	-27.61	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 658-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	27.50	17.86	9.64	55.67	-28.17	Average	neutral	
2	0.16	45.30	35.66	9.64	65.67	-20.37	QP	neutral	
3	0.20	21.48	11.85	9.63	53.47	-31.99	Average	neutral	
4	0.20	37.47	27.84	9.63	63.47	-26.00	QP	neutral	
5	0.58	16.10	6.47	9.63	46.00	-29.90	Average	neutral	
6	0.58	22.34	12.71	9.63	56.00	-33.66	QP	neutral	
7	3.64	19.14	9.45	9.69	46.00	-26.86	Average	neutral	
8	3.64	24.35	14.66	9.69	56.00	-31.65	QP	neutral	
9	5.57	20.48	10.76	9.72	50.00	-29.52	Average	neutral	
10	5.57	25.33	15.61	9.72	60.00	-34.67	QP	neutral	
11	28.54	29.40	19.56	9.84	50.00	-20.60	Average	neutral	
12	28.54	34.67	24.83	9.84	60.00	-25.33	QP	neutral	