


BLE_1M

CH37 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.87	46.68	8.75	37.93	54.00	-7.32	192	206	Average	Horizontal		
2 *	2402.00	109.54	71.61	37.93	54.00	55.54	192	206	Average	Horizontal		
3	2498.09	43.62	5.29	38.33	54.00	-10.38	192	206	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.87	44.65	6.72	37.93	54.00	-9.35	274	171	Average	Vertical		
2 *	2402.00	108.80	70.87	37.93	54.00	54.80	274	171	Average	Vertical		
3	2498.09	42.75	4.42	38.33	54.00	-11.25	274	171	Average	Vertical		


BLE_1M

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2368.53	54.96	17.02	37.94	74.00	-19.04		100	147	Peak	Horizontal	
2 *	2488.00	110.39	72.08	38.31	74.00	36.39		100	147	Peak	Horizontal	
3	2483.46	58.11	19.80	38.31	74.00	-15.89		100	147	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2351.89	54.25	16.29	37.96	74.00	-19.75		262	156	Peak	Vertical	
2 *	2488.00	104.54	66.23	38.31	74.00	30.54		262	156	Peak	Vertical	
3	2496.09	57.22	18.89	38.33	74.00	-16.78		262	156	Peak	Vertical	

BLE_1M

CH39 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.87	43.39	5.46	37.93	54.00	-10.61		100	147	Average	Horizontal	
2 *	2488.00	109.39	71.08	38.31	54.00	55.39		100	147	Average	Horizontal	
3	2496.09	46.81	8.48	38.33	54.00	-7.19		100	147	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2368.06	41.28	3.34	37.94	54.00	-12.72		262	156	Average	Vertical	
2 *	2488.00	103.46	65.15	38.31	54.00	49.46		262	156	Average	Vertical	
3	2495.97	43.21	4.88	38.33	54.00	-10.79		262	156	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

CH39 (Open) 9kHz~150kHz

CH39 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	0.01	64.59	35.75	28.84	127.72	-63.13		100	99	QP	Open	
2	0.03	65.05	42.50	22.55	119.18	-54.13		100	255	QP	Open	
3	0.05	38.02	22.00	16.02	113.13	-75.11		100	107	QP	Open	
4	0.06	38.66	23.93	14.73	111.72	-73.06		100	232	QP	Open	
5	0.10	23.49	14.09	9.40	107.29	-83.80		100	177	QP	Open	
6	0.12	25.92	17.40	8.52	105.70	-79.78		100	237	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	0.93	50.98	57.10	-6.12	68.27	-17.29		100	226	QP	Open	
2	2.78	40.13	50.59	-10.46	69.50	-29.37		100	226	QP	Open	
3	6.48	26.38	37.73	-11.35	69.50	-43.12		100	241	QP	Open	
4	18.21	20.87	30.99	-10.12	69.50	-48.63		100	133	QP	Open	
5	16.63	19.31	30.13	-10.82	69.50	-50.19		100	241	QP	Open	
6	26.63	27.19	35.18	-7.99	69.50	-42.31		100	171	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	67.83	26.90	35.10	-8.20	40.00	-13.10		200	252	QP	Horizontal	
2	173.56	40.71	47.06	-6.35	43.50	-2.79		200	109	QP	Horizontal	
3	262.80	31.40	37.50	-6.10	46.00	-14.60		300	360	QP	Horizontal	
4	571.26	35.45	35.81	-0.36	46.00	-10.55		200	122	QP	Horizontal	
5	720.64	35.73	33.77	1.96	46.00	-10.27		100	202	QP	Horizontal	
6	845.77	34.19	30.16	4.03	46.00	-11.81		400	172	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	57.16	37.97	44.67	-6.70	40.00	-2.03		100	253	QP	Vertical	
2	167.74	38.07	43.96	-5.89	43.50	-5.43		100	262	QP	Vertical	
3	450.98	35.05	37.05	-2.00	46.00	-10.95		103	360	QP	Vertical	
4	571.26	35.06	35.42	-0.36	46.00	-10.94		200	175	QP	Vertical	
5	719.67	35.66	33.71	1.95	46.00	-10.34		100	142	QP	Vertical	
6	845.77	34.38	30.35	4.03	46.00	-11.62		300	155	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

CH37 (Horizontal)

CH37 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4804.00	37.38	45.90	-8.52	54.00	-16.62	281	360	Average	Horizontal		
2	4804.00	43.33	51.85	-8.52	74.00	-30.67	281	360	Peak	Horizontal		
3	12810.00	44.42	43.53	0.89	54.00	-9.58	306	360	Average	Horizontal		
4	12810.00	54.17	53.28	0.89	74.00	-19.83	306	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4804.00	36.15	44.67	-8.52	54.00	-17.85	287	360	Average	Vertical		
2	4804.00	42.11	50.63	-8.52	74.00	-31.89	287	360	Peak	Vertical		
3	12809.00	44.72	43.83	0.89	54.00	-9.28	100	67	Average	Vertical		
4	12809.00	53.28	52.39	0.89	74.00	-20.72	100	67	Peak	Vertical		


BLE_1M

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	53.58	61.97	-8.39	54.00	-0.42	300	330	Average	Horizontal		
2	4960.00	55.49	63.88	-8.39	74.00	-18.51	300	330	Peak	Horizontal		
3	7440.00	44.30	50.61	-6.31	54.00	-9.70	354	360	Average	Horizontal		
4	7440.00	50.94	57.25	-6.31	74.00	-23.06	354	360	Peak	Horizontal		
5	12400.00	45.75	44.17	1.58	54.00	-8.25	100	298	Average	Horizontal		
6	12400.00	52.76	51.18	1.58	74.00	-21.24	100	298	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	48.46	56.85	-8.39	54.00	-5.54	296	138	Average	Vertical		
2	4960.00	49.94	58.33	-8.39	74.00	-24.06	296	138	Peak	Vertical		
3	7440.00	42.33	48.64	-6.31	54.00	-11.67	300	276	Average	Vertical		
4	7440.00	52.19	58.50	-6.31	74.00	-21.81	300	276	Peak	Vertical		
5	12400.00	44.00	43.22	1.58	54.00	-9.20	100	83	Average	Vertical		
6	12400.00	53.38	51.80	1.58	74.00	-20.62	100	83	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-212-11000 Fax: +886-212-11322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	33.63	24.02	9.61	55.92	-22.29	Average	line1	
2	0.15	49.47	39.86	9.61	65.92	-16.45	QP	line1	
3	0.20	24.06	14.45	9.61	53.64	-29.58	Average	line1	
4	0.20	38.31	28.70	9.61	63.64	-25.33	QP	line1	
5	0.48	24.64	15.02	9.62	46.40	-21.76	Average	line1	
6	0.48	32.72	23.10	9.62	56.40	-23.68	QP	line1	
7	3.97	16.03	6.36	9.67	46.00	-29.97	Average	line1	
8	3.97	21.82	12.15	9.67	56.00	-34.18	QP	line1	
9	7.85	26.82	17.11	9.71	50.00	-23.18	Average	line1	
10	7.85	32.43	22.72	9.71	60.00	-27.57	QP	line1	
11	9.82	18.02	8.29	9.73	50.00	-31.98	Average	line1	
12	9.82	22.81	13.08	9.73	60.00	-37.19	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-212-11000 Fax: +886-212-11322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	34.31	24.72	9.59	55.59	-21.26	Average	neutral	
2	0.16	48.68	39.09	9.59	65.59	-16.91	QP	neutral	
3	0.49	30.31	20.71	9.60	46.11	-15.80	Average	neutral	
4	0.49	33.82	24.22	9.60	56.11	-22.29	QP	neutral	
5	2.31	12.69	3.06	9.63	46.00	-33.31	Average	neutral	
6	2.31	18.71	9.08	9.63	56.00	-37.29	QP	neutral	
7	5.32	13.89	4.20	9.69	50.00	-36.11	Average	neutral	
8	5.32	20.31	10.62	9.69	60.00	-39.69	QP	neutral	
9	7.39	23.05	13.34	9.71	50.00	-26.95	Average	neutral	
10	7.39	28.76	19.05	9.71	60.00	-31.24	QP	neutral	
11	25.70	13.34	3.52	9.82	50.00	-36.66	Average	neutral	
12	25.70	17.87	8.05	9.82	60.00	-42.13	QP	neutral	

Non-ECC Mode

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

CH39 (Open) 9kHz~150kHz

CH39 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliu, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	0.03	64.37	41.82	22.55	119.18	-54.81	100	85 QP	Open	
2	0.05	38.41	22.39	16.02	113.13	-74.72	100	62 QP	Open	
3	0.06	37.91	23.18	14.73	111.72	-73.81	100	281 QP	Open	
4	0.07	25.97	12.83	13.14	110.21	-84.24	100	235 QP	Open	
5	0.11	23.74	14.53	9.21	106.93	-83.19	100	232 QP	Open	
6	0.12	25.40	16.88	8.52	105.70	-80.30	100	122 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliu, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	0.93	47.27	53.39	-6.12	68.27	-21.00	100	251 QP	Open	
2	1.85	42.92	51.44	-8.52	69.50	-26.58	100	251 QP	Open	
3	2.78	37.76	48.22	-10.46	69.50	-31.74	100	251 QP	Open	
4	8.36	23.05	33.77	-10.72	69.50	-46.45	100	82 QP	Open	
5	13.76	19.83	30.34	-10.51	69.50	-49.67	100	153 QP	Open	
6	26.63	26.74	34.73	-7.99	69.50	-42.76	100	207 QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	50.37	17.62	23.54	-5.92	40.00	-22.38		400	360	QP	Horizontal	
2	164.83	18.96	24.70	-5.74	43.50	-24.54		373	24	QP	Horizontal	
3	330.70	20.22	24.17	-3.95	46.00	-25.78		300	295	QP	Horizontal	
4	534.40	23.76	24.74	-0.98	46.00	-22.24		200	360	QP	Horizontal	
5	730.34	29.08	26.90	2.10	46.00	-16.92		100	253	QP	Horizontal	
6	844.00	32.18	28.15	4.03	46.00	-13.82		100	153	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	42.61	17.27	23.08	-5.81	40.00	-22.73		100	350	QP	Vertical	
2	161.92	18.53	24.27	-5.74	43.50	-24.97		100	300	QP	Vertical	
3	319.06	20.54	24.80	-4.26	46.00	-25.46		200	22	QP	Vertical	
4	515.97	22.70	23.93	-1.23	46.00	-23.30		300	60	QP	Vertical	
5	729.37	29.23	27.16	2.07	46.00	-16.77		100	355	QP	Vertical	
6	845.77	32.20	28.17	4.03	46.00	-13.80		100	344	QP	Vertical	

Non-ECC Mode for 2nd Source
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

CH39 (Open) 9kHz~150kHz

CH39 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	64.00	35.37	28.63	127.60	-63.60	100	78 QP	Open	
2	0.03	65.03	42.48	22.55	119.18	-54.15	100	83 QP	Open	
3	0.05	38.46	22.44	16.02	113.13	-74.67	100	277 QP	Open	
4	0.07	33.15	19.89	13.26	110.33	-77.18	100	202 QP	Open	
5	0.11	20.95	11.97	8.90	106.49	-85.54	100	81 QP	Open	
6	0.12	25.74	17.22	8.52	105.70	-79.96	100	200 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.93	48.64	54.76	-6.12	68.27	-19.63	100	247 QP	Open	
2	3.70	34.01	45.26	-11.25	69.50	-35.49	100	143 QP	Open	
3	7.40	23.93	34.97	-11.04	69.50	-45.57	100	136 QP	Open	
4	11.76	20.04	30.32	-10.28	69.50	-49.46	100	66 QP	Open	
5	20.48	19.90	29.94	-10.96	69.50	-50.52	100	302 QP	Open	
6	27.25	26.33	34.01	-7.68	69.50	-43.17	100	228 QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	62.98	25.50	33.05	-7.55	40.00	-14.50	200	247	QP		Horizontal	
2	167.74	36.78	42.67	-5.89	43.50	-6.72	200	288	QP		Horizontal	
3	450.98	33.75	35.75	-2.00	46.00	-12.25	200	202	QP		Horizontal	
4	571.26	35.84	36.20	-0.36	46.00	-10.16	200	131	QP		Horizontal	
5	720.64	37.58	35.62	1.96	46.00	-8.42	200	201	QP		Horizontal	
6	868.08	34.33	30.12	4.21	46.00	-11.67	100	239	QP		Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	56.19	39.30	45.82	-6.52	40.00	-0.70	100	277	QP		Vertical	
2	167.74	36.94	42.83	-5.89	43.50	-6.56	100	279	QP		Vertical	
3	450.01	33.23	35.24	-2.01	46.00	-12.77	100	358	QP		Vertical	
4	571.26	34.61	34.97	-0.36	46.00	-11.39	100	185	QP		Vertical	
5	720.64	35.16	33.20	1.96	46.00	-10.84	100	167	QP		Vertical	
6	845.77	34.56	30.53	4.03	46.00	-11.44	200	208	QP		Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	35.13	25.52	9.61	55.75	-20.62	Average	line1	
2	0.15	47.83	38.22	9.61	65.75	-17.92	QP	line1	
3	0.20	23.85	14.24	9.61	53.64	-29.79	Average	line1	
4	0.20	39.51	29.90	9.61	63.64	-24.13	QP	line1	
5	0.50	27.39	17.77	9.62	46.00	-18.61	Average	line1	
6	0.50	31.50	21.88	9.62	56.00	-24.50	QP	line1	
7	6.27	14.80	5.10	9.70	50.00	-35.20	Average	line1	
8	6.27	20.95	11.25	9.70	60.00	-39.05	QP	line1	
9	7.47	24.40	14.69	9.71	50.00	-25.60	Average	line1	
10	7.47	28.81	19.10	9.71	60.00	-31.19	QP	line1	
11	10.48	10.18	0.45	9.73	50.00	-39.82	Average	line1	
12	10.48	16.41	6.68	9.73	60.00	-43.59	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	34.15	24.56	9.59	55.50	-21.35	Average	neutral	
2	0.16	48.57	38.98	9.59	65.50	-16.93	QP	neutral	
3	0.29	19.56	9.97	9.59	50.41	-30.85	Average	neutral	
4	0.29	30.16	20.57	9.59	60.41	-30.25	QP	neutral	
5	0.50	31.33	21.73	9.60	46.00	-14.73	Average	neutral	
6	0.50	33.72	24.12	9.60	56.00	-22.34	QP	neutral	
7	1.59	8.80	-0.82	9.62	46.00	-37.20	Average	neutral	
8	1.59	13.21	3.59	9.62	56.00	-42.79	QP	neutral	
9	4.91	11.73	2.05	9.68	46.00	-34.27	Average	neutral	
10	4.91	19.76	10.08	9.68	56.00	-36.24	QP	neutral	
11	6.96	20.44	10.73	9.71	50.00	-29.56	Average	neutral	
12	6.96	25.64	15.93	9.71	60.00	-34.36	QP	neutral	