




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



5.10 Antenna Port Test Data and Results for LTE Band 13

Serial Number:	2I92-2	Test Date:	2024/3/27~2024/4/18
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:					
Temperature: (°C)	24.7~27.2	Relative Humidity: (%)	49~72	ATM Pressure: (kPa)	100.2~101.2

Test Equipment List and Details:					
Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2023/11/27	2024/11/26
Micro-Coax	Coaxial Cable	UFA210A	94089550	2023/9/1	2024/8/31
Minl-Clrucits	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2024/2/25	2025/2/24
R&S	Wideband Radio Communication Tester	CMW500	149216	2023/10/18	2024/10/17
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2023/10/18	2024/10/17
All-sun	Clamp Meter	EM305A	8348897	2023/8/3	2024/8/2
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A
* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).					

Test Frequency For Each Mode:			
Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
5MHz	779.5	/	784.5
10MHz	/	782	/

Test Data:**FCC §2.1046; § 27.50(c) (10)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
5MHz QPSK	RB1#0	23.01	/	22.95	17.1	34.77
	RB1#13	23.09	/	23.05		
	RB1#24	22.99	/	22.89		
	RB15#0	22.03	/	22.11		
	RB15#10	22.06	/	22		
	RB25#0	22.01	/	22.03		
5MHz 16QAM	RB1#0	22.24	/	21.81	16.36	34.77
	RB1#13	22.35	/	21.94		
	RB1#24	22.22	/	21.78		
	RB15#0	20.99	/	21.14		
	RB15#10	21.03	/	21.04		
	RB25#0	20.99	/	21.06		
10MHz QPSK	RB1#0	/	23.12	/	17.26	34.77
	RB1#25	/	23.25	/		
	RB1#49	/	23.08	/		
	RB25#0	/	22.07	/		
	RB25#25	/	22.07	/		
	RB50#0	/	22.1	/		
10MHz 16QAM	RB1#0	/	22.07	/	16.19	34.77
	RB1#25	/	22.18	/		
	RB1#49	/	22.06	/		
	RB25#0	/	21.14	/		
	RB25#25	/	21.13	/		
	RB50#0	/	21.07	/		

Note:

ERP= Conducted Power(dBm) - L_c(dB) + G_T(dBd)G_T(dBd)=G_T(dBi)-2.15**Result:****Pass****Peak-to-average Ratio(PAR)**

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	/	4.61	/	13
	RB50#0	/	5.04	/	13
10MHz 16QAM	RB1#0	/	5.48	/	13
	RB50#0	/	5.94	/	13
Result:					Pass

FCC §2.1049, §27.53:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
5MHz QPSK	4.511	/	4.531	5.16	/	5.2
5MHz 16QAM	4.551	/	4.511	5.18	/	5.16
10MHz QPSK	/	8.942	/	/	9.88	/
10MHz 16QAM	/	8.942	/	/	9.84	/
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal	
Result:	Pass, Test was performed at RB1#0, please refer to the test plots of Spurious Emissions at Antenna Terminal.

FCC §2.1051, §27.53:Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §27.54: Frequency Stability						
Test Mode:	10M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.85	777.508	777.00	786.456	787.00
	-20	3.85	777.502	777.00	786.462	787.00
	-10	3.85	777.517	777.00	786.462	787.00
	0	3.85	777.508	777.00	786.444	787.00
	10	3.85	777.526	777.00	786.456	787.00
	20	3.85	777.529	777.00	786.471	787.00
	30	3.85	777.553	777.00	786.492	787.00
	40	3.85	777.538	777.00	786.492	787.00
	50	3.85	777.535	777.00	786.474	787.00
Frequency Stability vs. Voltage	20	3.6	777.547	777.00	786.492	787.00
	20	4.4	777.556	777.00	786.480	787.00
					Result:	Pass

Test Mode:	10M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.85	777.520	777.00	786.447	787.00
	-20	3.85	777.502	777.00	786.453	787.00
	-10	3.85	777.511	777.00	786.450	787.00
	0	3.85	777.505	777.00	786.468	787.00
	10	3.85	777.511	777.00	786.450	787.00
	20	3.85	777.529	777.00	786.471	787.00
	30	3.85	777.550	777.00	786.498	787.00
	40	3.85	777.532	777.00	786.495	787.00
	50	3.85	777.556	777.00	786.498	787.00
Frequency Stability vs. Voltage	20	3.6	777.550	777.00	786.498	787.00
	20	4.4	777.547	777.00	786.483	787.00
					Result:	Pass

Test Plots:



Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM

Lowest



Highest





Occupied Bandwidth

Channel

10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM


Middle




Spurious Emissions at Antenna Terminal

Channel


5MHz Bandwidth QPSK




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:21:20




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:21:48



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:22:10



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:22:42




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:23:21

Lowest


Spurious Emissions at Antenna Terminal

Channel


5MHz Bandwidth QPSK




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:24:34




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:24:59



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:25:27



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:25:55



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 19.APR.2024 16:46:21


Highest

Spurious Emissions at Antenna Terminal


Channel

10MHz Bandwidth QPSK


Middle




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:30:50




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:31:12



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:31:43







ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:32:08




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 19.APR.2024 16:47:44


Out of band emission, Band Edge

Mode	Lowest-RB 1#0	Highest-RB 1#Max
QPSK 5MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 15m AvgPwr M1[1] -15.59 dBm 777.0000 MHz D1 -13.000 dBm CF 777.0 MHz 691 pts Span 10.0 MHz ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei Date: 19.APR.2024 14:56:55	 Ref Level 30.00 dBm Offset 7.50 dB RBW 30 kHz Att 35 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 15m AvgPwr M1[1] -15.98 dBm 787.0000 MHz D1 -13.000 dBm CF 787.0 MHz 501 pts Span 10.0 MHz ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei Date: 30.MAR.2024 11:26:26
QPSK 10MHz	 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 15m AvgPwr M1[1] -17.13 dBm 777.0000 MHz D1 -13.000 dBm CF 777.0 MHz 501 pts Span 10.0 MHz ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei Date: 30.MAR.2024 11:37:50	 Ref Level 30.00 dBm Offset 7.50 dB RBW 100 kHz Att 35 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 15m AvgPwr M1[1] -16.51 dBm 787.0000 MHz D1 -13.000 dBm CF 787.0 MHz 501 pts Span 10.0 MHz ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei Date: 30.MAR.2024 11:40:39


Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



5.11 Antenna Port Test Data and Results for LTE Band 25

Serial Number:	2I92-2	Test Date:	2024/3/27~2024/4/19
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:					
Temperature: (°C)	24.7~27.2	Relative Humidity: (%)	49~72	ATM Pressure: (kPa)	100.1~101.2

Test Equipment List and Details:					
Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2023/11/27	2024/11/26
Micro-Coax	Coaxial Cable	UFA210A	94089550	2023/9/1	2024/8/31
Minl-Clrcts	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2024/2/25	2025/2/24
R&S	Wideband Radio Communication Tester	CMW500	149216	2023/10/18	2024/10/17
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2023/10/18	2024/10/17
All-sun	Clamp Meter	EM305A	8348897	2023/8/3	2024/8/2
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A
* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).					

Test Frequency For Each Mode:			
Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1850.7	1882.5	1914.3
3MHz	1851.5	1882.5	1913.5
5MHz	1852.5	1882.5	1912.5
10MHz	1855	1882.5	1910
15MHz	1857.5	1882.5	1907.5
20MHz	1860	1882.5	1905

Test Data:**FCC §2.1046; § 24.232****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	22.36	22.29	22.27	21.96	33
	RB1#3	22.56	22.42	22.41		
	RB1#5	22.37	22.32	22.24		
	RB3#0	22.51	22.47	22.35		
	RB3#3	22.48	22.43	22.28		
	RB6#0	21.46	21.36	21.37		
1.4MHz 16QAM	RB1#0	21.55	21.37	21.25	21.11	33
	RB1#3	21.71	21.58	21.44		
	RB1#5	21.53	21.41	21.31		
	RB3#0	21.52	21.61	21.5		
	RB3#3	21.5	21.59	21.54		
	RB6#0	20.52	20.38	20.38		
3MHz QPSK	RB1#0	22.49	22.43	22.42	21.89	33
	RB1#8	22.49	22.38	22.39		
	RB1#14	22.45	22.32	22.39		
	RB6#0	21.42	21.37	21.41		
	RB6#9	21.44	21.4	21.34		
	RB15#0	21.54	21.5	21.43		
3MHz 16QAM	RB1#0	21.54	22.08	21.56	21.48	33
	RB1#8	21.49	22.02	21.5		
	RB1#14	21.48	21.99	21.46		
	RB6#0	20.44	20.55	20.43		
	RB6#9	20.41	20.5	20.37		
	RB15#0	20.6	20.59	20.39		
5MHz QPSK	RB1#0	22.43	22.42	22.37	21.91	33
	RB1#13	22.51	22.48	22.44		
	RB1#24	22.38	22.31	22.3		
	RB15#0	21.54	21.5	21.48		
	RB15#10	21.54	21.48	21.4		
	RB25#0	21.55	21.48	21.37		
5MHz 16QAM	RB1#0	21.54	21.33	21.68	21.11	33
	RB1#13	21.62	21.42	21.71		
	RB1#24	21.5	21.31	21.57		
	RB15#0	20.62	20.58	20.44		
	RB15#10	20.62	20.56	20.37		
	RB25#0	20.58	20.61	20.43		
10MHz QPSK	RB1#0	22.51	22.46	22.39	22.04	33
	RB1#25	22.64	22.56	22.53		
	RB1#49	22.43	22.37	22.35		

	RB25#0	21.49	21.58	21.48		
	RB25#25	21.56	21.56	21.41		
	RB50#0	21.59	21.58	21.44		
10MHz 16QAM	RB1#0	21.56	22.09	21.59	21.62	33
	RB1#25	21.64	22.22	21.68		
	RB1#49	21.49	22.05	21.49		
	RB25#0	20.65	20.67	20.52		
	RB25#25	20.68	20.67	20.48		
	RB50#0	20.66	20.63	20.47		
15MHz QPSK	RB1#0	22.5	22.44	22.37	21.9	33
	RB1#38	22.5	22.44	22.43		
	RB1#74	22.44	22.26	22.28		
	RB36#0	21.57	21.59	21.6		
	RB36#39	21.65	21.56	21.52		
	RB75#0	21.59	21.57	21.55		
15MHz 16QAM	RB1#0	21.96	22.05	21.51	21.49	33
	RB1#38	21.94	22.09	21.6		
	RB1#74	21.84	21.93	21.4		
	RB36#0	20.6	20.62	20.56		
	RB36#39	20.6	20.56	20.51		
	RB75#0	20.57	20.59	20.53		
20MHz QPSK	RB1#0	22.36	22.32	22.17	22.07	33
	RB1#50	22.67	22.63	22.54		
	RB1#99	22.22	22.19	22.08		
	RB50#0	21.55	21.61	21.55		
	RB50#50	21.58	21.58	21.44		
	RB100#0	21.55	21.62	21.5		
20MHz 16QAM	RB1#0	21.68	21.59	21.77	21.51	33
	RB1#50	21.98	21.88	22.11		
	RB1#99	21.56	21.41	21.66		
	RB50#0	20.53	20.65	20.59		
	RB50#50	20.57	20.63	20.46		
	RB100#0	20.63	20.65	20.52		

Note: EIRP=Conducted Power(dBm) - Lc(dB) + Gr(dBi)

Result:**Pass****Peak-to-average Ratio(PAR)**

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	5.22	4.09	4.61	13
	RB100#0	4.75	4.46	4.52	13
20MHz 16QAM	RB1#0	6.03	5.13	5.25	13
	RB100#0	6.14	5.97	5.74	13
				Result:	Pass

FCC §2.1049, §24.238:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.108	1.096	1.32	1.29	1.302
1.4MHz 16QAM	1.096	1.096	1.096	1.29	1.296	1.314
3MHz QPSK	2.683	2.695	2.683	2.88	2.868	2.868
3MHz 16QAM	2.683	2.671	2.683	2.88	2.892	2.88
5MHz QPSK	4.531	4.531	4.531	5.18	5.16	5.22
5MHz 16QAM	4.531	4.531	4.511	5.2	5.22	5.16
10MHz QPSK	8.982	8.982	8.942	9.96	9.84	9.8
10MHz 16QAM	8.982	8.982	8.942	9.76	9.88	9.92
15MHz QPSK	13.473	13.593	13.593	15.12	15.3	15.24
15MHz 16QAM	13.533	13.593	13.593	15.12	15.18	15.42
20MHz QPSK	17.884	18.044	17.964	19.6	19.92	19.6
20MHz 16QAM	17.964	18.044	17.964	19.76	19.92	19.76
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, § 24.238 (a):Spurious Emissions at Antenna Terminal	
Result:	Pass, Test was performed at RB1#0, please refer to the test plots of Spurious Emissions at Antenna Terminal.

FCC §2.1051, § 24.238 (a):Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §24.235: Frequency Stability						
Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.85	1851.126	1850.000	1914.019	1915.000
	-20	3.85	1851.123	1850.000	1913.998	1915.000
	-10	3.85	1851.111	1850.000	1914.007	1915.000
	0	3.85	1851.135	1850.000	1914.013	1915.000
	10	3.85	1851.111	1850.000	1914.004	1915.000
	20	3.85	1851.138	1850.000	1914.022	1915.000
	30	3.85	1851.150	1850.000	1914.043	1915.000
	40	3.85	1851.162	1850.000	1914.025	1915.000
	50	3.85	1851.153	1850.000	1914.031	1915.000
Frequency Stability vs. Voltage	20	3.6	1851.147	1850.000	1914.031	1915.000
	20	4.4	1851.159	1850.000	1914.028	1915.000
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.85	1851.040	1850.000	1913.995	1915.000
	-20	3.85	1851.034	1850.000	1914.001	1915.000
	-10	3.85	1851.043	1850.000	1914.013	1915.000
	0	3.85	1851.034	1850.000	1914.019	1915.000
	10	3.85	1851.046	1850.000	1914.013	1915.000
	20	3.85	1851.058	1850.000	1914.022	1915.000
	30	3.85	1851.061	1850.000	1914.049	1915.000
	40	3.85	1851.073	1850.000	1914.049	1915.000
	50	3.85	1851.079	1850.000	1914.046	1915.000
Frequency Stability vs. Voltage	20	3.6	1851.061	1850.000	1914.034	1915.000
	20	4.4	1851.082	1850.000	1914.049	1915.000
					Result:	Pass

Test Plots:



Occupied Bandwidth

Channel



1.4MHz Bandwidth QPSK

1.4MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest



Middle



Highest




Occupied Bandwidth

Channel


10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM

Lowest




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 27.MAR.2024 22:44:36




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 27.MAR.2024 22:45:01

Middle




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 27.MAR.2024 22:45:35




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 27.MAR.2024 22:46:03

Highest



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 27.MAR.2024 22:46:31



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 27.MAR.2024 22:47:02



Occupied Bandwidth

Channel



15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest



Middle



Highest




Spurious Emissions at Antenna Terminal


Channel

1.4MHz Bandwidth QPSK

Lowest




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:39:40




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:40:09

Middle




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:42:37




ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:42:59

Highest



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:43:34



ProjectNo.:SZGMA240304-10520E Tester:Jeff Wei
Date: 29.MAR.2024 10:43:56