





NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.9472	-41.29	-60.46	-19.2	-40.0	20.5	Vertical	PK	PASS
2	84.8119	-34.96	-57.69	-22.7	-40.0	17.7	Vertical	PK	PASS
3	2900.7802	-56.21	-45.06	11.2	-40.0	5.1	Vertical	PK	PASS
4	5635.9393	-71.73	-45.45	26.3	-40.0	5.5	Vertical	PK	PASS
5	11097.2124	-67.75	-45.81	21.9	-40.0	5.8	Vertical	PK	PASS
6	16276.4282	-71.10	-44.88	26.2	-40.0	4.9	Vertical	PK	PASS

V_LTE_CA_48C_High



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	86.9946	-35.71	-59.16	-23.5	-40.0	19.2	Horizontal	PK	PASS
2	332.9204	-55.42	-72.03	-16.6	-40.0	32.0	Horizontal	PK	PASS
3	2692.3385	-55.65	-45.25	10.4	-40.0	5.3	Horizontal	PK	PASS
4	5520.9202	-71.44	-45.16	26.3	-40.0	5.2	Horizontal	PK	PASS
5	9485.1452	-65.52	-48.95	16.6	-40.0	9.0	Horizontal	PK	PASS
6	16408.4337	-70.86	-45.37	25.5	-40.0	5.4	Horizontal	PK	PASS

H_LTE_CA_48C_High

Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test Items	Uncertainty
Output Power	± 2.22 dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	± 2.77 dB
Band Edge	± 2.77 dB
Equivalent Isotropic Radiated Power	± 2.22 dB
Radiated Spurious Emissions	± 6 dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Laboratory Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



REPORT No.: SZ25060440W10

4. Test Equipments Utilized

4.1 Conducted Test Equipments

Equipment	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Signal Analyzer	MY51511149	N9020A	Agilent	2025.05.15	2026.05.14
Communication Test Station	6200995016	MT8820C	Anritsu	2024.09.11	2025.09.10
Temperature Chamber	S022177101 00089002	KMT-36LF 1A0	KOMEG	2024.09.11	2025.09.10

4.2 List of Software Used

Description	Manufacturer	Software Version
MOR-2023E Test System	MORLAB	V7.99
JS36-RSE	Tonscend	5.0.0



**4.3 Radiated Test Equipments**

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Loop Antenna	FMZB 1519B	00131	SCHWARZBECK	2024/9/19	2025/9/18
Bi-Log Antenna	VULB 9163	9163-274	SCHWARZBECK	2025/6/28	2026/6/27
Horn Antenna	BBHA 9120D	9120D-963	SCHWARZBECK	2025/5/16	2026/5/15
Horn Antenna	BBHA9170	BBHA9170#773	SCHWARZBECK	2025/6/20	2026/6/19
Receiver	N9038A	MY56400093	KEYSIGHT	2025/1/6	2026/1/5
Signal Analyzer	N9020A	MY56060145	Agilent	2025/5/13	2026/5/12
6db Attenuator	BW-N6W5+	E191001	Mini-circuits	2024/9/11	2025/9/10
Preamplifier (2GHz-18GHz)	S020180L3203	61171/61172	LUCIX CORP.	2025/5/13	2026/5/12
Preamplifier (10MHz-6GHz)	S10M100L3802	46732	LUCIX CORP.	2025/5/13	2026/5/12
Preamplifier (18GHz-40GHz)	DCLNA0118-40C-S	DS77209	Decentest	2025/5/13	2026/5/12
System Simulator	CMW500	152038	R&S	2024/9/11	2025/9/10
System Simulator	8960-E5515C	MY48364176	Agilent	2025/1/15	2026/1/14
System Simulator	MT8000A	6262148249	anritsu	2025/5/16	2026/5/15
System Simulator	MT8821C	6261830572	anritsu	2025/1/6	2026/1/5
RF Coaxial Cable (DC-18GHz)	PE330	MRE001	Pasternack	2025/5/13	2026/5/12
RF Coaxial Cable (DC-18GHz)	CLU18	MRE002	Pasternack	2025/5/13	2026/5/12
RF Coaxial Cable (DC-18GHz)	CLU18	MRE003	Pasternack	2025/5/13	2026/5/12
RF Coaxial Cable (DC-40GHz)	QA360-40-KK-0.5	22290045	Qualwave	2024/9/11	2025/9/10
RF Coaxial Cable (DC-40GHz)	QA360-40-KK F-2	22290046	Qualwave	2024/9/11	2025/9/10
RF Coaxial Cable (DC-18GHz)	QA500-18-NN-5	22120181	Qualwave	2024/9/11	2025/9/10

END OF REPORT