



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Recliner Luna

Test Model: NR-SN100

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Ling Zhu



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.966	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.969	N/A	Pass
NVNT	1-DH5	2480	Ant1	1.03	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.286	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.304	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.289	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.302	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.304	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.303	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.42	21	Pass
NVNT	1-DH5	2441	Ant1	0.58	21	Pass
NVNT	1-DH5	2480	Ant1	0.54	21	Pass
NVNT	2-DH5	2402	Ant1	0.20	21	Pass
NVNT	2-DH5	2441	Ant1	0.38	21	Pass
NVNT	2-DH5	2480	Ant1	0.37	21	Pass
NVNT	3-DH5	2402	Ant1	0.25	21	Pass
NVNT	3-DH5	2441	Ant1	0.44	21	Pass
NVNT	3-DH5	2480	Ant1	0.42	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.962	2402.962	1.000	0.687	Pass
NVNT	2-DH5	Ant1	2402.15	2403.152	1.002	1.333	Pass
NVNT	3-DH5	Ant1	2402.162	2403.138	0.976	0.869	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.881	296.743	103	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.88	311.04	108	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	317.57	110	31600	400	Pass






Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-53.59	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-52.66	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-48.7	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-56.15	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-48.42	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-56.25	-20	Pass






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-55.86	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-31.8	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.58	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-55.42	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-53.8	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-54.85	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55.26	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.51	-20	Pass
NVNT	1-DH5	2480	Ant1	-55.73	-20	Pass
NVNT	2-DH5	2402	Ant1	-54.69	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.69	-20	Pass
NVNT	2-DH5	2480	Ant1	-54.9	-20	Pass
NVNT	3-DH5	2402	Ant1	-54.95	-20	Pass
NVNT	3-DH5	2441	Ant1	-55.22	-20	Pass
NVNT	3-DH5	2480	Ant1	-54.51	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-49.08	2	48.18	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-60.5	2	36.76	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2349.936	-47.65	2	49.61	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2381.424	-59.95	2	37.31	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.94	2	46.32	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-60	2	37.26	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.93	2	46.33	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-59.59	2	37.67	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.088	-36.6	2	60.66	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.656	-59.45	2	37.81	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.35	2	46.91	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-59.74	2	37.52	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.53	2	46.73	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-60.51	2	36.75	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2376.144	-47.38	2	49.88	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2385.648	-59.91	2	37.35	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.99	2	46.27	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-60.1	2	37.16	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.58	2	47.68	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-59.62	2	37.64	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.704	-38.64	2	58.62	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.976	-59.58	2	37.68	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.2	2	47.06	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-59.86	2	37.4	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.6	2	46.66	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-60.47	2	36.79	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2367.12	-47.56	2	49.7	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2382.576	-59.85	2	37.41	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-48.4	2	48.86	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-59.98	2	37.28	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-42.82	2	54.44	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-59.64	2	37.62	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.536	-37.85	2	59.41	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2485.528	-59.5	2	37.76	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-48.68	2	48.58	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-59.89	2	37.37	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

