



### Functions:

1. Touch button, Power On/Off, Play/Pause, Answer/End call
2. Speaker mesh (bottom of the product)
3. Phone Stand position
4. Pen holder
5. Type-C charging port
6. USB A&C outputs
7. Bluetooth working LED indicator&USB Charging LED indicator
8. Microphone

### Tech Specifications:

Pairing name: Desk Mate

USB A&C outputs: Total 5V/2A Max.

Bluetooth version: 5.4

Playing time in max volume: about 3 hours

### How to use speaker:

(Be sure to fully charge the speaker before using for the first time)

#### 1. Charging the Speaker

##### ● USB Charging

- 1) Plug the small connector of the included charging cable into the charging port "5" on the speaker. Plug the large connector into a USB power source, such as a DC 5V USB wall adapter (not included).
- 2) The charging LED indicator "7" will turn RED while charging and turn OFF when fully charged.

#### 2. Bluetooth Setup:

Press and hold power button “ 1” to turn ON the speaker ,working LED indicator “7” will flash BLUE when in pairing mode.

- Turn on the Bluetooth function on mobile device, select “ Desk Mate” pairing name.
- LED will turn solid BLUE if successfully paired, the LED will flash in BLUE slowly when playing.
- Speaker will automatically pair if the mobile device has been paired before.
- Touch and hold power button “ 1” to power off the speaker.
- If disconnect Bluetooth after 5 mins, the speaker Bluetooth will auto shut off.

### **3.Playing Music:**

When connected to a Bluetooth device, playback can be controlled with your connected device, or with the speaker controls listed below.

Short press “ 1” button to pause music. A second short press will resume playing music again.

Please adjust the volume and select previous or next music track on your device.

### **4.Call Function:**

Short touch “1” button to answer a incoming call, press again to end call.

Long touch to reject a call.

### **Charging mobile phones and other electronic devices:**

**( This product is not a power bank, before use the top USB A&C to charge external devices, you need to plug in the input USB cable)**

- Insert Type-C connector of the USB cable to the charging port “ 1” and the other USB A connector to a adapter, make sure there is power input.
- Connect another charging cable to your mobile phone/device using the appropriate connector.
- Connect the USB part of the cable into either USB outputs (6) ports.
- Remove the cable from your mobile device when it is fully charged.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction