



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#4

Date: 2024/8/12

Temperature: 22 °C

Time: 上午 09:22:44

Humidity: 55 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.2565	-88.60	peak	20.66	-67.94	-54.00	150	85	-13.94	
*	94.0480	-85.64	peak	21.30	-64.34	-54.00	150	155	-10.34	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/8/12

Temperature:22 °C

-20.0 dBm

Time: 上午 08:21:11

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	661.7234	-76.43	peak	-1.75	-78.18	-54.00	150	320	-24.18	
*	789.9800	-71.56	peak	-3.90	-75.46	-54.00	150	165	-21.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/8/12

Temperature: 22 °C

-20.0 dBm

Time: 上午 08:25:18

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	713.0261	-75.61	peak	-4.02	-79.63	-54.00	150	35	-25.63	
*	764.3287	-68.71	peak	-4.13	-72.84	-54.00	150	255	-18.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/8/12

Temperature: 22 °C

-20.0 dBm

Time: 上午 07:59:05

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1210.421	-53.53	peak	3.62	-49.91	-30.00	150	165	-19.91	
*	3645.291	-53.31	peak	4.61	-48.70	-30.00	150	85	-18.70	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/8/12

Temperature: 22 °C

-20.0 dBm

Time: 上午 08:02:21

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3038.076	-56.69	peak	7.54	-49.15	-30.00	150	325	-19.15	
*	3645.291	-51.52	peak	8.12	-43.40	-30.00	150	240	-13.40	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1


Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:31:51

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #3

Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:41:54

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:32:28

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.7936	-93.68	peak	22.21	-71.47	-57.00	150	200	-14.47	
*	84.5090	-92.11	peak	21.57	-70.54	-57.00	150	115	-13.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #4


Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:42:31

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	84.5090	-81.21	peak	20.82	-60.39	-57.00	150	255	-3.39	
	91.3226	-84.84	peak	20.81	-64.03	-57.00	150	105	-7.03	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:57:48

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-70.21	peak	-4.35	-74.56	-57.00	150	165	-17.56	
	945.4910	-71.88	peak	-3.68	-75.56	-57.00	150	80	-18.56	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/7/2

Temperature: 22 °C

Time: 上午 10:05:02

Humidity: 55 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	745.0902	-56.79	peak	-4.29	-61.08	-57.00	150	195	-4.08	
	942.2846	-69.07	peak	-3.12	-72.19	-57.00	150	210	-15.19	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:09:08

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1937.876	-52.63	peak	3.79	-48.84	-47.00	150	135	-1.84	
	2448.898	-53.17	peak	1.25	-51.92	-47.00	150	210	-4.92	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:16:59

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1811.623	-56.49	peak	6.49	-50.00	-47.00	150	285	-3.00	
*	2448.898	-54.86	peak	6.38	-48.48	-47.00	150	240	-1.48	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/7/1

Temperature:22 °C

Time: 上午 09:33:42

Humidity:55 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#3

Date: 2024/7/1

Temperature:22 °C

-20.0 dBm

Time: 上午 09:40:06

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:34:19

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.7936	-93.78	peak	22.21	-71.57	-57.00	150	165	-14.57	
	107.6754	-92.82	peak	20.16	-72.66	-57.00	150	90	-15.66	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #4


Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:40:42

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	86.8938	-83.81	peak	20.72	-63.09	-57.00	150	240	-6.09	
*	92.6854	-84.13	peak	21.06	-63.07	-57.00	150	65	-6.07	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:59:18

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-69.10	peak	-4.35	-73.45	-57.00	150	165	-16.45	
	945.4910	-69.87	peak	-3.68	-73.55	-57.00	150	95	-16.55	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:03:21

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	741.8837	-66.61	peak	-4.26	-70.87	-57.00	150	350	-13.87	
	945.4910	-69.05	peak	-3.20	-72.25	-57.00	150	275	-15.25	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:10:15

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1811.623	-56.71	peak	3.72	-52.99	-47.00	150	35	-5.99	
*	2448.898	-53.27	peak	1.25	-52.02	-47.00	150	165	-5.02	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:15:38

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1817.635	-58.43	peak	6.54	-51.89	-47.00	150	315	-4.89	
*	2448.898	-55.98	peak	6.38	-49.60	-47.00	150	285	-2.60	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2024/7/1

Temperature: 22 °C

Time: 上午 09:35:57

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #3

Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:38:06

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/7/1

Temperature:22 °C

-20.0 dBm

Time: 上午 09:36:35

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.7936	-94.43	peak	22.21	-72.22	-57.00	150	185	-15.22	
	180.2405	-94.21	peak	21.08	-73.13	-57.00	150	205	-16.13	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#4


Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:38:43

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	82.8055	-83.30	peak	20.90	-62.40	-57.00	150	295	-5.40	
	85.8717	-85.27	peak	20.76	-64.51	-57.00	150	255	-7.51	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:00:38

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-67.29	peak	-4.35	-71.64	-57.00	150	145	-14.64	
	919.8397	-72.74	peak	-2.37	-75.11	-57.00	150	115	-18.11	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:02:11

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-67.50	peak	-3.94	-71.44	-57.00	150	65	-14.44	
	943.8878	-69.11	peak	-3.16	-72.27	-57.00	150	255	-15.27	

*:Maximum data x:Over limit !:over margin