



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:00:45

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1078.156	-47.77	peak	3.65	-44.12	-30.00	150	115	-14.12	
	1847.695	-53.91	peak	3.74	-50.17	-30.00	150	205	-20.17	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:03:26

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1078.156	-39.02	peak	3.46	-35.56	-30.00	150	250	-5.56	
	2118.236	-53.08	peak	7.79	-45.29	-30.00	150	140	-15.29	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2024/11/27

Temperature:22 °C

Time: 上午 10:49:30

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#3


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 10:52:00

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 10:50:18

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz


Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-98.14	peak	20.84	-77.30	-54.00	150	175	-23.30	
	197.9560	-102.28	peak	22.55	-79.73	-54.00	150	125	-25.73	



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	107.3347	-101.17	peak	21.80	-79.37	-54.00	150	320	-25.37	
*	179.8998	-101.68	peak	22.65	-79.03	-54.00	150	285	-25.03	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/12/8

Temperature:22 °C

-20.0 dBm

Time: 上午 08:43:25

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	511.0220	-61.77	peak	-7.73	-69.50	-54.00	150	215	-15.50	
	546.2926	-62.74	peak	-7.11	-69.85	-54.00	150	140	-15.85	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/12/8

Temperature: 22 °C

-20.0 dBm

Time: 上午 08:45:45

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	546.2926	-73.11	peak	-6.73	-79.84	-54.00	150	325	-25.84	
*	775.5511	-72.87	peak	-3.97	-76.84	-54.00	150	210	-22.84	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 10:34:35

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1210.421	-45.83	peak	3.62	-42.21	-30.00	150	135	-12.21	
	2412.826	-55.19	peak	1.46	-53.73	-30.00	150	280	-23.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:36:58

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1210.421	-39.42	peak	3.47	-35.95	-30.00	150	320	-5.95	
	2412.826	-52.77	peak	6.53	-46.24	-30.00	150	155	-16.24	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 478MHz

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#3


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:37:47

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 478MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/11/27

Temperature:22 °C

Time: 上午 11:24:25

Humidity:55 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 478MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-96.94	peak	20.84	-76.10	-54.00	150	155	-22.10	
	194.8897	-101.58	peak	22.30	-79.28	-54.00	150	210	-25.28	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#4


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:38:35

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 478MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.2004	-99.45	peak	21.57	-77.88	-54.00	150	75	-23.88	
	97.7956	-100.20	peak	21.96	-78.24	-54.00	150	215	-24.24	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/12/8

Temperature:22 °C

-20.0 dBm

Time: 上午 09:27:24

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 478MHz

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	645.6914	-76.53	peak	-1.84	-78.37	-54.00	150	115	-24.37	
*	847.6954	-76.45	peak	-1.05	-77.50	-54.00	150	80	-23.50	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/12/8

Temperature:22 °C

-20.0 dBm

Time: 上午 09:25:34

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 478MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	696.9940	-76.62	peak	-4.00	-80.62	-54.00	150	240	-26.62	
*	801.2024	-76.08	peak	-3.62	-79.70	-54.00	150	295	-25.70	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:44:55

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 478MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1432.866	-57.22	peak	3.57	-53.65	-30.00	150	140	-23.65	
	3825.651	-59.62	peak	5.31	-54.31	-30.00	150	185	-24.31	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:48:20

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 478MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1432.866	-53.12	peak	3.49	-49.63	-30.00	150	255	-19.63	
*	2112.224	-53.91	peak	7.81	-46.10	-30.00	150	350	-16.10	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:26:53

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#3


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:35:32

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:27:41

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-97.27	peak	20.84	-76.43	-54.00	150	145	-22.43	
	106.9940	-99.62	peak	20.19	-79.43	-54.00	150	80	-25.43	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#4


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:36:20

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.2004	-100.27	peak	21.57	-78.70	-54.00	150	245	-24.70	
	175.4710	-102.10	peak	22.74	-79.36	-54.00	150	220	-25.36	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/12/8

Temperature:22 °C

-20.0 dBm

Time: 上午 09:06:13

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	658.5170	-76.65	peak	-1.66	-78.31	-54.00	150	140	-24.31	
*	844.4890	-74.88	peak	-1.22	-76.10	-54.00	150	90	-22.10	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/12/8

Temperature:22 °C

-20.0 dBm

Time: 上午 09:03:29

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	717.8357	-76.08	peak	-4.06	-80.14	-54.00	150	320	-26.14	
*	781.9640	-72.05	peak	-3.88	-75.93	-54.00	150	240	-21.93	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:07:34

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1078.156	-59.93	peak	3.65	-56.28	-30.00	150	155	-26.28	
*	3242.485	-56.95	peak	3.59	-53.36	-30.00	150	250	-23.36	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 10:10:17

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 540MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1078.156	-56.31	peak	3.46	-52.85	-30.00	150	245	-22.85	
*	1619.238	-56.79	peak	4.64	-52.15	-30.00	150	330	-22.15	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:29:28

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin