



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#3


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:32:45

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:30:16

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-98.06	peak	20.84	-77.22	-54.00	150	215	-23.22	
	199.6593	-101.12	peak	22.69	-78.43	-54.00	150	110	-24.43	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#4


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:33:33

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.5411	-99.03	peak	21.55	-77.48	-54.00	150	315	-23.48	
	106.9940	-100.21	peak	21.83	-78.38	-54.00	150	200	-24.38	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2024/12/8

Temperature: 22 °C

-20.0 dBm

Time: 上午 08:53:29

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	546.2926	-70.04	peak	-7.11	-77.15	-54.00	150	115	-23.15	
*	637.6754	-65.76	peak	-2.59	-68.35	-54.00	150	180	-14.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/12/8

Temperature: 22 °C

-20.0 dBm

Time: 上午 08:48:34

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	730.6613	-69.33	peak	-4.17	-73.50	-54.00	150	245	-19.50	
	745.0902	-69.40	peak	-4.29	-73.69	-54.00	150	290	-19.69	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 10:21:07

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1210.421	-57.52	peak	3.62	-53.90	-30.00	150	115	-23.90	
*	3645.291	-56.85	peak	4.61	-52.24	-30.00	150	90	-22.24	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 10:23:10

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22409-23762

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2412.826	-52.18	peak	6.53	-45.65	-30.00	150	140	-15.65	
	3645.291	-57.18	peak	8.12	-49.06	-30.00	150	255	-19.06	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#3


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:20:13

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 11:06:02

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	197.6152	-102.20	peak	22.52	-79.68	-57.00	150	165	-22.68	
	107.3347	-100.32	peak	20.18	-80.14	-57.00	150	50	-23.14	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#4


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:21:01

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	176.8337	-102.08	peak	22.71	-79.37	-57.00	150	65	-22.37	
	107.3347	-101.25	peak	21.80	-79.45	-57.00	150	240	-22.45	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 下午 02:05:07

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	729.0581	-68.20	peak	-4.24	-72.44	-57.00	150	165	-15.44	
	943.8878	-69.58	peak	-3.60	-73.18	-57.00	150	220	-16.18	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 下午 02:06:55

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	788.3768	-75.49	peak	-3.78	-79.27	-57.00	150	355	-22.27	
*	934.2685	-65.60	peak	-2.94	-68.54	-57.00	150	110	-11.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:52:15

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1847.695	-56.35	peak	3.74	-52.61	-47.00	150	110	-5.61	
	2412.826	-58.71	peak	1.46	-57.25	-47.00	150	205	-10.25	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:56:55

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1817.635	-55.02	peak	6.54	-48.48	-47.00	150	85	-1.48	
	2112.224	-56.51	peak	7.81	-48.70	-47.00	150	265	-1.70	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:08:25

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#3


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:17:39

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:09:13

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-98.33	peak	20.84	-77.49	-57.00	150	210	-20.49	
	193.1864	-102.34	peak	22.15	-80.19	-57.00	150	160	-23.19	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #4

Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 11:18:27

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	106.9940	-101.01	peak	21.83	-79.18	-57.00	150	320	-22.18	
	162.1844	-102.39	peak	22.99	-79.40	-57.00	150	260	-22.40	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 下午 02:12:18

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	918.2365	-69.87	peak	-2.28	-72.15	-57.00	150	315	-15.15	
*	943.8878	-68.24	peak	-3.60	-71.84	-57.00	150	145	-14.84	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 下午 02:09:52

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	921.4430	-69.32	peak	-2.65	-71.97	-57.00	150	325	-14.97	
*	945.4910	-64.42	peak	-3.20	-67.62	-57.00	150	200	-10.62	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 10:15:00

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1847.695	-55.88	peak	3.74	-52.14	-47.00	150	205	-5.14	
	2412.826	-57.30	peak	1.46	-55.84	-47.00	150	145	-8.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:17:11

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1811.623	-55.89	peak	6.49	-49.40	-47.00	150	220	-2.40	
*	2112.224	-56.88	peak	7.81	-49.07	-47.00	150	80	-2.07	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2024/11/27

Temperature:22 °C

Time: 上午 11:10:44

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #3

Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 11:13:22

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/11/27

Temperature:22 °C

-20.0 dBm

Time: 上午 11:11:32

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-97.78	peak	20.84	-76.94	-57.00	150	160	-19.94	
	199.3186	-100.81	peak	22.66	-78.15	-57.00	150	105	-21.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #4


Date: 2024/11/27

Temperature: 22 °C

-20.0 dBm

Time: 上午 11:14:10

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300_422-RX_Spurious

EUT : W6M22409-23762

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	107.3347	-100.31	peak	21.80	-78.51	-57.00	150	235	-21.51	
	173.4270	-102.46	peak	22.77	-79.69	-57.00	150	285	-22.69	

*:Maximum data x:Over limit !:over margin