




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) 16QAM BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26(824-849) 16QAM BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26(824-849) 16QAM BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) 16QAM BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) 16QAM BW=15MHz Channel=26915 RB Size=75 Position=#0




Band26(824-849) 16QAM BW=15MHz Channel=26965 RB Size=75 Position=#0




Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=15 Position=#0




Band26(824-849) 16QAM BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=25 Position=#0




Band26(824-849) 16QAM BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=25 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0



Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0




Band41 16QAM BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 16QAM BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 16QAM BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 16QAM BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 16QAM BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 16QAM BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 16QAM BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 16QAM BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 16QAM BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 16QAM BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 16QAM BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 16QAM BW=5MHz Channel=41565 RB Size=25 Position=#0



Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0



Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0



Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0



Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0



Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.11	-26.32	7.00	12.93	-32.25	-13.00	-19.25	H
5551.94	-26.14	8.40	17.11	-34.85	-13.00	-21.85	H
7402.43	-27.17	8.10	22.20	-41.27	-13.00	-28.27	H
3701.11	-29.72	7.00	12.93	-35.65	-13.00	-22.65	V
5551.94	-29.19	8.40	17.11	-37.90	-13.00	-24.90	V
7402.43	-25.64	8.10	22.20	-39.74	-13.00	-26.74	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.99	-24.01	7.00	12.93	-29.94	-13.00	-16.94	H
5639.87	-27.20	8.40	17.11	-35.91	-13.00	-22.91	H
7519.93	-22.78	8.10	22.20	-36.88	-13.00	-23.88	H
3759.99	-28.48	7.00	12.93	-34.41	-13.00	-21.41	V
5639.87	-26.48	8.40	17.11	-35.19	-13.00	-22.19	V
7519.93	-26.59	8.10	22.20	-40.69	-13.00	-27.69	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.51	-27.68	7.00	12.93	-33.61	-13.00	-20.61	H
5727.82	-25.71	8.40	17.11	-34.42	-13.00	-21.42	H
7637.11	-26.75	8.10	22.20	-40.85	-13.00	-27.85	H
3818.51	-25.49	7.00	12.93	-31.42	-13.00	-18.42	V
5727.82	-24.78	8.40	17.11	-33.49	-13.00	-20.49	V
7637.11	-26.95	8.10	22.20	-41.05	-13.00	-28.05	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3703.17	-26.50	7.00	12.93	-32.43	-13.00	-19.43	H
5554.54	-28.10	8.40	17.11	-36.81	-13.00	-23.81	H
7405.82	-23.50	8.10	22.20	-37.60	-13.00	-24.60	H
3703.17	-29.72	7.00	12.93	-35.65	-13.00	-22.65	V
5554.54	-28.66	8.40	17.11	-37.37	-13.00	-24.37	V
7405.82	-24.88	8.10	22.20	-38.98	-13.00	-25.98	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3760.04	-27.98	7.00	12.93	-33.91	-13.00	-20.91	H
5640.07	-27.48	8.40	17.11	-36.19	-13.00	-23.19	H
7520.04	-24.98	8.10	22.20	-39.08	-13.00	-26.08	H
3760.04	-29.23	7.00	12.93	-35.16	-13.00	-22.16	V
5640.07	-28.99	8.40	17.11	-37.70	-13.00	-24.70	V
7520.04	-27.37	8.10	22.20	-41.47	-13.00	-28.47	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3817.24	-27.44	7.00	12.93	-33.37	-13.00	-20.37	H
5725.56	-28.55	8.40	17.11	-37.26	-13.00	-24.26	H
7634.29	-26.14	8.10	22.20	-40.24	-13.00	-27.24	H
3817.24	-28.56	7.00	12.93	-34.49	-13.00	-21.49	V
5725.56	-25.30	8.40	17.11	-34.01	-13.00	-21.01	V
7634.29	-26.69	8.10	22.20	-40.79	-13.00	-27.79	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.26	-24.54	7.00	12.93	-30.47	-13.00	-17.47	H
5557.44	-27.83	8.40	17.11	-36.54	-13.00	-23.54	H
7409.80	-22.73	8.10	22.20	-36.83	-13.00	-23.83	H
3705.26	-29.49	7.00	12.93	-35.42	-13.00	-22.42	V
5557.44	-25.89	8.40	17.11	-34.60	-13.00	-21.60	V
7409.80	-27.87	8.10	22.20	-41.97	-13.00	-28.97	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.19	-25.98	7.00	12.93	-31.91	-13.00	-18.91	H
5640.06	-24.69	8.40	17.11	-33.40	-13.00	-20.40	H
7519.84	-24.56	8.10	22.20	-38.66	-13.00	-25.66	H
3760.19	-27.60	7.00	12.93	-33.53	-13.00	-20.53	V
5640.06	-29.13	8.40	17.11	-37.84	-13.00	-24.84	V
7519.84	-23.74	8.10	22.20	-37.84	-13.00	-24.84	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3814.99	-25.28	7.00	12.93	-31.21	-13.00	-18.21	H
5722.50	-29.07	8.40	17.11	-37.78	-13.00	-24.78	H
7629.85	-23.76	8.10	22.20	-37.86	-13.00	-24.86	H
3814.99	-28.82	7.00	12.93	-34.75	-13.00	-21.75	V
5722.50	-27.73	8.40	17.11	-36.44	-13.00	-23.44	V
7629.85	-25.63	8.10	22.20	-39.73	-13.00	-26.73	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3710.25	-26.60	7.00	12.93	-32.53	-13.00	-19.53	H
5565.46	-26.95	8.40	17.11	-35.66	-13.00	-22.66	H
7419.95	-24.21	8.10	22.20	-38.31	-13.00	-25.31	H
3710.25	-25.48	7.00	12.93	-31.41	-13.00	-18.41	V
5565.46	-25.63	8.40	17.11	-34.34	-13.00	-21.34	V
7419.95	-26.00	8.10	22.20	-40.10	-13.00	-27.10	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3759.91	-27.98	7.00	12.93	-33.91	-13.00	-20.91	H
5639.85	-24.59	8.40	17.11	-33.30	-13.00	-20.30	H
7520.30	-24.15	8.10	22.20	-38.25	-13.00	-25.25	H
3759.91	-29.50	7.00	12.93	-35.43	-13.00	-22.43	V
5639.85	-25.22	8.40	17.11	-33.93	-13.00	-20.93	V
7520.30	-26.39	8.10	22.20	-40.49	-13.00	-27.49	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3810.03	-24.98	7.00	12.93	-30.91	-13.00	-17.91	H
5714.85	-25.37	8.40	17.11	-34.08	-13.00	-21.08	H
7619.85	-23.62	8.10	22.20	-37.72	-13.00	-24.72	H
3810.03	-27.86	7.00	12.93	-33.79	-13.00	-20.79	V
5714.85	-28.27	8.40	17.11	-36.98	-13.00	-23.98	V
7619.85	-25.53	8.10	22.20	-39.63	-13.00	-26.63	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3715.12	-25.20	7.00	12.93	-31.13	-13.00	-18.13	H
5572.24	-25.05	8.40	17.11	-33.76	-13.00	-20.76	H
7430.40	-23.69	8.10	22.20	-37.79	-13.00	-24.79	H
3715.12	-27.89	7.00	12.93	-33.82	-13.00	-20.82	V
5572.24	-25.69	8.40	17.11	-34.40	-13.00	-21.40	V
7430.40	-24.55	8.10	22.20	-38.65	-13.00	-25.65	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3760.06	-26.62	7.00	12.93	-32.55	-13.00	-19.55	H
5640.08	-28.97	8.40	17.11	-37.68	-13.00	-24.68	H
7519.95	-25.25	8.10	22.20	-39.35	-13.00	-26.35	H
3760.06	-28.31	7.00	12.93	-34.24	-13.00	-21.24	V
5640.08	-27.87	8.40	17.11	-36.58	-13.00	-23.58	V
7519.95	-28.06	8.10	22.20	-42.16	-13.00	-29.16	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3804.94	-28.26	7.00	12.93	-34.19	-13.00	-21.19	H
5707.56	-25.52	8.40	17.11	-34.23	-13.00	-21.23	H
7610.19	-26.16	8.10	22.20	-40.26	-13.00	-27.26	H
3804.94	-28.16	7.00	12.93	-34.09	-13.00	-21.09	V
5707.56	-26.04	8.40	17.11	-34.75	-13.00	-21.75	V
7610.19	-27.40	8.10	22.20	-41.50	-13.00	-28.50	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3720.28	-28.87	7.00	12.93	-34.80	-13.00	-21.80	H
5580.50	-26.82	8.40	17.11	-35.53	-13.00	-22.53	H
7440.07	-24.02	8.10	22.20	-38.12	-13.00	-25.12	H
3720.28	-27.32	7.00	12.93	-33.25	-13.00	-20.25	V
5580.50	-27.22	8.40	17.11	-35.93	-13.00	-22.93	V
7440.07	-23.66	8.10	22.20	-37.76	-13.00	-24.76	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3760.21	-25.18	7.00	12.93	-31.11	-13.00	-18.11	H
5639.81	-28.72	8.40	17.11	-37.43	-13.00	-24.43	H
7520.00	-23.03	8.10	22.20	-37.13	-13.00	-24.13	H
3760.21	-25.39	7.00	12.93	-31.32	-13.00	-18.32	V
5639.81	-27.10	8.40	17.11	-35.81	-13.00	-22.81	V
7520.00	-27.02	8.10	22.20	-41.12	-13.00	-28.12	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3799.81	-24.74	7.00	12.93	-30.67	-13.00	-17.67	H
5700.01	-27.36	8.40	17.11	-36.07	-13.00	-23.07	H
7600.10	-27.36	8.10	22.20	-41.46	-13.00	-28.46	H
3799.81	-25.68	7.00	12.93	-31.61	-13.00	-18.61	V
5700.01	-26.93	8.40	17.11	-35.64	-13.00	-22.64	V
7600.10	-24.57	8.10	22.20	-38.67	-13.00	-25.67	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
3420.98	-24.06	7.20	12.56	-29.42	-13.00	-16.42	H
5131.86	-26.60	8.10	16.32	-34.82	-13.00	-21.82	H
6842.62	-25.33	8.30	21.13	-38.16	-13.00	-25.16	H
3420.98	-26.93	7.20	12.56	-32.29	-13.00	-19.29	V
5131.86	-26.76	8.10	16.32	-34.98	-13.00	-21.98	V
6842.62	-23.89	8.30	21.13	-36.72	-13.00	-23.72	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
3464.78	-27.61	7.20	12.56	-32.97	-13.00	-19.97	H
5196.93	-28.21	8.10	16.32	-36.43	-13.00	-23.43	H
6929.91	-24.83	8.30	21.13	-37.66	-13.00	-24.66	H
3464.78	-25.45	7.20	12.56	-30.81	-13.00	-17.81	V
5196.93	-26.16	8.10	16.32	-34.38	-13.00	-21.38	V
6929.91	-25.75	8.30	21.13	-38.58	-13.00	-25.58	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
3508.32	-25.16	7.20	12.56	-30.52	-13.00	-17.52	H
5262.49	-25.54	8.10	16.32	-33.76	-13.00	-20.76	H
7015.79	-23.55	8.30	21.13	-36.38	-13.00	-23.38	H
3508.32	-26.05	7.20	12.56	-31.41	-13.00	-18.41	V
5262.49	-28.25	8.10	16.32	-36.47	-13.00	-23.47	V
7015.79	-24.11	8.30	21.13	-36.94	-13.00	-23.94	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3423.63	-24.53	7.20	12.56	-29.89	-13.00	-16.89	H
5135.77	-25.44	8.10	16.32	-33.66	-13.00	-20.66	H
6848.83	-27.19	8.30	21.13	-40.02	-13.00	-27.02	H
3423.63	-25.16	7.20	12.56	-30.52	-13.00	-17.52	V
5135.77	-24.30	8.10	16.32	-32.52	-13.00	-19.52	V
6848.83	-24.30	8.30	21.13	-37.13	-13.00	-24.13	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3464.55	-27.56	7.20	12.56	-32.92	-13.00	-19.92	H
5196.70	-29.17	8.10	16.32	-37.39	-13.00	-24.39	H
6930.19	-25.49	8.30	21.13	-38.32	-13.00	-25.32	H
3464.55	-28.60	7.20	12.56	-33.96	-13.00	-20.96	V
5196.70	-28.49	8.10	16.32	-36.71	-13.00	-23.71	V
6930.19	-27.63	8.30	21.13	-40.46	-13.00	-27.46	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3506.27	-28.58	7.20	12.56	-33.94	-13.00	-20.94	H
5261.62	-28.33	8.10	16.32	-36.55	-13.00	-23.55	H
7012.74	-22.71	8.30	21.13	-35.54	-13.00	-22.54	H
3506.27	-26.63	7.20	12.56	-31.99	-13.00	-18.99	V
5261.62	-24.54	8.10	16.32	-32.76	-13.00	-19.76	V
7012.74	-27.34	8.30	21.13	-40.17	-13.00	-27.17	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.96	-25.44	7.20	12.56	-30.80	-13.00	-17.80	H
5137.18	-27.74	8.10	16.32	-35.96	-13.00	-22.96	H
6849.85	-27.57	8.30	21.13	-40.40	-13.00	-27.40	H
3424.96	-29.52	7.20	12.56	-34.88	-13.00	-21.88	V
5137.18	-26.07	8.10	16.32	-34.29	-13.00	-21.29	V
6849.85	-24.92	8.30	21.13	-37.75	-13.00	-24.75	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.38	-26.28	7.20	12.56	-31.64	-13.00	-18.64	H
5197.00	-29.23	8.10	16.32	-37.45	-13.00	-24.45	H
6929.56	-26.42	8.30	21.13	-39.25	-13.00	-26.25	H
3464.38	-27.95	7.20	12.56	-33.31	-13.00	-20.31	V
5197.00	-26.92	8.10	16.32	-35.14	-13.00	-22.14	V
6929.56	-27.78	8.30	21.13	-40.61	-13.00	-27.61	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.23	-25.12	7.20	12.56	-30.48	-13.00	-17.48	H
5257.10	-25.18	8.10	16.32	-33.40	-13.00	-20.40	H
7010.12	-25.23	8.30	21.13	-38.06	-13.00	-25.06	H
3505.23	-28.53	7.20	12.56	-33.89	-13.00	-20.89	V
5257.10	-29.05	8.10	16.32	-37.27	-13.00	-24.27	V
7010.12	-25.03	8.30	21.13	-37.86	-13.00	-24.86	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.19	-24.34	7.20	12.56	-29.70	-13.00	-16.70	H
5145.15	-25.53	8.10	16.32	-33.75	-13.00	-20.75	H
6860.41	-27.64	8.30	21.13	-40.47	-13.00	-27.47	H
3430.19	-27.58	7.20	12.56	-32.94	-13.00	-19.94	V
5145.15	-28.32	8.10	16.32	-36.54	-13.00	-23.54	V
6860.41	-26.96	8.30	21.13	-39.79	-13.00	-26.79	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.75	-27.25	7.20	12.56	-32.61	-13.00	-19.61	H
5196.42	-26.99	8.10	16.32	-35.21	-13.00	-22.21	H
6929.75	-25.56	8.30	21.13	-38.39	-13.00	-25.39	H
3464.75	-25.14	7.20	12.56	-30.50	-13.00	-17.50	V
5196.42	-27.12	8.10	16.32	-35.34	-13.00	-22.34	V
6929.75	-24.88	8.30	21.13	-37.71	-13.00	-24.71	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.35	-27.08	7.20	12.56	-32.44	-13.00	-19.44	H
5250.35	-24.90	8.10	16.32	-33.12	-13.00	-20.12	H
6999.70	-25.99	8.30	21.13	-38.82	-13.00	-25.82	H
3500.35	-27.08	7.20	12.56	-32.44	-13.00	-19.44	V
5250.35	-28.64	8.10	16.32	-36.86	-13.00	-23.86	V
6999.70	-23.82	8.30	21.13	-36.65	-13.00	-23.65	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3434.60	-28.37	7.20	12.56	-33.73	-13.00	-20.73	H
5152.43	-24.90	8.10	16.32	-33.12	-13.00	-20.12	H
6870.41	-25.80	8.30	21.13	-38.63	-13.00	-25.63	H
3434.60	-25.17	7.20	12.56	-30.53	-13.00	-17.53	V
5152.43	-26.33	8.10	16.32	-34.55	-13.00	-21.55	V
6870.41	-25.29	8.30	21.13	-38.12	-13.00	-25.12	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3464.97	-27.20	7.20	12.56	-32.56	-13.00	-19.56	H
5196.80	-28.02	8.10	16.32	-36.24	-13.00	-23.24	H
6929.74	-25.66	8.30	21.13	-38.49	-13.00	-25.49	H
3464.97	-26.46	7.20	12.56	-31.82	-13.00	-18.82	V
5196.80	-25.41	8.10	16.32	-33.63	-13.00	-20.63	V
6929.74	-26.26	8.30	21.13	-39.09	-13.00	-26.09	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3495.20	-25.07	7.20	12.56	-30.43	-13.00	-17.43	H
5242.25	-26.04	8.10	16.32	-34.26	-13.00	-21.26	H
6990.37	-25.60	8.30	21.13	-38.43	-13.00	-25.43	H
3495.20	-25.95	7.20	12.56	-31.31	-13.00	-18.31	V
5242.25	-27.10	8.10	16.32	-35.32	-13.00	-22.32	V
6990.37	-26.99	8.30	21.13	-39.82	-13.00	-26.82	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3439.98	-28.62	7.20	12.56	-33.98	-13.00	-20.98	H
5160.32	-27.73	8.10	16.32	-35.95	-13.00	-22.95	H
6880.68	-24.65	8.30	21.13	-37.48	-13.00	-24.48	H
3439.98	-28.75	7.20	12.56	-34.11	-13.00	-21.11	V
5160.32	-24.77	8.10	16.32	-32.99	-13.00	-19.99	V
6880.68	-24.82	8.30	21.13	-37.65	-13.00	-24.65	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3464.98	-27.48	7.20	12.56	-32.84	-13.00	-19.84	H
5196.59	-26.54	8.10	16.32	-34.76	-13.00	-21.76	H
6929.83	-25.88	8.30	21.13	-38.71	-13.00	-25.71	H
3464.98	-27.83	7.20	12.56	-33.19	-13.00	-20.19	V
5196.59	-26.50	8.10	16.32	-34.72	-13.00	-21.72	V
6929.83	-25.42	8.30	21.13	-38.25	-13.00	-25.25	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3490.35	-24.00	7.20	12.56	-29.36	-13.00	-16.36	H
5235.14	-27.35	8.10	16.32	-35.57	-13.00	-22.57	H
6979.50	-25.48	8.30	21.13	-38.31	-13.00	-25.31	H
3490.35	-28.09	7.20	12.56	-33.45	-13.00	-20.45	V
5235.14	-28.47	8.10	16.32	-36.69	-13.00	-23.69	V
6979.50	-23.41	8.30	21.13	-36.24	-13.00	-23.24	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.90	-27.28	7.40	9.72	-29.60	-13.00	-16.60	H
2473.64	-29.35	8.30	10.86	-31.91	-13.00	-18.91	H
3298.57	-27.76	7.20	11.57	-32.13	-13.00	-19.13	H
1648.90	-29.55	7.40	9.72	-31.87	-13.00	-18.87	V
2473.64	-25.79	8.30	10.86	-28.35	-13.00	-15.35	V
3298.57	-29.00	7.20	11.57	-33.37	-13.00	-20.37	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.52	-29.04	7.40	9.72	-31.36	-13.00	-18.36	H
2509.14	-27.79	8.30	10.86	-30.35	-13.00	-17.35	H
3345.32	-24.52	7.20	11.57	-28.89	-13.00	-15.89	H
1672.52	-29.64	7.40	9.72	-31.96	-13.00	-18.96	V
2509.14	-29.01	8.30	10.86	-31.57	-13.00	-18.57	V
3345.32	-28.76	7.20	11.57	-33.13	-13.00	-20.13	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.14	-28.88	7.40	9.72	-31.20	-13.00	-18.20	H
2544.45	-26.02	8.30	10.86	-28.58	-13.00	-15.58	H
3392.98	-26.79	7.20	11.57	-31.16	-13.00	-18.16	H
1696.14	-26.71	7.40	9.72	-29.03	-13.00	-16.03	V
2544.45	-28.48	8.30	10.86	-31.04	-13.00	-18.04	V
3392.98	-26.01	7.20	11.57	-30.38	-13.00	-17.38	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.10	-27.68	7.40	9.72	-30.00	-13.00	-17.00	H
2476.11	-26.82	8.30	10.86	-29.38	-13.00	-16.38	H
3301.34	-26.94	7.20	11.57	-31.31	-13.00	-18.31	H
1650.10	-28.35	7.40	9.72	-30.67	-13.00	-17.67	V
2476.11	-25.34	8.30	10.86	-27.90	-13.00	-14.90	V
3301.34	-28.16	7.20	11.57	-32.53	-13.00	-19.53	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.09	-25.59	7.40	9.72	-27.91	-13.00	-14.91	H
2508.91	-28.50	8.30	10.86	-31.06	-13.00	-18.06	H
3345.78	-23.72	7.20	11.57	-28.09	-13.00	-15.09	H
1672.09	-26.75	7.40	9.72	-29.07	-13.00	-16.07	V
2508.91	-26.12	8.30	10.86	-28.68	-13.00	-15.68	V
3345.78	-25.46	7.20	11.57	-29.83	-13.00	-16.83	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.56	-27.76	7.40	9.72	-30.08	-13.00	-17.08	H
2541.98	-29.68	8.30	10.86	-32.24	-13.00	-19.24	H
3389.27	-24.53	7.20	11.57	-28.90	-13.00	-15.90	H
1694.56	-26.70	7.40	9.72	-29.02	-13.00	-16.02	V
2541.98	-26.85	8.30	10.86	-29.41	-13.00	-16.41	V
3389.27	-28.34	7.20	11.57	-32.71	-13.00	-19.71	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.31	-26.63	7.40	9.72	-28.95	-13.00	-15.95	H
2478.99	-29.18	8.30	10.86	-31.74	-13.00	-18.74	H
3305.72	-26.00	7.20	11.57	-30.37	-13.00	-17.37	H
1652.31	-29.73	7.40	9.72	-32.05	-13.00	-19.05	V
2478.99	-25.75	8.30	10.86	-28.31	-13.00	-15.31	V
3305.72	-27.28	7.20	11.57	-31.65	-13.00	-18.65	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.48	-25.12	7.40	9.72	-27.44	-13.00	-14.44	H
2508.65	-28.49	8.30	10.86	-31.05	-13.00	-18.05	H
3345.63	-24.45	7.20	11.57	-28.82	-13.00	-15.82	H
1672.48	-26.35	7.40	9.72	-28.67	-13.00	-15.67	V
2508.65	-30.06	8.30	10.86	-32.62	-13.00	-19.62	V
3345.63	-28.13	7.20	11.57	-32.50	-13.00	-19.50	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.51	-29.30	7.40	9.72	-31.62	-13.00	-18.62	H
2538.75	-28.87	8.30	10.86	-31.43	-13.00	-18.43	H
3385.75	-24.74	7.20	11.57	-29.11	-13.00	-16.11	H
1692.51	-28.14	7.40	9.72	-30.46	-13.00	-17.46	V
2538.75	-27.67	8.30	10.86	-30.23	-13.00	-17.23	V
3385.75	-27.96	7.20	11.57	-32.33	-13.00	-19.33	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1657.84	-27.38	7.40	9.72	-29.70	-13.00	-16.70	H
2486.20	-26.84	8.30	10.86	-29.40	-13.00	-16.40	H
3315.15	-28.57	7.20	11.57	-32.94	-13.00	-19.94	H
1657.84	-29.16	7.40	9.72	-31.48	-13.00	-18.48	V
2486.20	-25.57	8.30	10.86	-28.13	-13.00	-15.13	V
3315.15	-27.97	7.20	11.57	-32.34	-13.00	-19.34	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1672.32	-26.74	7.40	9.72	-29.06	-13.00	-16.06	H
2508.77	-30.08	8.30	10.86	-32.64	-13.00	-19.64	H
3345.27	-27.89	7.20	11.57	-32.26	-13.00	-19.26	H
1672.32	-29.26	7.40	9.72	-31.58	-13.00	-18.58	V
2508.77	-27.43	8.30	10.86	-29.99	-13.00	-16.99	V
3345.27	-28.99	7.20	11.57	-33.36	-13.00	-20.36	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1687.29	-28.07	7.40	9.72	-30.39	-13.00	-17.39	H
2531.63	-27.87	8.30	10.86	-30.43	-13.00	-17.43	H
3375.83	-28.64	7.20	11.57	-33.01	-13.00	-20.01	H
1687.29	-28.45	7.40	9.72	-30.77	-13.00	-17.77	V
2531.63	-29.06	8.30	10.86	-31.62	-13.00	-18.62	V
3375.83	-26.38	7.20	11.57	-30.75	-13.00	-17.75	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.13	-28.26	6.70	9.34	-30.90	-13.00	-17.90	H
2099.06	-27.47	7.80	10.42	-30.09	-13.00	-17.09	H
2798.58	-27.86	8.00	11.12	-30.98	-13.00	-17.98	H
1399.13	-28.82	6.70	9.34	-31.46	-13.00	-18.46	V
2099.06	-29.41	7.80	10.42	-32.03	-13.00	-19.03	V
2798.58	-27.20	8.00	11.12	-30.32	-13.00	-17.32	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.93	-29.31	6.70	9.34	-31.95	-13.00	-18.95	H
2122.41	-26.62	7.80	10.42	-29.24	-13.00	-16.24	H
2829.93	-28.38	8.00	11.12	-31.50	-13.00	-18.50	H
1414.93	-28.30	6.70	9.34	-30.94	-13.00	-17.94	V
2122.41	-26.62	7.80	10.42	-29.24	-13.00	-16.24	V
2829.93	-25.39	8.00	11.12	-28.51	-13.00	-15.51	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.43	-27.77	6.70	9.34	-30.41	-13.00	-17.41	H
2145.42	-27.69	7.80	10.42	-30.31	-13.00	-17.31	H
2861.18	-25.47	8.00	11.12	-28.59	-13.00	-15.59	H
1430.43	-29.56	6.70	9.34	-32.20	-13.00	-19.20	V
2145.42	-30.03	7.80	10.42	-32.65	-13.00	-19.65	V
2861.18	-28.92	8.00	11.12	-32.04	-13.00	-19.04	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1400.67	-29.66	6.70	9.34	-32.30	-13.00	-19.30	H
2101.04	-30.19	7.80	10.42	-32.81	-13.00	-19.81	H
2801.67	-27.73	8.00	11.12	-30.85	-13.00	-17.85	H
1400.67	-27.20	6.70	9.34	-29.84	-13.00	-16.84	V
2101.04	-28.64	7.80	10.42	-31.26	-13.00	-18.26	V
2801.67	-26.54	8.00	11.12	-29.66	-13.00	-16.66	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1414.73	-28.00	6.70	9.34	-30.64	-13.00	-17.64	H
2122.01	-28.05	7.80	10.42	-30.67	-13.00	-17.67	H
2829.53	-25.40	8.00	11.12	-28.52	-13.00	-15.52	H
1414.73	-29.48	6.70	9.34	-32.12	-13.00	-19.12	V
2122.01	-28.78	7.80	10.42	-31.40	-13.00	-18.40	V
2829.53	-26.15	8.00	11.12	-29.27	-13.00	-16.27	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1428.92	-28.19	6.70	9.34	-30.83	-13.00	-17.83	H
2143.37	-29.60	7.80	10.42	-32.22	-13.00	-19.22	H
2857.85	-27.22	8.00	11.12	-30.34	-13.00	-17.34	H
1428.92	-28.72	6.70	9.34	-31.36	-13.00	-18.36	V
2143.37	-29.54	7.80	10.42	-32.16	-13.00	-19.16	V
2857.85	-27.95	8.00	11.12	-31.07	-13.00	-18.07	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1402.90	-28.45	6.70	9.34	-31.09	-13.00	-18.09	H
2104.25	-27.82	7.80	10.42	-30.44	-13.00	-17.44	H
2805.69	-26.83	8.00	11.12	-29.95	-13.00	-16.95	H
1402.90	-30.86	6.70	9.34	-33.50	-13.00	-20.50	V
2104.25	-27.99	7.80	10.42	-30.61	-13.00	-17.61	V
2805.69	-28.58	8.00	11.12	-31.70	-13.00	-18.70	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1414.55	-28.66	6.70	9.34	-31.30	-13.00	-18.30	H
2122.20	-26.88	7.80	10.42	-29.50	-13.00	-16.50	H
2829.84	-28.11	8.00	11.12	-31.23	-13.00	-18.23	H
1414.55	-28.43	6.70	9.34	-31.07	-13.00	-18.07	V
2122.20	-25.75	7.80	10.42	-28.37	-13.00	-15.37	V
2829.84	-25.94	8.00	11.12	-29.06	-13.00	-16.06	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1426.71	-25.36	6.70	9.34	-28.00	-13.00	-15.00	H
2140.23	-29.81	7.80	10.42	-32.43	-13.00	-19.43	H
2853.76	-26.68	8.00	11.12	-29.80	-13.00	-16.80	H
1426.71	-26.29	6.70	9.34	-28.93	-13.00	-15.93	V
2140.23	-30.18	7.80	10.42	-32.80	-13.00	-19.80	V
2853.76	-27.61	8.00	11.12	-30.73	-13.00	-17.73	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.70	-25.40	6.70	9.34	-28.04	-13.00	-15.04	H
2111.69	-29.66	7.80	10.42	-32.28	-13.00	-19.28	H
2815.53	-26.38	8.00	11.12	-29.50	-13.00	-16.50	H
1407.70	-29.59	6.70	9.34	-32.23	-13.00	-19.23	V
2111.69	-29.23	7.80	10.42	-31.85	-13.00	-18.85	V
2815.53	-26.98	8.00	11.12	-30.10	-13.00	-17.10	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.64	-25.55	6.70	9.34	-28.19	-13.00	-15.19	H
2122.38	-27.12	7.80	10.42	-29.74	-13.00	-16.74	H
2829.65	-27.45	8.00	11.12	-30.57	-13.00	-17.57	H
1414.64	-30.38	6.70	9.34	-33.02	-13.00	-20.02	V
2122.38	-29.39	7.80	10.42	-32.01	-13.00	-19.01	V
2829.65	-28.26	8.00	11.12	-31.38	-13.00	-18.38	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.61	-29.93	6.70	9.34	-32.57	-13.00	-19.57	H
2132.92	-30.27	7.80	10.42	-32.89	-13.00	-19.89	H
2843.90	-24.04	8.00	11.12	-27.16	-13.00	-14.16	H
1421.61	-30.28	6.70	9.34	-32.92	-13.00	-19.92	V
2132.92	-29.66	7.80	10.42	-32.28	-13.00	-19.28	V
2843.90	-25.52	8.00	11.12	-28.64	-13.00	-15.64	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1559.60	-44.83	7.40	9.72	-47.15	-40.00	-7.15	H
2338.16	-36.41	8.30	10.86	-38.97	-13.00	-25.97	H
3118.08	-37.27	7.70	11.57	-41.14	-13.00	-28.14	H
1559.60	-44.18	7.40	9.72	-46.50	-40.00	-6.50	V
2338.16	-37.80	8.30	10.86	-40.36	-13.00	-27.36	V
3118.08	-37.76	7.70	11.57	-41.63	-13.00	-28.63	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1564.01	-48.55	7.40	9.72	-50.87	-40.00	-10.87	H
2346.05	-39.91	8.30	10.86	-42.47	-13.00	-29.47	H
3127.84	-38.12	7.70	11.57	-41.99	-13.00	-28.99	H
1564.01	-44.96	7.40	9.72	-47.28	-40.00	-7.28	V
2346.05	-36.43	8.30	10.86	-38.99	-13.00	-25.99	V
3127.84	-39.54	7.70	11.57	-43.41	-13.00	-30.41	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1569.08	-44.91	7.40	9.72	-47.23	-40.00	-7.23	H
2353.26	-38.35	8.30	10.86	-40.91	-13.00	-27.91	H
3138.38	-39.14	7.70	11.57	-43.01	-13.00	-30.01	H
1569.08	-46.39	7.40	9.72	-48.71	-40.00	-8.71	V
2353.26	-36.77	8.30	10.86	-39.33	-13.00	-26.33	V
3138.38	-37.08	7.70	11.57	-40.95	-13.00	-27.95	V
LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1564.11	-45.06	7.40	9.72	-47.38	-40.00	-7.38	H
2346.00	-39.04	8.30	10.86	-41.60	-13.00	-28.60	H
3127.90	-36.54	7.70	11.57	-40.41	-13.00	-27.41	H
1564.11	-44.71	7.40	9.72	-47.03	-40.00	-7.03	V
2346.00	-38.92	8.30	10.86	-41.48	-13.00	-28.48	V
3127.90	-38.25	7.70	11.57	-42.12	-13.00	-29.12	V

LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3701.23	-28.66	7.00	12.93	-34.59	-13.00	-21.59	H
5551.68	-27.44	8.40	17.11	-36.15	-13.00	-23.15	H
7402.44	-26.39	8.10	22.20	-40.49	-13.00	-27.49	H
3701.23	-27.83	7.00	12.93	-33.76	-13.00	-20.76	V
5551.68	-28.52	8.40	17.11	-37.23	-13.00	-24.23	V
7402.44	-25.40	8.10	22.20	-39.50	-13.00	-26.50	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3759.89	-24.69	7.00	12.93	-30.62	-13.00	-17.62	H
5639.85	-26.97	8.40	17.11	-35.68	-13.00	-22.68	H
7520.16	-23.88	8.10	22.20	-37.98	-13.00	-24.98	H
3759.89	-26.93	7.00	12.93	-32.86	-13.00	-19.86	V
5639.85	-26.38	8.40	17.11	-35.09	-13.00	-22.09	V
7520.16	-26.03	8.10	22.20	-40.13	-13.00	-27.13	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3818.54	-25.27	7.00	12.93	-31.20	-13.00	-18.20	H
5727.64	-26.09	8.40	17.11	-34.80	-13.00	-21.80	H
7637.13	-24.33	8.10	22.20	-38.43	-13.00	-25.43	H
3818.54	-25.76	7.00	12.93	-31.69	-13.00	-18.69	V
5727.64	-27.39	8.40	17.11	-36.10	-13.00	-23.10	V
7637.13	-25.80	8.10	22.20	-39.90	-13.00	-26.90	V

LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3702.84	-28.15	7.00	12.93	-34.08	-13.00	-21.08	H
5554.54	-26.14	8.40	17.11	-34.85	-13.00	-21.85	H
7405.99	-23.08	8.10	22.20	-37.18	-13.00	-24.18	H
3702.84	-28.04	7.00	12.93	-33.97	-13.00	-20.97	V
5554.54	-26.78	8.40	17.11	-35.49	-13.00	-22.49	V
7405.99	-23.70	8.10	22.20	-37.80	-13.00	-24.80	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3760.06	-24.63	7.00	12.93	-30.56	-13.00	-17.56	H
5639.97	-28.32	8.40	17.11	-37.03	-13.00	-24.03	H
7520.06	-26.15	8.10	22.20	-40.25	-13.00	-27.25	H
3760.06	-28.49	7.00	12.93	-34.42	-13.00	-21.42	V
5639.97	-27.73	8.40	17.11	-36.44	-13.00	-23.44	V
7520.06	-24.88	8.10	22.20	-38.98	-13.00	-25.98	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3817.30	-25.99	7.00	12.93	-31.92	-13.00	-18.92	H
5725.48	-28.47	8.40	17.11	-37.18	-13.00	-24.18	H
7633.91	-22.70	8.10	22.20	-36.80	-13.00	-23.80	H
3817.30	-25.63	7.00	12.93	-31.56	-13.00	-18.56	V
5725.48	-28.92	8.40	17.11	-37.63	-13.00	-24.63	V
7633.91	-23.41	8.10	22.20	-37.51	-13.00	-24.51	V

LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3705.27	-26.50	7.00	12.93	-32.43	-13.00	-19.43	H
5557.45	-24.49	8.40	17.11	-33.20	-13.00	-20.20	H
7410.11	-27.35	8.10	22.20	-41.45	-13.00	-28.45	H
3705.27	-27.36	7.00	12.93	-33.29	-13.00	-20.29	V
5557.45	-24.91	8.40	17.11	-33.62	-13.00	-20.62	V
7410.11	-23.53	8.10	22.20	-37.63	-13.00	-24.63	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3760.06	-24.83	7.00	12.93	-30.76	-13.00	-17.76	H
5640.24	-26.46	8.40	17.11	-35.17	-13.00	-22.17	H
7519.95	-24.44	8.10	22.20	-38.54	-13.00	-25.54	H
3760.06	-26.28	7.00	12.93	-32.21	-13.00	-19.21	V
5640.24	-25.45	8.40	17.11	-34.16	-13.00	-21.16	V
7519.95	-28.16	8.10	22.20	-42.26	-13.00	-29.26	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3815.38	-24.91	7.00	12.93	-30.84	-13.00	-17.84	H
5722.44	-27.32	8.40	17.11	-36.03	-13.00	-23.03	H
7630.08	-26.67	8.10	22.20	-40.77	-13.00	-27.77	H
3815.38	-28.59	7.00	12.93	-34.52	-13.00	-21.52	V
5722.44	-25.38	8.40	17.11	-34.09	-13.00	-21.09	V
7630.08	-26.91	8.10	22.20	-41.01	-13.00	-28.01	V

LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.18	-27.81	7.00	12.93	-33.74	-13.00	-20.74	H
5565.19	-27.39	8.40	17.11	-36.10	-13.00	-23.10	H
7420.02	-26.29	8.10	22.20	-40.39	-13.00	-27.39	H
3710.18	-26.46	7.00	12.93	-32.39	-13.00	-19.39	V
5565.19	-27.14	8.40	17.11	-35.85	-13.00	-22.85	V
7420.02	-27.78	8.10	22.20	-41.88	-13.00	-28.88	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.91	-23.96	7.00	12.93	-29.89	-13.00	-16.89	H
5640.08	-27.09	8.40	17.11	-35.80	-13.00	-22.80	H
7519.88	-24.42	8.10	22.20	-38.52	-13.00	-25.52	H
3759.91	-26.98	7.00	12.93	-32.91	-13.00	-19.91	V
5640.08	-24.40	8.40	17.11	-33.11	-13.00	-20.11	V
7519.88	-28.05	8.10	22.20	-42.15	-13.00	-29.15	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.06	-25.28	7.00	12.93	-31.21	-13.00	-18.21	H
5714.67	-29.21	8.40	17.11	-37.92	-13.00	-24.92	H
7620.07	-23.53	8.10	22.20	-37.63	-13.00	-24.63	H
3810.06	-29.06	7.00	12.93	-34.99	-13.00	-21.99	V
5714.67	-27.97	8.40	17.11	-36.68	-13.00	-23.68	V
7620.07	-27.90	8.10	22.20	-42.00	-13.00	-29.00	V

LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.09	-26.90	7.00	12.93	-32.83	-13.00	-19.83	H
5572.51	-26.34	8.40	17.11	-35.05	-13.00	-22.05	H
7430.54	-24.86	8.10	22.20	-38.96	-13.00	-25.96	H
3715.09	-25.49	7.00	12.93	-31.42	-13.00	-18.42	V
5572.51	-27.08	8.40	17.11	-35.79	-13.00	-22.79	V
7430.54	-23.77	8.10	22.20	-37.87	-13.00	-24.87	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.10	-25.95	7.00	12.93	-31.88	-13.00	-18.88	H
5640.15	-29.14	8.40	17.11	-37.85	-13.00	-24.85	H
7519.90	-27.04	8.10	22.20	-41.14	-13.00	-28.14	H
3760.10	-26.50	7.00	12.93	-32.43	-13.00	-19.43	V
5640.15	-25.01	8.40	17.11	-33.72	-13.00	-20.72	V
7519.90	-24.73	8.10	22.20	-38.83	-13.00	-25.83	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.01	-28.78	7.00	12.93	-34.71	-13.00	-21.71	H
5707.59	-29.08	8.40	17.11	-37.79	-13.00	-24.79	H
7610.04	-25.05	8.10	22.20	-39.15	-13.00	-26.15	H
3805.01	-26.97	7.00	12.93	-32.90	-13.00	-19.90	V
5707.59	-28.26	8.40	17.11	-36.97	-13.00	-23.97	V
7610.04	-24.47	8.10	22.20	-38.57	-13.00	-25.57	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.24	-28.34	7.00	12.93	-34.27	-13.00	-21.27	H
5580.29	-27.54	8.40	17.11	-36.25	-13.00	-23.25	H
7439.76	-24.92	8.10	22.20	-39.02	-13.00	-26.02	H
3720.24	-25.19	7.00	12.93	-31.12	-13.00	-18.12	V
5580.29	-27.38	8.40	17.11	-36.09	-13.00	-23.09	V
7439.76	-23.90	8.10	22.20	-38.00	-13.00	-25.00	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.78	-27.87	7.00	12.93	-33.80	-13.00	-20.80	H
5640.29	-26.29	8.40	17.11	-35.00	-13.00	-22.00	H
7520.06	-23.08	8.10	22.20	-37.18	-13.00	-24.18	H
3759.78	-28.42	7.00	12.93	-34.35	-13.00	-21.35	V
5640.29	-28.29	8.40	17.11	-37.00	-13.00	-24.00	V
7520.06	-26.53	8.10	22.20	-40.63	-13.00	-27.63	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.74	-25.09	7.00	12.93	-31.02	-13.00	-18.02	H
5699.99	-24.76	8.40	17.11	-33.47	-13.00	-20.47	H
7599.85	-23.35	8.10	22.20	-37.45	-13.00	-24.45	H
3799.74	-29.73	7.00	12.93	-35.66	-13.00	-22.66	V
5699.99	-25.54	8.40	17.11	-34.25	-13.00	-21.25	V
7599.85	-27.59	8.10	22.20	-41.69	-13.00	-28.69	V

LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.30	-30.01	7.40	9.72	-32.33	-13.00	-19.33	H
2473.31	-31.36	8.30	10.86	-33.92	-13.00	-20.92	H
3298.81	-29.57	7.20	11.57	-33.94	-13.00	-20.94	H
1649.30	-30.86	7.40	9.72	-33.18	-13.00	-20.18	V
2473.31	-28.95	8.30	10.86	-31.51	-13.00	-18.51	V
3298.81	-28.36	7.20	11.57	-32.73	-13.00	-19.73	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.09	-30.91	7.40	9.72	-33.23	-13.00	-20.23	H
2508.89	-29.76	8.30	10.86	-32.32	-13.00	-19.32	H
3345.93	-26.15	7.20	11.57	-30.52	-13.00	-17.52	H
1673.09	-29.95	7.40	9.72	-32.27	-13.00	-19.27	V
2508.89	-26.41	8.30	10.86	-28.97	-13.00	-15.97	V
3345.93	-25.25	7.20	11.57	-29.62	-13.00	-16.62	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.69	-26.82	7.40	9.72	-29.14	-13.00	-16.14	H
2544.76	-26.88	8.30	10.86	-29.44	-13.00	-16.44	H
3393.07	-29.35	7.20	11.57	-33.72	-13.00	-20.72	H
1696.69	-30.87	7.40	9.72	-33.19	-13.00	-20.19	V
2544.76	-29.66	8.30	10.86	-32.22	-13.00	-19.22	V
3393.07	-28.20	7.20	11.57	-32.57	-13.00	-19.57	V

LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.44	-27.90	7.40	9.72	-30.22	-13.00	-17.22	H
2476.43	-28.73	8.30	10.86	-31.29	-13.00	-18.29	H
3301.48	-29.02	7.20	11.57	-33.39	-13.00	-20.39	H
1651.44	-31.39	7.40	9.72	-33.71	-13.00	-20.71	V
2476.43	-26.65	8.30	10.86	-29.21	-13.00	-16.21	V
3301.48	-29.57	7.20	11.57	-33.94	-13.00	-20.94	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.14	-30.34	7.40	9.72	-32.66	-13.00	-19.66	H
2509.30	-29.05	8.30	10.86	-31.61	-13.00	-18.61	H
3346.16	-26.16	7.20	11.57	-30.53	-13.00	-17.53	H
1673.14	-31.65	7.40	9.72	-33.97	-13.00	-20.97	V
2509.30	-29.24	8.30	10.86	-31.80	-13.00	-18.80	V
3346.16	-29.92	7.20	11.57	-34.29	-13.00	-21.29	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.65	-28.62	7.40	9.72	-30.94	-13.00	-17.94	H
2542.25	-29.48	8.30	10.86	-32.04	-13.00	-19.04	H
3390.29	-26.48	7.20	11.57	-30.85	-13.00	-17.85	H
1695.65	-30.60	7.40	9.72	-32.92	-13.00	-19.92	V
2542.25	-28.45	8.30	10.86	-31.01	-13.00	-18.01	V
3390.29	-26.39	7.20	11.57	-30.76	-13.00	-17.76	V

LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.60	-27.81	7.40	9.72	-30.13	-13.00	-17.13	H
2479.58	-27.29	8.30	10.86	-29.85	-13.00	-16.85	H
3306.86	-28.93	7.20	11.57	-33.30	-13.00	-20.30	H
1652.60	-29.14	7.40	9.72	-31.46	-13.00	-18.46	V
2479.58	-28.03	8.30	10.86	-30.59	-13.00	-17.59	V
3306.86	-29.36	7.20	11.57	-33.73	-13.00	-20.73	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.14	-27.69	7.40	9.72	-30.01	-13.00	-17.01	H
2509.13	-29.31	8.30	10.86	-31.87	-13.00	-18.87	H
3346.18	-25.18	7.20	11.57	-29.55	-13.00	-16.55	H
1673.14	-31.52	7.40	9.72	-33.84	-13.00	-20.84	V
2509.13	-30.91	8.30	10.86	-33.47	-13.00	-20.47	V
3346.18	-28.96	7.20	11.57	-33.33	-13.00	-20.33	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.36	-29.24	7.40	9.72	-31.56	-13.00	-18.56	H
2539.28	-30.70	8.30	10.86	-33.26	-13.00	-20.26	H
3386.12	-28.92	7.20	11.57	-33.29	-13.00	-20.29	H
1693.36	-28.85	7.40	9.72	-31.17	-13.00	-18.17	V
2539.28	-29.93	8.30	10.86	-32.49	-13.00	-19.49	V
3386.12	-26.80	7.20	11.57	-31.17	-13.00	-18.17	V

LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1658.11	-26.56	7.40	9.72	-28.88	-13.00	-15.88	H
2486.36	-27.67	8.30	10.86	-30.23	-13.00	-17.23	H
3315.90	-25.07	7.20	11.57	-29.44	-13.00	-16.44	H
1658.11	-31.23	7.40	9.72	-33.55	-13.00	-20.55	V
2486.36	-28.26	8.30	10.86	-30.82	-13.00	-17.82	V
3315.90	-28.05	7.20	11.57	-32.42	-13.00	-19.42	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.05	-27.69	7.40	9.72	-30.01	-13.00	-17.01	H
2509.17	-29.96	8.30	10.86	-32.52	-13.00	-19.52	H
3345.89	-25.35	7.20	11.57	-29.72	-13.00	-16.72	H
1673.05	-31.24	7.40	9.72	-33.56	-13.00	-20.56	V
2509.17	-28.27	8.30	10.86	-30.83	-13.00	-17.83	V
3345.89	-25.57	7.20	11.57	-29.94	-13.00	-16.94	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1688.69	-30.26	7.40	9.72	-32.58	-13.00	-19.58	H
2532.11	-26.61	8.30	10.86	-29.17	-13.00	-16.17	H
3375.98	-26.42	7.20	11.57	-30.79	-13.00	-17.79	H
1688.69	-29.68	7.40	9.72	-32.00	-13.00	-19.00	V
2532.11	-31.20	8.30	10.86	-33.76	-13.00	-20.76	V
3375.98	-26.17	7.20	11.57	-30.54	-13.00	-17.54	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.20	-26.01	7.40	9.72	-28.33	-13.00	-15.33	H
2494.23	-31.18	8.30	10.86	-33.74	-13.00	-20.74	H
3325.51	-28.74	7.20	11.57	-33.11	-13.00	-20.11	H
1663.20	-30.90	7.40	9.72	-33.22	-13.00	-20.22	V
2494.23	-28.32	8.30	10.86	-30.88	-13.00	-17.88	V
3325.51	-28.32	7.20	11.57	-32.69	-13.00	-19.69	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.97	-28.69	7.40	9.72	-31.01	-13.00	-18.01	H
2508.81	-28.21	8.30	10.86	-30.77	-13.00	-17.77	H
3346.14	-29.48	7.20	11.57	-33.85	-13.00	-20.85	H
1672.97	-27.75	7.40	9.72	-30.07	-13.00	-17.07	V
2508.81	-26.69	8.30	10.86	-29.25	-13.00	-16.25	V
3346.14	-27.55	7.20	11.57	-31.92	-13.00	-18.92	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.70	-27.52	7.40	9.72	-29.84	-13.00	-16.84	H
2524.39	-26.73	8.30	10.86	-29.29	-13.00	-16.29	H
3366.66	-28.26	7.20	11.57	-32.63	-13.00	-19.63	H
1683.70	-30.09	7.40	9.72	-32.41	-13.00	-19.41	V
2524.39	-29.01	8.30	10.86	-31.57	-13.00	-18.57	V
3366.66	-26.88	7.20	11.57	-31.25	-13.00	-18.25	V

LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.42	-26.13	7.40	9.72	-28.45	-13.00	-15.45	H
2473.51	-27.20	8.30	10.86	-29.76	-13.00	-16.76	H
3298.83	-27.22	7.20	11.57	-31.59	-13.00	-18.59	H
1649.42	-29.27	7.40	9.72	-31.59	-13.00	-18.59	V
2473.51	-30.69	8.30	10.86	-33.25	-13.00	-20.25	V
3298.83	-25.61	7.20	11.57	-29.98	-13.00	-16.98	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.97	-29.04	7.40	9.72	-31.36	-13.00	-18.36	H
2508.90	-29.18	8.30	10.86	-31.74	-13.00	-18.74	H
3346.21	-27.22	7.20	11.57	-31.59	-13.00	-18.59	H
1672.97	-28.27	7.40	9.72	-30.59	-13.00	-17.59	V
2508.90	-29.61	8.30	10.86	-32.17	-13.00	-19.17	V
3346.21	-28.86	7.20	11.57	-33.23	-13.00	-20.23	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.41	-28.30	7.40	9.72	-30.62	-13.00	-17.62	H
2544.70	-28.47	8.30	10.86	-31.03	-13.00	-18.03	H
3392.96	-29.51	7.20	11.57	-33.88	-13.00	-20.88	H
1696.41	-27.23	7.40	9.72	-29.55	-13.00	-16.55	V
2544.70	-29.17	8.30	10.86	-31.73	-13.00	-18.73	V
3392.96	-25.62	7.20	11.57	-29.99	-13.00	-16.99	V

LTE Band 26(814-824MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1651.40	-30.44	7.40	9.72	-32.76	-13.00	-19.76	H
2476.35	-29.06	8.30	10.86	-31.62	-13.00	-18.62	H
3301.53	-26.44	7.20	11.57	-30.81	-13.00	-17.81	H
1651.40	-30.99	7.40	9.72	-33.31	-13.00	-20.31	V
2476.35	-29.09	8.30	10.86	-31.65	-13.00	-18.65	V
3301.53	-27.84	7.20	11.57	-32.21	-13.00	-19.21	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.09	-28.80	7.40	9.72	-31.12	-13.00	-18.12	H
2508.99	-29.53	8.30	10.86	-32.09	-13.00	-19.09	H
3346.12	-28.09	7.20	11.57	-32.46	-13.00	-19.46	H
1673.09	-29.85	7.40	9.72	-32.17	-13.00	-19.17	V
2508.99	-26.91	8.30	10.86	-29.47	-13.00	-16.47	V
3346.12	-27.17	7.20	11.57	-31.54	-13.00	-18.54	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1695.42	-26.25	7.40	9.72	-28.57	-13.00	-15.57	H
2542.42	-28.46	8.30	10.86	-31.02	-13.00	-18.02	H
3390.02	-26.47	7.20	11.57	-30.84	-13.00	-17.84	H
1695.42	-29.15	7.40	9.72	-31.47	-13.00	-18.47	V
2542.42	-28.50	8.30	10.86	-31.06	-13.00	-18.06	V
3390.02	-27.73	7.20	11.57	-32.10	-13.00	-19.10	V

LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1652.86	-26.16	7.40	9.72	-28.48	-13.00	-15.48	H
2479.48	-29.94	8.30	10.86	-32.50	-13.00	-19.50	H
3306.66	-25.74	7.20	11.57	-30.11	-13.00	-17.11	H
1652.86	-31.75	7.40	9.72	-34.07	-13.00	-21.07	V
2479.48	-26.60	8.30	10.86	-29.16	-13.00	-16.16	V
3306.66	-27.79	7.20	11.57	-32.16	-13.00	-19.16	V
LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.12	-30.09	7.40	9.72	-32.41	-13.00	-19.41	H
2508.97	-27.19	8.30	10.86	-29.75	-13.00	-16.75	H
3345.84	-27.94	7.20	11.57	-32.31	-13.00	-19.31	H
1673.12	-30.86	7.40	9.72	-33.18	-13.00	-20.18	V
2508.97	-28.83	8.30	10.86	-31.39	-13.00	-18.39	V
3345.84	-29.29	7.20	11.57	-33.66	-13.00	-20.66	V
LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1693.35	-26.04	7.40	9.72	-28.36	-13.00	-15.36	H
2539.35	-29.10	8.30	10.86	-31.66	-13.00	-18.66	H
3386.16	-26.09	7.20	11.57	-30.46	-13.00	-17.46	H
1693.35	-30.03	7.40	9.72	-32.35	-13.00	-19.35	V
2539.35	-30.83	8.30	10.86	-33.39	-13.00	-20.39	V
3386.16	-29.54	7.20	11.57	-33.91	-13.00	-20.91	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.82	-27.02	7.40	9.72	-29.34	-13.00	-16.34	H
2509.27	-27.05	8.30	10.86	-29.61	-13.00	-16.61	H
3346.15	-24.79	7.20	11.57	-29.16	-13.00	-16.16	H
1672.82	-29.79	7.40	9.72	-32.11	-13.00	-19.11	V
2509.27	-27.77	8.30	10.86	-30.33	-13.00	-17.33	V
3346.15	-28.91	7.20	11.57	-33.28	-13.00	-20.28	V

LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4997.13	-34.84	7.90	15.86	-42.80	-25.00	-17.80	H
7495.46	-35.24	9.00	19.28	-45.52	-25.00	-20.52	H
9994.29	-30.15	8.70	23.19	-44.64	-25.00	-19.64	H
4997.13	-32.19	7.90	15.86	-40.15	-25.00	-15.15	V
7495.46	-30.82	9.00	19.28	-41.10	-25.00	-16.10	V
9994.29	-32.58	8.70	23.19	-47.07	-25.00	-22.07	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5185.82	-30.17	7.90	15.86	-38.13	-25.00	-13.13	H
7779.22	-34.20	9.00	19.28	-44.48	-25.00	-19.48	H
10372.06	-32.71	8.70	23.19	-47.20	-25.00	-22.20	H
5185.82	-32.69	7.90	15.86	-40.65	-25.00	-15.65	V
7779.22	-33.92	9.00	19.28	-44.20	-25.00	-19.20	V
10372.06	-28.94	8.70	23.19	-43.43	-25.00	-18.43	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5375.05	-31.87	7.90	15.86	-39.83	-25.00	-14.83	H
8062.73	-31.23	9.00	19.28	-41.51	-25.00	-16.51	H
10749.98	-32.45	8.70	23.19	-46.94	-25.00	-21.94	H
5375.05	-32.42	7.90	15.86	-40.38	-25.00	-15.38	V
8062.73	-32.19	9.00	19.28	-42.47	-25.00	-17.47	V
10749.98	-31.01	8.70	23.19	-45.50	-25.00	-20.50	V

LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5001.87	-34.09	7.90	15.86	-42.05	-25.00	-17.05	H
7503.13	-35.32	9.00	19.28	-45.60	-25.00	-20.60	H
10003.88	-32.38	8.70	23.19	-46.87	-25.00	-21.87	H
5001.87	-32.32	7.90	15.86	-40.28	-25.00	-15.28	V
7503.13	-30.73	9.00	19.28	-41.01	-25.00	-16.01	V
10003.88	-30.95	8.70	23.19	-45.44	-25.00	-20.44	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.04	-34.63	7.90	15.86	-42.59	-25.00	-17.59	H
7779.11	-34.16	9.00	19.28	-44.44	-25.00	-19.44	H
10372.29	-29.77	8.70	23.19	-44.26	-25.00	-19.26	H
5186.04	-33.35	7.90	15.86	-41.31	-25.00	-16.31	V
7779.11	-33.86	9.00	19.28	-44.14	-25.00	-19.14	V
10372.29	-31.43	8.70	23.19	-45.92	-25.00	-20.92	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5370.04	-34.46	7.90	15.86	-42.42	-25.00	-17.42	H
8054.97	-35.46	9.00	19.28	-45.74	-25.00	-20.74	H
10739.93	-31.59	8.70	23.19	-46.08	-25.00	-21.08	H
5370.04	-34.64	7.90	15.86	-42.60	-25.00	-17.60	V
8054.97	-32.94	9.00	19.28	-43.22	-25.00	-18.22	V
10739.93	-28.86	8.70	23.19	-43.35	-25.00	-18.35	V

LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5006.83	-33.45	7.90	15.86	-41.41	-25.00	-16.41	H
7510.40	-31.59	9.00	19.28	-41.87	-25.00	-16.87	H
10014.37	-28.89	8.70	23.19	-43.38	-25.00	-18.38	H
5006.83	-34.34	7.90	15.86	-42.30	-25.00	-17.30	V
7510.40	-32.59	9.00	19.28	-42.87	-25.00	-17.87	V
10014.37	-31.60	8.70	23.19	-46.09	-25.00	-21.09	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5185.95	-30.80	7.90	15.86	-38.76	-25.00	-13.76	H
7778.93	-32.84	9.00	19.28	-43.12	-25.00	-18.12	H
10371.96	-30.34	8.70	23.19	-44.83	-25.00	-19.83	H
5185.95	-31.54	7.90	15.86	-39.50	-25.00	-14.50	V
7778.93	-31.56	9.00	19.28	-41.84	-25.00	-16.84	V
10371.96	-28.53	8.70	23.19	-43.02	-25.00	-18.02	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5364.89	-30.64	7.90	15.86	-38.60	-25.00	-13.60	H
8047.57	-33.53	9.00	19.28	-43.81	-25.00	-18.81	H
10730.20	-32.17	8.70	23.19	-46.66	-25.00	-21.66	H
5364.89	-33.18	7.90	15.86	-41.14	-25.00	-16.14	V
8047.57	-33.08	9.00	19.28	-43.36	-25.00	-18.36	V
10730.20	-29.56	8.70	23.19	-44.05	-25.00	-19.05	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5012.28	-32.38	7.90	15.86	-40.34	-25.00	-15.34	H
7517.88	-32.11	9.00	19.28	-42.39	-25.00	-17.39	H
10024.22	-30.01	8.70	23.19	-44.50	-25.00	-19.50	H
5012.28	-33.44	7.90	15.86	-41.40	-25.00	-16.40	V
7517.88	-32.31	9.00	19.28	-42.59	-25.00	-17.59	V
10024.22	-28.55	8.70	23.19	-43.04	-25.00	-18.04	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5186.07	-31.26	7.90	15.86	-39.22	-25.00	-14.22	H
7778.99	-32.58	9.00	19.28	-42.86	-25.00	-17.86	H
10372.16	-32.09	8.70	23.19	-46.58	-25.00	-21.58	H
5186.07	-34.72	7.90	15.86	-42.68	-25.00	-17.68	V
7778.99	-30.36	9.00	19.28	-40.64	-25.00	-15.64	V
10372.16	-33.13	8.70	23.19	-47.62	-25.00	-22.62	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5359.87	-30.02	7.90	15.86	-37.98	-25.00	-12.98	H
8039.82	-34.26	9.00	19.28	-44.54	-25.00	-19.54	H
10720.16	-30.60	8.70	23.19	-45.09	-25.00	-20.09	H
5359.87	-34.08	7.90	15.86	-42.04	-25.00	-17.04	V
8039.82	-32.30	9.00	19.28	-42.58	-25.00	-17.58	V
10720.16	-32.99	8.70	23.19	-47.48	-25.00	-22.48	V

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.26	-25.73	7.20	12.56	-31.09	-13.00	-18.09	H
5132.16	-26.45	8.10	16.32	-34.67	-13.00	-21.67	H
6842.50	-26.28	8.30	21.13	-39.11	-13.00	-26.11	H
3421.26	-28.70	7.20	12.56	-34.06	-13.00	-21.06	V
5132.16	-28.72	8.10	16.32	-36.94	-13.00	-23.94	V
6842.50	-25.63	8.30	21.13	-38.46	-13.00	-25.46	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.13	-27.84	7.20	12.56	-33.20	-13.00	-20.20	H
5235.17	-27.70	8.10	16.32	-35.92	-13.00	-22.92	H
6979.84	-27.23	8.30	21.13	-40.06	-13.00	-27.06	H
3490.13	-27.57	7.20	12.56	-32.93	-13.00	-19.93	V
5235.17	-28.44	8.10	16.32	-36.66	-13.00	-23.66	V
6979.84	-28.18	8.30	21.13	-41.01	-13.00	-28.01	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.12	-26.88	7.20	12.56	-32.24	-13.00	-19.24	H
5336.97	-25.57	8.10	16.32	-33.79	-13.00	-20.79	H
7116.77	-22.73	8.30	21.13	-35.56	-13.00	-22.56	H
3558.12	-25.44	7.20	12.56	-30.80	-13.00	-17.80	V
5336.97	-28.12	8.10	16.32	-36.34	-13.00	-23.34	V
7116.77	-25.84	8.30	21.13	-38.67	-13.00	-25.67	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3423.25	-24.36	7.20	12.56	-29.72	-13.00	-16.72	H
5134.20	-29.22	8.10	16.32	-37.44	-13.00	-24.44	H
6845.99	-24.04	8.30	21.13	-36.87	-13.00	-23.87	H
3423.25	-27.96	7.20	12.56	-33.32	-13.00	-20.32	V
5134.20	-26.75	8.10	16.32	-34.97	-13.00	-21.97	V
6845.99	-24.50	8.30	21.13	-37.33	-13.00	-24.33	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3489.77	-24.15	7.20	12.56	-29.51	-13.00	-16.51	H
5235.10	-25.64	8.10	16.32	-33.86	-13.00	-20.86	H
6980.06	-24.83	8.30	21.13	-37.66	-13.00	-24.66	H
3489.77	-27.43	7.20	12.56	-32.79	-13.00	-19.79	V
5235.10	-29.18	8.10	16.32	-37.40	-13.00	-24.40	V
6980.06	-25.22	8.30	21.13	-38.05	-13.00	-25.05	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
3557.11	-25.01	7.20	12.56	-30.37	-13.00	-17.37	H
5262.28	-29.19	8.10	16.32	-37.41	-13.00	-24.41	H
7114.07	-27.09	8.30	21.13	-39.92	-13.00	-26.92	H
3557.11	-26.67	7.20	12.56	-32.03	-13.00	-19.03	V
5262.28	-26.10	8.10	16.32	-34.32	-13.00	-21.32	V
7114.07	-25.90	8.30	21.13	-38.73	-13.00	-25.73	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.34	-27.40	7.20	12.56	-32.76	-13.00	-19.76	H
5137.11	-25.90	8.10	16.32	-34.12	-13.00	-21.12	H
6850.17	-26.65	8.30	21.13	-39.48	-13.00	-26.48	H
3425.34	-29.37	7.20	12.56	-34.73	-13.00	-21.73	V
5137.11	-28.32	8.10	16.32	-36.54	-13.00	-23.54	V
6850.17	-23.79	8.30	21.13	-36.62	-13.00	-23.62	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.79	-27.17	7.20	12.56	-32.53	-13.00	-19.53	H
5234.99	-26.21	8.10	16.32	-34.43	-13.00	-21.43	H
6980.22	-23.30	8.30	21.13	-36.13	-13.00	-23.13	H
3489.79	-26.98	7.20	12.56	-32.34	-13.00	-19.34	V
5234.99	-25.90	8.10	16.32	-34.12	-13.00	-21.12	V
6980.22	-24.54	8.30	21.13	-37.37	-13.00	-24.37	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.19	-25.93	7.20	12.56	-31.29	-13.00	-18.29	H
5234.95	-27.61	8.10	16.32	-35.83	-13.00	-22.83	H
7110.15	-24.82	8.30	21.13	-37.65	-13.00	-24.65	H
3558.19	-29.53	7.20	12.56	-34.89	-13.00	-21.89	V
5234.95	-28.69	8.10	16.32	-36.91	-13.00	-23.91	V
7110.15	-24.57	8.30	21.13	-37.40	-13.00	-24.40	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.25	-24.38	7.20	12.56	-29.74	-13.00	-16.74	H
5144.99	-28.41	8.10	16.32	-36.63	-13.00	-23.63	H
6880.09	-26.62	8.30	21.13	-39.45	-13.00	-26.45	H
3430.25	-29.20	7.20	12.56	-34.56	-13.00	-21.56	V
5144.99	-24.68	8.10	16.32	-32.90	-13.00	-19.90	V
6880.09	-24.84	8.30	21.13	-37.67	-13.00	-24.67	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.04	-28.87	7.20	12.56	-34.23	-13.00	-21.23	H
5234.90	-27.86	8.10	16.32	-36.08	-13.00	-23.08	H
6979.81	-23.94	8.30	21.13	-36.77	-13.00	-23.77	H
3490.04	-27.61	7.20	12.56	-32.97	-13.00	-19.97	V
5234.90	-28.58	8.10	16.32	-36.80	-13.00	-23.80	V
6979.81	-26.92	8.30	21.13	-39.75	-13.00	-26.75	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.75	-28.54	7.20	12.56	-33.90	-13.00	-20.90	H
5235.50	-24.92	8.10	16.32	-33.14	-13.00	-20.14	H
7100.19	-24.33	8.30	21.13	-37.16	-13.00	-24.16	H
3550.75	-29.78	7.20	12.56	-35.14	-13.00	-22.14	V
5235.50	-25.82	8.10	16.32	-34.04	-13.00	-21.04	V
7100.19	-26.11	8.30	21.13	-38.94	-13.00	-25.94	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.96	-28.74	7.20	12.56	-34.10	-13.00	-21.10	H
5152.66	-28.52	8.10	16.32	-36.74	-13.00	-23.74	H
6870.03	-23.61	8.30	21.13	-36.44	-13.00	-23.44	H
3434.96	-28.04	7.20	12.56	-33.40	-13.00	-20.40	V
5152.66	-28.98	8.10	16.32	-37.20	-13.00	-24.20	V
6870.03	-23.69	8.30	21.13	-36.52	-13.00	-23.52	V
LTE Band 66 /15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.04	-27.31	7.20	12.56	-32.67	-13.00	-19.67	H
5235.06	-26.42	8.10	16.32	-34.64	-13.00	-21.64	H
6979.95	-25.23	8.30	21.13	-38.06	-13.00	-25.06	H
3490.04	-26.43	7.20	12.56	-31.79	-13.00	-18.79	V
5235.06	-25.69	8.10	16.32	-33.91	-13.00	-20.91	V
6979.95	-24.58	8.30	21.13	-37.41	-13.00	-24.41	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3545.14	-28.15	7.20	12.56	-33.51	-13.00	-20.51	H
5332.66	-28.39	8.10	16.32	-36.61	-13.00	-23.61	H
7090.22	-26.42	8.30	21.13	-39.25	-13.00	-26.25	H
3545.14	-29.56	7.20	12.56	-34.92	-13.00	-21.92	V
5332.66	-28.40	8.10	16.32	-36.62	-13.00	-23.62	V
7090.22	-26.27	8.30	21.13	-39.10	-13.00	-26.10	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.29	-24.21	7.20	12.56	-29.57	-13.00	-16.57	H
5159.98	-25.28	8.10	16.32	-33.50	-13.00	-20.50	H
6879.82	-26.04	8.30	21.13	-38.87	-13.00	-25.87	H
3440.29	-28.89	7.20	12.56	-34.25	-13.00	-21.25	V
5159.98	-24.53	8.10	16.32	-32.75	-13.00	-19.75	V
6879.82	-23.85	8.30	21.13	-36.68	-13.00	-23.68	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.24	-24.86	7.20	12.56	-30.22	-13.00	-17.22	H
5235.29	-29.31	8.10	16.32	-37.53	-13.00	-24.53	H
6980.00	-24.92	8.30	21.13	-37.75	-13.00	-24.75	H
3490.24	-29.25	7.20	12.56	-34.61	-13.00	-21.61	V
5235.29	-26.01	8.10	16.32	-34.23	-13.00	-21.23	V
6980.00	-25.96	8.30	21.13	-38.79	-13.00	-25.79	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3539.83	-27.91	7.20	12.56	-33.27	-13.00	-20.27	H
5310.00	-28.81	8.10	16.32	-37.03	-13.00	-24.03	H
7080.77	-25.91	8.30	21.13	-38.74	-13.00	-25.74	H
3539.83	-25.89	7.20	12.56	-31.25	-13.00	-18.25	V
5310.00	-27.98	8.10	16.32	-36.20	-13.00	-23.20	V
7080.77	-26.78	8.30	21.13	-39.61	-13.00	-26.61	V

LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1330.92	-29.94	6.50	9.34	-32.78	-13.00	-19.78	H
1966.47	-31.30	7.70	10.42	-34.02	-13.00	-21.02	H
2661.91	-26.23	7.90	11.12	-29.45	-13.00	-16.45	H
1330.92	-30.06	6.50	9.34	-32.90	-13.00	-19.90	V
1966.47	-28.61	7.70	10.42	-31.33	-13.00	-18.33	V
2661.91	-26.96	7.90	11.12	-30.18	-13.00	-17.18	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1361.29	-28.54	6.50	9.34	-31.38	-13.00	-18.38	H
2041.20	-29.16	7.70	10.42	-31.88	-13.00	-18.88	H
2721.85	-29.16	7.90	11.12	-32.38	-13.00	-19.38	H
1361.29	-27.23	6.50	9.34	-30.07	-13.00	-17.07	V
2041.20	-28.10	7.70	10.42	-30.82	-13.00	-17.82	V
2721.85	-27.04	7.90	11.12	-30.26	-13.00	-17.26	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	(dBm)			(dBm)	(dBm)		
1391.05	-27.27	6.50	9.34	-30.11	-13.00	-17.11	H
2085.97	-30.56	7.70	10.42	-33.28	-13.00	-20.28	H
2781.75	-27.10	7.90	11.12	-30.32	-13.00	-17.32	H
1391.05	-29.99	6.50	9.34	-32.83	-13.00	-19.83	V
2085.97	-29.88	7.70	10.42	-32.60	-13.00	-19.60	V
2781.75	-29.52	7.90	11.12	-32.74	-13.00	-19.74	V

LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1335.90	-26.79	6.50	9.34	-29.63	-13.00	-16.63	H
2004.00	-30.62	7.70	10.42	-33.34	-13.00	-20.34	H
2671.86	-27.45	7.90	11.12	-30.67	-13.00	-17.67	H
1335.90	-27.67	6.50	9.34	-30.51	-13.00	-17.51	V
2004.00	-31.23	7.70	10.42	-33.95	-13.00	-20.95	V
2671.86	-28.25	7.90	11.12	-31.47	-13.00	-18.47	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.96	-28.66	6.50	9.34	-31.50	-13.00	-18.50	H
2041.43	-28.70	7.70	10.42	-31.42	-13.00	-18.42	H
2721.81	-26.63	7.90	11.12	-29.85	-13.00	-16.85	H
1360.96	-29.69	6.50	9.34	-32.53	-13.00	-19.53	V
2041.43	-26.90	7.70	10.42	-29.62	-13.00	-16.62	V
2721.81	-25.40	7.90	11.12	-28.62	-13.00	-15.62	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1385.84	-27.52	6.50	9.34	-30.36	-13.00	-17.36	H
2079.15	-29.48	7.70	10.42	-32.20	-13.00	-19.20	H
2721.98	-28.34	7.90	11.12	-31.56	-13.00	-18.56	H
1385.84	-28.07	6.50	9.34	-30.91	-13.00	-17.91	V
2079.15	-30.83	7.70	10.42	-33.55	-13.00	-20.55	V
2721.98	-28.95	7.90	11.12	-32.17	-13.00	-19.17	V

LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1340.70	-27.20	6.50	9.34	-30.04	-13.00	-17.04	H
2010.93	-29.15	7.70	10.42	-31.87	-13.00	-18.87	H
2682.19	-29.48	7.90	11.12	-32.70	-13.00	-19.70	H
1340.70	-29.49	6.50	9.34	-32.33	-13.00	-19.33	V
2010.93	-27.63	7.70	10.42	-30.35	-13.00	-17.35	V
2682.19	-28.10	7.90	11.12	-31.32	-13.00	-18.32	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.18	-28.71	6.50	9.34	-31.55	-13.00	-18.55	H
2041.64	-30.63	7.70	10.42	-33.35	-13.00	-20.35	H
2722.11	-26.00	7.90	11.12	-29.22	-13.00	-16.22	H
1361.18	-31.81	6.50	9.34	-34.65	-13.00	-21.65	V
2041.64	-30.98	7.70	10.42	-33.70	-13.00	-20.70	V
2722.11	-25.94	7.90	11.12	-29.16	-13.00	-16.16	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1380.99	-25.97	6.50	9.34	-28.81	-13.00	-15.81	H
2071.17	-26.94	7.70	10.42	-29.66	-13.00	-16.66	H
2761.75	-27.97	7.90	11.12	-31.19	-13.00	-18.19	H
1380.99	-28.29	6.50	9.34	-31.13	-13.00	-18.13	V
2071.17	-31.12	7.70	10.42	-33.84	-13.00	-20.84	V
2761.75	-30.00	7.90	11.12	-33.22	-13.00	-20.22	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1346.18	-28.99	6.50	9.34	-31.83	-13.00	-18.83	H
2018.93	-30.16	7.70	10.42	-32.88	-13.00	-19.88	H
2692.06	-29.53	7.90	11.12	-32.75	-13.00	-19.75	H
1346.18	-29.81	6.50	9.34	-32.65	-13.00	-19.65	V
2018.93	-30.54	7.70	10.42	-33.26	-13.00	-20.26	V
2692.06	-26.94	7.90	11.12	-30.16	-13.00	-17.16	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.96	-28.07	6.50	9.34	-30.91	-13.00	-17.91	H
2041.46	-29.60	7.70	10.42	-32.32	-13.00	-19.32	H
2722.02	-28.44	7.90	11.12	-31.66	-13.00	-18.66	H
1360.96	-30.08	6.50	9.34	-32.92	-13.00	-19.92	V
2041.46	-27.70	7.70	10.42	-30.42	-13.00	-17.42	V
2722.02	-28.01	7.90	11.12	-31.23	-13.00	-18.23	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1376.14	-26.64	6.50	9.34	-29.48	-13.00	-16.48	H
2063.76	-28.13	7.70	10.42	-30.85	-13.00	-17.85	H
2751.99	-29.06	7.90	11.12	-32.28	-13.00	-19.28	H
1376.14	-29.87	6.50	9.34	-32.71	-13.00	-19.71	V
2063.76	-28.62	7.70	10.42	-31.34	-13.00	-18.34	V
2751.99	-26.01	7.90	11.12	-29.23	-13.00	-16.23	V

※※※※※END OF THE REPORT※※※※※