



Band2-9538-1-10000~20000MHz



Band2-9538-2-1000~3000MHz




Band2-9538-2-10000~20000MHz




Band2-9538-2-3000~10000MHz




Band2-9538-2-30~1000MHz



Band2-9538-2-0.15~30MHz




Band2-9538-2-0.009~0.15MHz



Band2-9538-3-3000~10000MHz




Band2-9538-3-0.15~30MHz



Band2-9538-3-10000~20000MHz




Band2-9538-3-30~1000MHz



Band2-9538-3-1000~3000MHz



Band2-9538-3-0.009~0.15MHz



Band2-9538-4-0.009~0.15MHz



Band2-9538-4-10000~20000MHz




Band2-9538-4-3000~10000MHz




Band2-9538-4-1000~3000MHz



Band2-9538-4-0.15~30MHz




Band2-9538-4-30~1000MHz




Band2-9538-5-10000~20000MHz




Band2-9538-5-0.009~0.15MHz




Band2-9538-5-0.15~30MHz



Band2-9538-5-30~1000MHz



Band2-9538-5-1000~3000MHz



Band2-9538-5-3000~10000MHz



Appendix F: Frequency Stability VS Voltage

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	-14.43	-0.007790	±2.5	PASS
Band2	9262	VN	NT	-14.78	-0.007979	±2.5	PASS
Band2	9262	VH	NT	-13.01	-0.007023	±2.5	PASS
Band2	9400	VL	NT	-13.00	-0.006915	±2.5	PASS
Band2	9400	VN	NT	-12.94	-0.006883	±2.5	PASS
Band2	9400	VH	NT	-11.05	-0.005878	±2.5	PASS
Band2	9538	VL	NT	-13.41	-0.007030	±2.5	PASS
Band2	9538	VN	NT	-14.11	-0.007397	±2.5	PASS
Band2	9538	VH	NT	-12.55	-0.006579	±2.5	PASS

Appendix G: Frequency Stability VS Temperature

Test Result

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-13.67	-0.007380	±2.5	PASS
Band2	9262	NV	-20	-14.03	-0.007574	±2.5	PASS
Band2	9262	NV	0	-13.56	-0.007320	±2.5	PASS
Band2	9262	NV	10	-11.52	-0.006219	±2.5	PASS
Band2	9262	NV	20	-12.13	-0.006548	±2.5	PASS
Band2	9400	NV	-30	-14.33	-0.007622	±2.5	PASS
Band2	9400	NV	-20	-11.44	-0.006085	±2.5	PASS
Band2	9400	NV	0	-13.15	-0.006995	±2.5	PASS
Band2	9400	NV	10	-11.44	-0.006085	±2.5	PASS
Band2	9400	NV	20	-13.85	-0.007367	±2.5	PASS
Band2	9538	NV	-30	-10.68	-0.005599	±2.5	PASS
Band2	9538	NV	-20	-12.16	-0.006375	±2.5	PASS
Band2	9538	NV	0	-11.76	-0.006165	±2.5	PASS
Band2	9538	NV	10	-11.31	-0.005929	±2.5	PASS
Band2	9538	NV	20	-12.52	-0.006563	±2.5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-11.93	-0.006440	±2.5	PASS
Band2	9262	1	VN	NT	-10.81	-0.005836	±2.5	PASS
Band2	9262	1	VH	NT	-14.27	-0.007704	±2.5	PASS
Band2	9262	2	VL	NT	-9.88	-0.005334	±2.5	PASS
Band2	9262	2	VN	NT	-9.22	-0.004977	±2.5	PASS
Band2	9262	2	VH	NT	-10.52	-0.005679	±2.5	PASS
Band2	9262	3	VL	NT	-6.92	-0.003736	±2.5	PASS
Band2	9262	3	VN	NT	-10.42	-0.005625	±2.5	PASS
Band2	9262	3	VH	NT	-8.89	-0.004799	±2.5	PASS
Band2	9262	4	VL	NT	-14.28	-0.007709	±2.5	PASS
Band2	9262	4	VN	NT	-13.75	-0.007423	±2.5	PASS
Band2	9262	4	VH	NT	-13.56	-0.007320	±2.5	PASS
Band2	9400	1	VL	NT	-9.29	-0.004941	±2.5	PASS
Band2	9400	1	VN	NT	-11.46	-0.006096	±2.5	PASS
Band2	9400	1	VH	NT	-9.00	-0.004787	±2.5	PASS
Band2	9400	2	VL	NT	-13.47	-0.007165	±2.5	PASS
Band2	9400	2	VN	NT	-13.75	-0.007314	±2.5	PASS
Band2	9400	2	VH	NT	-12.22	-0.006500	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band2	9400	3	VL	NT	-11.50	-0.006117	±2.5	PASS
Band2	9400	3	VN	NT	-7.04	-0.003745	±2.5	PASS
Band2	9400	3	VH	NT	-9.07	-0.004824	±2.5	PASS
Band2	9400	4	VL	NT	-8.88	-0.004723	±2.5	PASS
Band2	9400	4	VN	NT	-13.63	-0.007250	±2.5	PASS
Band2	9400	4	VH	NT	-11.44	-0.006085	±2.5	PASS
Band2	9538	1	VL	NT	-11.76	-0.006165	±2.5	PASS
Band2	9538	1	VN	NT	-12.92	-0.006773	±2.5	PASS
Band2	9538	1	VH	NT	-13.43	-0.007040	±2.5	PASS
Band2	9538	2	VL	NT	-7.25	-0.003801	±2.5	PASS
Band2	9538	2	VN	NT	-5.66	-0.002967	±2.5	PASS
Band2	9538	2	VH	NT	-7.41	-0.003884	±2.5	PASS
Band2	9538	3	VL	NT	-8.49	-0.004451	±2.5	PASS
Band2	9538	3	VN	NT	-6.72	-0.003523	±2.5	PASS
Band2	9538	3	VH	NT	-9.48	-0.004970	±2.5	PASS
Band2	9538	4	VL	NT	-10.50	-0.005504	±2.5	PASS
Band2	9538	4	VN	NT	-8.77	-0.004597	±2.5	PASS
Band2	9538	4	VH	NT	-11.56	-0.006060	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage	Temperature	Deviation	Deviation	Limit	Verdict

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

			(Vdc)	(°C)	(Hz)	(ppm)	(ppm)	
Band2	9262	1	NV	-30	-13.41	-0.007239	±2.5	PASS
Band2	9262	1	NV	-20	-10.86	-0.005863	±2.5	PASS
Band2	9262	1	NV	0	-11.91	-0.006429	±2.5	PASS
Band2	9262	1	NV	10	-12.95	-0.006991	±2.5	PASS
Band2	9262	1	NV	20	-13.39	-0.007228	±2.5	PASS
Band2	9262	2	NV	-30	-9.26	-0.004999	±2.5	PASS
Band2	9262	2	NV	-20	-12.59	-0.006797	±2.5	PASS
Band2	9262	2	NV	0	-12.67	-0.006840	±2.5	PASS
Band2	9262	2	NV	10	-13.53	-0.007304	±2.5	PASS
Band2	9262	2	NV	20	-13.66	-0.007374	±2.5	PASS
Band2	9262	3	NV	-30	-10.16	-0.005485	±2.5	PASS
Band2	9262	3	NV	-20	-12.39	-0.006689	±2.5	PASS
Band2	9262	3	NV	0	-11.16	-0.006025	±2.5	PASS
Band2	9262	3	NV	10	-13.28	-0.007169	±2.5	PASS
Band2	9262	3	NV	20	-9.87	-0.005328	±2.5	PASS
Band2	9262	4	NV	-30	-11.45	-0.006181	±2.5	PASS
Band2	9262	4	NV	-20	-16.31	-0.008805	±2.5	PASS
Band2	9262	4	NV	0	-8.84	-0.004772	±2.5	PASS
Band2	9262	4	NV	10	-7.12	-0.003844	±2.5	PASS
Band2	9262	4	NV	20	-9.51	-0.005134	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band2	9400	1	NV	-30	-12.80	-0.006809	±2.5	PASS
Band2	9400	1	NV	-20	-10.56	-0.005617	±2.5	PASS
Band2	9400	1	NV	0	-10.31	-0.005484	±2.5	PASS
Band2	9400	1	NV	10	-9.87	-0.005250	±2.5	PASS
Band2	9400	1	NV	20	-13.25	-0.007048	±2.5	PASS
Band2	9400	2	NV	-30	-12.37	-0.006580	±2.5	PASS
Band2	9400	2	NV	-20	-13.05	-0.006941	±2.5	PASS
Band2	9400	2	NV	0	-9.54	-0.005074	±2.5	PASS
Band2	9400	2	NV	10	-7.81	-0.004154	±2.5	PASS
Band2	9400	2	NV	20	-10.60	-0.005638	±2.5	PASS
Band2	9400	3	NV	-30	-9.09	-0.004835	±2.5	PASS
Band2	9400	3	NV	-20	-10.91	-0.005803	±2.5	PASS
Band2	9400	3	NV	0	-9.42	-0.005011	±2.5	PASS
Band2	9400	3	NV	10	-10.87	-0.005782	±2.5	PASS
Band2	9400	3	NV	20	-10.55	-0.005612	±2.5	PASS
Band2	9400	4	NV	-30	-12.98	-0.006904	±2.5	PASS
Band2	9400	4	NV	-20	-9.91	-0.005271	±2.5	PASS
Band2	9400	4	NV	0	-11.64	-0.006191	±2.5	PASS
Band2	9400	4	NV	10	-13.90	-0.007394	±2.5	PASS
Band2	9400	4	NV	20	-11.04	-0.005872	±2.5	PASS
Band2	9538	1	NV	-30	-9.78	-0.005127	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com

Band2	9538	1	NV	-20	-10.99	-0.005761	±2.5	PASS
Band2	9538	1	NV	0	-15.36	-0.008052	±2.5	PASS
Band2	9538	1	NV	10	-14.68	-0.007696	±2.5	PASS
Band2	9538	1	NV	20	-6.35	-0.003329	±2.5	PASS
Band2	9538	2	NV	-30	-11.00	-0.005766	±2.5	PASS
Band2	9538	2	NV	-20	-8.90	-0.004666	±2.5	PASS
Band2	9538	2	NV	0	-9.97	-0.005226	±2.5	PASS
Band2	9538	2	NV	10	-8.25	-0.004325	±2.5	PASS
Band2	9538	2	NV	20	-10.34	-0.005420	±2.5	PASS
Band2	9538	3	NV	-30	-12.20	-0.006395	±2.5	PASS
Band2	9538	3	NV	-20	-9.52	-0.004991	±2.5	PASS
Band2	9538	3	NV	0	-12.20	-0.006395	±2.5	PASS
Band2	9538	3	NV	10	-9.96	-0.005221	±2.5	PASS
Band2	9538	3	NV	20	-12.34	-0.006469	±2.5	PASS
Band2	9538	4	NV	-30	-12.63	-0.006621	±2.5	PASS
Band2	9538	4	NV	-20	-10.32	-0.005410	±2.5	PASS
Band2	9538	4	NV	0	-10.81	-0.005667	±2.5	PASS
Band2	9538	4	NV	10	-12.60	-0.006605	±2.5	PASS
Band2	9538	4	NV	20	-8.60	-0.004508	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-10.96	-0.005917	±2.5	PASS
Band2	9262	1	VN	NT	-14.54	-0.007849	±2.5	PASS
Band2	9262	1	VH	NT	-10.94	-0.005906	±2.5	PASS
Band2	9262	2	VL	NT	-9.51	-0.005134	±2.5	PASS
Band2	9262	2	VN	NT	-15.03	-0.008114	±2.5	PASS
Band2	9262	2	VH	NT	-7.02	-0.003790	±2.5	PASS
Band2	9262	3	VL	NT	-11.07	-0.005976	±2.5	PASS
Band2	9262	3	VN	NT	-8.09	-0.004367	±2.5	PASS
Band2	9262	3	VH	NT	-7.43	-0.004011	±2.5	PASS
Band2	9262	4	VL	NT	-9.37	-0.005058	±2.5	PASS
Band2	9262	4	VN	NT	-10.79	-0.005825	±2.5	PASS
Band2	9262	4	VH	NT	-9.43	-0.005091	±2.5	PASS
Band2	9262	5	VL	NT	-10.82	-0.005841	±2.5	PASS
Band2	9262	5	VN	NT	-10.19	-0.005501	±2.5	PASS
Band2	9262	5	VH	NT	-9.59	-0.005177	±2.5	PASS
Band2	9400	1	VL	NT	-8.22	-0.004372	±2.5	PASS
Band2	9400	1	VN	NT	-8.08	-0.004298	±2.5	PASS
Band2	9400	1	VH	NT	-8.43	-0.004484	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band2	9400	2	VL	NT	-13.47	-0.007165	±2.5	PASS
Band2	9400	2	VN	NT	-14.86	-0.007904	±2.5	PASS
Band2	9400	2	VH	NT	-13.74	-0.007309	±2.5	PASS
Band2	9400	3	VL	NT	-10.21	-0.005431	±2.5	PASS
Band2	9400	3	VN	NT	-8.36	-0.004447	±2.5	PASS
Band2	9400	3	VH	NT	-9.60	-0.005106	±2.5	PASS
Band2	9400	4	VL	NT	-8.88	-0.004723	±2.5	PASS
Band2	9400	4	VN	NT	-13.85	-0.007367	±2.5	PASS
Band2	9400	4	VH	NT	-11.61	-0.006176	±2.5	PASS
Band2	9400	5	VL	NT	-12.79	-0.006803	±2.5	PASS
Band2	9400	5	VN	NT	-10.47	-0.005569	±2.5	PASS
Band2	9400	5	VH	NT	-13.16	-0.007000	±2.5	PASS
Band2	9538	1	VL	NT	-9.28	-0.004865	±2.5	PASS
Band2	9538	1	VN	NT	-11.22	-0.005882	±2.5	PASS
Band2	9538	1	VH	NT	-12.20	-0.006395	±2.5	PASS
Band2	9538	2	VL	NT	-9.56	-0.005012	±2.5	PASS
Band2	9538	2	VN	NT	-10.46	-0.005483	±2.5	PASS
Band2	9538	2	VH	NT	-10.40	-0.005452	±2.5	PASS
Band2	9538	3	VL	NT	-14.28	-0.007486	±2.5	PASS
Band2	9538	3	VN	NT	-11.35	-0.005950	±2.5	PASS
Band2	9538	3	VH	NT	-9.61	-0.005038	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band2	9538	4	VL	NT	-13.68	-0.007171	±2.5	PASS
Band2	9538	4	VN	NT	-14.63	-0.007669	±2.5	PASS
Band2	9538	4	VH	NT	-14.78	-0.007748	±2.5	PASS
Band2	9538	5	VL	NT	-15.09	-0.007910	±2.5	PASS
Band2	9538	5	VN	NT	-14.87	-0.007795	±2.5	PASS
Band2	9538	5	VH	NT	-15.39	-0.008068	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-12.18	-0.006575	±2.5	PASS
Band2	9262	1	NV	-20	-11.55	-0.006235	±2.5	PASS
Band2	9262	1	NV	0	-11.92	-0.006435	±2.5	PASS
Band2	9262	1	NV	10	-13.23	-0.007142	±2.5	PASS
Band2	9262	1	NV	20	-15.46	-0.008346	±2.5	PASS
Band2	9262	2	NV	-30	-5.39	-0.002910	±2.5	PASS
Band2	9262	2	NV	-20	-6.62	-0.003574	±2.5	PASS
Band2	9262	2	NV	0	-9.47	-0.005112	±2.5	PASS
Band2	9262	2	NV	10	-8.06	-0.004351	±2.5	PASS
Band2	9262	2	NV	20	-11.80	-0.006370	±2.5	PASS
Band2	9262	3	NV	-30	-7.85	-0.004238	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band2	9262	3	NV	-20	-8.54	-0.004610	±2.5	PASS
Band2	9262	3	NV	0	-11.55	-0.006235	±2.5	PASS
Band2	9262	3	NV	10	-11.82	-0.006381	±2.5	PASS
Band2	9262	3	NV	20	-9.98	-0.005388	±2.5	PASS
Band2	9262	4	NV	-30	-9.36	-0.005053	±2.5	PASS
Band2	9262	4	NV	-20	-9.01	-0.004864	±2.5	PASS
Band2	9262	4	NV	0	-8.94	-0.004826	±2.5	PASS
Band2	9262	4	NV	10	-9.48	-0.005118	±2.5	PASS
Band2	9262	4	NV	20	-11.74	-0.006338	±2.5	PASS
Band2	9262	5	NV	-30	-11.09	-0.005987	±2.5	PASS
Band2	9262	5	NV	-20	-8.15	-0.004400	±2.5	PASS
Band2	9262	5	NV	0	-9.06	-0.004891	±2.5	PASS
Band2	9262	5	NV	10	-8.97	-0.004842	±2.5	PASS
Band2	9262	5	NV	20	-13.21	-0.007131	±2.5	PASS
Band2	9400	1	NV	-30	-7.15	-0.003803	±2.5	PASS
Band2	9400	1	NV	-20	-8.88	-0.004723	±2.5	PASS
Band2	9400	1	NV	0	-9.93	-0.005282	±2.5	PASS
Band2	9400	1	NV	10	-10.35	-0.005505	±2.5	PASS
Band2	9400	1	NV	20	-6.94	-0.003691	±2.5	PASS
Band2	9400	2	NV	-30	-8.35	-0.004441	±2.5	PASS
Band2	9400	2	NV	-20	-9.68	-0.005149	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band2	9400	2	NV	0	-9.72	-0.005170	±2.5	PASS
Band2	9400	2	NV	10	-8.64	-0.004596	±2.5	PASS
Band2	9400	2	NV	20	-7.87	-0.004186	±2.5	PASS
Band2	9400	3	NV	-30	-10.24	-0.005447	±2.5	PASS
Band2	9400	3	NV	-20	-10.21	-0.005431	±2.5	PASS
Band2	9400	3	NV	0	-7.67	-0.004080	±2.5	PASS
Band2	9400	3	NV	10	-12.92	-0.006872	±2.5	PASS
Band2	9400	3	NV	20	-13.25	-0.007048	±2.5	PASS
Band2	9400	4	NV	-30	-13.67	-0.007271	±2.5	PASS
Band2	9400	4	NV	-20	-8.36	-0.004447	±2.5	PASS
Band2	9400	4	NV	0	-9.81	-0.005218	±2.5	PASS
Band2	9400	4	NV	10	-10.56	-0.005617	±2.5	PASS
Band2	9400	4	NV	20	-9.42	-0.005011	±2.5	PASS
Band2	9400	5	NV	-30	-14.71	-0.007824	±2.5	PASS
Band2	9400	5	NV	-20	-9.74	-0.005181	±2.5	PASS
Band2	9400	5	NV	0	-11.21	-0.005963	±2.5	PASS
Band2	9400	5	NV	10	-10.26	-0.005457	±2.5	PASS
Band2	9400	5	NV	20	-10.84	-0.005766	±2.5	PASS
Band2	9538	1	NV	-30	-11.55	-0.006055	±2.5	PASS
Band2	9538	1	NV	-20	-11.67	-0.006118	±2.5	PASS
Band2	9538	1	NV	0	-13.67	-0.007166	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band2	9538	1	NV	10	-15.36	-0.008052	±2.5	PASS
Band2	9538	1	NV	20	-14.81	-0.007764	±2.5	PASS
Band2	9538	2	NV	-30	-15.54	-0.008146	±2.5	PASS
Band2	9538	2	NV	-20	-9.40	-0.004928	±2.5	PASS
Band2	9538	2	NV	0	-13.35	-0.006998	±2.5	PASS
Band2	9538	2	NV	10	-16.26	-0.008524	±2.5	PASS
Band2	9538	2	NV	20	-8.94	-0.004687	±2.5	PASS
Band2	9538	3	NV	-30	-13.54	-0.007098	±2.5	PASS
Band2	9538	3	NV	-20	-7.23	-0.003790	±2.5	PASS
Band2	9538	3	NV	0	-8.25	-0.004325	±2.5	PASS
Band2	9538	3	NV	10	-14.84	-0.007779	±2.5	PASS
Band2	9538	3	NV	20	-12.23	-0.006411	±2.5	PASS
Band2	9538	4	NV	-30	-4.70	-0.002464	±2.5	PASS
Band2	9538	4	NV	-20	-13.86	-0.007266	±2.5	PASS
Band2	9538	4	NV	0	-6.54	-0.003428	±2.5	PASS
Band2	9538	4	NV	10	-15.69	-0.008225	±2.5	PASS
Band2	9538	4	NV	20	-5.87	-0.003077	±2.5	PASS
Band2	9538	5	NV	-30	-13.29	-0.006967	±2.5	PASS
Band2	9538	5	NV	-20	-12.47	-0.006537	±2.5	PASS
Band2	9538	5	NV	0	-8.76	-0.004592	±2.5	PASS
Band2	9538	5	NV	10	-14.23	-0.007460	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band2	9538	5	NV	20	-10.36	-0.005431	±2.5	PASS
-------	------	---	----	----	--------	-----------	------	------

---End---