



Band4-1513-1-10000~18000MHz



Band4-1513-2-1000~3000MHz




Band4-1513-2-10000~18000MHz




Band4-1513-2-3000~10000MHz



Band4-1513-2-30~1000MHz



Band4-1513-2-0.15~30MHz




Band4-1513-2-0.009~0.15MHz



Band4-1513-3-3000~10000MHz




Band4-1513-3-0.15~30MHz




Band4-1513-3-10000~18000MHz




Band4-1513-3-30~1000MHz



Band4-1513-3-1000~3000MHz



Band4-1513-3-0.009~0.15MHz



Band4-1513-4-0.009~0.15MHz



Band4-1513-4-10000~18000MHz




Band4-1513-4-3000~10000MHz




Band4-1513-4-1000~3000MHz



Band4-1513-4-0.15~30MHz




Band4-1513-4-30~1000MHz




Band4-1513-5-10000~18000MHz




Band4-1513-5-0.009~0.15MHz



Band4-1513-5-0.15~30MHz



Band4-1513-5-30~1000MHz



Band4-1513-5-1000~3000MHz



Band4-1513-5-3000~10000MHz



Appendix F: Frequency Stability VS Voltage

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VL	NT	-21.74	-0.012696	±2.5	PASS
Band4	1312	VN	NT	-22.39	-0.013075	±2.5	PASS
Band4	1312	VH	NT	-19.88	-0.011609	±2.5	PASS
Band4	1413	VL	NT	-14.71	-0.008490	±2.5	PASS
Band4	1413	VN	NT	-13.08	-0.007549	±2.5	PASS
Band4	1413	VH	NT	-12.70	-0.007330	±2.5	PASS
Band4	1513	VL	NT	-9.80	-0.005592	±2.5	PASS
Band4	1513	VN	NT	-12.38	-0.007064	±2.5	PASS
Band4	1513	VH	NT	-10.18	-0.005809	±2.5	PASS

AppendixG:Frequency Stability VS Temperature

Test Result

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	-18.22	-0.010640	±2.5	PASS
Band4	1312	NV	-20	-17.01	-0.009933	±2.5	PASS
Band4	1312	NV	0	-14.71	-0.008590	±2.5	PASS
Band4	1312	NV	10	-15.34	-0.008958	±2.5	PASS
Band4	1312	NV	20	-16.49	-0.009630	±2.5	PASS
Band4	1413	NV	-30	-12.95	-0.007474	±2.5	PASS
Band4	1413	NV	-20	-15.86	-0.009154	±2.5	PASS
Band4	1413	NV	0	-13.53	-0.007809	±2.5	PASS
Band4	1413	NV	10	-12.61	-0.007278	±2.5	PASS
Band4	1413	NV	20	-11.13	-0.006424	±2.5	PASS
Band4	1513	NV	-30	-9.16	-0.005227	±2.5	PASS
Band4	1513	NV	-20	-7.92	-0.004519	±2.5	PASS
Band4	1513	NV	0	-12.77	-0.007286	±2.5	PASS
Band4	1513	NV	10	-11.75	-0.006704	±2.5	PASS
Band4	1513	NV	20	-9.81	-0.005597	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VL	NT	-25.02	-0.014611	±2.5	PASS
Band4	1312	1	VN	NT	-42.17	-0.024626	±2.5	PASS
Band4	1312	1	VH	NT	-30.96	-0.018080	±2.5	PASS
Band4	1312	2	VL	NT	-12.44	-0.007265	±2.5	PASS
Band4	1312	2	VN	NT	-11.62	-0.006786	±2.5	PASS
Band4	1312	2	VH	NT	-9.82	-0.005735	±2.5	PASS
Band4	1312	3	VL	NT	-15.53	-0.009069	±2.5	PASS
Band4	1312	3	VN	NT	-17.00	-0.009928	±2.5	PASS
Band4	1312	3	VH	NT	-10.87	-0.006348	±2.5	PASS
Band4	1312	4	VL	NT	-9.41	-0.005495	±2.5	PASS
Band4	1312	4	VN	NT	-6.40	-0.003737	±2.5	PASS
Band4	1312	4	VH	NT	-11.09	-0.006476	±2.5	PASS
Band4	1413	1	VL	NT	-10.31	-0.005951	±2.5	PASS
Band4	1413	1	VN	NT	-12.07	-0.006966	±2.5	PASS
Band4	1413	1	VH	NT	-13.17	-0.007601	±2.5	PASS
Band4	1413	2	VL	NT	-13.26	-0.007653	±2.5	PASS
Band4	1413	2	VN	NT	-17.78	-0.010262	±2.5	PASS
Band4	1413	2	VH	NT	-15.14	-0.008738	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band4	1413	3	VL	NT	-9.73	-0.005616	±2.5	PASS
Band4	1413	3	VN	NT	-14.40	-0.008311	±2.5	PASS
Band4	1413	3	VH	NT	-11.99	-0.006920	±2.5	PASS
Band4	1413	4	VL	NT	-14.28	-0.008242	±2.5	PASS
Band4	1413	4	VN	NT	-15.16	-0.008750	±2.5	PASS
Band4	1413	4	VH	NT	-8.42	-0.004860	±2.5	PASS
Band4	1513	1	VL	NT	-7.71	-0.004399	±2.5	PASS
Band4	1513	1	VN	NT	-6.32	-0.003606	±2.5	PASS
Band4	1513	1	VH	NT	-8.26	-0.004713	±2.5	PASS
Band4	1513	2	VL	NT	-13.33	-0.007606	±2.5	PASS
Band4	1513	2	VN	NT	-5.79	-0.003304	±2.5	PASS
Band4	1513	2	VH	NT	-10.64	-0.006071	±2.5	PASS
Band4	1513	3	VL	NT	-20.11	-0.011474	±2.5	PASS
Band4	1513	3	VN	NT	-14.19	-0.008097	±2.5	PASS
Band4	1513	3	VH	NT	-20.55	-0.011725	±2.5	PASS
Band4	1513	4	VL	NT	-13.73	-0.007834	±2.5	PASS
Band4	1513	4	VN	NT	-19.75	-0.011269	±2.5	PASS
Band4	1513	4	VH	NT	-11.97	-0.006830	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage	Temperature	Deviation	Deviation	Limit	Verdict

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

			(Vdc)	(°C)	(Hz)	(ppm)	(ppm)	
Band4	1312	1	NV	-30	-38.37	-0.022407	±2.5	PASS
Band4	1312	1	NV	-20	23.02	0.013443	±2.5	PASS
Band4	1312	1	NV	0	-5.15	-0.003007	±2.5	PASS
Band4	1312	1	NV	10	-8.09	-0.004724	±2.5	PASS
Band4	1312	1	NV	20	-9.63	-0.005624	±2.5	PASS
Band4	1312	2	NV	-30	-11.89	-0.006943	±2.5	PASS
Band4	1312	2	NV	-20	-7.92	-0.004625	±2.5	PASS
Band4	1312	2	NV	0	-8.60	-0.005022	±2.5	PASS
Band4	1312	2	NV	10	-12.42	-0.007253	±2.5	PASS
Band4	1312	2	NV	20	-9.48	-0.005536	±2.5	PASS
Band4	1312	3	NV	-30	-8.07	-0.004713	±2.5	PASS
Band4	1312	3	NV	-20	-8.46	-0.004940	±2.5	PASS
Band4	1312	3	NV	0	-15.03	-0.008777	±2.5	PASS
Band4	1312	3	NV	10	-15.86	-0.009262	±2.5	PASS
Band4	1312	3	NV	20	-11.23	-0.006558	±2.5	PASS
Band4	1312	4	NV	-30	-7.52	-0.004391	±2.5	PASS
Band4	1312	4	NV	-20	-10.31	-0.006021	±2.5	PASS
Band4	1312	4	NV	0	-8.09	-0.004724	±2.5	PASS
Band4	1312	4	NV	10	-8.29	-0.004841	±2.5	PASS
Band4	1312	4	NV	20	-6.74	-0.003936	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com

Band4	1413	1	NV	-30	-9.52	-0.005495	±2.5	PASS
Band4	1413	1	NV	-20	-11.02	-0.006360	±2.5	PASS
Band4	1413	1	NV	0	-14.85	-0.008571	±2.5	PASS
Band4	1413	1	NV	10	-19.28	-0.011128	±2.5	PASS
Band4	1413	1	NV	20	-12.74	-0.007353	±2.5	PASS
Band4	1413	2	NV	-30	-7.95	-0.004588	±2.5	PASS
Band4	1413	2	NV	-20	-11.64	-0.006718	±2.5	PASS
Band4	1413	2	NV	0	-12.17	-0.007024	±2.5	PASS
Band4	1413	2	NV	10	-13.44	-0.007757	±2.5	PASS
Band4	1413	2	NV	20	-14.50	-0.008369	±2.5	PASS
Band4	1413	3	NV	-30	-9.15	-0.005281	±2.5	PASS
Band4	1413	3	NV	-20	-16.77	-0.009679	±2.5	PASS
Band4	1413	3	NV	0	-8.73	-0.005039	±2.5	PASS
Band4	1413	3	NV	10	-12.47	-0.007197	±2.5	PASS
Band4	1413	3	NV	20	-6.94	-0.004006	±2.5	PASS
Band4	1413	4	NV	-30	-12.87	-0.007428	±2.5	PASS
Band4	1413	4	NV	-20	-13.01	-0.007509	±2.5	PASS
Band4	1413	4	NV	0	-11.44	-0.006603	±2.5	PASS
Band4	1413	4	NV	10	-10.67	-0.006158	±2.5	PASS
Band4	1413	4	NV	20	-10.44	-0.006026	±2.5	PASS
Band4	1513	1	NV	-30	-9.67	-0.005518	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band4	1513	1	NV	-20	-10.56	-0.006025	±2.5	PASS
Band4	1513	1	NV	0	-7.48	-0.004268	±2.5	PASS
Band4	1513	1	NV	10	-11.90	-0.006790	±2.5	PASS
Band4	1513	1	NV	20	-4.23	-0.002414	±2.5	PASS
Band4	1513	2	NV	-30	-12.46	-0.007109	±2.5	PASS
Band4	1513	2	NV	-20	-20.42	-0.011651	±2.5	PASS
Band4	1513	2	NV	0	-21.74	-0.012404	±2.5	PASS
Band4	1513	2	NV	10	-14.84	-0.008467	±2.5	PASS
Band4	1513	2	NV	20	-12.87	-0.007343	±2.5	PASS
Band4	1513	3	NV	-30	-14.38	-0.008205	±2.5	PASS
Band4	1513	3	NV	-20	-13.34	-0.007612	±2.5	PASS
Band4	1513	3	NV	0	-15.23	-0.008690	±2.5	PASS
Band4	1513	3	NV	10	-14.43	-0.008233	±2.5	PASS
Band4	1513	3	NV	20	-18.84	-0.010750	±2.5	PASS
Band4	1513	4	NV	-30	-11.22	-0.006402	±2.5	PASS
Band4	1513	4	NV	-20	-11.54	-0.006585	±2.5	PASS
Band4	1513	4	NV	0	-10.14	-0.005786	±2.5	PASS
Band4	1513	4	NV	10	-10.64	-0.006071	±2.5	PASS
Band4	1513	4	NV	20	-11.99	-0.006841	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VL	NT	-9.08	-0.005302	±2.5	PASS
Band4	1312	1	VN	NT	-8.02	-0.004683	±2.5	PASS
Band4	1312	1	VH	NT	-10.91	-0.006371	±2.5	PASS
Band4	1312	2	VL	NT	-12.40	-0.007241	±2.5	PASS
Band4	1312	2	VN	NT	-7.46	-0.004356	±2.5	PASS
Band4	1312	2	VH	NT	-21.62	-0.012626	±2.5	PASS
Band4	1312	3	VL	NT	-20.32	-0.011866	±2.5	PASS
Band4	1312	3	VN	NT	-25.94	-0.015148	±2.5	PASS
Band4	1312	3	VH	NT	-31.96	-0.018664	±2.5	PASS
Band4	1312	4	VL	NT	-29.07	-0.016976	±2.5	PASS
Band4	1312	4	VN	NT	-18.22	-0.010640	±2.5	PASS
Band4	1312	4	VH	NT	-20.69	-0.012082	±2.5	PASS
Band4	1312	5	VL	NT	-7.69	-0.004491	±2.5	PASS
Band4	1312	5	VN	NT	-7.85	-0.004584	±2.5	PASS
Band4	1312	5	VH	NT	-10.44	-0.006097	±2.5	PASS
Band4	1413	1	VL	NT	-9.13	-0.005270	±2.5	PASS
Band4	1413	1	VN	NT	-10.03	-0.005789	±2.5	PASS
Band4	1413	1	VH	NT	-9.23	-0.005327	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com

Band4	1413	2	VL	NT	-10.57	-0.006101	±2.5	PASS
Band4	1413	2	VN	NT	-9.91	-0.005720	±2.5	PASS
Band4	1413	2	VH	NT	-13.18	-0.007607	±2.5	PASS
Band4	1413	3	VL	NT	-7.37	-0.004254	±2.5	PASS
Band4	1413	3	VN	NT	-8.25	-0.004762	±2.5	PASS
Band4	1413	3	VH	NT	-9.66	-0.005575	±2.5	PASS
Band4	1413	4	VL	NT	-12.20	-0.007041	±2.5	PASS
Band4	1413	4	VN	NT	-7.85	-0.004531	±2.5	PASS
Band4	1413	4	VH	NT	-11.01	-0.006355	±2.5	PASS
Band4	1413	5	VL	NT	-9.36	-0.005402	±2.5	PASS
Band4	1413	5	VN	NT	-8.15	-0.004704	±2.5	PASS
Band4	1413	5	VH	NT	-8.80	-0.005079	±2.5	PASS
Band4	1513	1	VL	NT	-8.43	-0.004810	±2.5	PASS
Band4	1513	1	VN	NT	-8.29	-0.004730	±2.5	PASS
Band4	1513	1	VH	NT	-7.14	-0.004074	±2.5	PASS
Band4	1513	2	VL	NT	-5.85	-0.003338	±2.5	PASS
Band4	1513	2	VN	NT	-6.33	-0.003612	±2.5	PASS
Band4	1513	2	VH	NT	-8.43	-0.004810	±2.5	PASS
Band4	1513	3	VL	NT	-5.39	-0.003075	±2.5	PASS
Band4	1513	3	VN	NT	-4.51	-0.002573	±2.5	PASS
Band4	1513	3	VH	NT	-4.38	-0.002499	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band4	1513	4	VL	NT	-7.44	-0.004245	±2.5	PASS
Band4	1513	4	VN	NT	-4.53	-0.002585	±2.5	PASS
Band4	1513	4	VH	NT	-4.61	-0.002630	±2.5	PASS
Band4	1513	5	VL	NT	-4.18	-0.002385	±2.5	PASS
Band4	1513	5	VN	NT	-5.46	-0.003115	±2.5	PASS
Band4	1513	5	VH	NT	-3.84	-0.002191	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	-15.13	-0.008836	±2.5	PASS
Band4	1312	1	NV	-20	-12.58	-0.007346	±2.5	PASS
Band4	1312	1	NV	0	-13.27	-0.007749	±2.5	PASS
Band4	1312	1	NV	10	-16.83	-0.009828	±2.5	PASS
Band4	1312	1	NV	20	-9.25	-0.005402	±2.5	PASS
Band4	1312	2	NV	-30	-33.45	-0.019534	±2.5	PASS
Band4	1312	2	NV	-20	-19.80	-0.011563	±2.5	PASS
Band4	1312	2	NV	0	-19.61	-0.011452	±2.5	PASS
Band4	1312	2	NV	10	-15.16	-0.008853	±2.5	PASS
Band4	1312	2	NV	20	-20.48	-0.011960	±2.5	PASS
Band4	1312	3	NV	-30	-32.94	-0.019236	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band4	1312	3	NV	-20	-17.48	-0.010208	±2.5	PASS
Band4	1312	3	NV	0	-17.32	-0.010114	±2.5	PASS
Band4	1312	3	NV	10	-22.91	-0.013379	±2.5	PASS
Band4	1312	3	NV	20	-19.91	-0.011627	±2.5	PASS
Band4	1312	4	NV	-30	-33.97	-0.019838	±2.5	PASS
Band4	1312	4	NV	-20	-55.17	-0.032218	±2.5	PASS
Band4	1312	4	NV	0	-24.97	-0.014582	±2.5	PASS
Band4	1312	4	NV	10	-32.62	-0.019049	±2.5	PASS
Band4	1312	4	NV	20	16.87	0.009852	±2.5	PASS
Band4	1312	5	NV	-30	-8.01	-0.004678	±2.5	PASS
Band4	1312	5	NV	-20	-9.31	-0.005437	±2.5	PASS
Band4	1312	5	NV	0	-7.00	-0.004088	±2.5	PASS
Band4	1312	5	NV	10	-3.92	-0.002289	±2.5	PASS
Band4	1312	5	NV	20	-6.22	-0.003632	±2.5	PASS
Band4	1413	1	NV	-30	-10.51	-0.006066	±2.5	PASS
Band4	1413	1	NV	-20	-10.49	-0.006054	±2.5	PASS
Band4	1413	1	NV	0	-10.69	-0.006170	±2.5	PASS
Band4	1413	1	NV	10	-11.67	-0.006736	±2.5	PASS
Band4	1413	1	NV	20	-8.06	-0.004652	±2.5	PASS
Band4	1413	2	NV	-30	-9.52	-0.005495	±2.5	PASS
Band4	1413	2	NV	-20	-7.77	-0.004485	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band4	1413	2	NV	0	-11.14	-0.006430	±2.5	PASS
Band4	1413	2	NV	10	-12.04	-0.006949	±2.5	PASS
Band4	1413	2	NV	20	-9.11	-0.005258	±2.5	PASS
Band4	1413	3	NV	-30	-8.33	-0.004808	±2.5	PASS
Band4	1413	3	NV	-20	-4.42	-0.002551	±2.5	PASS
Band4	1413	3	NV	0	-4.76	-0.002747	±2.5	PASS
Band4	1413	3	NV	10	-4.58	-0.002643	±2.5	PASS
Band4	1413	3	NV	20	-5.23	-0.003019	±2.5	PASS
Band4	1413	4	NV	-30	-8.03	-0.004635	±2.5	PASS
Band4	1413	4	NV	-20	-10.76	-0.006210	±2.5	PASS
Band4	1413	4	NV	0	-8.04	-0.004640	±2.5	PASS
Band4	1413	4	NV	10	-8.63	-0.004981	±2.5	PASS
Band4	1413	4	NV	20	-9.99	-0.005766	±2.5	PASS
Band4	1413	5	NV	-30	-7.25	-0.004184	±2.5	PASS
Band4	1413	5	NV	-20	-11.54	-0.006661	±2.5	PASS
Band4	1413	5	NV	0	-9.11	-0.005258	±2.5	PASS
Band4	1413	5	NV	10	-8.60	-0.004964	±2.5	PASS
Band4	1413	5	NV	20	-11.97	-0.006909	±2.5	PASS
Band4	1513	1	NV	-30	-9.04	-0.005158	±2.5	PASS
Band4	1513	1	NV	-20	-9.79	-0.005586	±2.5	PASS
Band4	1513	1	NV	0	-11.64	-0.006642	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com

Band4	1513	1	NV	10	-9.37	-0.005346	±2.5	PASS
Band4	1513	1	NV	20	-7.42	-0.004234	±2.5	PASS
Band4	1513	2	NV	-30	-7.43	-0.004239	±2.5	PASS
Band4	1513	2	NV	-20	-5.56	-0.003172	±2.5	PASS
Band4	1513	2	NV	0	-4.45	-0.002539	±2.5	PASS
Band4	1513	2	NV	10	-3.45	-0.001969	±2.5	PASS
Band4	1513	2	NV	20	-4.20	-0.002396	±2.5	PASS
Band4	1513	3	NV	-30	-4.92	-0.002807	±2.5	PASS
Band4	1513	3	NV	-20	-3.77	-0.002151	±2.5	PASS
Band4	1513	3	NV	0	-5.78	-0.003298	±2.5	PASS
Band4	1513	3	NV	10	-4.20	-0.002396	±2.5	PASS
Band4	1513	3	NV	20	-8.05	-0.004593	±2.5	PASS
Band4	1513	4	NV	-30	-4.22	-0.002408	±2.5	PASS
Band4	1513	4	NV	-20	-6.68	-0.003811	±2.5	PASS
Band4	1513	4	NV	0	-5.36	-0.003058	±2.5	PASS
Band4	1513	4	NV	10	-5.41	-0.003087	±2.5	PASS
Band4	1513	4	NV	20	-4.41	-0.002516	±2.5	PASS
Band4	1513	5	NV	-30	-2.66	-0.001518	±2.5	PASS
Band4	1513	5	NV	-20	-4.72	-0.002693	±2.5	PASS
Band4	1513	5	NV	0	-7.21	-0.004114	±2.5	PASS
Band4	1513	5	NV	10	-5.18	-0.002956	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band4	1513	5	NV	20	-3.89	-0.002220	±2.5	PASS
-------	------	---	----	----	-------	-----------	------	------

---End---