



Band5-4233-1-10000~18000MHz



Band5-4233-2-1000~3000MHz




Band5-4233-2-10000~18000MHz




Band5-4233-2-3000~10000MHz



Band5-4233-2-30~1000MHz



Band5-4233-2-0.15~30MHz




Band5-4233-2-0.009~0.15MHz



Band5-4233-3-3000~10000MHz




Band5-4233-3-0.15~30MHz



Band5-4233-3-10000~18000MHz



Band5-4233-3-30~1000MHz




Band5-4233-3-1000~3000MHz



Band5-4233-3-0.009~0.15MHz




Band5-4233-4-0.009~0.15MHz




Band5-4233-4-10000~18000MHz




Band5-4233-4-3000~10000MHz




Band5-4233-4-1000~3000MHz



Band5-4233-4-0.15~30MHz




Band5-4233-4-30~1000MHz




Band5-4233-5-10000~18000MHz




Band5-4233-5-0.009~0.15MHz



Band5-4233-5-0.15~30MHz



Band5-4233-5-30~1000MHz



Band5-4233-5-1000~3000MHz



Band5-4233-5-3000~10000MHz



Appendix F: Frequency Stability VS Voltage

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VL	NT	-14.51	-0.017558	±2.5	PASS
Band5	4132	VN	NT	-14.44	-0.017473	±2.5	PASS
Band5	4132	VH	NT	-13.46	-0.016288	±2.5	PASS
Band5	4182	VL	NT	-10.76	-0.012865	±2.5	PASS
Band5	4182	VN	NT	-11.62	-0.013893	±2.5	PASS
Band5	4182	VH	NT	-10.88	-0.013008	±2.5	PASS
Band5	4233	VL	NT	-11.12	-0.013135	±2.5	PASS
Band5	4233	VN	NT	-11.32	-0.013371	±2.5	PASS
Band5	4233	VH	NT	-10.56	-0.012473	±2.5	PASS

AppendixG:Frequency Stability VS Temperature

Test Result

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-13.93	-0.016856	±2.5	PASS
Band5	4132	NV	-20	-13.04	-0.015779	±2.5	PASS
Band5	4132	NV	0	-11.98	-0.014497	±2.5	PASS
Band5	4132	NV	10	-12.05	-0.014581	±2.5	PASS
Band5	4132	NV	20	-11.37	-0.013758	±2.5	PASS
Band5	4182	NV	-30	-11.67	-0.013953	±2.5	PASS
Band5	4182	NV	-20	-11.40	-0.013630	±2.5	PASS
Band5	4182	NV	0	-9.68	-0.011573	±2.5	PASS
Band5	4182	NV	10	-12.64	-0.015112	±2.5	PASS
Band5	4182	NV	20	-10.39	-0.012422	±2.5	PASS
Band5	4233	NV	-30	-10.44	-0.012332	±2.5	PASS
Band5	4233	NV	-20	-10.53	-0.012438	±2.5	PASS
Band5	4233	NV	0	-9.06	-0.010702	±2.5	PASS
Band5	4233	NV	10	-12.99	-0.015344	±2.5	PASS
Band5	4233	NV	20	-12.37	-0.014611	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VL	NT	-8.06	-0.009753	±2.5	PASS
Band5	4132	1	VN	NT	-11.13	-0.013468	±2.5	PASS
Band5	4132	1	VH	NT	-8.99	-0.010879	±2.5	PASS
Band5	4132	2	VL	NT	-8.39	-0.010152	±2.5	PASS
Band5	4132	2	VN	NT	-8.11	-0.009814	±2.5	PASS
Band5	4132	2	VH	NT	-9.16	-0.011084	±2.5	PASS
Band5	4132	3	VL	NT	-8.28	-0.010019	±2.5	PASS
Band5	4132	3	VN	NT	-13.06	-0.015803	±2.5	PASS
Band5	4132	3	VH	NT	-5.14	-0.006220	±2.5	PASS
Band5	4132	4	VL	NT	-9.99	-0.012089	±2.5	PASS
Band5	4132	4	VN	NT	-9.17	-0.011096	±2.5	PASS
Band5	4132	4	VH	NT	-10.78	-0.013045	±2.5	PASS
Band5	4182	1	VL	NT	-10.82	-0.012936	±2.5	PASS
Band5	4182	1	VN	NT	-7.65	-0.009146	±2.5	PASS
Band5	4182	1	VH	NT	-11.07	-0.013235	±2.5	PASS
Band5	4182	2	VL	NT	-8.43	-0.010079	±2.5	PASS
Band5	4182	2	VN	NT	-12.49	-0.014933	±2.5	PASS
Band5	4182	2	VH	NT	-9.26	-0.011071	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com

Band5	4182	3	VL	NT	-10.85	-0.012972	±2.5	PASS
Band5	4182	3	VN	NT	-8.08	-0.009660	±2.5	PASS
Band5	4182	3	VH	NT	-11.09	-0.013259	±2.5	PASS
Band5	4182	4	VL	NT	-10.67	-0.012757	±2.5	PASS
Band5	4182	4	VN	NT	-10.25	-0.012255	±2.5	PASS
Band5	4182	4	VH	NT	-7.52	-0.008991	±2.5	PASS
Band5	4233	1	VL	NT	-11.07	-0.013076	±2.5	PASS
Band5	4233	1	VN	NT	-12.20	-0.014411	±2.5	PASS
Band5	4233	1	VH	NT	-6.14	-0.007253	±2.5	PASS
Band5	4233	2	VL	NT	-11.57	-0.013666	±2.5	PASS
Band5	4233	2	VN	NT	-12.20	-0.014411	±2.5	PASS
Band5	4233	2	VH	NT	-12.25	-0.014470	±2.5	PASS
Band5	4233	3	VL	NT	-10.05	-0.011871	±2.5	PASS
Band5	4233	3	VN	NT	-7.68	-0.009072	±2.5	PASS
Band5	4233	3	VH	NT	-9.08	-0.010725	±2.5	PASS
Band5	4233	4	VL	NT	-8.96	-0.010584	±2.5	PASS
Band5	4233	4	VN	NT	-7.22	-0.008528	±2.5	PASS
Band5	4233	4	VH	NT	-8.71	-0.010288	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage	Temperature	Deviation	Deviation	Limit	Verdict

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

			(Vdc)	(°C)	(Hz)	(ppm)	(ppm)	
Band5	4132	1	NV	-30	-10.51	-0.012718	±2.5	PASS
Band5	4132	1	NV	-20	-12.68	-0.015344	±2.5	PASS
Band5	4132	1	NV	0	-10.60	-0.012827	±2.5	PASS
Band5	4132	1	NV	10	-10.80	-0.013069	±2.5	PASS
Band5	4132	1	NV	20	-11.32	-0.013698	±2.5	PASS
Band5	4132	2	NV	-30	-13.64	-0.016505	±2.5	PASS
Band5	4132	2	NV	-20	-11.13	-0.013468	±2.5	PASS
Band5	4132	2	NV	0	-9.49	-0.011484	±2.5	PASS
Band5	4132	2	NV	10	-10.29	-0.012452	±2.5	PASS
Band5	4132	2	NV	20	-7.74	-0.009366	±2.5	PASS
Band5	4132	3	NV	-30	-8.89	-0.010758	±2.5	PASS
Band5	4132	3	NV	-20	-6.51	-0.007878	±2.5	PASS
Band5	4132	3	NV	0	-11.51	-0.013928	±2.5	PASS
Band5	4132	3	NV	10	-11.29	-0.013662	±2.5	PASS
Band5	4132	3	NV	20	-11.77	-0.014242	±2.5	PASS
Band5	4132	4	NV	-30	-11.62	-0.014061	±2.5	PASS
Band5	4132	4	NV	-20	-6.25	-0.007563	±2.5	PASS
Band5	4132	4	NV	0	-4.83	-0.005845	±2.5	PASS
Band5	4132	4	NV	10	-7.54	-0.009124	±2.5	PASS
Band5	4132	4	NV	20	-10.96	-0.013262	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com

Band5	4182	1	NV	-30	-5.24	-0.006265	±2.5	PASS
Band5	4182	1	NV	-20	-4.23	-0.005057	±2.5	PASS
Band5	4182	1	NV	0	-7.44	-0.008895	±2.5	PASS
Band5	4182	1	NV	10	-8.43	-0.010079	±2.5	PASS
Band5	4182	1	NV	20	-11.17	-0.013355	±2.5	PASS
Band5	4182	2	NV	-30	-10.19	-0.012183	±2.5	PASS
Band5	4182	2	NV	-20	-10.29	-0.012303	±2.5	PASS
Band5	4182	2	NV	0	-4.96	-0.005930	±2.5	PASS
Band5	4182	2	NV	10	-7.11	-0.008501	±2.5	PASS
Band5	4182	2	NV	20	-9.10	-0.010880	±2.5	PASS
Band5	4182	3	NV	-30	-5.97	-0.007138	±2.5	PASS
Band5	4182	3	NV	-20	-5.39	-0.006444	±2.5	PASS
Band5	4182	3	NV	0	-4.80	-0.005739	±2.5	PASS
Band5	4182	3	NV	10	-6.80	-0.008130	±2.5	PASS
Band5	4182	3	NV	20	-7.45	-0.008907	±2.5	PASS
Band5	4182	4	NV	-30	-12.90	-0.015423	±2.5	PASS
Band5	4182	4	NV	-20	-3.60	-0.004304	±2.5	PASS
Band5	4182	4	NV	0	-12.96	-0.015495	±2.5	PASS
Band5	4182	4	NV	10	-6.22	-0.007437	±2.5	PASS
Band5	4182	4	NV	20	-8.63	-0.010318	±2.5	PASS
Band5	4233	1	NV	-30	-6.14	-0.007253	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com

Band5	4233	1	NV	-20	-6.92	-0.008174	±2.5	PASS
Band5	4233	1	NV	0	-11.82	-0.013962	±2.5	PASS
Band5	4233	1	NV	10	-9.90	-0.011694	±2.5	PASS
Band5	4233	1	NV	20	-9.56	-0.011292	±2.5	PASS
Band5	4233	2	NV	-30	-6.21	-0.007335	±2.5	PASS
Band5	4233	2	NV	-20	-9.25	-0.010926	±2.5	PASS
Band5	4233	2	NV	0	-10.21	-0.012060	±2.5	PASS
Band5	4233	2	NV	10	-7.61	-0.008989	±2.5	PASS
Band5	4233	2	NV	20	-3.64	-0.004300	±2.5	PASS
Band5	4233	3	NV	-30	-5.98	-0.007064	±2.5	PASS
Band5	4233	3	NV	-20	-10.89	-0.012863	±2.5	PASS
Band5	4233	3	NV	0	-10.68	-0.012615	±2.5	PASS
Band5	4233	3	NV	10	-8.68	-0.010253	±2.5	PASS
Band5	4233	3	NV	20	-13.70	-0.016182	±2.5	PASS
Band5	4233	4	NV	-30	-9.47	-0.011186	±2.5	PASS
Band5	4233	4	NV	-20	-9.26	-0.010938	±2.5	PASS
Band5	4233	4	NV	0	-11.59	-0.013690	±2.5	PASS
Band5	4233	4	NV	10	-8.23	-0.009721	±2.5	PASS
Band5	4233	4	NV	20	-11.88	-0.014033	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VL	NT	-10.33	-0.012500	±2.5	PASS
Band5	4132	1	VN	NT	-11.69	-0.014146	±2.5	PASS
Band5	4132	1	VH	NT	-12.57	-0.015211	±2.5	PASS
Band5	4132	2	VL	NT	-6.37	-0.007708	±2.5	PASS
Band5	4132	2	VN	NT	-11.73	-0.014194	±2.5	PASS
Band5	4132	2	VH	NT	-7.13	-0.008628	±2.5	PASS
Band5	4132	3	VL	NT	-4.86	-0.005881	±2.5	PASS
Band5	4132	3	VN	NT	-4.66	-0.005639	±2.5	PASS
Band5	4132	3	VH	NT	-4.51	-0.005457	±2.5	PASS
Band5	4132	4	VL	NT	-7.45	-0.009015	±2.5	PASS
Band5	4132	4	VN	NT	-4.74	-0.005736	±2.5	PASS
Band5	4132	4	VH	NT	-8.18	-0.009898	±2.5	PASS
Band5	4132	5	VL	NT	-4.24	-0.005131	±2.5	PASS
Band5	4132	5	VN	NT	-7.81	-0.009451	±2.5	PASS
Band5	4132	5	VH	NT	-6.97	-0.008434	±2.5	PASS
Band5	4182	1	VL	NT	-8.93	-0.010677	±2.5	PASS
Band5	4182	1	VN	NT	-7.80	-0.009326	±2.5	PASS
Band5	4182	1	VH	NT	-4.42	-0.005285	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band5	4182	2	VL	NT	-12.72	-0.015208	±2.5	PASS
Band5	4182	2	VN	NT	-10.56	-0.012626	±2.5	PASS
Band5	4182	2	VH	NT	-9.23	-0.011035	±2.5	PASS
Band5	4182	3	VL	NT	-6.89	-0.008238	±2.5	PASS
Band5	4182	3	VN	NT	-5.60	-0.006695	±2.5	PASS
Band5	4182	3	VH	NT	-5.05	-0.006038	±2.5	PASS
Band5	4182	4	VL	NT	-9.86	-0.011789	±2.5	PASS
Band5	4182	4	VN	NT	-8.68	-0.010378	±2.5	PASS
Band5	4182	4	VH	NT	-10.64	-0.012721	±2.5	PASS
Band5	4182	5	VL	NT	-10.48	-0.012530	±2.5	PASS
Band5	4182	5	VN	NT	-11.20	-0.013391	±2.5	PASS
Band5	4182	5	VH	NT	-10.81	-0.012924	±2.5	PASS
Band5	4233	1	VL	NT	-11.74	-0.013867	±2.5	PASS
Band5	4233	1	VN	NT	-9.86	-0.011647	±2.5	PASS
Band5	4233	1	VH	NT	-9.63	-0.011375	±2.5	PASS
Band5	4233	2	VL	NT	-6.77	-0.007997	±2.5	PASS
Band5	4233	2	VN	NT	-8.49	-0.010028	±2.5	PASS
Band5	4233	2	VH	NT	-6.48	-0.007654	±2.5	PASS
Band5	4233	3	VL	NT	-4.25	-0.005020	±2.5	PASS
Band5	4233	3	VN	NT	-5.37	-0.006343	±2.5	PASS
Band5	4233	3	VH	NT	-4.53	-0.005351	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band5	4233	4	VL	NT	-4.86	-0.005741	±2.5	PASS
Band5	4233	4	VN	NT	-4.73	-0.005587	±2.5	PASS
Band5	4233	4	VH	NT	-4.33	-0.005115	±2.5	PASS
Band5	4233	5	VL	NT	-6.82	-0.008056	±2.5	PASS
Band5	4233	5	VN	NT	-4.64	-0.005481	±2.5	PASS
Band5	4233	5	VH	NT	-6.92	-0.008174	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-10.33	-0.012500	±2.5	PASS
Band5	4132	1	NV	-20	-11.74	-0.014206	±2.5	PASS
Band5	4132	1	NV	0	-9.91	-0.011992	±2.5	PASS
Band5	4132	1	NV	10	-11.78	-0.014255	±2.5	PASS
Band5	4132	1	NV	20	-9.98	-0.012076	±2.5	PASS
Band5	4132	2	NV	-30	-5.08	-0.006147	±2.5	PASS
Band5	4132	2	NV	-20	-3.47	-0.004199	±2.5	PASS
Band5	4132	2	NV	0	-4.60	-0.005566	±2.5	PASS
Band5	4132	2	NV	10	-3.71	-0.004489	±2.5	PASS
Band5	4132	2	NV	20	-5.14	-0.006220	±2.5	PASS
Band5	4132	3	NV	-30	-4.31	-0.005215	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band5	4132	3	NV	-20	-6.84	-0.008277	±2.5	PASS
Band5	4132	3	NV	0	-7.03	-0.008507	±2.5	PASS
Band5	4132	3	NV	10	-3.00	-0.003630	±2.5	PASS
Band5	4132	3	NV	20	-4.06	-0.004913	±2.5	PASS
Band5	4132	4	NV	-30	-4.21	-0.005094	±2.5	PASS
Band5	4132	4	NV	-20	-6.91	-0.008362	±2.5	PASS
Band5	4132	4	NV	0	-5.29	-0.006401	±2.5	PASS
Band5	4132	4	NV	10	-3.20	-0.003872	±2.5	PASS
Band5	4132	4	NV	20	-4.68	-0.005663	±2.5	PASS
Band5	4132	5	NV	-30	-3.93	-0.004756	±2.5	PASS
Band5	4132	5	NV	-20	-1.54	-0.001864	±2.5	PASS
Band5	4132	5	NV	0	-9.11	-0.011024	±2.5	PASS
Band5	4132	5	NV	10	-8.19	-0.009910	±2.5	PASS
Band5	4132	5	NV	20	-4.28	-0.005179	±2.5	PASS
Band5	4182	1	NV	-30	-8.28	-0.009900	±2.5	PASS
Band5	4182	1	NV	-20	-6.53	-0.007807	±2.5	PASS
Band5	4182	1	NV	0	-5.23	-0.006253	±2.5	PASS
Band5	4182	1	NV	10	-3.28	-0.003922	±2.5	PASS
Band5	4182	1	NV	20	-11.85	-0.014168	±2.5	PASS
Band5	4182	2	NV	-30	-3.94	-0.004711	±2.5	PASS
Band5	4182	2	NV	-20	-2.46	-0.002941	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band5	4182	2	NV	0	-8.37	-0.010007	±2.5	PASS
Band5	4182	2	NV	10	-7.24	-0.008656	±2.5	PASS
Band5	4182	2	NV	20	-6.39	-0.007640	±2.5	PASS
Band5	4182	3	NV	-30	-3.00	-0.003587	±2.5	PASS
Band5	4182	3	NV	-20	-8.73	-0.010438	±2.5	PASS
Band5	4182	3	NV	0	-8.26	-0.009876	±2.5	PASS
Band5	4182	3	NV	10	-7.10	-0.008489	±2.5	PASS
Band5	4182	3	NV	20	-6.12	-0.007317	±2.5	PASS
Band5	4182	4	NV	-30	-7.65	-0.009146	±2.5	PASS
Band5	4182	4	NV	-20	-5.47	-0.006540	±2.5	PASS
Band5	4182	4	NV	0	-4.17	-0.004986	±2.5	PASS
Band5	4182	4	NV	10	-3.76	-0.004495	±2.5	PASS
Band5	4182	4	NV	20	-1.83	-0.002188	±2.5	PASS
Band5	4182	5	NV	-30	-11.77	-0.014072	±2.5	PASS
Band5	4182	5	NV	-20	-10.26	-0.012267	±2.5	PASS
Band5	4182	5	NV	0	-3.98	-0.004758	±2.5	PASS
Band5	4182	5	NV	10	-2.85	-0.003407	±2.5	PASS
Band5	4182	5	NV	20	-9.34	-0.011167	±2.5	PASS
Band5	4233	1	NV	-30	-12.88	-0.015214	±2.5	PASS
Band5	4233	1	NV	-20	-2.97	-0.003508	±2.5	PASS
Band5	4233	1	NV	0	-8.97	-0.010595	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band5	4233	1	NV	10	-7.71	-0.009107	±2.5	PASS
Band5	4233	1	NV	20	-8.63	-0.010194	±2.5	PASS
Band5	4233	2	NV	-30	-7.64	-0.009024	±2.5	PASS
Band5	4233	2	NV	-20	-8.08	-0.009544	±2.5	PASS
Band5	4233	2	NV	0	-10.84	-0.012804	±2.5	PASS
Band5	4233	2	NV	10	-12.50	-0.014765	±2.5	PASS
Band5	4233	2	NV	20	-8.77	-0.010359	±2.5	PASS
Band5	4233	3	NV	-30	-4.78	-0.005646	±2.5	PASS
Band5	4233	3	NV	-20	-3.81	-0.004500	±2.5	PASS
Band5	4233	3	NV	0	-4.79	-0.005658	±2.5	PASS
Band5	4233	3	NV	10	-13.93	-0.016454	±2.5	PASS
Band5	4233	3	NV	20	-6.27	-0.007406	±2.5	PASS
Band5	4233	4	NV	-30	-4.36	-0.005150	±2.5	PASS
Band5	4233	4	NV	-20	-3.34	-0.003945	±2.5	PASS
Band5	4233	4	NV	0	-12.63	-0.014918	±2.5	PASS
Band5	4233	4	NV	10	-12.02	-0.014198	±2.5	PASS
Band5	4233	4	NV	20	-5.01	-0.005918	±2.5	PASS
Band5	4233	5	NV	-30	-6.04	-0.007134	±2.5	PASS
Band5	4233	5	NV	-20	-9.89	-0.011682	±2.5	PASS
Band5	4233	5	NV	0	-11.59	-0.013690	±2.5	PASS
Band5	4233	5	NV	10	-9.63	-0.011375	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

Band5	4233	5	NV	20	-6.82	-0.008056	±2.5	PASS
-------	------	---	----	----	-------	-----------	------	------

---End---