

SELF CAMERA MONOPOD SPECIFICATION:

- 1. Bluetooth V3.0, with low power consumption and high-speed;
- 2. Compatible with IOS and Android dual system;
- 3. Automatic default system, no need to switch Android or IOS by hand;
- 4. No need to install APP;
- 5. Operational distance: 10M;
- 6. Operational frequency: 2.4GHz; operational mode: GFSK;
- 7. Operational current: 1mA (primary sleeping mode: 0.5mA);
- 8. Operational voltage: 3V-4.2V;
- 9. Operational temperature: -10 degrees to -55 degrees;
- 10. Operational humidity: 10% to 70%;
- 11. Battery: 100mA lithium batteries.

Accessories:

- 1. Self Camera Monopod*1pcs
- 2. Introduction Manual*1pcs
- 3. Micro-USB Cable*1pcs
- 4. Mobile Phone Fixed Mount*1pcs





SELF CAMERA MONOPOD


- 1. Mobile Phone Fixed Mount
- 2. Stainless Flexible Pipe
- 3. Camera Button
- 4. Zoom-In Button
- 5. Zoom-Out Button
- 6. Power Button
- 7. 1/4 Screw
- 8. Micro USB Interface
- 9. Power LED

My selftimer instuction manual:

- 1. Power On: Press POWER shortly , green led will be on and it will be off after one second.
- 2. Match/ Online:
 - 2.1 Press CAMERA for two seconds, green led will be on and bling to enter match mode.
 - 2.2 Turn on mobile phone to search Bluetooth device, named as “self timer-03”.
 - 2.3 Click “self timer-03” to connect Bluetooth device. Wait for 8 seconds, green led will be constant light, that is, boot into successful match.
- 3. Camera: Press CAMERA.
- 4. Focus: Press “+” button longly to zoom in and “-” button longly to zoom out. (Only used on Samgsung mobilephone/ pad).
- 5. Power Off: Press POWER for 3 seconds.
- 6. Charging: MICRO USB interface on the bottom of the self camera monopod is used for charging. Red led will be on during charging.



Method 1:
1.Screw up flexible pipe with mobile phone fixed mount.
2.Insert the flexible pipe into remote joystick and screw it up.
3.Put mobile phone on the phone fixed mount.



Method 2:
1.Screw up the mobile phone fixed mount with tripod
2.Put the mobile phone on the phone fixed mount.

Not include the trip

Sleeping Mode:
1.When the device is out of use for 5 minutes, the device will enter into sleeping mode and disconnect Bluetooth automatically.
2.Press the camera key shortly, the device will cancel function and be connected with phone automatically.
3.When mobile phone Bluetooth disconnects with the device and starts to reconnect, press CAMERA shortly to make them automatically connected.

Note: My selftimer supports IOS5.0 above and Android 2.3.6 above. As Android system is open source system, few phone/tablet models may not support such remote camera functions.

FCC INFORMATION
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: 1. This device may not cause harmful interference, and 2. This device must accept any interference received, including interference that may cause undesired operation.
Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
—Reorient or relocate the receiving antenna.
—Increase the separation between the equipment and receiver.
—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
—Consult the dealer or an experienced radio/TV technician for help.
Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.